FARO
BARCELONA



2020. Any learnings? Welcome 2021


FARO
BARCELONA
10



01/ INDOOR

32 ___ 37
Portables
Portátiles

38 ___ 83
Table&Floor
Mesa y suelo

84 ___ 127
Suspended
Suspensión

128 ___ 139
Ceiling
Techo

140 ___ 215
Surface
Superficie

216 ___ 223
Spotlights
Focos

224 ___ 241
Recessed
Empotrables

242 ___ 245
Track
Carril

Edition
A2021M

Art Director / Graphics
Faro Art

Printing
Jiménez Godoy

All Rights Reserved
Reproduction without written permission from the publisher is strictly prohibited.

Photographers
Guillem F-H
Andrés Fraga
Ricard Badía
Sergiy Kadulin
Stelios Kalisperis
Architectural Matter

Thanks to
Natalia Zubizarreta
Salto Proyectos
Vana Pernari Architecture
Estibaliz Martin Interiorismo
Colvin & Co.
Pía Capdevila
Erlantz Biderbost
Restaurant 3 Nusos
Pol&Grace Hotel
Elena Castells Poch
MIKMAX
Alfombras BSB
Bubes&Grabavska Design
Meritxell Ribé - The Room Studio

Headquarters
Dinámica 1 / 08755 /
Castellbisbal

Showroom
Princesa 52 / 08003 / Barcelona
+34 902 165 166 /
faro@lorefar.com / faro.es

02/
OUTDOOR

248 ___ 257
Saigon by Nahtrang
Saigon

258 ___ 263
Portables
Portátiles

264 ___ 317
Floor
Suelo

318 ___ 327
Spike&Projector
Estaca y Proyector

328 ___ 331
Suspended
Suspensión

332 ___ 333
Ceiling
Techo

334 ___ 369
Surface
Superficie

370 ___ 383
Recessed
Empotrables

03/
TECH

388 ___ 423
Track
Carril

424 ___ 463
Recessed
Empotrables

464 ___ 481
Surface
Superficie

488 ___ 491
Drivers
Equipos electrónicos



04/
FAN

502 ___ 525
Extra large
Extra grande

526 ___ 591
Large
Grande

587 ___ 611
Medium
Mediano

612 ___ 635
Small
Pequeño

636 ___ 637
Optional accesories
Accesorios opcionales

638 ___ 645
Bulbs
Bombillas



Our purpose goes beyond creating beautiful products, functional and quality. We design objects thinking about the happiness and well-being of the people who are going to be in contact with them. We believe in honest, close and accessible design. Design for everyone.

Nuestro propósito va más allá de crear productos bellos, funcionales y de calidad. Diseñamos objetos pensando en la felicidad y el bienestar de las personas que van a estar en contacto con ellos. Creemos en el diseño honesto, cercano y accesible. Diseño para todos.

designed for happiness.





Virtual reality / *Realidad virtual*

We apply virtual reality to improve our customers' experience.
Aplicamos la realidad virtual para mejorar la experiencia de nuestros clientes.



3D printing / *Impresión 3D*

Pioneers in the application of 3D printing to improve design processes.
Pioneros en la aplicación de la impresión 3D para mejorar los procesos de diseño.



Smart light / *Control de la luz*

We work with specialised technological partners to offer a complete selection of luminaires that can be controlled with 1-10V, DALI or Bluetooth systems, as well as with our own smart lamp.
Colaboramos con partners tecnológicos especializados para ofrecer una completa selección de luminarias que pueden ser controladas con los sistemas 1-10V, DALI o Bluetooth, así como con nuestra propia lámpara inteligente.



Smart Fan / *Ventiladores inteligentes*

As leaders in fan sector, we have a wide selection of intelligent fans that can be controlled comfortably and easily from any device, improving the user experience and adapting to the needs of each user at all times.
Como líderes en el sector de la ventilación, disponemos de una amplia selección de ventiladores inteligentes que permiten ser controlados de una forma cómoda y sencilla desde cualquier dispositivo, mejorando la experiencia de uso y adaptándonos a las necesidades de cada usuario en cada momento.

01/

PEOPLE
PERSONAS



Promoting diversity.
Promovemos la diversidad.

Gender, age, origin, religion.
De género, edad, procedencia, religión.



Community support.
Apoyamos a la comunidad.

We support NGOs and social programmes with Caritas and our Hook luminaire.
Apoyamos a ONGs y programas sociales con Cáritas y nuestra luminaria Hook.



Honest and accessible design.
Diseño honesto y accesible.

We impact on the quality of life, well-being and comfort of people.
Impactamos en la calidad de vida, el bienestar y el confort de las personas.

02/

ENVIRONMENT
ENTORNO



Sustainable business.
Comercio sostenible.

Collection and recycling of packaging with Nozama Green.
Recogida y reciclaje de embalaje con Nozama Green.



Go to green.
Hacia lo sostenible.

Green energy in our facilities.
Usamos energía verde en nuestras instalaciones.



Less environmental impact.
Menor impacto medioambiental.

New logistics centre in China to reduce transport impact.
Nuevo centro logístico en China para reducir el impacto en transporte.

03/

PRODUCT
PRODUCTO



Ecodesign.
Ecodiseño.

Less material and more sustainable. Less polluting manufacturing processes.
Menos materiales y más sostenibles. Procesos de fabricación menos contaminantes.



Packaging optimization.
Optimización del embalaje.

Redesign with sustainable and/or recycled materials.
Rediseño con materiales sostenibles y/o reciclados.



Training in Circular Design.
Formación en Diseño circular.

Products designed to be more easily repaired or recycled.
Productos diseñados para ser más fácilmente reparados o reciclados.



We have started on the road to sustainability: a long journey with no return. These are some of our commitments to contribute to the creation of a more sustainable, happier, better world.

Hemos iniciado el camino hacia la sostenibilidad: un viaje largo y sin retorno. Estos son algunos de nuestros compromisos para contribuir a la creación de un mundo más sostenible, más feliz, un mundo mejor.



Pia Capdevila

Hospitality /01



Tarruella Trench Studio

Restaurant /02



Studioapart

Retail /03



Febrerostudio

Office /04

Studiotamat



Residential /05

Light transforms spaces as well as the mood of the people who live in them. We accompany you through all stages of the project.

La luz es capaz de transformar los espacios así como el estado de ánimo de las personas que habitan en ellos.
Te acompañamos en todas las etapas del proyecto.

reddot winner 2021 lighting design	Red Dot Design Award **Winner**	**BROT**
reddot winner 2021 lighting design	Red Dot Design Award **Winner**	**FUJI**
DESIGN AWARD 2020	IF Product Design Award **Winner**	**LOTUS**
GERMAN DESIGN AWARD WINNER 2020	German Design Award **Winner**	**HOOK**
DESIGN AWARD 2019	IF Product Design Award **Winner**	**INVITING**
reddot award 2019 winner	Red Dot Design Award **Winner**	**INVITING**
GERMAN DESIGN AWARD SPECIAL 2019	German Design Award **Special**	**INVITING**
GERMAN DESIGN AWARD SPECIAL 2019	German Design Award **Special**	**MUTE**
reddot award 2018 winner	Red Dot Design Award **Winner**	**HOOK**
Green Product Award Winner 2018	Green Product Award **Winner**	**HOOK**
Delta Selection Adi Awards 2018	Delta Awards **Selection**	**HOOK**
bid_18	Bienal Iberoamericana de Diseño **Selection**	**HOOK**
salone satellite 20years of new creativity	Salone Satellite **Selection**	**WHIZZ**
GERMAN DESIGN AWARD WINNER 2018	German Design Award **Winner**	**MINE**
GERMAN DESIGN AWARD SPECIAL 2018	German Design Award **Special**	**BU-OH!**
Restaurant & Bar Product Design Awards	Restaurant&Bar Product Design Award **Winner**	**MINE**
miaw DESIGN INNOVATION AWARDS	Design & Innovation Awards **Winner**	**HAN**


9 July 2018
RED DOT
GALA
reddot award



Cristopher F. Wagner



Goula/Figuera



Xjer Studio



Nutcreatives



Marina Milà



Àlex & Manel Lluscà



Andreu Carulla



Alegre Design



Conillas



Jordi Llopis



Bohman&Folenius



Faro Lab



Oiko Design Office



Lucid



Isaac Piñeiro



Nahtrang



Jordi Busquets



Jordi Blasi



Pepe Llaudet



Estudi Ribaudí



Adolfo Abejón



Aldanondoyfdez



Yembarastudio

Designers, artists, creators. They make our world a better place thanks to their ingenuity, talent and creativity.
Diseñadores, artistas, creadores. Ellos hacen de nuestro mundo un lugar mejor gracias a su ingenio, talento y creatividad.

INDOOR

Portable/*Portátil*


FUJI **32**


HOSHI **35**


JELLYFISH **34**


TAKE AWAY **36**

Table/*Mesa*


AKANE **41**


ANOUK **46**


ARTIS **70**


BANKER **47**


BAOBAB **46**


BERNI **76**


BLISS **45**


CONGA **62**


DRUM **59**


ETERNA **45**


GRU **46**


GUADALUPE **38**


HOSHI **40**


HOTEL **78**


ITO **47**


JELLYFISH **49**


LAO **56**


LENA **46**


LE VITA **51**


LINDA **72**


LINK **55**


LOOP **52**


LULA **44**


LUPE **73**


MAMBO **61**


MINE **43**


MITIC **82**


MOMA **79**


MONTREAL **64**


NIDIA **45**


NIKO **42**


OTTO **46**


REM **68**


SABA **83**


SAMBA **63**


SAVOY **66**

SNAP **47**

STOOD **54**

SWEET **75**

TEN **40**

THANA **82**

TREE **74**

VESPER **71**

VOLTA **77**

Floor/*Suelo*


ARTIS
70


BERNI
76


BLACK
80

N

CONGA
62


DRUM
59


GUADALUPE
38


GUEST
48


HOTEL
78


JELLYFISH
49


LAO
56


LE VITA
51


LINDA
72


LINK
55


LOOP
52


LUPE
73

N

MAMBO
61


MITIC
82


MOMA
79


MONTREAL
64


PAPUA
80


REM
68


SABA
83

N

SAMBA
63


SAVOY
66


STAND-UP
58


STOOD
54


SWEET
75


THANA
82


TREE
74

VESPER
71


VOLTA
77


WHIZZ
57

Bathroom/*Baño*


BRUME
139


CLOE
138

FORO
138


KAO
139

LOGOS
139


TOLA
138


VUK
139

ZON
139

BIANCA
208

BRUME
209

DANUBIO
213

DOKA
210

EDGE
215

GALA
209

INDO
215

LAGO
210

LAOS
210

LASS
211

NILO
214

PERLA
208

RELAX
210

TERMA
211

VOLGA
212

BRUME
103

Recessed/*Empotrable*



AIM
234



ARGÓN
231



BOW
238



CLEAR
234



CROC
238



DOMINO
224

EBBA
232



FALCON
236



FOX
233



FRESH
235

GAS
231



GINGKO
236



HYDE
228



KOI
230



LUAN
239



MOIST
234



MÓVIL
236



NAIS
230



NAVI
240



NEÓN
231



NEU
240



NORD
240



PLAS
241



RADÓN
230



SIGNAL
240



SON
239



STAN
232

TED
239



TOD
239

TROOP
226



WABI
232



WET
236

Track/*Carril*



LAO
244



LINK
244



ORLEANS
245



PLOT
245



RAM
245



RING
244



STAN
242

Ceiling/*Techo*



AMI
138

BIC
137

DOLME
130

HARU
135

IRIS
137

JANET
135

LINK
132

MEGA
137

NATSU
135

ORLEANS
133

POTE
135

REL
135

SEVEN
136

SIDE
131

STAN
136

SVEN
134

TECTO
134

TENDER
128

Suspended/*Suspensión*


AINA
123


ART
96


CHARLOTTE
102


CLAIRE
98


CLARA
96


COCOTTE
91


CONGA
113


COSMOS
99


CRÁTER
95


DANKA
99


DOLME
90


FONOVIA
116


FUSTA
121


HALITA
96


HOTEL
121


KOMBO
84


LANG
98


LE VITA
87


LIANA
102


LINDA
120


LISE
100


LIZ
96


LOOP
107


LOU
98


MAGMA
95


MAMBO
110


MARGOT
102


MARINA
102


MARLIN
96


MINE
105


MOU
98


MUTE
118


NAOS
92


NIDO
102


NUDOS
102


ORA
100


PAM
99


PAULINE
108


PHILL
108


PLAT
96

PLUMA
93

RETRO
94

ROSE
97

SABA
123

SABI
100

SAIGON-IN
114

SAMBA
112

SAVOY
109

SEVEN
123

SIDE
93

SLIM
88

STAN
100

STOOD
106

THANA
123

TREE
120

VESPER
122

WHIZZ
89

WINCH
103

Surface/*Superficie*


BOARD
200


CELIA
198

CHERAS
204


CONIK
203


COTTON
192

N

COVE
206


DALLAS
203


DIULA
207

EACO
204

ELSA
205


ERES
191


HAN
147


HOMS
194


HUDSON
197


KAMEN
206


KERA
194


LE VITA
143


LINDA
196


LIRIA
207


LISE
202


LIST
198


LOA
197


LOOP
155

LUNA
206


MAGRITTE
207


MARINA
197


MARLIN
199


MOY
142


NASH
203


NUDOS
198


OLAF
205


ORA
202

OSLO
205


OVO
191


PETRA
199


PURE
149


RAS
199


RETRO
196


REMAKE
198


RODA
176

SABA
176

SAC
196

SERA
194

SLIM
146

N

SNAP
199

SNOW
205

STAN
202

STOOD
154

TEN
195

TERA
206

THANA
174

N

TOU
201

WHIZZ
145

Bed Surface/*Lector de cama*

ARTIS
162

AUREA
177

BEL
180

BERNI
173

BLOME
168

BOC
177

BOKEN
180

N

CONGA
160

N

CORB
189

ESSENTIAL
176

ETERNA
163

FLIN
178

FOLD
169

FRAME
164

GUADALUPE
148

GUEST
149

HANDY
175

HANNA
174

HOTEL
171

JOY
142

JULIET
180

KALE
181


KLEE **140**


LEAD **181**


LE PETIT **184**


LESER **180**


LUPE **166**


MAGOS **150**


MAMBO **159**


MITIC **176**


MOMA **174**


MONTREAL **156**


MOOD **153**


NIKO **152**


NIT **185**


NOON **188**


PIXIE **178**


PRESS **183**


REM **165**


ROB **177**


RON **167**


ROOM **170**


SABANA **168**


SAHARA **176**


SAMBA **161**


SAMI **180**


SAVOY **157**


SMILE **190**


SUAU **187**


SWEET **173**


TILA **182**


TIRA **174**


VESPER **172**


VOLTA **170**


WELL **189**

Spotlight/*Foco*


COCO **216**


LAO **220**


LINK **220**


ORLEANS **223**


RING **222**


STAN **218**


STONE **221**

Clip/*Pinza*

LENA **180**

PEPPER **179**

STUDIO **179**

TECH

COLIN **449**

CYLINDER **415**

DEEP **425**

FONOVIA **479**

FUGA **401**

NESO **389**

OPTIC **443**

SIGMA **409**

SYNCH **439**

TEKO **465**

VIA **473**

OUTDOOR

Portable/*Portátil*


ARGUS **262**


BROT **286**


CADAQUÉS **282**


CAT **285**


CAGE **260**


KASP **261**


KERALA **262**


TASK **260**


TOC **258**


VERSUS **284**


VOILA **263**

Post/*Sobremuro*


AGRA **304**


BLOCK **289**


BLUB'S **300**


BU-OH! **303**


DAS **305**


DATNA **294**


GIZA **296**


MILA **301**


MISTU **300**


MOON **301**


MUFFIN **300**


MUGA **296**


NALA **301**


NAYA **304**


NOBORU **306**

N


RUSH **264**

N


SCREEN **272**


SETE **301**


SHELBY **293**


SURAT **301**


TWIST **292**


WILMA **299**

Suspended/*Suspensión*


BLUB'S **330**


ESTORIL **331**


HONEY **331**


MISTU **330**


MOON **330**


MUFFIN **330**


NÁUTICA **331**

SAIGON **256**

N

SCUBA **328**

WILMA **330**

Pole/*Farola*

BERET **316**

BLUB'S **315**

BU-OH! **312**

DATNA **312**

GROP **316**

MISTU **314**

NÁUTICA **317**

PLAZA **316**

RUSH **264**

SCREEN **272**

TRAM **312**

Bollard/*Baliza*


AGRA
304


ALP
305

N

BAST
280


BERET
297


BLOCK
289


BLUB'S
300


BROT
286


BU-OH!
303


CAST
288


CHANDRA
309


DAS
305


DATNA
294


GINA
309


GIZA
296


GROP
297


GROW
302


KLAMP
309


LOGAR
298


LOTUS
290


MAUREN
306


MISTU
300


MOON
301


MUFFIN
300


MUGA
296


NANDA
298


NAYA
304


ONZE
296


PLIM
295


RUSH
264


SAIGON
249


SAURA
311


SCREEN
272


SHADOW
308


SHELBY
293


SOLEIL
311


SPY
307


STICKER
291


TRAM
291


TWIST
292


VERNO
299

WILMA
299

Recessed/Empotrable

CROSBY
376

CURTIS
377

DANG
370

DART
373

EDEL
381

N

ESCA
372

FALLS
383

FILTER
374

FROL
372

GALO
370

GEISER
379

GRON
372

GRUND
376

HORUS
375

KANE
377

LED
380

LIO
381

LISO
372

MINI CARTER
374

MINI RACING
374

NASE
370

NAT
375

SALT
381

SEDNA
375

SOUN
374

SPARK
373

STORE
374

STRIPE
372

SURIA
380

TARO
381

TECNO
381

TRAS
378

UVE
370

Ceiling/*Techo*



DAKRON **332**



GOZ **332**



MAUREN **306**



OLOT **332**



TAMI **332**



TASA **332**



YEN **332**

Surface/*Superficie*

ADAY **359**



ALP **354**



ÁNCORA **354**



ARGOT **346**



AXEL **354**



BLIND **361**



BLOCK **338**



BLUB'S **344**



BONN **352**



BORDA **349**



BRACKET **354**



BRONX **364**



BROW **366**



BRUC **361**



BU-OH! **355**



CABO **349**



CANON **365**



CELA **353**



CERES **346**



CLAUSS **354**



COBO **362**



DADO **346**



DATNA **346**



DERBY **353**



DORO **358**



DRAGMA **357**



DRAK **366**



ELE **366**



ESTAY **353**



ESTORIL **347**



FEDON **353**



FRED **352**



FUTURE **354**

GINA **365**

GIZA **342**

GRADA **369**

GRANT **368**

GUIZA **364**

HALF **339**

HIKARI **350**

HONEY **345**

KALA **364**

KAULA **360**

KEENAN **367**

KERALA **342**

KLAMP **363**

KUBICK **350**

LACE **361**

LACRE **361**

LAKO **358**

LING **361**

LOG **361**

LOTH **367**

LOTUS **356**

LUR **350**

MASK **336**

MISTU **344**

MOL **351**

MOON **344**

MUFFIN **344**

MUST **369**

NAHIR **348**

NAIROBI **365**

NALA **351**

NATRON **352**

NÁUTICA **347**

NEGUS **352**

NORAY **349**

OLAN **362**

ORWELL **342**

OVAL **359**

PALS **334**

PATH **368**

PILL **366**

PIVOT **351**

PLIM **343**

POL **351**



POMO
351



PROA
362



QUART
357



SCUBA
341



SHELBY
340



STEPS
363

STICKER
355



SUMA
364



SUN
350



SUNSET
362



TACANA
360



TACOS
360



TAIMA
365



TAKUA
359



TAMASHI
351



TANE
359



TEJO
352



THON
362



TIMON
348



TINIA
365



TOC
345



TOLUCA
360



TOM
350



TRAM
340



TWIST
338



VIEW
357



WALLY
347



WEST
360



WILMA
345



WOOD
365

Projector/*Proyector*



ALFA
321



FLOW
320



FOC
323



KARL
323



KEW
323



LIT
322



MINI PROJECT
321



OKI
322



OKO
322



PLOM
322

PROJECT
321

SHOW
322

SLOT
318

TONI
321

TORAN
323

VIC
323

Spike/*Estaca*

ANDY
327

BALDER
326

FLOW
320

FOC
326

GARTEN-4
327

GARTEN-4
327

PICCOLA
325

PLOM
326

SAIGON
254

SETH
324

SLOT
318

SOBEK
326

TONI
321

TONO
327

FAN

Extra Large/*Extra Grande*


ANDROS
511


AOBA
515


ATTOS
509


CENTURY
525


CIES
513


JUSTFAN
517


KAUAI
507


KHIOS **XXL**
503


LANTAU
521


MANHATTAN
505


NISOS
519


TILOS
523

Large/*Grande*


ALO
527


ALOHA
585


COCOS
537


CORSO
583


CUBA
582


DISC
561


GOTLAND
543


GRID
555


HYDRA
539


IBIZA
580


ICARIA
579


ICE
559


INDUS
534


ISLOT
547


LAMA
533


LANTAU
553


LEYTE
536


LOMBOK
584


LUZON
567


MALLORCA
581


MALVINAS
535


MENO
542


MILOS
541


MOREA
531


NIAS
576


NUU
557


PALK
571


PEMBA
575

POLARIS
569

POLEA
563

POROS
551

RODAS
549

SAMOS
545

SAONA
546

SIOUX
568

SIROS
544

TABARCA
586

TIMOR
570

TONIC
529

TONSAY
573

VANU
577

VULCANO
528

WINCH
565

Medium/*Mediano*


COOPER
593


DECOFAN
601


ECO INDUS
612


ETERFAN
597


FRASER
613


IZARO
587


JUSTFAN
599


MINI ETERFAN
595


MINI TUBE
603


MOLOKAI
608


NASSAU
607


PANAY
609


TUBE
605


TYPHOON
589


WINCHE
591


YAKARTA
611

Small/*Pequeño*


CEBU
625


CHICAGO
628


EASY
623


FACTORY
622


FEROE
616


JUSTFAN
631


KEIKI
635


KOMODO
621


LISBOA
620


MEDITERRANEO
629


MINI ICARIA
615


MINI INDUS
627


MINI LANTAU
619


MINI MALLORCA
617


MINI UFO
626


OBOE
624


PALAO
633


VEDRA
634

The objects that surround us must help us live a more fully and happily life. That is just what we pursue with each of our creations. We design objects thinking about the happiness and comfort of the people who will be in contact with them.

Los objetos que nos rodean deben ayudarnos a conseguir vivir la vida de una forma más plena y feliz. Eso es justo lo que perseguimos con cada una de nuestras creaciones. Diseñamos objetos pensando en la felicidad y el confort de las personas que van a estar en contacto con ellos.



INDOOR

NEW

FUJI

— Isaac Piñeiro 



74465 matt black/negro mate

LED SMD 1,5W 2700K 90lm 3.7VDC ✓

Body Aluminium/Aluminio
Diff Opal polycarbonate/Policarbonato opal

IP44 | III | DC 3.7V | Battery ✓

USB wire Type C 1.8mt cable | 10h Worktime 10h Charge | Hook ✓





25lm | 45lm | 90lm







USB Charger



Portables
Portátiles

JELLYFISH

— Nahtrang 



24523 matt black/negro mate
24524 matt white/blanco mate

LED SMD 3W 2700K 220lm CRI>80 Driver ✓

Body Steel/Acero
Diff PMMA

DC5V-1A | Battery ✓ | Micro USB

9h Worktime
8h Charge




1W 100lm


2W 200lm


3W 300lm


Touch
Switch


Micro
USB



P.49
TABLE&FLOOR



HOSHI

— Xjer Studio



28386 gold+black/oro+negro

LED SMD 4W 3000K 480lm CRI>80 Driver

Body Steel/Acero
Diff Opal polycarbonate/Policarbonato opal

DIM III DC5V-1A Battery

Micro USB 9h Worktime 4-6h Charge





Dimmable
Intensity



Micro
USB

P.40
TABLE



TAKE AWAY

— Nahtrang 

video



01015 matt white/blanco mate

01016 matt black/negro mate

LED 1,5W 3000K 100lm CRI>80 Driver

Body Polycarbonate/Policarbonato
Diff Silicone/Silicona
Base Wood/Madera

PRESS LAMP · DC5V-1A · Battery

Micro USB 2mt cable · 5h Worktime 5h Charge





30lm · 55lm · 100lm



Wall accessory/*Accesorio aplique*

01017 wood/madera

Body Wood/Madera





Press Lamp



Micro USB



GUADALUPE

— Faro Lab

video



20033-80 black+beige/negro+beige

20033-81 black+green/negro+green

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Steel/Acero

1.5 MT





20034-80 black+beige/negro+beige

20034-81 black+green/negro+green

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Steel/Acero

3.5 MT



P.148
WALL





Table & Floor
Mesa y Suelo

HOSHI

— Xjer Studio





28387 gold+black/oro+negro

28388 black+copper/negro+cobre

LED SMD 12W 3000K 930lm CRI>80 Driver

Body Steel/Acero
Diff Opal polycarbonate/Policarbonato opal

DIM 100-240V 50/60Hz 2.6 MT

P.35
PORTABLE





TEN

— Faro Lab





62156 shiny copper/cobre brillo
62157 satin gold/oro satinado
62168 NEW matt white/blanco mate
62169 NEW matt black/negro mate

E27 MAX 15W LED **[17429 or 17464]**

Body Steel/Acero

1.5 MT

P.195
WALL





AKANE

— Pepe Llaudet







28370 black+beige/negro+beige

E27 MAX 15W LED **[17463]**

Body Steel/Acero
Shade Papyrus/Papiro

1.7 MT





28371 black+beige/negro+beige

E27 MAX 15W LED **[17464]**

Body Steel/Acero
Shade Papyrus/Papiro

1.7 MT



NIKO

— Nahtrang 





01007 white+wood/blanco+madera

Diff Opal glass/Cristal Opal

01025 white+wood/blanco+madera

Diff PMMA

LED SMD 7W 3000K 500lm CRI>80 Driver

Body Aluminium+wood/Aluminio+madera

DIM 100-240V 50/60Hz USB charger

5VDdc/2A Wireless charger





1W 80lm



4W 250lm



7W 500lm



Wireless Charger



USB Charger



Touch Switch

P.152
WALL



MINE

— Nahtrang 



○ **28378** matt white/blanco mate
● **28379** dark grey/gris oscuro

Diff Opal glass/Cristal Opal

○ **28211** matt white/blanco mate
● **28212** dark grey/gris oscuro

Diff PMMA

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Aluminium+wood/Aluminio+madera

2 MT



P.105
SUSPENDED





LULA

— Marina Milà 





◯ **28383** matt white/blanco mate
◐ **28385** black+white/negro+blanco

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil

1.7 MT





◯ **28380** matt white/blanco mate
◐ **28382** black+white/negro+blanco

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil

1.7 MT





ETERNA

— Lucid

*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650



BLISS

28401 wood+white/madera+blanco

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Beech wood/Madera haya
Shade Textile/Téxtil

1.8 MT





NIDIA

68423 nickel+white/níquel+blanco

E27 MAX 15W LED ⊗ **[17463]**

Body Steel/Acero
Shade Textile/Téxtil

1.8 MT





24008-13 chrome+white/cromo+blanco
24008-14 chrome+beige/cromo+beige
24008-15 chrome+black/cromo+negro

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil

1.8 MT



P.163
WALL





ANOUK

53414 matt white/blanco mate

53415 matt black/negro mate

LED SMD 8W 4000K 530lm CRI>80 Driver ✓

Body ABS

DIM 220-240V 50/60Hz 1.5 MT USB charger





OTTO

52064 matt black/negro mate

52065 matt white/blanco mate

LED SMD 6W 4000K 500lm CRI>80 Driver ✓

Body Aluminium+ABS+Silicone/
Aluminio+ABS+Silicona
Diff Opal PMMA/PMMA Opal

DIM 100-240V 50/60Hz 1.8 MT

Electronic Adapteur
11V 500mA ✓





LENA

52057 matt white/blanco mate

52058 matt black/negro mate

LED SMD 3W 4000K 300lm CRI>80 Driver ✓

Body Aluminium+ABS+Silicone/
Aluminio+ABS+Silicona
Diff Glass/Cristal

100-240V 50/60Hz 70° 1.8 MT

Electronic Adapteur
11V 350mA ✓





GRU

51916 matt white/blanco mate

51917 matt black/negro mate

E27 MAX 15W LED ✗ **[17463/*Smart* 17498]**

Body Steel/Acero

1.7 MT





BAOBAB

51908 matt white/blanco mate

51909 matt black/negro mate

51910 grey/gris

E14 MAX 8W LED ✗ **[17461]**

Body Steel/Acero

1.7 MT





ITO

52071 matt black/negro mate

LED SMD 5W 3000K 390lm CRI>80 Driver ✓

Body ABS+Aluminium/ABS+Aluminio
Diff Opal PMMA/PMMA Opal

DIM 220-240V 50/60Hz 1.8 MT clip ✓





BANKER

68334 old gold+green/oro viejo+verde

E27 MAX 15W LED ✗ **[17463/*Smart* 17498]**

Body Steel/Acero
Diff Glass/Cristal

1.9 MT 90º 90º





SNAP

57400 off white+grey/blanco roto+gris
57401 dark grey/gris oscuro

E27 MAX 15W LED ✗ **[17463/*Smart* 17498]**

Body Steel/Acero

1.8 MT



P.199
WALL







GUEST

— Andreu Carulla

video

01046 matt black/negro mate

E27 MAX 15W LED **[17429]**

Body Steel/Acero

1.5 MT





Switch



Cork included

P.149
WALL



JELLYFISH

— Nahtrang 



24521 black+gold/negro+oro

LED SMD 6W 3000K 500lm CRI>80 Driver

Body Steel/Acero
Diff Opal PMMA/PMMA Opal

220-240V 50/60Hz 4.3 MT





24522 black+gold/negro+oro

LED SMD 6W 3000K 500lm CRI>80 Driver

Body Steel/Acero
Diff Opal PMMA/PMMA Opal

220-240V 50/60Hz 1.8 MT



P.34
PORTABLE





video

29692D shiny gold/oro brillo
29697 matt black/negro mate

LED 6W 2700K 570lm CRI>80 Driver

Body Steel/Acero
Diff Opal glass/Cristal Opal

DIM 100-240V 50/60Hz 2 MT





1W 95lm | 4W 380lm | 6W 570lm





Touch dimmer

LE VITA

— Nahtrang 



29693D shiny gold/oro brillo

29698 matt black/negro mate

LED 6W 2700K 570lm CRI>80 Driver

Body Steel/Acero
Diff Opal glass/Cristal Opal

DIM 100-240V 50/60Hz 2 MT







Touch dimmer

P.87 SUSPENDED

P.143 WALL





LOOP

— Estudi Ribaudí 



29569 black+wood/negro+madera

Shade Cherry Tree Wood/Madera Cerezo

29399 NEW black+wood/negro+madera

Shade Ash Tree Wood/Madera Fresno

LED SMD 7W 3000K 500lm CRI>80 Driver

Body Steel/Acero

DIM 100-240V 50/60Hz 2 MT 350º





1W 100lm | 3W 300lm | 6W 600lm



Cherry tree
Wood shade



Ash tree
Wood shade



29568 black+wood/negro+madera

Shade Cherry Tree Wood/Madera Cerezo

29398 **NEW** black+wood/negro+madera

Shade Ash Tree Wood/Madera Fresno

LED SMD 6W 2700K 600lm CRI>80 Driver ✓

Body Steel/Acero

DIM 100-240V 50/60Hz 2 MT 350º

clip ✓ max.55mm







Clip Included



Touch Switch

P.107 SUSPENDED

P.155 WALL





STOOD

— Lucid



29846 black+wood/negro+madera

E27 MAX 15W LED ⊗ **[17464]**

Body Steel/Acero
Shade Cherry Tree Wood/Madera Cerezo

2 MT

29847 black+wood/negro+madera

E27 MAX 15W LED ⊗ **[17464]**

Body Steel/Acero
Shade Cherry Tree Wood/Madera Cerezo

2 MT



Cherry tree
Wood shade





P.106
SUSPENDED

P.154
WALL





LINK

— Estudi Ribaudí 



○ **29883** matt white/blanco mate
● **29884** matt black/negro mate
● **29899** bronze/bronce

GU10 MAX 8W LED ⊗ **[97685327]**

Body Steel/Acero









○ **29881** matt white/blanco mate
● **29882** matt black/negro mate
● **29898** bronze/bronce

GU10 MAX 8W LED ⊗ **[97685327]**

Body Steel/Acero





P.132
CEILING



P.220
SPOT



P.244
TRACK



LAO

— Nahtrang 



● **29049** matt black/negro mate
○ **29050** matt white/blanco mate

LED SMD 4W 3000K 400lm CRI>80 Driver ✓

Body Aluminium+ABS/Aluminio+ABS
Diff PMMA

100-240V 50/60Hz 2 MT 350º 90º 90º





● **29047** matt black/negro mate
○ **29048** matt white/blanco mate

LED SMD 4W 3000K 400lm CRI>80 Driver ✓

Body Aluminium+ABS/Aluminio+ABS
Diff PMMA

100-240V 50/60Hz 2 MT 350º 90º 90º



P.220 SPOT
P.244 TRACK






WHIZZ

— Christoph F. Wagner 

20164-95 black+gold/negro+oro
20164-96 gold+black/oro+negro

E27 MAX 15W LED ⊗ **[17426/17496]**

Body Steel/Acero

3.7 MT







Adjustable
Shade

P.89 SUSPENDED

P.145 WALL









STAND-UP — Estudi Ribaudí

57210 matt silver+white/plata mate+blanco
57211 black+white/negro+blanco
57212 matt silver+black/plata mate+negro
57213 black+black/negro+negro
57214 matt silver+grey/plata mate+gris
57215 black+grey/negro+gris

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Aluminium/Aluminio
Shade Textilene/Textileno

2 MT



57210 **57211** **57212** **57213** **57214** **57215**





Switch



Adjustable shade

DRUM

— Nahtrang 



24023-33 black+beige/negro+beige

24023-34 black+grey/negro+gris

E27 MAX 15W LED ⊗ **[17464]**

Body Steel/Acero
Shade Textile/Téxtil
Diff Opal Polycarbonate/Policarbonato Opal

2.1 MT







24020-31 black+beige/negro+beige

24020-32 black+grey/negro+gris

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil
Diff Opal Polycarbonate/Policarbonato Opal

1.8 MT





64317-47 black+rattan/negro+rattan

E27 MAX 15W LED ⊗ **[17463]**

Body Steel/Acero
Shade Rattan

1.5 MT





64311-48 black+rattan/negro+rattan

E27 MAX 15W LED ⊗ **[17463]**

Body Steel/Acero
Shade Rattan

1.5 MT





*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650

video



MAMBO

— Faro Lab

64313-49 black+rattan/negro+rattan

E27 MAX 15W LED **[17464]**

Body Steel/Acero
Shade Rattan

1.8 MT



Switch

P.110 SUSPENDED



P.159 WALL





NEW **CONGA**

— Faro Lab



*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650



64316-01 white+white/blanco+blanco
64316-02 white+beige/blanco+beige
64317-03 black+black/negro+negro

E27 MAX 15W LED ⊗ **[17463]**

Body Steel/Acero
Shade Textile/Téxtil

1.5 MT







64312-07 white+white/blanco+blanco
64312-08 white+beige/blanco+beige
64313-09 black+black/negro+negro

E27 MAX 15W LED ⊗ **[17464]**

Body Steel/Acero
Shade Textile/Téxtil

1.8 MT



64310-04 white+white/blanco+blanco
64310-05 white+beige/blanco+beige
64311-06 black+black/negro+negro

E27 MAX 15W LED ⊗ **[17463]**

Body Steel/Acero
Shade Textile/Téxtil

1.5 MT



P.113 SUSPENDED
P.160 WALL





NEW

SAMBA

— Faro Lab





- **64316-35** white+beige/blanco+beige
- **64316-36** white+yellow/blanco+amarillo
- **64316-37** white+green/blanco+verde
- **64317-35** black+beige/negro+beige
- **64317-36** black+yellow/negro+amarillo
- **64317-37** black+green/negro+verde

E27 MAX 15W LED ⊗ **[17463]**

Body Steel/Acero
Shade Textile/Téxtil

1.5 MT



*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650





- **64312-41** white+beige/blanco+beige
- **64312-42** white+yellow/blanco+amarillo
- **64312-43** white+green/blanco+verde
- **64313-41** black+beige/negro+beige
- **64313-42** black+yellow/negro+amarillo
- **64313-43** black+green/negro+verde

E27 MAX 15W LED ⊗ **[17464]**

Body Steel/Acero
Shade Textile/Téxtil

1.8 MT



- **64310-38** white+beige/blanco+beige
- **64310-39** white+yellow/blanco+amarillo
- **64310-40** white+green/blanco+verde
- **64311-38** black+beige/negro+beige
- **64311-39** black+yellow/negro+amarillo
- **64311-40** black+green/negro+verde

E27 MAX 15W LED ⊗ **[17463]**

Body Steel/Acero
Shade Textile/Téxtil

1.5 MT



P.112 SUSPENDED



P.161 WALL



MONTREAL

— Nahtrang 



- **24034-04** white+white/blanco+blanco
- **24034-05** white+beige/blanco+beige
- **24035-04** chrome+white/cromo+blanco
- **24035-05** chrome+beige/cromo+beige
- **24035-06** chrome+black/cromo+negro

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil

1.8 MT





*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650





24036-07 white+white/blanco+blanco
24036-08 white+beige/blanco+beige
24037-07 chrome+white/cromo+blanco
24037-08 chrome+beige/cromo+beige
24037-09 chrome+black/cromo+negro

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil

2.1 MT



P.156
WALL



SAVOY

— Isaac Piñeiro 





20304-82 white+white/blanco+blanco
20305-83 black+black/negro+negro
20305-84 black+green/negro+verde

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil
Diff Steel/Acero

2 MT



video





20306-85 white+white/blanco+blanco
20307-86 black+black/negro+negro
20307-87 black+green/negro+verde

E27 MAX 15W LED ⊗ **[17464]**

Body Steel/Acero
Shade Textile/Téxtil
Diff Steel/Acero

2 MT



P.109 SUSPENDED
P.157 WALL





REM

— Àlex & Manel Lluscà 



- **29684-04** matt nickel+white/níquel mate+blanco
- **29684-05** matt nickel+beige/níquel mate+beige
- **29684-06** matt nickel+black/níquel mate+negro
- **29685-04** bronze+white/bronce+blanco
- **29685-05** bronze+beige/bronce+beige
- **29685-06** bronze+black/bronce+negro

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero **Shade** Textile/Téxtil

1.6 MT





*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650





- **29686-07** matt nickel+white/níquel mate+blanco
- **29686-08** matt nickel+beige/níquel mate+beige
- **29686-09** matt nickel+black/níquel mate+negro
- **29687-07** bronze+white/bronce+blanco
- **29687-08** bronze+beige/bronce+beige
- **29687-09** bronze+black/bronce+negro

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero **Shade** Textile/Téxtil



P.165
WALL





ARTIS

— Àlex & Manel Lluscà 

68489 old bronze/bronce envejecido

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil

3.2 MT 350º







Adjustable Shade

68488 old bronze/bronce envejecido

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil

2.4 MT 350º



P.162
WALL





VESPER

— Nahtrang 

29978 white+beige/blanco+beige
29979 brown+beige/marrón+beige

2 E27 MAX 15W LED ⊗ **[17463]**

Body Steel/Acero
Shade Textile/Téxtil
Diff Textile/Téxtil

3.5 MT





29984 white+beige/blanco+beige
29985 brown+beige/marrón+beige

2 E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil
Diff Textile/Téxtil

1.7 MT



P.122
SUSPENDED



P.172
WALL





LINDA

— Estudi Ribaudí 

29312 black+beige/negro+beige

E27 MAX 15W LED ⊗ **[17464]**

Body Steel/Acero
Shade Textile/Téxtil

2.8 MT





29307 white+beige/blanco+beige

29311 black+beige/negro+beige

E27 MAX 15W LED ⊗ **[17463]**

Body Steel/Acero
Shade Textile/Téxtil

2 MT



P.120
SUSPENDED



P.196
WALL





LUPE

— Jordi Busquets 



29998 chrome+beige/cromo+beige

20034-88 black+beige/negro+beige

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil

2 MT





29997 chrome+beige/cromo+beige

E27 MAX 15W LED ⊗ **[17463]**

Body Steel/Acero
Shade Textile/Téxtil

1.8 MT





P.166
WALL





TREE

— Estudi Ribaudí



29866 matt black/negro mate
29867 matt white/blanco mate

E27 MAX 15W LED ⊗ **[17464]**

Body Steel/Acero
Shade Textile/Téxtil

1.8 MT



29868 matt black/negro mate
29869 matt white/blanco mate

E27 MAX 15W LED ⊗ **[17464]**

Body Steel/Acero
Shade Textile/Téxtil

2 MT





P.120
SUSPENDED





SWEET

— Estudi Ribaudí 





29938 nickel+white/níquel+blanco
29958 matt white/blanco mate
29959 matt black/negro mate

E27 MAX 15W LED ⊗ **[17464]**

Body Steel/Acero
Shade Textile/Téxtil
Top Diff Textile/Téxtil

1.7 MT



29937 nickel+white/níquel+blanco
29954 matt white/blanco mate
29955 matt black/negro mate

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil
Top Diff Textile/Téxtil

1.9 MT



P.173
WALL





BERNI

— Nahtrang



29332 matt white/blanco mate

29333 matt black/negro mate

E27 MAX 15W LED **[17463]**

Body Steel/Acero
Shade Textile/Téxtil
Top Diff Steel/Acero

1.5 MT





29335 matt white/blanco mate

29336 matt black/negro mate

E27 MAX 15W LED **[17464]**

Body Steel/Acero
Shade Textile/Téxtil

1.5 MT



P.173
WALL





VOLTA

— Estudi Ribaudí



20025 nickel+white/níquel+blanco
20026 nickel+black/níquel+negro

E27 MAX 15W LED ⊗ **[17463]**

Body Steel/Acero
Shade Textile/Téxtil

2 MT





20029 nickel+white/níquel+blanco
20030 nickel+black/níquel+negro

E27 MAX 15W LED ⊗ **[17463]**

Body Steel/Acero
Shade Textile/Téxtil

2 MT



P.170
WALL







HOTEL

— Àlex & Manel Lluscà





29942 chrome+white/cromo+blanco
29947 chrome+black/cromo+negro

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil
Top Diff Textile/Téxtil

1.9 MT 90º 90º 350º



29943 chrome+white/cromo+blanco
29948 chrome+black/cromo+negro

E27 MAX 15W LED ⊗ **[17464]**

Body Steel/Acero
Shade Textile/Téxtil

1.9 MT



P.121
SUSPENDED



P.171
WALL







MOMA

68502 chrome+white/cromo+blanco

68503 chrome+black/cromo+negro

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil
Diff Opal Polycarbonate/Policarbonato Opal

2.1 MT



MOMA

68500 chrome+white/cromo+blanco

68501 chrome+black/cromo+negro

E27 MAX 15W LED ⊗ **[17463]**

Body Steel/Acero
Shade Textile/Téxtil
Diff Opal Polycarbonate/Policarbonato Opal

1.9 MT



P.174
WALL







BLACK

● **29764** matt black/negro mate

E27 MAX 15W LED ⊗ **[17464]**

Body Steel/Acero
Shade Textile/Téxtil

2.5 MT



PAPUA

○ **68462** matt white/blanco mate

● **68463** matt black/negro mate

E27 MAX 15W LED ⊗ **[17464]**

Body Steel/Acero
Shade Textile/Téxtil

2 MT







THANA

68531 nickel+white/níquel+blanco

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil

2 MT





THANA

68530 nickel+white/níquel+blanco

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil

1.5 MT



P.123
SUSPENDED



P.174
WALL





MITIC

68418 nickel+beige/níquel+beige

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil

1.5 MT





MITIC

68417 nickel+beige/níquel+beige

E14 MAX 8W LED ⊗ **[17461]**

Body Steel/Acero
Shade Textile/Téxtil

1.8 MT



P.176
WALL







SABA

68546 nickel+black/níquel+negro

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade (double) Textile/Téxtil

1.5 MT





SABA

68545 nickel+black/níquel+negro

E27 MAX 15W LED ⊗ **[17463]**

Body Steel/Acero
Shade (double) Textile/Téxtil

1.7 MT



SABA

68547 nickel+black/níquel+negro

E27 MAX 15W LED ⊗ **[17464]**

Body Steel/Acero
Shade (double) Textile/Téxtil

2.1 MT





P.123
SUSPENDED



P.176
WALL







KOMBO— Nutcreatives







68591-1L grey+black/gris+negro
68592-1L beige+black/beige+negro

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero

1.5 MT



68593-1L grey+black/gris+negro
68594-1L beige+black/beige+negro

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero

1.5 MT



68595-1L grey+black/gris+negro
68596-1L beige+black/beige+negro
68597-1L terracotta+black/terracotta+negro

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero

1.5 MT



video



Suspended
Suspensión



29691 shiny gold/oro brillo

29696 matt black/negro mate

LED 13W 2700K 570lm CRI>80 Driver

Body Steel/Acero
Diff Opal Glass/Cristal Opal

100-240V 50/60HZ 1.5 MT





LE VITA

— Nahtrang 

video



29694 shiny gold/oro brillo

29699 matt black/negro mate

LED 6W 2700K 570lm CRI>80 Driver

Body Steel/Acero
Diff Opal Glass/Cristal Opal

100-240V 50/60HZ 1.5 MT



*Max. ceiling height 3mts./*Altura max. techo 3mts.*



P.51 TABLE&FLOOR



P.143 WALL





SLIM

— Àlex & Manel Lluscà



24500 matt white/blanco mate

24501 black+matt gold/negro+oro mate

LED 20W 3000K 1150lm CRI>80 Driver ✓

Body Steel/Acero
Diff Opal Glass/Cristal Opal

220-240V 50/60HZ 2MT





Pendant & Wall



24504 matt white/blanco mate

24505 black+gold/negro+oro

LED 2 x 20W 3000K 1150lm CRI>80 Driver ✓

Body Steel/Acero
Diff Opal Glass/Cristal Opal

220-240V 50/60HZ





Articulated

P.146
WALL



3 Days of Design, Copenhaguen



WHIZZ

— Christoph F. Wagner 

20160 black+satin gold/negro+oro

20161 satin gold+black/oro+negro

E27 MAX 15W LED [**17426** **17496**]

Body Steel/Acero

1.5 MT





20166-95 black+satin gold/negro+oro

20166-96 satin gold+black/oro+negro

E27 MAX 15W LED [**17426** **17496**]

Body Steel/Acero

3.7 MT



P.57
TABLE&FLOOR



P.144
WALL



DOLME

— Xjer Studio





64098 matt black/negro mate

64099 matt white/blanco mate

LED SMD 24W 3000K 1260lm CRI>80 Driver

Body Steel/Acero
Diff Opal Polycarbonate/Policarbonato Opal

220-240V 50/60HZ 1.6 MT



P.130
CEILING

COCOTTE

— Jordi Llopis 





64182 shiny white/blanco brillo
64183 shiny matt black/negro brillo

LED SMD 38W 3000K 1700lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

100-240V 50/60HZ





64250 shiny white/blanco brillo
64251 shiny matt black/negro brillo

LED SMD 30W 3000K 1300lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

100-240V 50/60HZ

ø430 Suspended Kit

64184 matt white/blanco mate
64185 matt black/negro mate



ø550 Suspended Kit

64186 matt white/blanco mate
64187 matt black/negro mate





NAOS

— Àlex & Manel Lluscà 



64500 matt white/blanco mate

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Diff Opal Glass/Cristal Opal

1.8 MT





2 rings incl.





64501 matt white/blanco mate

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Diff Opal Glass/Cristal Opal

1.8 MT





2 rings incl.





PLUMA — Nahtrang

64170 matt white/blanco mate
64172 black+gold/negro+oro

LED SMD 6W 3000K 450lm CRI>80 Driver

Body Aluminium/Aluminio

100-240V 50/60HZ 1.5 MT





SIDE — Àlex & Manel Lluscà

62136 matt white/blanco mate
62137 white+nickel/blanco+níquel
62138 black+gold/negro+oro
62139 black+copper/negro+cobre

G9 MAX 6W LED **[17443]**

Body Steel/Acero
Diff Opal Glass/Cristal Opal

1.5 MT



P.131
CEILING





RETRO

— Àlex & Manel Lluscà



20046 matt copper/cobre mate
20050 black+copper/negro+cobre

E14 MAX 8W LED ⊗ **[17461]**

Body Steel/Acero

1.6 MT







20047 matt copper/cobre mate
20048 black+copper/negro+cobre
20051 black+gold/negro+oro

12 E14 MAX 8W LED ⊗ **[17461]**

Body Steel/Acero

3 MT

P.196
WALL





20048



20051









CRÁTER

68461 black+gold/negro+oro

3 E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Aluminium/Aluminio

1.5 MT



MAGMA

28398 white+silver/blanco+plata

28399 white+gold/blanco+oro

29468 black+shiny gold/negro+oro

3 E27 MAX 15W LED ⊗ **[17464]**

Body Fiber Glass/Fibra de Vidrio

FIBER GLASS
FIBRA VIDRIO

2 MT





Project Elena Castells Poch



ART

64137 old gold/oro envejecido
65134 matt black/negro mate

E27 MAX 15W LED ⊗ **[17425]**

Body Steel/Acero

1.5 MT **64137** 2 MT **65134**





LIZ

65080 old gold/oro envejecido

E27 MAX 15W LED ⊗ **[17428]**

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente

1.3 MT





CLARA

64128 matt black/negro mate

E27 MAX 15W LED ⊗ **[17428]**

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente

2 MT





MARLIN

64133 gold+ black/oro+negro

E27 MAX 15W LED ⊗ **[17428]**

Body Steel/Acero

1.5 MT



HALITA

65071 old gold/oro envejecido

E27 MAX 15W LED ⊗ **[17428]**

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente

1.5 MT



PLAT

68145 matt black/negro mate
68146 matt white/blanco mate

E27 MAX 15W LED ⊗ **[17271/17464]**

Body Steel/Acero

1.5 MT



P.199
WALL











ROSE

65082 matt black/negro mate

E27 MAX 15W LED ⊗ **[17429]**

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente

1.5 MT





ROSE

65081 matt black/negro mate

4 E27 MAX 15W LED ⊗ **[17429]**

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente







LOU

62800 shiny black/negro brillo
62801 shiny green/verde brillo

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero

ENAMEL ESMALTE 0.9 MT





LANG

62804 shiny black/negro brillo
62805 shiny green/verde brillo

E27 MAX 15W LED ⊗ **[17426]**

Body Steel/Acero

ENAMEL ESMALTE 1.4 MT





MOU

62806 shiny black/negro brillo

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero

ENAMEL ESMALTE 350º





CLAIRE

62802 shiny black/negro brillo
62803 shiny green/verde brillo

E27 MAX 15W LED ⊗ **[17426]**

Body Steel/Acero

ENAMEL ESMALTE 1.4 MT







COSMOS

64224 bronze/bronce

LED 5W 3000K 360lm CRI>80 Driver ✓

Body Aluminium+Steel/Aluminio+Acero
Diff Opal Glass/Cristal Opal

100-240V 50/60HZ 1.4 MT 180º





PAM

64162 black+gold/negro+oro

LED SMD 24W 3000K 1875lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff PMMA

100-240V 50/60HZ 1.5 MT 120º





PAM

64159 matt white/blanco mate
64160 black+gold/negro+oro

LED SMD 11W 3000K 900lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff PMMA

100-240V 50/60HZ 1.5 MT 120º





DANKA

64222 nickel+black/níquel+negro
64223 gold+black/oro+negro

LED COB 6W 3000K 530lm CRI>80 Driver ✓

Body Aluminium/Aluminio

100-240V 50/60HZ 3 MT 60º





Thanks to Salto Proyectos Arquitectura Photo by Architectural Matter

P.136
CEILING



P.232
RECESSED



P.218
SPOT



P.242
TRACK



P.202
WALL







STAN

43754 matt white/blanco mate
43755 matt black/negro mate
43756 NEW gold/oro

GU10 MAX 8W LED **[97685327]**

Body Aluminium/Aluminio

1.5 MT

*Accessories page 219 (except ring)
Accesorios en página 219 (excepto aro)





ORA

29894 matt white/blanco mate
29895 matt black/negro mate

LED SMD 4W 3000K 350lm CRI>80 Driver

Body Aluminium/Aluminio
Diff PMMA

100-240V 50/60HZ 1.5 MT 120º



LISE

29886 matt white/blanco mate
29887 matt black/negro mate

LED COB 6W 2700K 370lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Optical Glass/Cristal óptico

100-240V 50/60HZ 1.3 MT 80º



SABI

64320 matt white/blanco mate
64321 matt black/negro mate

LED SMD 3W 2700K 280lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Optical Glass/Cristal óptico

1.2 MT 30º



P.202
WALL





P.202
WALL









NUDOS

68139 dark brown/marrón oscuro

E27 MAX 15W LED ⊗ **[17462]**

Body Steel+Jute/Acero+Yute
Diff Transparent Glass/Cristal Transparente

1MT



P.198
WALL





LIANA

68569 brown/marrón

E27 MAX 15W LED ⊗ **[17464]**

Body Steel+Hemp/Acero+Cáñamo

1.2 MT





NIDO

68153 brown/marrón

E27 MAX 15W LED ⊗ **[17464]**

Body Cane+Steel/Caña+Acero

1.5 MT





MARINA

60004 matt black/negro mate

E27 MAX 15W LED ⊗ **[17428]**

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente

1.5 MT



P.197
WALL





CHARLOTTE

68562 dark grey/gris oscuro
68563 matt white/blanco mate

E27 MAX 15W LED ⊗ **[17464]**

Body Steel/Acero
Diff Opal Polycarbonate/Policarbonato Opal

1.2 MT





MARGOT

68561 matt black/negro mate
68564 matt white/blanco mate

E27 MAX 15W LED ⊗ **[17464]**

Body Aluminium+Wood/Aluminio+Madera

1.2 MT





WINCH — Àlex & Manel Lluscà

66204 brown/marrón

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente

1 MT





WINCH — Àlex & Manel Lluscà

66205 brown/marrón

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente

1.5 MT





BRUME — Àlex & Manel Lluscà

40078 old steel/Acero envejecido

LED SMD 3W 2700K 200lm CRI>80 Driver ✓

Body Steel/Acero
Diff Transparent+Opal Glass/
Cristal Transparente+Opal

IP44 100-240V 50/60HZ 1 MT



P.209
WALL









○ **28375** matt white/blanco mate
● **28376** dark grey/gris oscuro

Diff Opal Glass/Cristal Opal

○ **28209** matt white/blanco mate
● **28210** dark grey/gris oscuro

Diff PMMA

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Aluminium+Wood/Aluminio+Madera

4 MT 1 HOOK ✓





Thanks to DOS architects / Tavis Wright Photo by Tomeu Canyellas



Thanks to Lafincaroja Photo by Jorge Peiro

MINE — Nahtrang

Restaurant & Bar Product Design Awards Winner

GERMAN DESIGN AWARD SPECIAL 2018



○ **28375-1L** matt white/blanco mate
● **28376-1L** dark grey/gris oscuro

Diff Opal Glass/Cristal Opal

○ **28209-1L** matt white/blanco mate
● **28210-1L** dark grey/gris oscuro

Diff PMMA

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

2 MT 1 HOOK ✓



○ **28375-2L** matt white/blanco mate
● **28376-2L** dark grey/gris oscuro

Diff Opal Glass/Cristal Opal

○ **28209-2L** matt white/blanco mate
● **28210-2L** dark grey/gris oscuro

Diff PMMA

2 E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

4 MT 2 HOOK ✓



○ **28375-3L** matt white/blanco mate
● **28376-3L** dark grey/gris oscuro

Diff Opal Glass/Cristal Opal

○ **28209-3L** matt white/blanco mate
● **28210-3L** dark grey/gris oscuro

Diff PMMA

3 E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

6 MT 3 HOOK ✓



○ **28375-4L** matt white/blanco mate
● **28376-4L** dark grey/gris oscuro

Diff Opal Glass/Cristal Opal

○ **28209-4L** matt white/blanco mate
● **28210-4L** dark grey/gris oscuro

Diff PMMA

4 E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

8 MT 4 HOOK ✓



○ **28375-5L** matt white/blanco mate
● **28376-5L** dark grey/gris oscuro

Diff Opal Glass/Cristal Opal

○ **28209-5L** matt white/blanco mate
● **28210-5L** dark grey/gris oscuro

Diff PMMA

5 E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

10 MT 5 HOOK ✓



Hook accessory/*Accesorio gancho*

○ **28373** matt white/blanco mate
● **28374** grey/gris

CUSTOMIZE YOUR MINE

Nº of lights/*nº de luces*
Mts of cable/*mts de cable*
Nº of hooks/*nº de ganchos*

Send your demand on/*envíanos tu petición a* **customize@faro.es**

P.43
TABLE





STOOD

— Lucid

29849 black+wood/negro+madera

5 E27 MAX 15W LED ⊗ **[17464]**

Body Steel/Acero
Shade Cherry Tree Wood/Madera Cerezo

2 MT





Cherry tree
Wood shade



29848 black+wood/negro+madera

E27 MAX 15W LED ⊗ **[17464]**

Body Steel/Acero
Shade Cherry Tree Wood/Madera Cerezo

2 MT



P.54 TABLE&FLOOR
P.154 WALL





LOOP

— Estudi Ribaudí 







29567 black+wood/negro+madera

Shade Cherry Tree Wood/Madera Cerezo

29397 **NEW** black+wood/negro+madera

Shade Ash Tree Wood/Madera Fresno

LED SMD 3 x 6W 2700K 500lm CRI>80 Driver

Body Steel

100-240V 50/60HZ 1.2 MT 350º





Cherry tree
Wood shade

NEW



Ash tree
Wood shade

P.52 TABLE&FLOOR



P.155 WALL



PAULINE

— Nahtrang



20100 wood/wood

LED SMD 24W 2700K 2000lm CRI>80
Driver

Body Steel+Wood/Acero+Madera
Diff Opal Polycarbonate/Policarbonato Opal

DIM TRIAC L | 220-240V | 50/60HZ | 1.5 MT





PHILL

— Nahtrang

20099 black+wood/negro+madera

LED SMD 24W 3000K 1700lm CRI>80 Driver

Body Steel+Wood/Acero+Madera
Diff Opal Polycarbonate/Policarbonato Opal

DIM TRIAC L | 200-240V | 50/60HZ | 1.2 MT



SAVOY

— Isaac Piñeiro 

video





20308-89 matt white/blanco mate
20309-90 matt black/matt black
20309-91 black+green/negro+verde

E27 MAX 15W LED ⊗ **[17464]**

Body Steel/Acero
Shade Textile/Téxtil
Diff Papyrus/Papiro

0.8 MT



P.67 TABLE&FLOOR
P.157 WALL





video

MAMBO

— Faro Lab



*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650



P.60
TABLE&FLOOR



P.159
WALL





64314-47 black+rattan/negro+rattan

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Rattan

1.5 MT



64314-48 black+rattan/negro+rattan

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Rattan

1.5 MT



64314-49 black+rattan/negro+rattan

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Rattan

1.5 MT









64315-47 black+rattan/negro+rattan

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Rattan

1.7 MT



64315-48 black+rattan/negro+rattan

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Rattan

1.7 MT



64315-49 black+rattan/negro+rattan

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Rattan

1.7 MT







NEW SAMBA

— Faro Lab









64315-44 black+beige/negro+beige
64315-45 black+yellow/negro+amarillo
64315-46 black+green/negro+verde

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil
Diff Opal PMMA/PMMA opal

1.7 MT





64314-44 black+beige/negro+beige
64314-45 black+yellow/negro+amarillo
64314-46 black+green/negro+verde

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil
Diff Opal PMMA/PMMA opal

1.5 MT



P.63 TABLE&FLOOR
P.161 WALL





*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650

NEW CONGA

— Faro Lab









64315-54 black+white/negro+blanco
64315-55 black+beige/negro+beige
64315-56 black/negro

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil
Diff Opal PMMA/PMMA opal







64314-54 black+white/negro+blanco
64314-55 black+beige/negro+beige
64314-56 black/negro

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil
Diff Opal PMMA/PMMA opal





P.62 TABLE&FLOOR
P.160 WALL





*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650

SAIGON-IN

— Nahtrang 

video

20124 white ivory/blanco marfil
20125 matt white/blanco mate
20126 terracotta/terracota
20127 matt black/negro mate
20128 yellow/amarillo
20129 burgundy/granate
20130 olive green/verde oliva
20131 brown/marrón

4 E27 MAX 15W LED ⊗ **[17464]**

Body Steel/Acero
Shade Beige Ribbon Shade/Tela encintada
Diff Papyrus/Papiro

1.6 MT

20116 white ivory/blanco marfil
20117 matt white/blanco mate
20118 terracotta/terracota
20119 matt black/negro mate
20120 yellow/amarillo
20121 burgundy/granate
20122 olive green/verde oliva
20123 brown/marrón

3 E27 MAX 15W LED ⊗ **[17463]**

Body Steel/Acero
Shade Beige Ribbon Shade/Tela encintada
Diff Papyrus/Papiro

1.6 MT







20124/20116 | 20125/20117 | 20126/20118 | 20127/20119 | 20128/20120 | 20129/20121 | 20130/20122 | 20131/20123


GERMAN DESIGN AWARD WINNER 2018
Bu-oN
INTERIORS NOW!
Diseño



video

FONOVIA

— Faro Lab

20110 grey+grey/gris+gris

LED SMD 25W 3000K 1800lm CRI>80 Driver

20109 **NEW** grey+grey/gris+gris

LED SMD 25W 4000K 1900lm CRI>80 Driver

Body Steel/Acero
Shade Recycled PET+Textile Fiber/
PET Reciclado+Fibra Téxtil
Diff Opal Polycarbonate/Policarbonato Opal

220-240V 50/60HZ 2MT α =0.4



20107 **NEW** grey+grey/gris+gris

LED SMD 50W 3000K 3600lm CRI>80 Driver

20108 **NEW** grey+grey/gris+gris

LED SMD 50W 4000K 3800lm CRI>80 Driver

Body Steel/Acero
Shade Recycled PET+Textile Fiber/
PET Reciclado+Fibra Téxtil
Diff Opal Polycarbonate/Policarbonato Opal

220-240V 50/60HZ 2MT α =0.4



CONFIDENCE IN TEXTILES
Tested for harmful substances
according to Oeko-Tex® Standard 100
00000000 Institute



Recycled PET



Sound Absorbing
α =0.4

*Modular option available on page 479/*Ver opción modular en página 479*





Thanks to BE_DE_O

MUTE

— Nahtrang 

video

20101 dark grey+grey/gris oscuro+gris
20102 dark grey+brown/gris oscuro+marrón

LED SMD 24W 3000K 2500lm CRI>80 Driver

20103 dark grey+grey/gris oscuro+gris
20104 dark grey+brown/gris oscuro+marrón

LED SMD 24W 4000K 2650lm CRI>80 Driver

Body Steel/Acero
Shade Recycled PET+Textile Fiber/
PET Reciclado+Fibra Téxtil
Diff Opal Glass/Cristal Opal

100-240V 50/60HZ 2MT α =0.4



References ending in DA are compatible with
1/10V - Push - DALI

20101DA dark grey+grey/gris oscuro+gris
20102DA dark grey+brown/gris oscuro+marrón

LED SMD 24W 3000K 2500lm CRI>80 Driver

20103DA dark grey+grey/gris oscuro+gris
20104DA dark grey+brown/gris oscuro+marrón

LED SMD 24W 4000K 2500lm CRI>80 Driver

Body Steel/Acero
Shade Recycled PET+Textile Fiber/PET Reciclado+Fibra Téxtil
Diff Opal Glass/Cristal Opal

DIM 100-240V 50/60HZ 2MT α =0.4



CONFIDENCE IN TEXTILES
Tested for harmful substances
according to Oeko-Tex® Standard 100
00000000 Institute


Sound Absorbing α =0.4


Pendant & Ceiling


Recycled PET



Showroom docontract Madrid

LINDA

— Estudi Ribaudí





○ **29309** matt white/blanco mate

◐ **29313** black+white/negro+blanco

E27 MAX 15W LED ⊗ **[17464]**

Body Steel/Acero
Shade Textile/Téxtil

1.2 MT



P.72 TABLE&FLOOR



P.196 WALL



TREE

— Estudi Ribaudí



● **29864** matt black/negro mate

○ **29865** matt white/blanco mate

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil

1.3 MT





P.74 TABLE&FLOOR



HOTEL

— Àlex & Manel Lluscà



29944 chrome+white/cromo+blanco

3 E27 MAX 15W LED ⊗ **[17462]**

Body Steel/Acero
Shade Textile/Téxtil
Bottom Diff Textile/Téxtil

1 MT



P.78 TABLE&FLOOR

P.171 WALL



FUSTA

— Àlex & Manel Lluscà





28393 black+wood/negro+madera
28394 white+wood/blanco+madera

E27 MAX 15W LED ⊗ **[17464]**

Body Steel+Wood/Acero+Madera
Shade Textile/Téxtil

1.7 MT



VESPER

— Nahtrang





29986 white+beige/blanco+beige

29987 brown+beige/marrón+beige

2 E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil
Diff Opal Polycarbonate/Policarbonato Opal

2 MT





29988 white+beige/blanco+beige

29989 brown+beige/marrón+beige

3 E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil
Diff Opal Polycarbonate/Policarbonato Opal

2 MT



P.71 TABLE&FLOOR
P.172 WALL







THANA

68533 nickel+white/níquel+blanco

3 E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil



P.82
TABLE&FLOOR



P.174
WALL







SABA

68548 nickel+black/níquel+negro

E27 MAX 15W LED ⊗ **[17464]**

Body Steel/Acero
Shade (double) Textile/Téxtil
Diff Opal Polycarbonate/Policarbonato Opal



P.83
TABLE&FLOOR



P.176
WALL







SABA

68549 nickel+black/níquel+negro

3 E27 MAX 15W LED ⊗ **[17464]**

Body Steel/Acero
Shade (double) Textile/Téxtil
Diff Opal Polycarbonate/Policarbonato Opal







AINA

◯ **64174** matt white/blanco mate

LED SMD 40W 2700K 3000lm CRI>80 Driver ✓

Body Opal Polycarbonate/Policarbonato Opal
Shade Textile/Téxtil





SEVEN

◯ **68283** matt white/blanco mate

2 E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel+PVC/Acero+PVC
Shade Textile/Téxtil
Diff Textile/Téxtil







SEVEN

◯ **68284** matt white/blanco mate

3 E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel+PVC/Acero+PVC
Shade Textile/Téxtil
Diff Textile/Téxtil



P.136
CEILING





Standard combination multiple canopy / *Combinaciones con florón múltiple*

	3 lights/*luces*	5 lights/*luces*	7 lights/*luces*
 **Retro**	**20046-3L** matt copper/cobre mate **20050-3L** black+copper/negro+cobre	**20046-5L** matt copper/cobre mate **20050-5L** black+copper/negro+cobre	**20046-7L** matt copper/cobre mate **20050-7L** black+copper/negro+cobre
 **Plat**	**68145-3L** matt black/negro mate **68146-3L** matt white/blanco mate	**68145-5L** matt black/negro mate **68146-5L** matt white/blanco mate	**68145-7L** matt black/negro mate **68146-7L** matt white/blanco mate
 **Whizz**	**20160-3L** black+gold/negro+oro **20161-3L** gold+black/oro+negro	**20160-5L** black+gold/negro+oro **20161-5L** gold+black/oro+negro	**20160-7L** black+gold/negro+oro **20161-7L** gold+black/oro+negro
 **Art**	**64137-3L** old gold/oro envejecido **64135-3L** matt black/negro mate	**64137-5L** old gold/oro envejecido **64135-5L** matt black/negro mate	**64137-7L** old gold/oro envejecido **64135-7L** matt black/negro mate
 **Liz**	**65080-3L** old gold/oro envejecido	**65080-5L** old gold/oro envejecido	**65080-7L** old gold/oro envejecido
 **Marlin**	**64133-3L** gold+ black/oro+negro	**64133-5L** gold+ black/oro+negro	**64133-7L** gold+ black/oro+negro
 **Clara**	**64128-3L** matt black/negro mate	**64128-5L** matt black/negro mate	**64128-7L** matt black/negro mate
 **Claire**	**62802-3L** matt black/negro mate **62803-3L** green/verde	**62802-5L** matt black/negro mate **62803-5L** green/verde	**62802-7L** matt black/negro mate **62803-7L** green/verde
 **Lang**	**62804-3L** matt black/negro mate **62805-3L** green/verde	**62804-5L** matt black/negro mate **62805-5L** green/verde	**62804-7L** matt black/negro mate **62805-7L** green/verde
 **Samba**	**64314-44-3L** beige/beige **64314-45-3L** yellow/amarillo **64314-46-3L** green/verde	**64314-44-5L** beige/beige **64314-45-5L** yellow/amarillo **64314-46-5L** green/verde	**64314-44-7L** beige/beige **64314-45-7L** yellow/amarillo **64314-46-7L** green/verde
 **Conga**	**64314-54-3L** matt white/blanco mate **64314-55-3L** beige/beige **64314-56-3L** matt black/negro mate	**64314-54-5L** matt white/blanco mate **64314-55-5L** beige/beige **64314-56-5L** matt black/negro mate	**64314-54-7L** matt white/blanco mate **64314-55-7L** beige/beige **64314-56-7L** matt black/negro mate
 **Kombo**	**68591-3L** grey/gris **68592-3L** beige/beige	**68591-5L** grey/gris **68592-5L** beige/beige	**68591-7L** grey/gris **68592-7L** beige/beige
 **Kombo**	**68593-3L** grey/gris **68594-3L** beige/beige	**68593-5L** grey/gris **68594-5L** beige/beige	**68593-7L** grey/gris **68594-7L** beige/beige
 **Kombo**	**68595-3L** grey/gris **68596-3L** beige/beige **68597-3L** terracotta/terracota	**68595-5L** grey/gris **68596-5L** beige/beige **68597-5L** terracotta/terracota	**68595-7L** grey/gris **68596-7L** beige/beige **68597-7L** terracotta/terracota
 **Mambo**	**64314-47-3L** rattan/mimbre	**64314-47-5L** rattan/mimbre	**64314-47-7L** rattan/mimbre
 **Mambo**	**64314-48-3L** rattan/mimbre	**64314-48-5L** rattan/mimbre	**64314-48-7L** rattan/mimbre
 **Mambo**	**64314-49-3L** rattan/mimbre	**64314-49-5L** rattan/mimbre	**64314-49-7L** rattan/mimbre

Solutions

Multiple canopy
Florón múltiple





STANDARD REQUESTS

See standard combination / *ver tabla combinaciones*

SPECIAL REQUESTS

Send your demand on */envíanos tu petición a* **customize@faro.es**

Canopy recessed
Florón empotrable



with frame / *con marco*

64231 matt white/blanco mate

135X85





trimless / *sin marco*

64232 matt white/blanco mate

135X85



*Compatible in these situations.
Compatibles en estas situaciones.

✓ Electrical wire+Turnbuckle
Cable eléctrico+
Tensor independiente



✓ Canopy with lamp holder
Florón con portalámparas
E14 / E27



✗ Canopy with turnbuckle
Florón con tensor



✗ Canopy with driver
Florón con driver



Hook accessory for displaced light output.
Accesorio gancho para punto de luz desplazado.



68602 matt black/negro mate

Track connector for suspension
Conector carril para suspensión



01997001 white/blanc

01997002 matt black/negro mate



*Accessories compatible with all pendants with bulb and without turnbuckle.
Accesorios compatibles con todos los colgantes con bombilla y sin tensor/es

Suspended 5 Mt. cable with plug (hook incl.)
Colgante con clavija 5 Mt. de cable (gancho incl.)





68604-44 beige/beige
68604-45 yellow/amarillo
68604-46 green/verd



68604-54 white/blanco
68604-55 beige/beige
68604-56 black/negro



68604-62 grey/gris
68604-63 beige/beige



68604-64 grey/gris
68604-65 beige/beige



68604-66 grey/gris
68604-67 beige/beige
68604-68 terracotta/terracota



68604-47 rattan/mimbre



68604-48 rattan/mimbre



68604-49 rattan/mimbre

TENDER

— Nahtrang 



20094 black+wood/negro+madera

20095 white+wood/blanco+madera

LED SMD 24W 3000K 1369lm CRI>80 Driver

Body Steel+Wood/Acero+Madera
Diff Opal PMMA/PMMA Opal

100-240V 50/60HZ





Ceiling
Techo

DOLME

— Xjer Studio 



64096 matt black/negro mate

64097 matt white/blanco mate

LED SMD 24W 3000K 1260lm CRI>80 Driver

Body Steel/Acero
Diff Opal Polycarbonate/Policarbonato Opal

220- 240V 50/ 60HZ









P.90
SUSPENDED











SIDE — Àlex & Manel Lluscà

- **62132** matt white/blanco mate
- **62133** white+nickel/blanco+níquel
- **62134** black+gold/negro+oro
- **62135** black+copper/negro+cobre

G9 MAX 6W LED **[17443]**

Body Steel/Acero
Diff Opal Glass/Cristal Opal





SIDE — Àlex & Manel Lluscà

- **62140** matt white/blanco mate
- **62141** white+nickel/blanco+níquel
- **62142** black+gold/negro+oro
- **62143** black+copper/negro+cobre

LED SMD 15W 3000K 860lm CRI>80 Driver

Body Steel/Acero
Diff Opal Glass/Cristal Opal



100-240V 50/60HZ

P.93
SUSPENDED







SIDE — Àlex & Manel Lluscà

- **62144** matt white/blanco mate
- **62145** white+nickel/blanco+níquel
- **62146** black+gold/negro+oro
- **62147** black+copper/negro+cobre

LED SMD 17W 3000K 1000lm CRI>80 Driver

Body Steel/Acero
Diff Opal Glass/Cristal Opal



100-240V 50/60HZ







LINK

— Estudi Ribaudí



Project Salto Proyectos Photo Architectural Matter

○ **29877** matt white/blanco mate
● **29878** matt black/negro mate

GU10 MAX 8W LED ⊗ **[97685327]**

Body Steel/Acero





○ **29879** matt white/blanco mate
● **29880** matt black/negro mate

4 GU10 MAX 8W LED ⊗ **[97685327]**

Body Steel/Acero





P.220 SPOT
P.55 TABLE&FLOOR
P.244 TRACK





ORLEANS

— Nahtrang 





○ **43532** matt white/blanco mate
● **43533** matt black/negro mate
◪ **43534** chrome+black/cromo+negro

2 GU10 MAX 8W LED ⊗ **[97685327]**

Body Steel/Acero







○ **43529** matt white/blanco mate
● **43530** matt black/negro mate
◪ **43531** chrome+black/cromo+negro

GU10 MAX 8W LED ⊗ **[97685327]**

Body Steel/Acero



P.223 SPOT



P.245 TRACK







TECTO

63270 matt white/blanco mate

63271 matt black/negro mate

GU10 MAX 8W LED ⊗ [○ **17316** /● **17324]**

Body Aluminium/Aluminio





TECTO

63272 matt white/blanco mate

63273 matt black/negro mate

2 GU10 MAX 8W LED ⊗ [○ **17316** /● **17324]**

Body Aluminium/Aluminio





TECTO QR111

63276 matt white/blanco mate

63277 matt black/negro mate

2 QR111 MAX 15W LED ⊗ **[97411]**
LED transformer ⊗ **[2 x 98111020]**

Body Aluminium/Aluminio

III 12V 180º





TECTO QR111

63274 matt white/blanco mate

63275 matt black/negro mate

QR111 MAX 15W LED ⊗ **[97684227]**
LED transformer ⊗ **[98111020]**

Body Aluminium/Aluminio

III 12V 180º





SVEN

63268 matt white/blanco mate

GU10 MAX 8W LED ⊗ **[97685327]**

Body Plaster/Yeso

PLASTER YESO





SVEN

63269 matt white/blanco mate

GU10 MAX 8W LED ⊗ **[97685327]**

Body Plaster/Yeso

PLASTER YESO





REL

64200 matt white/blanco mate

64201 matt black/negro mate

LED COB 25W 2700K 2230lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

100-240V 50/60HZ 60º







REL

64198 matt white/blanco mate

64199 matt black/negro mate

LED COB 15W 2700K 1340lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

100-240V 50/60HZ 60º







JANET

65137 white+gold/blanco+oro

E27 MAX 15W LED **[17462]**

Body Steel/Acero





HARU

64206 matt white/blanco mate

64207 matt black/negro mate

LED SMD 6W 3000K 350lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

100-240V 50/60HZ 120º





NATSU

64204 matt white/blanco mate

64205 matt black/negro mate

LED 30W 3000K 1275lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

100-240V 50/60HZ 120º





POTE

63124 matt white/blanco mate

63125 matt black/negro mate

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Aluminium/Aluminio





STAN

43746 matt white/blanco mate
43747 matt black/negro mate
43758 NEW gold/oro

GU10 MAX 8W LED ⊗ **[97685327]**

Body Aluminium/Aluminio

*Accessories page 219/*Accesorios en página 219*



P.232 RECESSED



P.218 SPOT



P.100 SUSPENDED



P.242 TRACK



P.202 WALL







SEVEN

◯ **68323** matt white/blanco mate

LED SMD 20W CRI>80 Driver ✓
3000K 1313lm 4000K 1274lm 6000K 1234lm

Body Textile/Téxtil
Diff Opal Acrylic/Acrílico Opal

DIM 220-240V 50/60HZ





SEVEN

◯ **68298** matt white/blanco mate

2 E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Textile/Téxtil
Diff Opal Acrylic/Acrílico Opal



P.127 SUSPENDED





SEVEN

◯ **68317** matt white/blanco mate

3 E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Textile/Téxtil
Diff Opal Acrylic/Acrílico Opal





IRIS

63393 grey/gris

LED SMD 15W 3000K 1200lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

100-240V 50/60HZ





IRIS

63394 grey/gris

LED SMD 20W 3000K 1600lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

100-240V 50/60HZ





IRIS

63395 grey/gris

LED SMD 30W 3000K 2400lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

100-240V 50/60HZ





BIC

63408 matt white/blanco mate

LED SMD 60W 3000K 4000lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

DIM TRIAC C 220-240V 50/60HZ



MEGA— Jordi Llopis 

63410 matt white/blanco mate

LED SMD 52W 2700K 0-3600lm CRI>80 Driver

Body Steel/Acero
Diff Opal Polycarbonate/Policarbonato Opal

DIM TRIAC C 220-240V 50/60HZ





AMI

◯ **63397** matt white/blanco mate

63398 aluminium/aluminio

LED SMD 15W 2700K 1200lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

220-240V 50/60HZ





CLOE

63403 shiny chrome/cromo brillo

LED SMD 24W 2700K 2000lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP44 100-240V 50/60HZ





FORO

◯ **63404** matt white/blanco mate

63405 aluminium/aluminio

LED SMD 24W 3000K 2000lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff PMMA

IP44 100-240V 50/60HZ





TOLA

◯ **62968** matt white/blanco mate

62983 aluminium/aluminio

E27 MAX 15W LED ✗ **[17437]**

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP44





TOLA

◯ **62969** matt white/blanco mate

2 E27 MAX 15W LED ✗ **[17437]**

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP44





LOGOS

◯ **62966** matt white/blanco mate

62981 aluminium/aluminio

2 E27 MAX 15W LED ⊗ **[17437]**

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP44 □





LOGOS

◯ **62965** matt white/blanco mate

62980 aluminium/aluminio

E27 MAX 15W LED ⊗ **[17437]**

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP44 □





BRUME — Àlex & Manel Lluscà

40077 anthracite/antracita

LED SMD 3W 2700K 200lm CRI>80 Driver ✓

Body Steel/Acero
Diff Transparent+Opal Glass/
Cristal Transparente+Opal

IP44 □ 100-240V 50/60HZ



P.209
WALL





VUK

◯ **64188** matt white/blanco mate

LED SMD 40W 2700K 3000lm CRI>80 Driver ✓

Body Steel/Acero
Diff Opal Polycarbonate/Policarbonato Opal

IP44 □ 220-240V 50/60HZ





KAO

63399 shiny chrome/cromo brillo

LED SMD 35W 3000K 2800lm CRI>80 Driver ✓

Body Steel/Acero
Diff Opal PMMA/PMMA Opal

IP44 □ 100-240V 50/60HZ





ZON

◯ **63291** matt white/blanco mate

LED 18W 3000K 1600lm Driver ✓

Body Polycarbonate/Policarbonato
Diff Opal PMMA/PMMA Opal

DIM TRIAC C **IP54** □ 220-240V 50HZ





NEW

KLEE

— Isaac Piñeiro 



Right reader/*Lector derecho*

20065 grey textured/gris texturizado

LED SMD 10W 3000K 221lm CRI>80 Driver ✓
Reader LED COB 3W 2700K 85lm CRI>80 Driver ✓

Body Steel+Melamine/Acero+Melamina
Diff Opal PMMA/PMMA opal

DIM 100-240V 50/60Hz 45º







Left reader/*Lector izquierdo*

20066 grey textured/gris texturizado

LED SMD 10W 3000K 221lm CRI>80 Driver ✓
Reader LED COB 3W 2700K 85lm CRI>80 Driver ✓

Body Steel+Melamine/Acero+Melamina
Diff Opal PMMA/PMMA opal

DIM 100-240V 50/60Hz 45º





Dimmable Intensity



Surface
Superficie



MOY
— Nahtrang



40090 satin gold/oro satinado
40091 satin aluminium/aluminio satin.
40092 bronze/bronce

LED 4W 3000K 300lm CRI>80 Driver

Body Steel/Acero
Diff Opal Glass/Cristal Opal

IP44 100- 240V 50/ 60Hz



JOY— Nahtrang



64027 matt black/negro mate
64028 matt white/blanco mate

LED 3W 3000K 360lm CRI>80 Driver

Body Steel/Acero
Diff Opal Glass/Cristal Opal

100- 240V 50/ 60Hz





LE VITA

— Nahtrang 

video



29690 shiny gold/oro brillo
29695 matt black/negro mate

LED 6W 2700K 570lm CRI>80 Driver

Body Steel/Acero
Diff Opal Glass/Cristal Opal

100-240V 50/60Hz







P.50
TABLE&FLOOR



P.87
SUSPENDED





20167 black+satin gold/negro+oro sat.
20168 satin gold+black/oro sat.+negro

E27 MAX 15W LED ⊗ **[17426/17496]**

Body Steel/Acero

2 MT 180º







P.57
TABLE&FLOOR



P.89
SUSPENDED





Adjustable

WHIZZ

— Christoph F. Wagner 



20165-95 black+satin gold/negro+oro

20165-96 satin gold+black/oro+negro

E27 MAX 15W LED ⊗ **[17426/17496]**

Body Steel/Acero

3.7 MT







Adjustable Shade



SLIM

— Àlex & Manel Lluscà 

2 Installation Modes/*2 Modos de instalación*







◯ **24502** matt white/blanco mate

◐ **24503** black+gold/negro+oro

LED 20W 3000K 1150lm CRI>80 Driver ✓

Body Steel/Acero
Diff Opal Glass/Cristal Opal

220-240V 50/60Hz 1.9MT 180º



P.88
SUSPENDED



HAN

— Goula/Figuera 



○ **01000** matt white/blanco mate
● **01001** matt black/negro mate

LED SMD 6W 2700K 500lm CRI>80 Driver ✓

Body Steel/Acero
Diff Opal PMMA/PMMA Opal

100-240V 50/60Hz







Hanger



Thanks to MIKMAX



Thanks to Studio Tamat Photo by Seven'ZArt



GUADALUPE

— Faro Lab

video



20031-80 black+beige/negro+beige

20031-81 black+green/negro+green

E27 MAX 15W LED **[17463]**

Body Steel/Acero
Shade Steel/Acero



20032-80 black+beige/negro+beige

20032-81 black+green/negro+green

E27 MAX 15W LED **[17463]**
Reader LED HIGH POWER 1W 3000K 100lm CRI>80 Driver

Body Steel/Acero
Shade Steel/Acero







P.38
TABLE&FLOOR



GUEST

— Andreu Carulla 

video



Thanks to MIKMAX

01045 matt black/negro mate

E27 MAX 15W LED **[17429]**

Body Aluminium/Aluminio





P.48
FLOOR





PURE

— Nahtrang 



24527 matt white/blanco mate

24528 matt black/negro mate

LED SMD 6W 3000K 1150lm CRI>80 Driver

Body Steel/Acero
Diff Transparent PMMA/PMMA Transparente





NEW MAGOS

— Faro Lab





20330 matt black/negro mate
20331 black+maple/negro+arce
20332 black+walnut/negro+nogal

LED SMD 6W 2700K 600lm CRI>80
Reader LED 3W 2700K 160lm CRI90
Driver

Body Aluminium+ABS+Wood/Aluminio+ABS+Madera
Diff Opal Polycarbonate/Policarbonato Opal

DIM 100-240V 50/60Hz Wireless charger





NIKO

— Nahtrang 



Right reader/*Lector derecho*

01009 white+wood/blanco+madera

Diff Opal Glass/Cristal Opal

01027 white+wood/blanco+madera

Diff Opal Polycarbonate/Policarbonato Opal

LED SMD 7W 3000K 500lm CRI>80 Driver

Body Aluminium+wood/Aluminio+madera

DIM 100-240V 50/60Hz

USB charger Wireless charger





1W 80lm **4W 250lm** **7W 500lm**

Left reader/*Lector izquierdo*

01014 white+wood/blanco+madera

Diff Opal Glass/Cristal Opal

01026 white+wood/blanco+madera

Diff PMMA

LED SMD 7W 3000K 500lm CRI>80 Driver

Body Aluminium+wood/Aluminio+madera

DIM 100-240V 50/60Hz

USB charger Wireless charger



P.42
TABLE





Wireless Charger



USB Charger



Touch Switch



MOOD — Nahtrang



20061 black+wood/negro+madera

LED 2 x 3W 3000K 67lm CRI>80 Driver

Body Steel+wood/Acero+madera

100-240V 50/60Hz



20062 black+wood/negro+madera

LED 2 x 3W 3000K 67lm CRI>80
Reader LED 2W 3000K 105lm CRI>80 Driver

Body Steel+wood/Acero+madera

REVERSIBLE 100-240V 50/60Hz



20060 black+wood/negro+madera

LED 2W 3000K 105lm CRI>80 Driver

Body Steel+wood/Acero+madera

100-240V 50/60Hz 45°









STOOD

— Lucid



29844 black+wood/negro+madera

E27 MAX 15W LED ⊗ **[17462]**

Body Steel/Acero
Shade Cherry Tree Wood/Madera Cerezo

20º







29845 black+wood/negro+madera

E27 MAX 15W LED ⊗ **[17462]**

Body Steel/Acero
Shade Cherry Tree Wood/Madera Cerezo

2.4 MT



P.106
SUSPENDED



P.54
TABLE&FLOOR





LOOP

— Estudi Ribaudí 



29566 black+wood/negro+madera

Shade Cherry Tree Wood/Madera Cerezo

29396 NEW black+wood/negro+madera

Shade Ash Tree Wood/Madera Fresno

LED SMD 6W 2700K 500lm CRI>80 Driver

Body Steel/Acero

DIM 100-240V 50/60Hz 350º







29565 black+wood/negro+madera

Shade Cherry Tree Wood/Madera Cerezo

29395 NEW black+wood/negro+madera

Shade Ash Tree Wood/Madera Fresno

LED SMD 6W 2700K 500lm CRI>80 Driver

Body Steel/Acero

DIM 100-240V 50/60Hz 350º



P.107
SUSPENDED



P.52
TABLE&FLOOR



MONTREAL

— Nahtrang 



*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650



24030-01 matt white/blanco mate
24030-02 white+beige/blanco+beige
24031-01 chrome+white/cromo+blanco
24031-02 chrome+beige/cromo+beige
24031-03 chrome+black/cromo+negro

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil





24032-01 matt white/blanco mate
24032-02 white+beige/blanco+beige
24033-01 chrome+white/cromo+blanco
24033-02 chrome+beige/cromo+beige
24033-03 chrome+black/cromo+negro

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**
LED SMD 3W 2700K 150lm CRI>80 Driver ✓

Body Steel/Acero
Shade Textile/Téxtil

100-240V 50/60Hz



P.64
TABLE&FLOOR



video



SAVOY

— Isaac Piñeiro



20300-92 matt white/blanco mate
20301-93 matt black/negro mate
20301-94 black+green/negro+verde

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil
Diff Steel/Acero







20302-92 matt white/blanco mate
20303-93 matt black/negro mate
20303-94 black+green/negro+verde

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**
LED SMD 3W 3000K 160lm CRI>80 Driver ✓

Body Steel/Acero
Shade Textile/Téxtil
Diff Steel/Acero

230V 50Hz



P.109
SUSPENDED



P.67
TABLE&FLOOR





*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650



64307-47 black+rattan/negro+rattan

E27 MAX 15W LED ⊗ **[17463]**

Body Steel/Acero
Shade Rattan





64309-47 black+rattan/negro+rattan

E27 MAX 15W LED ⊗ **[17463]**
LED SMD 3W 3000K 280lm CRI>80 Driver ✓

Body Steel/Acero
Shade Rattan

100-240V 50/60Hz

P.61 TABLE&FLOOR
P.110 SUSPENDED







video

NEW MAMBO

— Faro Lab



64307-61 black+rattan/negro+rattan

E27 MAX 15W LED ⊗ **[17463]**

Body Steel/Acero
Shade Rattan





64309-61 black+rattan/negro+rattan

E27 MAX 15W LED ⊗ **[17463]**
LED SMD 3W 3000K 280lm CRI>80 Driver ✓

Body Steel/Acero
Shade Rattan

100-240V 50/60Hz



NEW CONGA

— Faro Lab







64306-01 matt white/blanco mate
64306-02 matt white+beige/blanco+beige
64307-03 matt black/negro mate

E27 MAX 15W LED ⊗ **[17463]**

Body Steel/Acero
Shade Textile/Téxtil





64308-01 matt white/blanco mate
64308-02 matt white+beige/blanco+beige
64309-03 matt black/negro mate

E27 MAX 15W LED ⊗ **[17463]**
LED SMD 3W 3000K 280lm CRI>80 Driver ✓

Body Steel/Acero
Shade Textile/Téxtil



P.62 TABLE&FLOOR
P.113 SUSPENDED





*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650

NEW

SAMBA

— Faro Lab







64306-35 white+beige/blanco+beige
64306-36 white+yellow/blanco+amarillo
64306-37 white+green/blanco+verde
64307-35 black+beige/negro+beige
64307-36 black+yellow/negro+amarillo
64307-37 black+green/negro+verde

E27 MAX 15W LED ⊗ **[17463]**

Body Steel/Acero
Shade Textile/Téxtil





64308-35 white+beige/blanco+beige
64308-36 white+yellow/blanco+amarillo
64308-37 white+green/blanco+verde
64309-35 black+beige/negro+beige
64309-36 black+yellow/negro+amarillo
64309-37 black+green/negro+verde

E27 MAX 15W LED ⊗ **[17463]**
LED SMD 3W 3000K 280lm CRI>80 Driver ✓

Body Steel/Acero
Shade Textile/Téxtil



*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650

P.63 TABLE&FLOOR
P.112 SUSPENDED





ARTIS

— Àlex & Manel Lluscà 



*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650



- **68490-01** bronze+white/bronce+blanco
- **68490-02** bronze+beige/bronce+beige
- **68490-03** bronze+black/bronce+black
- **68491-01** chrome+white/cromo+blanco
- **68491-02** chrome+beige/cromo+beige
- **68491-03** chrome+black/cromo+black

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil





- **68492-01** bronze+white/bronce+blanco
- **68492-02** bronze+beige/bronce+beige
- **68492-03** bronze+black/bronce+black
- **68493-01** chrome+white/cromo+blanco
- **68493-02** chrome+beige/cromo+beige
- **68493-03** chrome+black/cromo+black

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**
LED 1W 3000K 140lm CRI>80 Driver ✓

Body Steel/Acero
Shade Textile/Téxtil

100-240V 50/60Hz





- **68494-01** bronze+white/bronce+blanco
- **68494-02** bronze+beige/bronce+beige
- **68494-03** bronze+black/bronce+black
- **68495-01** chrome+white/cromo+blanco
- **68495-02** chrome+beige/cromo+beige
- **68495-03** chrome+black/cromo+black

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil



P.70
TABLE&FLOOR



ETERNA

— Lucid



*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650



24007-10 chrome+white/cromo+blanco
24007-11 chrome+beige/cromo+beige
24007-12 chrome+black/cromo+negro

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**
LED HIGH POWER 1W 2700K 90 lm CRI>80
Driver ✓

Body Steel/Acero
Shade Textile/Téxtil



24006-10 chrome+white/cromo+blanco
24006-11 chrome+beige/cromo+beige
24006-12 chrome+black/cromo+negro

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**
LED HIGH POWER 1W 2700K 90 lm CRI>80
Driver ✓

Body Steel/Acero
Shade Textile/Téxtil



24005-10 chrome+white/cromo+blanco
24005-11 chrome+beige/cromo+beige
24005-12 chrome+black/cromo+negro

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil







P.45
TABLE



FRAME

— Nahtrang





20170-01 matt nickel+white/níquel mate+blanco
20170-02 matt nickel+beige/níquel mate+beige
20170-03 matt nickel+black/níquel mate+negro
20171-01 old gold+white/oro viejo+blanco
20171-02 old gold+beige/oro viejo+beige
20171-03 old gold+black/oro viejo+negro

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Aluminium/Aluminio
Shade Textile/Téxtil





20172-01 matt nickel+white/níquel mate+blanco
20172-02 matt nickel+beige/níquel mate+beige
20172-03 matt nickel+black/níquel mate+negro
20173-01 old gold+white/oro viejo+blanco
20173-02 old gold+beige/oro viejo+beige
20173-03 old gold+black/oro viejo+negro

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**
LED SMD 3W 3000K 100lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Shade Textile/Téxtil

100-240V 50/60Hz





*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650

REM

— Àlex & Manel Lluscà 



*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650



- **29680-19** matt nickel+white/níquel mate+blanco
- **29680-20** matt nickel+beige/níquel mate+beige
- **29680-21** matt nickel+black/níquel mate+negro
- **29681-19** old gold+white/oro viejo+blanco
- **29681-20** old gold+beige/oro viejo+beige
- **29681-21** old gold+black/oro viejo+negro

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero **Shade** Textile/Téxtil





- **29682-19** matt nickel+white/níquel mate+blanco
- **29682-20** matt nickel+beige/níquel mate+beige
- **29682-21** matt nickel+black/níquel mate+negro
- **29683-19** old gold+white/oro viejo+blanco
- **29683-20** old gold+beige/oro viejo+beige
- **29683-21** old gold+black/oro viejo+negro

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**
LED HIGH POWER 4W 3000K 120lm CRI>80
Driver ✓

Body Steel/Acero **Shade** Textile/Téxtil

100-240V 50/60Hz



P.69
TABLE&FLOOR





LUPE

— Jordi Busquets 



29995 chrome+beige/cromo+beige

20031-88 black+beige/negro+beige

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil





29996 chrome+beige/cromo+beige

20032-88 black+beige/negro+beige

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**
LED HIGH POWER 1W 3000K 100lm CRI>80
Driver ✓

Body Steel/Acero
Shade Textile/Téxtil

100-240V 50/60Hz



P.73
TABLE&FLOOR





RON

— Pepe Llaudet



64400-10 dark grey+white/gris oscuro+blanco
64400-11 dark grey+beige/gris oscuro+beige
64400-12 dark grey+black/gris oscuro+negro

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel+Bamboo/Acero+Bambú
Shade Textile/Téxtil





*Structures and shades also sold separately 648-650/
Estructuras y pantallas también se venden por separado 648-650







BLOME — Estudi Ribaudí

62099 matt white/blanco mate

62100 matt black/negro mate

LED SMD 3W 3000K 150lm CRI>90 Driver

Body Steel+Silicone/Acero+Silicona
Shade Textile/Téxtil
Diff Opal Glass/Cristal Opal

100-240V 50/60Hz





SABANA — Pepe Llaudet

29993 nickel+beige/níquel+beige

E27 MAX 15W LED **[17462]**

Body Steel/Acero
Shade Textile/Téxtil





SABANA — Pepe Llaudet

29991 nickel+beige/níquel+beige

E27 MAX 15W LED **[17462]**
LED HIGH POWER 1W 4000K CRI>80 Driver

Body Steel/Acero
Shade Textile/Téxtil

100-240V 50/60Hz





SABANA — Pepe Llaudet

29992 nickel+beige/níquel+beige

E27 MAX 15W LED **[17462]**
LED HIGH POWER 1W 4000K CRI>80 Driver

Body Steel/Acero
Shade Textile/Téxtil

100-240V 50/60Hz





FOLD

— Nutcreatives



64302 matt white/blanco mate

64303 matt black/negro mate

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil
Diff Steel/Acero







64304 matt white/blanco mate

64305 matt black/negro mate

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**
LED SMD 3W 3000K 200lm CRI>80 Driver ✓

Body Steel/Acero
Shade Textile/Téxtil
Diff Steel/Acero

100-240V 50/60Hz





VOLTA — Estudi Ribaudí

20021 nickel+white/níquel+blanco

20022 nickel+black/níquel+negro

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil



VOLTA — Estudi Ribaudí

20023 nickel+white/níquel+blanco

20024 nickel+black/níquel+negro

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**
LED HIGH POWER 3W 3000K 200lm CRI>80
Driver ✓

Body Steel/Acero
Shade Textile/Téxtil

100-240V 50/60Hz



ROOM — Àlex & Manel Lluscà

29974 nickel+white/níquel+blanco

29975 nickel+black/níquel+negro

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil



P.77
TABLE&FLOOR











ROOM — Àlex & Manel Lluscà

29976 nickel+white/níquel+blanco

29977 nickel+black/níquel+negro

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**
LED HIGH POWER 3W 3000K 200lm CRI>80
Driver ✓

Body Steel/Acero
Shade Textile/Téxtil

100-240V 50/60Hz



HOTEL

— Àlex & Manel Lluscà 



Thanks to Minúscula



29941 chrome+white/cromo+blanco
29946 chrome+black/cromo+negro

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**
LED HIGH POWER 1W 3500K CRI>80 Driver ✓

Body Steel/Acero
Shade Textile/Téxtil

100-240V 50/60Hz



29940 chrome+white/cromo+blanco
29945 chrome+black/cromo+negro

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil





P.121 SUSPENDED
P.78 TABLE&FLOOR







Thanks to Natalia Zubizarreta





VESPER — Nahtrang

29982 white+beige/blanco+beige

29983 brown+beige/marrón+beige

E14 MAX 8W LED **[17461]**
LED HIGH POWER 1W 3000K 120lm CRI>80
Driver

Body Steel/Acero
Shade Textile/Téxtil

100-240V 50/60Hz



VESPER — Nahtrang

29980 white+beige/blanco+beige

29981 brown+beige/marrón+beige

E14 MAX 8W LED **[17461]**

Body Steel/Acero
Shade Textile/Téxtil



P.122 SUSPENDED

P.71 TABLE&FLOOR







BERNI — Nahtrang

- **29329** matt white/blanco mate
- **29330** matt black/negro mate
- **29331** satin nickel/níquel satinado

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**
LED HIGH POWER 3W 3000K 200lm CRI>80
Driver ✓

Body Steel/Acero
Shade Textile/Téxtil
Top Diff Steel/Acero

100-240V 50/60Hz



P.76
TABLE&FLOOR







BERNI — Nahtrang

- **29326** matt white/blanco mate
- **29327** matt black/negro mate
- **29328** satin nickel/níquel satinado

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil
Top Diff Steel/Acero





SWEET — Estudi Ribaudí

- **29936** nickel+white/níquel+blanco
- **29952** matt white/blanco mate
- **29953** matt black/negro mate

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil
Top Diff Textile/Téxtil





SWEET — Estudi Ribaudí

- **29935** nickel+white/níquel+blanco
- **29950** matt white/blanco mate
- **29951** matt black/negro mate

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**
LED HIGH POWER 1W 3000K 200lm CRI>80
Driver ✓

Body Steel/Acero
Shade Textile/Téxtil
Top Diff Textile/Téxtil

100-240V 50/60Hz



P.75
TABLE&FLOOR





HANNA

64301 nickel+beige/níquel+beige

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil





HANNA

64300 nickel+beige/níquel+beige

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**
LED HIGH POWER 3W 3000K 250lm CRI>80
Driver ✓

Body Steel/Acero
Shade Textile/Téxtil

100-240V 50/60Hz





THANA

68532 nickel+white/níquel+blanco

E14 MAX 8W LED ⊗ **[17463]**

Body Steel/Acero
Shade Textile/Téxtil

P.123
SUSPENDED



P.82
TABLE&FLOOR







MOMA

68506 chrome+white/cromo+blanco
68507 chrome+black/cromo+negro

E27 MAX 15W LED ⊗ **[17463]**
LED HIGH POWER 1W 6000K 80lm
Driver ✓

Body Steel/Acero
Shade Textile/Téxtil

100-240V 50/60Hz





MOMA

68504 chrome+white/cromo+blanco
68505 chrome+black/cromo+negro

E27 MAX 15W LED ⊗ **[17463]**

Body Steel/Acero
Shade Textile/Téxtil



P.79
TABLE&FLOOR





TIRA

64322 matt white/blanco mate
64323 matt black/negro mate

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**
LED HIGH POWER 3W 3000K 280lm
Driver ✓

Body Steel/Acero
Shade Textile/Téxtil

100-240V 50/60Hz



HANDY

— Jordi Blasi 









◯ **28413** matt white/blanco mate

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil

◯ **28415** matt white/blanco mate

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**
LED HIGH POWER 3W 3000K 140lm CRI>80
Driver ✓

Body Steel/Acero
Shade Textile/Téxtil

100-240V 50/60Hz USB charger

◯ **28414** matt white/blanco mate

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**
LED HIGH POWER 3W 3000K 140lm CRI>80
Driver ✓

Body Steel/Acero
Shade Textile/Téxtil

100-240V 50/60Hz USB charger









SAHARA

62705 chrome+linen/cromo+lino

62706 chrome+white/cromo+blanco

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil





ESSENTIAL

29340 nickel+white/níquel+blanco

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil





ESSENTIAL

29341 nickel+white/níquel+blanco

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**
LED HIGH POWER 3W 2700K 200lm CRI>80
Driver ✓

Body Steel/Acero
Shade Textile/Téxtil

100-240V 50/60Hz





SABA

68544 nickel+black/níquel+negro

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade (double) Textile/Téxtil

P.123
SUSPENDED



P.83
TABLE&FLOOR







MITIC

68420 nickel+brown/níquel+marrón

E14 MAX 8W LED ⊗ **[17461]**

Body Steel/Acero
Shade Textile/Téxtil



P.82
TABLE&FLOOR





RODA

62988 nickel+white/níquel+blanco

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil









AUREA — Estudi Ribaudí

62115 matt white/blanco mate

LED SMD 8W 2700K 300lm CRI>80 Driver

Body Steel+Aluminium/Acero+Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

100-240V 50/60Hz 350º 90º



BOC

62707 matt white/blanco mate
62708 matt black/negro mate
62709 satin nickel/níquel satinado
62710 shiny chrome/cromo brillo
62711 bronze/bronce

LED HIGH POWER 3W 3000K 130lm CRI>80 Driver

Body Aluminium/Aluminio

100-240V 50/60Hz 350º 90º



ROB

68497 bronze/bronce
68499 satin nickel/níquel satinado

LED HIGH POWER 3W 3000K 160lm CRI>80 Driver

Body Aluminium+Steel/Aluminio+Acero

220-240V 50/60Hz 350º 90º







ROB

68496 bronze/bronce
68498 satin nickel/níquel satinado

E27 MAX 15W LED **[17463/*Smart* 17498]**
LED HIGH POWER 3W 3000K 160lm CRI>80 Driver

Body Steel+Aluminium/Acero+Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

220-240V 50/60Hz 350º 90º





PIXIE

— Nahtrang



○ **24015** matt white/blanco mate

● **24016** matt black/negro mate

LED HIGH POWER 2W 2700K 90lm CRI>80
Driver ✓

Body Aluminium+Silicone/Aluminio+Silicona

100-240V 50/60Hz 350º 90º 45º





FLIN

○ **64318** matt white/blanco mate

● **64319** matt black/negro mate

LED HIGH POWER 3W 3000K 280lm CRI>80
Driver ✓

Body Aluminium+Silicone/Aluminio+Silicona

100-240V 50/60Hz 350º 90º 30º



LOKE

◐ **40994** shiny chrome/cromo brillo

○ **41019** matt white/blanco mate

● **41020** matt black/negro mate

LED HIGH POWER 3W 3000K 150lm CRI>80
Driver ✓

Body Aluminium+Silicone/Aluminio+Silicona

100-240V 50/60Hz 350º 90º 30º



LOKE

◐ **40996** shiny chrome/cromo brillo

LED HIGH POWER 3W 3000K 150lm CRI>80
Driver ✓

Body Aluminium/Aluminio

RECESSED 100-240V 50/60Hz 350º 90º 30º

ø60











PEPPER

64168 beige/beige

64169 matt black/negro mate

E27 MAX 15W LED ⊗ **[17462]**

Body Steel/Acero

1.7 MT · 360º · 180º · 180º



STUDIO — Nahtrang

51133 black+creme/negro+crema

51134 shiny chrome/cromo brillo

51135 shiny white/blanco brillo

E14 MAX 15W LED ⊗ **[17461]**

Body Steel/Acero

1.6 MT



Wall accessory/*Accesorio aplique*

51129 matt black/negro mate

Body Steel/Acero









JULIET

41025N shiny chrome/cromo brillo

LED HIGH POWER 3W 3000K 150lm CRI>80 Driver ✓

Body Aluminium/Aluminio

100-240V 50/60Hz 30º USB charger



BEL

41028 shiny chrome/cromo brillo

41029 matt white/blanco mate

41030 matt black/negro mate

LED HIGH POWER 3W 3000K 150lm CRI>80 Driver ✓

Body Aluminium+Silicone/Aluminio+Silicona

100-240V 50/60Hz 30º



BOKEN

41031 matt white/blanco mate

41032 matt black/negro mate

LED HIGH POWER 3W 3000K 150lm CRI>80 Driver ✓

Body Aluminium+Silicone/Aluminio+Silicona

100-240V 50/60Hz 30º









LESER

41026 satin nickel/níquel satinado

LED 5W 3000K 300lm CRI>80 Driver ✓

Body Aluminium+Silicone/Aluminio+Silicona

100-240V 50/60Hz 36º



SAMI

41023 matt white/blanco mate

LED HIGH POWER 3W 2700K 120lm CRI>80 Driver ✓

Body Aluminium+Silicone/Aluminio+Silicona

100-240V 50/60Hz 30º



LENA

52059 matt white/blanco mate

52061 matt black/negro mate

LED SMD 3W 4000K 300lm CRI>80 Driver ✓

Body Aluminium+Silicone/Aluminio+Silicona

100-240V 50/60Hz 30º 1.7 MT

Electronic Adapteur11V 300mA ✓







P.46
TABLE&FLOOR





KALE

62703 matt black/negro mate

LED HIGH POWER 3W 3000K 180lm CRI>80 Driver

Body Aluminium+Silicone/Aluminio+Silicona

100-240V 50/60Hz 45º





LEAD

62704 bronze+brown/bronce+marrón

LED 3W 3000K 180lm CRI>80 Driver

Body Aluminium+Leather/Aluminio+Piel

LEATHER PIEL 100-240V 50/60Hz 45º





NEW

TILA

— Estudi Ribaudí 


Thanks to MIKMAX

○ **62360** matt white/blanco mate
● **62361** matt black/negro mate

E27 MAX 15W LED ⊗ **[17462]**

Body Steel/Acero

1.5 MT





2 Installation Modes/2 *Modos de instalación*





PRESS

— Jordi Blasi 



○ **62350** shiny white/blanco brillo
● **62351** shiny black/negro brillo
● **62352** shiny red/rojo brillo
● **62353** shiny yellow/amarillo brillo

LED SMD 3W 3000K 180lm CRI>80 Driver ✓

Body Aluminium/Aluminio

PRESS LAMP 350º 90º 100-240V 50/60Hz









Thanks to MIKMAX

LE PETIT

— Àlex & Manel Lluscà



○ **62161** matt white/blanco mate
● **62162** matt black/negro mate
◐ **62163** satin gold/oro satinado
◐ **62164** bronze/bronce

LED SMD 4W 3000K 130lm CRI>80 Driver ✓

Body Aluminium+Steel/Aluminio+Acero

100-240V 50/60Hz 60º 45º



Thanks to DOS architects / Tavis Wright Photo by Tomeu Canyellas





NIT

— Goula/Figuera



Thanks to MIKMAX

Left/*izquierdo* **NEW**

◯ **01003** matt white/blanco mate

● **01004** matt black/negro mate

E27 MAX 15W LED ⊗ **[17429/17464]**

Body Steel/Acero

1.7 MT





2 Installation Modes/*2 Modos de instalación*





Right/*derecho*

◯ **01005** matt white/blanco mate

● **01006** matt black/negro mate

E27 MAX 15W LED ⊗ **[17429/17464]**

Body Steel/Acero

1.7 MT









Right reader/*Lector derecho*

◯ **62122** matt white/blanco mate

62123 silver/plata

LED HIGH POWER 3W 3000K 140lm CRI>80
Driver ✓

Body Aluminium+Steel/Aluminio+Acero

100-240V 50/60Hz 30º 350º 90º

USB charger

Left reader/*Lector izquierdo*

◯ **62124** matt white/blanco mate

62125 silver/plata

LED HIGH POWER 3W 3000K 140lm CRI>80
Driver ✓

Body Aluminium+Steel/Aluminio+Acero

100-240V 50/60Hz 30º 350º 90º

USB charger

62116 matt black/negro mate

◯ **62117** matt white/blanco mate

LED HIGH POWER 3W 3000K 140lm CRI>80
Driver ✓

Body Aluminium+Steel/Aluminio+Acero

100-240V 50/60Hz 30º 350º 90º

USB charger











Thanks to Lafincaroja Photo by Jorge Peiro





SUAU

— Nahtrang



62104 NEW bronze/bronce
62118 matt black/negro mate
62120 matt white/blanco mate
62121 silver/plata

LED HIGH POWER 3W 3000K 140lm CRI>80
Driver

Body Aluminium+Steel/Aluminio+Acero

100-240V 50/60Hz 30º 350º 90º





62126 satin nickel/níquel satinado
62128 matt black/negro mate
62129 matt white/blanco mate
62111 NEW bronze/bronce
62114 satin gold/oro satinado

LED HIGH POWER 3W 3000K 140lm CRI>80
Driver

Body Aluminium+Steel/Aluminio+Acero

RECESSED 100-240V 50/60Hz 30º 350º 90º

255x80





NOON

— Alegre Design





◯ **62355** matt white/blanco mate

G45 E27 MAX 15W LED ⊗ **[17462]**

Body Steel/Acero









Thanks to MIKMAX



WELL NEW

64030 matt white/blanco mate

LED SMD 7W 2700K 340lm CRI90 Driver

Body Aluminium+Polypropylene/
Aluminio+Polipropileno
Diff Opal PMMA/PMMA Opal

DIM 100-240V 50/60Hz USB charger & Wireless charger





Thanks to MIKMAX





CORB NEW

40135 matt white/blanco mate

40136 matt black/negro mate

GU10 MAX 8W LED [● **17316** /○ **17324**]

Body Steel/Acero

USB charger





USB
Charger

SMILE

— Jordi Busquets 



62130 matt white/blanco mate

62131 matt black/negro mate

E27 MAX 15W LED **[17463/*Smart* 17498]**

Body Steel/Acero











ERES

64026 matt white/blanco mate

E27 MAX15W ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero





OVO — Estudi Ribaudí

62108 matt white/blanco mate

R7s 118mm MAX 15W LED ⊗ **[17497]**

Body Steel/Acero





OVO — Estudi Ribaudí

62105 matt white/blanco mate

R7s 78mm MAX 8W LED ⊗ **[17499]**

Body Steel/Acero













COTTON

66403 beige/beige
66404 matt black/negro mate

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil





COTTON

66405 beige/beige
66406 matt black/negro mate

2 E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil





COTTON

66407 beige/beige
66408 matt black/negro mate

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil





COTTON

66409 beige/beige
66410 matt black/negro mate

2 E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil





COTTON

66411 beige/beige

66412 matt black/negro mate

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil







COTTON

66413 beige/beige

66414 matt black/negro mate

2 E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil







COTTON

66415 beige/beige

66416 matt black/negro mate

2 E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Shade Textile/Téxtil









HOMS

◯ **63167** matt white/blanco mate

R7s 78mm MAX 8W LED ⊗ **[17499]**

Body Steel/Acero







KERA

◯ **62300** shiny white/blanco brillo

● **62301** shiny black/negro brillo

E27 MAX 15W LED ⊗ **[17462]**

Body Ceramic/Cerámica

CERAMICS
CERÁMICA





SERA

◯ **62302** shiny white/blanco brillo

● **62303** shiny black/negro brillo

E27 MAX 15W LED ⊗ **[17462]**

Body Ceramic/Cerámica

CERAMICS
CERÁMICA







140mm NEW

◯ **62170** matt white/blanco mate

● **62171** matt black/negro mate

● **62172** satin gold/oro satinado

E27 MAX 15W LED ⊗ **[17429/17464]**

Body Aluminium/Aluminio







TEN

— Faro Lab 



70mm

- **62150** matt white/blanco mate
- **62151** matt black/negro mate
- **62152** satin gold/oro satinado
- **62153** satin gold/oro satinado
- **62154** shiny copper/cobre brillo
- **62155** satin nickel/níquel satinado

E27 MAX 15W LED ⊗ **[17429/17464]**

Body Aluminium/Aluminio



P.40
TABLE







RETRO — Àlex & Manel Lluscà

20045 matt copper/cobre mate
20049 black+copper/negro+cobre

E14 MAX 8W LED ⊗ **[17461]**

Body Steel/Acero

350º 270º 270º





LINDA — Estudi Ribaudí

29306 matt white/blanco mate
29310 black+white/negro+blanco

2 E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Diff Textile/Téxtil

P.120
SUSPENDED



P.72
TABLE&FLOOR







SAC — Àlex & Manel Lluscà

66191 brown+beige/marrón+beige

2 E14 MAX 8W LED ⊗ **[17461]**

Body Steel/Acero
Shade Textile/Téxtil















LOA

62809 matt black/negro mate

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero

ENAMEL
ESMALTE

HUDSON

62810 matt black/negro mate

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente

ENAMEL
ESMALTE

MARINA

60005 matt black/negro mate

E27 MAX 15W LED ⊗ **[17428]**

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente







P.102
SUSPENDED





CELIA

40070 matt black/negro mate

E14 MAX 8W LED ⊗ **[17461]**

Body Steel/Acero

1.8 MT





LIST

60000 matt black/negro mate

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero

350º 90º 90º





NUDOS

68138 dark brown/marrón oscuro

E27 MAX 15W LED ⊗ **[17462]**

Body Steel+Wood/Acero+Madera
Diff Transparent Glass/Cristal Transparente



P.100
SUSPENDED





REMAKE

50121 matt black/negro mate

50122 shiny chrome/cromo brillo

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero









MARLIN

65133 satin gold+black/oro sat.+negro

E27 MAX 15W LED ⊗ **[17428]**

Body Steel/Acero

P.96
SUSPENDED







RAS

62807 matt black/negro mate

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero

ENAMEL
ESMALTE

2 MT 200º 90º





PETRA

40062 shiny chrome/cromo brillo

E14 MAX 8W LED ⊗ **[17461]**

Body Steel/Acero

160º 90º





SNAP NEW

57402 off white+grey/blanco roto+gris

57403 dark grey/gris oscuro

E27 MAX 15W LED ⊗ **[17463/*Smart* 17498]**

Body Steel/Acero



P.47
TABLE





BOARD

01040 matt black/negro mate

LED SMD 7W 2700K 450lm CRI>80 Driver

Body Steel+Board paint/Acero+Pintura pizarra
Diff Opal PMMA/PMMA Opal

BLACKBOARD PIZARRA 100-240V 50/60Hz









BOARD

01041 matt black/negro mate

LED SMD 12W 2700K 700lm CRI>80 Driver

Body Steel+Board paint/Acero+Pintura pizarra
Diff Opal PMMA/PMMA Opal

BLACKBOARD PIZARRA 100-240V 50/60Hz



NEW TOU — Faro Lab



01205 burgundy/burdeos
01207 grey/gris

LED SMD 7W 2700K 450lm CRI>80 Driver

Body Aluminium+foam/Aluminio+espuma
Diff Opal PMMA/PMMA Opal
Shade Textile/Téxtil

100-240V 50/60Hz











01206 burgundy/burdeos
01208 grey/gris

LED SMD 12W 2700K 750lm CRI>80 Driver

Body Aluminium+foam/Aluminio+espuma
Diff Opal PMMA/PMMA Opal
Shade Textile/Téxtil

100-240V 50/60Hz



P.136
CEILING



P.232
RECESSED



P.218
SPOT



P.100
SUSPENDED



P.242
TRACK







STAN

◯ **43750** matt white/blanco mate
● **43751** matt black/negro mate
43760 NEW satin gold/oro satinado

2 GU10 MAX 8W LED ⊗ **[97685327]**

Body Aluminium/Aluminio

*Accessories page 219 (except ring)
Accesorios en página 219 (excepto aro)





ORA

◯ **29890** matt white/blanco mate
● **29891** matt black/negro mate

LED SMD 4W 3000K 350lm CRI>80 Driver ✓

Body Aluminium/Aluminio





LISE

◯ **29888** matt white/blanco mate
● **29889** matt black/negro mate

LED 2COB 6W 2700K 740lm CRI>80 Driver ✓

Body Aluminium/Aluminio





STAN

◯ **43748** matt white/blanco mate
● **43749** matt black/negro mate
43759 NEW satin gold/oro satinado

GU10 MAX 8W LED ⊗ **[97685327]**

Body Aluminium/Aluminio

Accessories page 219/Accesorios en página 219



P.100
SUSPENDED





P.100
SUSPENDED







CONIK — Àlex & Manel Lluscà

64219 matt white/blanco mate

LED SMD 8W 3000K 800lm CRI>80 Driver

Body Aluminium/Aluminio
Diff PMMA

100- 240V 50/ 60Hz





DALLAS

63199 matt white/blanco mate

LED COB 5W 3000K 435lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

100- 240V 50/ 60Hz



NASH

62819 matt white/blanco mate

62821 NEW matt black/negro mate

LED SMD 8W 3000K 450lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

100- 240V 50/ 60Hz



NASH

62820 matt white/blanco mate

62822 NEW matt black/negro mate

LED SMD 16W 3000K 990lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

100- 240V 50/ 60Hz









CHERAS

◯ **63173** matt white/blanco mate

R7s JP78mm MAX 8W LED ⊗ **[17499]**

Body Plaster/Yeso

PLASTER YESO





CHERAS

◯ **63174** matt white/blanco mate

G9 MAX 6W LED ⊗ **[17466]**

Body Plaster/Yeso

PLASTER YESO





CHERAS

◯ **63175** matt white/blanco mate

R7s JP78mm MAX 8W LED ⊗ **[17499]**

Body Plaster/Yeso

PLASTER YESO





EACO

◯ **63176** matt white/blanco mate

G9 MAX 6W LED ⊗ **[17466]**

Body Plaster/Yeso

PLASTER YESO





EACO

◯ **63177** matt white/blanco mate

2 G9 MAX 6W LED ⊗ **[17466]**

Body Plaster/Yeso

PLASTER YESO





EACO

◯ **63178** matt white/blanco mate

R7s JP78mm MAX 8W LED ⊗ **[17499]**

Body Plaster/Yeso

PLASTER YESO




Thanks to BAOBARQ



OSLO

◯ **63284** matt white/blanco mate

G9 MAX 6W LED ⊗ **[17466]**

Body Plaster/Yeso

PLASTER YESO





OLAF

◯ **63278** matt white/blanco mate

2 E14 MAX 8W LED ⊗ **[17461]**

Body Plaster/Yeso
Diff Glass/Cristal

PLASTER YESO





SNOW

◯ **63285** matt white/blanco mate

E14 MAX 8W LED ⊗ **[17461]**

Body Plaster/Yeso

PLASTER YESO





ELSA

◯ **63279** matt white/blanco mate

LED SMD 8W 3000K 300lm CRI>80 Driver ✓

Body Plaster/Yeso
Diff Translucent PMMA/PMMA Translúcido

PLASTER YESO 220-240V 50/60Hz





COVE NEW

63480 matt white/blanco mate

LED SMD 4W 3000K 400lm CRI>80 Driver

Body Plaster/Yeso

PLASTER YESO 230V 50Hz





TERA

63184 matt white/blanco mate

LED SMD 6W 2700K 530lm CRI>80 Driver

Body Plaster/Yeso

PLASTER YESO 220-240V 50/60Hz





LUNA

63225 matt white/blanco mate

LED SMD 5W 2700K 300lm CRI>80 Driver

Body Plaster/Yeso
Diff Opal PMMA/PMMA Opal

PLASTER YESO 220-240V 50/60Hz







KAMEN

63311 beige/beige
63312 grey/gris

G9 MAX 6W LED **[17466]**

Body Concrete/Cemento

CONCRETE CEMENTO





MAGRITTE

61080 satin nickel/níquel satinado
61083 satin gold/oro satinado
61086 NEW matt black/negro mate

LED SMD 6W 3000K 380lm CRI>80 Driver ✓

Body Steel+Aluminium/Acero+Aluminio
Diff Opal PMMA/PMMA Opal

100-240V 50/60Hz 90º 90º





LIRIA

63156 satin nickel/níquel satinado

E27 MAX 15W LED ✗ **[17463/*Smart* 17498]**

Body Steel/Acero
Diff Opal Glass/Cristal Opal





MAGRITTE

61081 satin nickel/níquel satinado
61084 satin gold/oro satinado
61087 NEW matt black/negro mate

LED SMD 8W 3000K 500lm CRI>80 Driver ✓

Body Steel+Aluminium/Acero+Aluminio
Diff Opal PMMA/PMMA Opal

100-240V 50/60Hz 90º 90º





DIULA

62986 satin nickel/níquel satinado

2 E27 MAX 15W LED ✗ **[17463/*Smart* 17498]**

Body Steel/Acero
Diff Opal Glass/Cristal Opal





MAGRITTE

61082 satin nickel/níquel satinado
61085 satin gold/oro satinado
61088 NEW matt black/negro mate

LED SMD 12W 3000K 750lm CRI>80 Driver ✓

Body Steel+Aluminium/Acero+Aluminio
Diff Opal PMMA/PMMA Opal

100-240V 50/60Hz 90º 90º





DIULA

62987 satin nickel/níquel satinado

E27 MAX 15W LED ✗ **[17463/*Smart* 17498]**

Body Steel/Acero
Diff Opal Glass/Cristal Opal







PERLA — Àlex & Manel Lluscà

40085 old gold/oro envejecido
40086 shiny chrome/cromo brillo
40087 bronze/bronce

G9 MAX 6W LED ⊗ **[17443]**

Body Steel/Acero
Diff Opal Glass+Transparent Glass/
Cristal Opal+Cristal Transparente

IP44 100- 240V 50/ 60Hz





BIANCA — Àlex & Manel Lluscà

63510 shiny chrome/cromo brillo

G9 MAX 6W LED ⊗ **[17443]**

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP44 100- 240V 50/ 60Hz









BRUME — Àlex & Manel Lluscà

40076 anthracite/antracita

LED 3W 2700K 200lm CRI>80 Driver

Body Steel+Aluminium/Acero+Aluminio
Diff Opal Glass+Transparent Glass/
Cristal Opal+Cristal Transparente

IP44 100-240V 50/60Hz



P.135
CEILING





GALA

63504 shiny chrome/cromo brillo
63505 satin gold/oro satinado

G9 MAX 6W LED **[17495]**

Body Steel/Acero
Diff Opal Glass/Cristal Opal

IP44 100-240V 50/60Hz







LAGO

63503 shiny chrome/cromo brillo

G9 MAX 6W LED **[17495]**

Body Steel/Acero
Diff Opal Glass/Cristal Opal

IP44 100-240V 50/60Hz





DOKA

63323 shiny chrome/cromo brillo

2 E14 MAX 8W LED **[17461]**

Body Steel/Acero
Diff Opal Glass/Cristal Opal

IP44





LAOS

63321 shiny chrome/cromo brillo

2 E14 MAX 8W LED **[17461]**

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP44





DOKA

63322 shiny chrome/cromo brillo

E14 MAX 8W LED **[17461]**

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP44





RELAX

63038 shiny chrome/cromo brillo

2 G9 MAX 6W LED **[17466]**

Body Steel/Acero
Diff Glass/Cristal

MIRROR ESPEJO **IP44**





LAOS

63320 shiny chrome/cromo brillo

E14 MAX 8W LED **[17461]**

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP44





LASS

63009 mirror/espejo

5 G9 MAX 6W LED **[17466]**

Body Steel+Mirror/Acero+Espejo
Diff Opal Glass/Cristal Opal

IP44





LASS

63008 mirror/espejo

4 G9 MAX 6W LED **[17466]**

Body Steel+Mirror/Acero+Espejo
Diff Opal Glass/Cristal Opal

IP44



TERMA

63148 shiny chrome/cromo brillo

LED SMD 7W 4000K 500lm CRI>80 Driver

Body Steel+Aluminium/Acero+Aluminio
Diff Translucent PMMA/PMMA Translúcido

MIRROR ESPEJO **IP44** 100-240V 50/60Hz 0.5 MT









VOLGA

63507 shiny chrome/cromo brillo

63512 NEW matt black/negro mate

LED SMD 5W 3000K 350lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44 100-240V 50/60Hz



VOLGA

63508 shiny chrome/cromo brillo

63513 NEW matt black/negro mate

LED SMD 12W 3000K 850lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44 100-240V 50/60Hz



VOLGA

63509 shiny chrome/cromo brillo

63514 NEW matt black/negro mate

LED SMD 18W 3000K 1300lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44 100-240V 50/60Hz















DANUBIO

63600 shiny chrome/cromo brillo
63603 NEW bronze/bronce

LED SMD 9W 2700K 600Lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP44 100-240V 50/60Hz

DANUBIO

63601 shiny chrome/cromo brillo
63604 NEW bronze/bronce

LED SMD 12W 2700K 800Lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP44 100-240V 50/60Hz

DANUBIO

63602 shiny chrome/cromo brillo
63605 NEW bronze/bronce

LED SMD 18W 2700K 1080Lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP44 100-240V 50/60Hz











NILO

63318 shiny chrome/cromo brillo

63316 **NEW** matt black/negro mate

LED SMD 12W 3000K 950 lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44 | 100-240V | 50/60Hz



NILO

63319 shiny chrome/cromo brillo

63317 **NEW** matt black/negro mate

LED SMD 18W 3000K 1400lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44 | 100-240V | 50/60Hz









EDGE

63501 shiny chrome/cromo brillo

LED SMD 12W 4000K 870lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44 100-240V 50/60Hz







EDGE

63500 shiny chrome/cromo brillo

LED SMD 8W 4000K 500lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44 100-240V 50/60Hz



EDGE

63502 shiny chrome/cromo brillo

LED SMD 18W 4000K 1300lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44 100-240V 50/60Hz





INDO

63146 shiny chrome/cromo brillo

LED SMD 9W 4000K 600lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44 100-240V 50/60Hz







COCO— Faro Lab







○ **40660** matt white/blanco mate
● **40661** matt black/negro mate
◐ **40662** black+green/negro+verde
◐ **40663** black+terracotta/negro+terracota

GU10 MAX 8W LED ⊗ **[97685327]**

Body Steel+ABS/Acero+ABS

350º 45º

○ **40664** matt white/blanco mate
● **40665** matt black/negro mate

2 GU10 MAX 8W LED ⊗ **[97685327]**

Body Steel+ABS/Acero+ABS

350º 45º

○ **40666** matt white/blanco mate
● **40667** matt black/negro mate

3 GU10 MAX 8W LED ⊗ **[97685327]**

Body Steel+ABS/Acero+ABS

350º 45º









Spotlights

Focos



STAN

○ **43726** matt white/blanco mate

● **43727** matt black/negro mate

LED 15W 2700K 1200lm CRI>90 Driver ✓

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Policarbonato Transp.

100-240V 50/60HZ 350º 90º 90º











STAN

○ **43722** matt white/blanco mate

● **43723** matt black/negro mate

◐ **43762** **NEW** satin gold/oro satinado

GU10 MAX 8W LED ⊗ **[97685327]**

Body Aluminium/Aluminio

350º 90º







P.136
CEILING



P.232
RECESSED



P.100
SUSPENDED



P.242
TRACK



P.202
WALL



STAN

◯ **43740** matt white/blanco mate

● **43741** matt black/negro mate

GU10 MAX 8W LED ⊗ **[97685327]**

Body Aluminium/Aluminio







STAN

◯ **43742** matt white/blanco mate

● **43743** matt black/negro mate

2 GU10 MAX 8W LED ⊗ **[97685327]**

Body Aluminium/Aluminio





STAN

◯ **43744** matt white/blanco mate

● **43745** matt black/negro mate

3 GU10 MAX 8W LED ⊗ **[97685327]**

Body Aluminium/Aluminio







Ring accessory

◯ **43728** matt white/blanco mate

43729 matt gold/oro mate



Diff honey comb

◯ **43730** matt black/negro mate

Linear spread lens

◯ **43732** matt white/blanco mate



Spread lens

◯ **43731** matt white/blanco mate



LAO — Nahtrang

- **29039** matt black/negro mate
- **29040** matt white/blanco mate

LED SMD 4.5W 3000K 400lm CRI>80
Driver ✓

Body Aluminium+ABS/Aluminio+ABS
Diff Opal PMMA/PMMA Opal

220-240V 50/60HZ ⏻ 350º 90º 90º







LAO — Nahtrang

- **29041** matt black/negro mate
- **29042** matt white/blanco mate

LED 2xSMD 4.5W 3000K 400lm CRI>80 Driver ✓

Body Aluminium+ABS/Aluminio+ABS
Diff Opal PMMA/PMMA Opal

220-240V 50/60HZ 350º 90º 90º





LAO — Nahtrang

- **29043** matt black/negro mate
- **29044** matt white/blanco mate

LED 3xSMD 4.5W 3000K 400lm CRI>80 Driver ✓

Body Aluminium+ABS/Aluminio+ABS
Diff Opal PMMA/PMMA Opal

220-240V 50/60HZ 350º 90º 90º





LINK — Estudi Ribaudí

- **29873** matt white/blanco mate
- **29874** matt black/negro mate
- **29897** bronze/bronce

GU10 MAX 8W LED ✗ **[97685327]**

Body Steel/Acero

350º 90º 90º





LINK — Estudi Ribaudí

- **29875** matt white/blanco mate
- **29876** matt black/negro mate

2 GU10 MAX 8W LED ✗ **[97685327]**

Body Steel/Acero

350º 90º 90º



P.132
CEILING



P.55
TABLE&FLOOR



P.244
TRACK







STONE — Àlex & Manel Lluscà







43500 grey/gris

GU10 MAX 8W LED ⊗ **[97685327]**

Body Steel+Concrete/Acero+Cemento

350º 90º 90º

43501 grey/gris

2 GU10 MAX 8W LED ⊗ **[97685327]**

Body Steel+Concrete/Acero+Cemento

350º 90º 90º

43502 grey/gris

3 GU10 MAX 8W LED ⊗ **[97685327]**

Body Steel+Concrete/Acero+Cemento

350º 90º 90º







RING — Àlex & Manel Lluscà 







40553 matt white/blanco mate
40554 dark grey/gris oscuro
40555 satin nickel/níquel satinado

2 GU10 MAX 8W LED ⊗ **[97685327]**

Body Steel/Acero



40556 matt white/blanco mate
40557 dark grey/gris oscuro

3 GU10 MAX 8W LED ⊗ **[97685327]**

Body Steel/Acero



40559 matt white/blanco mate

4 GU10 MAX 8W LED ⊗ **[97685327]**

Body Steel/Acero













40550 matt white/blanco mate
40551 dark grey/gris oscuro
40552 satin nickel/níquel satinado

GU10 MAX 8W LED ⊗ **[97685327]**

Body Steel/Acero



P.244
TRACK









ORLEANS — Nahtrang





43520 matt white/blanco mate
43521 matt black/negro mate
43522 chrome+black/cromo+negro

GU10 MAX 8W LED ⊗ **[97685327]**

Body Steel/Acero



43523 matt white/blanco mate
43524 matt black/negro mate
43525 chrome+black/cromo+negro

2 GU10 MAX 8W LED ⊗ **[97685327]**

Body Steel/Acero



43526 matt white/blanco mate
43527 matt black/negro mate
43528 chrome+black/cromo+negro

3 GU10 MAX 8W LED ⊗ **[97685327]**

Body Steel/Acero









NEW DOMINO

— Aldanondoyfdez



63313 matt white/blanco mate

LED SMD 6W 2700K 200lm CRI90 Driver

Body Plaster/Yeso
Diff Opal PMMA/PMMA Opal

PLASTER YESO | 100-240V | 50/60HZ | 265X160











Recessed
Empotrables



TROOP

43700 white+black/blanco+negro

LED 2W 3000K 210lm CRI>90
Driver 700mA ⊗

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Policarbonato Transp.

III 30º 36X36

*Drivers info pag. 646

Remote driver to be installed in an accessible place
Driver remoto para ser instalado en un lugar accesible







TROOP

43701white+black/blanco+negro

LED 3x2W 3000K 630lm CRI>90
Driver 700mA ⊗

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Policarbonato Transp.

III 30º 83X36

*Drivers info pag. 646

Remote driver to be installed in an accessible place
Driver remoto para ser instalado en un lugar accesible







TROOP

43702 white+black/blanco+negro

LED 5x2W 3000K 1050lm CRI>90
Driver 700mA ⊗

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Policarbonato Transp.

III 30º 130X36

*Drivers info pag. 646

Remote driver to be installed in an accessible place
Driver remoto para ser instalado en un lugar accesible







TROOP

43703 white+black/blanco+negro

LED 10x2W 3000K 2100lm CRI>90
Driver 700mA ⊗

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Policarbonato Transp.

III 30º 263X36

*Drivers info pag. 646

Remote driver to be installed in an accessible place
Driver remoto para ser instalado en un lugar accesible







TROOP WALL WASHER

43710 white+black/blanco+negro

LED 5x2W 3000K 1250lm CRI>90
Driver 700mA ⊗

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Policarbonato Transp.

III 30º 130X36

*Drivers info pag. 646

Remote driver to be installed in an accessible place
Driver remoto para ser instalado en un lugar accesible







TROOP TRIMLESS

43704 matt black/negro mate

LED 2W 3000K 210lm CRI>90 Driver 700mA ⊗

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Policarbonato Transp.

III 30º 36X36

*Drivers info pag. 646

Remote driver to be installed in an accessible place
Driver remoto para ser instalado en un lugar accesible







TROOP TRIMLESS

43705 matt black/negro mate

LED 3x2W 3000K 630lm CRI>90 Driver 700mA ⊗

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Policarbonato Transp.

III 30º 83X36

*Drivers info pag. 646

Remote driver to be installed in an accessible place
Driver remoto para ser instalado en un lugar accesible



TROOP TRIMLESS

43706 matt black/negro mate

LED 5x2W 3000K 1050lm CRI>90
Driver 700mA ⊗

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Policarbonato Transp.

III 30º 130X36

*Drivers info pag. 646

Remote driver to be installed in an accessible place
Driver remoto para ser instalado en un lugar accesible



TROOP TRIMLESS

43707 matt black/negro mate

LED 10x2W 3000K 2100lm CRI>90
Driver 700mA ⊗

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Policarbonato Transp.

III 30º 263X36

*Drivers info pag. 646

Remote driver to be installed in an accessible place
Driver remoto para ser instalado en un lugar accesible









HYDE

40118 matt white/blanco mate

40119 matt black/negro mate

GU10 MAX 8W LED ⊗ [○ **17316** ● **17324 or *LED MODULE]** Socket GU10 ⊗ **[43065]**

Body Steel/Acero

ORIENTABLE 30º 30º Ø83

LED MODULE information on page 640 /
Más información del MÓDULO LED en página 640





HYDE

40114 matt white/blanco mate

40115 matt black/negro mate

GU10 MAX 8W LED ⊗ [○ **17316** ● **17324 or *LED MODULE]** Socket GU10 ⊗ **[43065]**

Body Steel/Acero

IP44 Ø83

LED MODULE information on page 640 /
Más información del MÓDULO LED en página 640





HYDE TRIMLESS

40110 matt white/blanco mate

40111 matt black/negro mate

GU10 MAX 8W LED ⊗ [○ **17316** ● **17324 or *LED MODULE]** Socket GU10 ⊗ **[43065]**

Body Steel/Acero

ORIENTABLE 30º 30º Ø83

LED MODULE information on page 640 /
Más información del MÓDULO LED en página 640





HYDE

40120 matt white/blanco mate

40121 matt black/negro mate

GU10 MAX 8W LED ⊗ [○ **17316** ● **17324 or *LED MODULE]** Socket GU10 ⊗ **[43065]**

Body Steel/Acero

ORIENTABLE 30º 30º 83X83

LED MODULE information on page 640 /
Más información del MÓDULO LED en página 640





HYDE

40116 matt white/blanco mate

40117 matt black/negro mate

GU10 MAX 8W LED ⊗ [○ **17316** ● **17324 or *LED MODULE]** Socket GU10 ⊗ **[43065]**

Body Steel/Acero

IP44 83X83

LED MODULE information on page 640 /
Más información del MÓDULO LED en página 640





HYDE TRIMLESS

40112 matt white/blanco mate

40113 matt black/negro mate

GU10 MAX 8W LED ⊗ [○ **17316** ● **17324 or *LED MODULE]** Socket GU10 ⊗ **[43065]**

Body Steel/Acero

ORIENTABLE 30º 30º 102X93

LED MODULE information on page 640 /
Más información del MÓDULO LED en página 640





HYDE

40126 matt white/blanco mate

40127 matt black/negro mate

2 GU10 MAX 8W LED ⊗ [○ **17316** ● **17324 or *LED MODULE]** Socket GU10 ⊗ **[43065]**

Body Steel/Acero

ORIENTABLE 30º 30º 83X165

LED MODULE information on page 640 /
Más información del MÓDULO LED en página 640



HYDE

40124 matt white/blanco mate

40125 matt black/negro mate

2 GU10 MAX 8W LED ⊗ [○ **17316** ● **17324 or *LED MODULE]** Socket GU10 ⊗ **[43065]**

Body Steel/Acero

IP44 83X165

LED MODULE information on page 640 /
Más información del MÓDULO LED en página 640



HYDE TRIMLESS

40122 matt white/blanco mate

40123 matt black/negro mate

2 GU10 MAX 8W LED ⊗ [○ **17316** ● **17324 or *LED MODULE]** Socket GU10 ⊗ **[43065]**

Body Steel/Acero

ORIENTABLE 30º 30º 182X93

LED MODULE information on page 640 /
Más información del MÓDULO LED en página 640











NAIS NEW

○ **02121001** matt white/blanco mate

● **02121002** matt black/negro mate

SMD COB 7W 2700K 625lm CRI>90 Driver ⊗

Body Aluminium+steel/Aluminio+acero
Diff Transparent PMMA/PMMA transparente

III Ø76 36º

*Drivers info pag. 646





NAIS ORIENTABLE NEW

○ **02111001** matt white/blanco mate

● **02111002** matt black/negro mate

SMD COB 7W 2700K 625lm CRI>90 Driver ⊗

Body Aluminium+steel/Aluminio+acero
Diff Transparent PMMA/PMMA transparente

ORIENTABLE III 15º 15º Ø76 36º

*Drivers info pag. 646





KOI

○ **42921** matt white/blanco mate

LED SMD 6W 3000K 400lm CRI>80 Driver ✓

Body Opal Polycarbonate/Policarbonato Opal
Diff Opal Polycarbonate/Policarbonato Opal

ORIENTABLE □ 100-240V 50/60HZ 15º 15º Ø72





RADÓN

○ **43396** matt white/blanco mate

● **43406** matt black/negro mate

GU10 MAX 8W LED ⊗
[○ 17316 ● 17324 or *LED MODULE]
Socket GU10 ⊗ **[43065]**

Body Aluminium/Aluminio

ORIENTABLE 30º 30º Ø80

LED MODULE information on page 640 /
Más información del MÓDULO LED en página 640





RADÓN

○ **43397** matt white/blanco mate

● **43407** matt black/negro mate

GU10 MAX 8W LED ⊗
[○ 17316 ● 17324 or *LED MODULE]
Socket 2 x GU10 ⊗ **[43065]**

Body Aluminium/Aluminio

ORIENTABLE 30º 30º 80X170

LED MODULE information on page 640 /
Más información del MÓDULO LED en página 640





RADÓN

○ **43398** matt white/blanco mate

● **43408** matt black/negro mate

GU10 MAX 8W LED ⊗
[○ 17316 ● 17324 or *LED MODULE]
Socket GU10 ⊗ **[43065]**

Body Aluminium/Aluminio

ORIENTABLE 30º 30º Ø80

LED MODULE information on page 640 /
Más información del MÓDULO LED en página 640





ARGÓN

◯ **43401** matt white/blanco mate

● **43411** matt black/negro mate

GU10 MAX 8W LED ⊗
[○ 17316 ● 17324 or *LED MODULE]
Socket GU10 ⊗ **[43065]**

Body Aluminium/Aluminio

ORIENTABLE 60º 60º Ø100

LED MODULE information on page 640 /
Más información del MÓDULO LED en página 640





ARGÓN

◯ **43403** matt white/blanco mate

● **43413** matt black/negro mate

2 GU10 MAX 8W LED ⊗
[○ 17316 ● 17324 or *LED MODULE]
Socket 2 x GU10 ⊗ **[43065]**

Body Aluminium/Aluminio

ORIENTABLE 60º 60º 220X102

LED MODULE information on page 640 /
Más información del MÓDULO LED en página 640





ARGÓN

◯ **43402** matt white/blanco mate

● **43412** matt black/negro mate

GU10 MAX 8W LED ⊗
[○ 17316 ● 17324 or *LED MODULE]
Socket GU10 ⊗ **[43065]**

Body Aluminium/Aluminio

ORIENTABLE 60º 60º 100X100

LED MODULE information on page 640 /
Más información del MÓDULO LED en página 640





NEÓN

◯ **43399** matt white/blanco mate

● **43409** matt black/negro mate

GU10 MAX 8W LED ⊗
[○ 17316 ● 17324 or *LED MODULE]
Socket GU10 ⊗ **[43065]**

Body Aluminium/Aluminio

Ø65

LED MODULE information on page 640 /
Más información del MÓDULO LED en página 640





NEÓN

◯ **43400** matt white/blanco mate

● **43410** matt black/negro mate

GU10 MAX 8W LED ⊗
[○ 17316 ● 17324 or *LED MODULE]
Socket GU10 ⊗ **[43065]**

Body Aluminium/Aluminio

70X70

LED MODULE information on page 640 /
Más información del MÓDULO LED en página 640





GAS

◯ **43404** matt white/blanco mate

● **43405** matt black/negro mate

GU10 MAX 8W LED ⊗
[○ 17316 ● 17324 or *LED MODULE]
Socket GU10 ⊗ **[43065]**

Body Aluminium/Aluminio

Ø76

LED MODULE information on page 640 /
Más información del MÓDULO LED en página 640





P.136
CEILING



P.218
SPOT



P.100
SUSPENDED



P.242
TRACK



P.202
WALL





STAN

○ **43752** matt white/blanco mate
● **43753** matt black/negro mate
43761 NEW satin gold/oro satinado

GU10 MAX 8W LED ⊗ **[97685327]**

Body Aluminium/Aluminio

100-240V 50/60HZ Ø50

*Accessories page 219/*Accesorios en página 219*



EBBA

42919 silver/plata

LED SMD 4W 3000K 304lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44 220-240V 50/60HZ Ø63



WABI DIM TO WARM

○ **43900** matt white/blanco mate

LED 10W 1800-3200K max.600lm CRI>80
Driver 250mA ⊗ **[98310510C]**

Body Aluminium/Aluminio

DIM 1800K 3200K III 60º Ø70

*Drivers info pag. 646









FOX

02101001 matt white/blanco mate

02101002 matt black/negro mate

LED COB 3-5W 2700K 500lm CRI 90
3W Driver 350mA ⊗
5W Driver 500mA ⊗

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

DIM III 25º Ø35

*Drivers info pag. 646

Remote driver to be installed in an accessible place
Driver remoto para ser instalado en un lugar accesible





FOX TRIMLESS

02101101 matt white/blanco mate

02101102 matt black/negro mate

LED COB 3-5W 2700K 500lm CRI 90
3W Driver 350mA ⊗
5W Driver 500mA ⊗

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

DIM III 25º Ø45

*Drivers info pag. 646

Remote driver to be installed in an accessible place
Driver remoto para ser instalado en un lugar accesible





FOX ORIENTABLE

02101301 matt white/blanco mate

02101302 matt black/negro mate

LED COB 3-5W 2700K 500lm CRI 90
3W Driver 350mA ⊗
5W Driver 500mA ⊗

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

DIM III 25º Ø45

*Drivers info pag. 646

Remote driver to be installed in an accessible place
Driver remoto para ser instalado en un lugar accesible





FOX

02101501 matt white/blanco mate

LED COB 7W 2700K 535lm CRI>80
Driver 350mA ⊗

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

DIM III 36º Ø40







FOX

02101601 matt white/blanco mate

LED COB 10W 2700K 680lm CRI>80
Driver 500mA ⊗

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

DIM III 36º Ø55









AIM

02100401 matt white/blanco mate

LED COB 3W 3000K 256lm CRI>80 350mA
Driver ⊗

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente

DIM IP65 III 36° Ø49

*Drivers info pag. 646





MOIST

02100901 matt white/blanco mate

GU10 MAX 8W LED ⊗ **[17316]**

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente

IP44 78X78





CLEAR

02100301 matt white/blanco mate

LED COB 7W 3000K 403lm CRI>80 350mA
Driver ⊗

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

DIM IP65 III 36° Ø60

*Drivers info pag. 646





FRESH E27 TRIMLESS NEW

02300101 matt white/blanco mate

E27 MAX 15W LED ⊗ **[17464]**

Body Aluminium/Aluminio

Ø90





FRESH WALL WASHER

02100601 matt white/blanco mate
02100602 matt black/negro mate
02100603 gold/oro

GU10 MAX 8W LED ⊗ **[17316]**

Body Aluminium/Aluminio

Ø83





FRESH IP65

02101401 matt white/blanco mate
02101402 NEW matt black/negro mate

GU10 MAX 8W LED ⊗ **[17316]**

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 Ø83





FRESH IP65 TRIMLESS NEW

02400101 matt white/blanco mate
02400102 matt black/negro mate

GU10 MAX 8W LED ⊗ **[17316]**

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 III Ø83





FRESH IP44

02200501 matt white/blanco mate
02200502 matt black/negro mate
02200503 gold/oro

GU10 MAX 8W LED ⊗ **[17316 or *LED MODULE]**

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP44 Ø83

LED MODULE information on page 640 /
Más información del MÓDULO LED en página 640





FRESH

02100501 matt white/blanco mate
02100502 matt black/negro mate
02100503 gold/oro

GU10 MAX 8W LED ⊗ **[17316 or *LED MODULE]**

Body Aluminium/Aluminio

Ø83

LED MODULE information on page 640 /
Más información del MÓDULO LED en página 640





FRESH TRIMLESS

02100701 matt white/blanco mate
02100702 matt black/negro mate

GU10 MAX 8W LED ⊗ **[17316 or *LED MODULE]**

Body Aluminium/Aluminio

Ø90

LED MODULE information on page 640 /
Más información del MÓDULO LED en página 640





MÓVIL

43056 matt white/blanco mate
43057 satin nickel/níquel satinado
43059 Aluminium/Aluminio

GU10 MAX 8W LED
Socket MR16
Socket GU10 **[43065]**

Body Aluminium/Aluminio

ORIENTABLE 50º Ø74





WET

02100801 matt white/blanco mate

LED GU10 MAX 8W LED
[17316 or *LED MODULE]

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente

IP44 100-240V 50/60HZ Ø65

LED MODULE information on page 640 /
Más información del MÓDULO LED en página 640





GINGKO QR111

03030101 matt white/blanco mate
03030102 matt black/negro mate
03030103 grey/gris

G53 MAX 15W LED **[97411]**
Transformer **[98111020]**

Body Steel/Acero

ORIENTABLE III 12V 30º 30º 30º 170X175





FALCON

03020402 matt black/negro mate

GU10 MAX 8W LED **[17316]**

Body Steel/Acero

ORIENTABLE 30º 30º 30º 91X100



GINGKO QR111

03030201 matt white/blanco mate
03030202 matt black/negro mate

2 G53 MAX 15W LED **[97411]**
Transformer **[2x98111020]**

Body Steel/Acero

ORIENTABLE III 12V 30º 30º 30º 313X169









BOW

02150101 matt white/blanco mate

LED COB 7W 2700K 520lm CRI>90 350mA
Driver

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

DIM III 36° Ø45

*Drivers info pag. 646





BOW

02150201 matt white/blanco mate

LED COB 10W 2700K 655lm CRI>90 500mA
Driver

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

DIM III 36° Ø65

*Drivers info pag. 646





BOW

02150301 matt white/blanco mate

LED COB 18W 2700K 1575lm CRI>90 500mA
Driver

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

DIM III 36° Ø80

*Drivers info pag. 646





CROC NEW

43780 matt white/blanco mate

LED SMD 9W 2700K 1021lm CRI90 Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA opal

IP44 DIM III Ø89

*Drivers info pag. 646





CROC NEW

43781 matt white/blanco mate

LED SMD 13W 2700K 856lm CRI90 Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA opal

IP44 DIM III Ø126

*Drivers info pag. 646





CROC NEW

43782 matt white/blanco mate

LED SMD 19W 2700K 1958lm CRI90 Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA opal

IP44 DIM III Ø176

*Drivers info pag. 646





SON

42928 matt white/blanco mate

LED SMD 8W 2700K 580lm CRI>80 Driver ✔

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

220-240V 50/60HZ Ø100





SON

42929 matt white/blanco mate

LED SMD 24W 2700K 2000lm CRI>80 Driver ✔

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

220-240V 50/60HZ Ø205





SON

42930 matt white/blanco mate

LED SMD 24W 4000K 2000lm CRI>80 Driver ✔

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

220-240V 50/60HZ Ø205





LUAN

42931 matt white/blanco mate

LED SMD 40W 3000K 3200lm CRI>80 Driver ✔

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44 100-240V 50/60HZ Ø375







TED

42926 matt white/blanco mate

LED SMD 15W 3000K 1200lm CRI>80 Driver ✔

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44 220-240V 50/60HZ 160º Ø150





TOD

42927 matt white/blanco mate

LED SMD 24W 3000K 2000lm CRI>80 Driver ✔

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44 220-240V 50/60HZ 160º Ø195





NEU TRIMLESS

◯ **63286** matt white/blanco mate

LED MR16 8W ⊗ Gear ⊗ **98101050**
Socket MR16 ✓

Body Plaster/Yeso

PLASTER YESO | III | 12V | 30º 30º | Ø160





NORD

◯ **63290** matt white/blanco mate

LED SMD 18W 3000K 1100lm CRI>80
Driver DC 350mA ⊗ **[98310118LC]**

Body Plaster/Yeso
Diff Opal PMMA/PMMA Opal

PLASTER YESO | III | Ø305

*Drivers info pag. 646





SIGNAL ASIMETRIC

● **02100101** grey/gris

LED COB 3W 3000K 102lm CRI>80 350mA
Driver ⊗ **[98310110]**

Body Aluminium/Aluminio

DIM | IP65 | III | 36º | Ø49

Recessed box ⊗ **[02100101C]**

*Drivers info pag. 646





NAVI NEW

◯ **63481** matt white/blanco mate

LED SMD 10W 3000K 630lm CRI>80 Driver ✓

Body Plaster/Yeso

PLASTER YESO | ⏚ | 273X273

Remote driver to be installed in an accessible place
Driver remoto para ser instalado en un lugar accesible







PLAS

◯ **63283** matt white/blanco mate

LED HIGH POWER 1W 3000K 112lm CRI>80
Driver 3W 350mA ⊗ **[46060]**

Body Plaster/Yeso

PLASTER YESO III 155X110

*Drivers info pag. 646

Remote driver to be installed in an accessible place
Driver remoto para ser instalado en un lugar accesible





PLAS NEW

◯ **63490** matt white/blanco mate

LED HIGH POWER 3W 3000K 200lm CRI>80
Driver 3W 350mA ⊗ **[46060]**

Body Plaster/Yeso

PLASTER YESO 248X113

Remote driver to be installed in an accessible place
Driver remoto para ser instalado en un lugar accesible





PLAS

◯ **63281** matt white/blanco mate

LED HIGH POWER 1W 3000K 112lm CRI>80
Driver 3W 350mA ⊗ **[46060]**

Body Plaster/Yeso

PLASTER YESO III 175X110

*Drivers info pag. 646

Remote driver to be installed in an accessible place
Driver remoto para ser instalado en un lugar accesible





PLAS

◯ **63282** matt white/blanco mate

LED HIGH POWER 1W 3000K 112lm CRI>80
Driver 3W 350mA ⊗ **[46060]**

Body Plaster/Yeso

PLASTER YESO III 231X85

*Drivers info pag. 646

Remote driver to be installed in an accessible place
Driver remoto para ser instalado en un lugar accesible







STAN

◯ **43724** matt white/blanco mate

● **43725** matt black/negro mate

LED 15W 2700K 1200lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Policarbonato Transp.

100-240V 50/60Hz 350º 90º 90º

*Accessories page 219/*Accesorios en página 219*







STAN

◯ **43720** matt white/blanco mate

● **43721** matt black/negro mate

43757 **NEW** satin gold/oro satinado

GU10 MAX 8W LED ✗ **[97685327]**

Body Aluminium/Aluminio

350º 90º

*Accessories page 219/*Accesorios en página 219*





P.136 CEILING
P.232 RECESSED
P.218 SPOT
P.100 SUSPENDED
P.202 WALL





Track
Carril





LAO — Nahtrang

29045 matt black/negro mate

LED SMD 4.5W 3000K 400lm CRI>80 Driver

Body Aluminium+ABS/Aluminio+ABS
Diff Opal PMMA/PMMA Opal

220-240V 50/60Hz 350º 90º 90º



P.220
SPOT





LINK — Estudi Ribaudí

29871 matt white/blanco mate
29872 matt black/negro mate
29896 bronze/bronce

GU10 MAX 8W LED ⊗ **[97685327]**

Body Steel/Acero

350º 90º 90º



P.132
CEILING



P.220
SPOT



P.55
TABLE&FLOOR





RING — Àlex & Manel Lluscà

40562 matt white/blanco mate
40563 dark grey/gris oscuro

GU10 MAX 8W LED ⊗ **[97685327]**

Body Steel/Acero

350º 90º 90º



P.222
SPOT







ORLEANS — Nahtrang

43535 matt white/blanco mate

43536 matt black/negro mate

GU10 MAX 8W LED ⊗ **[97685327]**

Body Steel/Acero



P.133
CEILING



P.223
SPOT







PLOT

○ **64202** matt white/blanco mate

● **64203** matt black/negro mate

GU10 MAX 8W LED ⊗ **[○ 17316 ● 17324]**

Body Steel/Acero







RAM

● **40101** matt black/negro mate

E27 MAX 15W LED ⊗ **[97687127]**

Body Aluminium/Aluminio







Surface track kit 1mt/*Kit carril de superficie 1mt*

○ **64210** matt white/blanco mate

● **64212** matt black/negro mate

● **64214** grey/gris

Surface track kit 2mts/*Kit carril de superficie 2mts*

○ **64211** matt white/blanco mate

● **64213** matt black/negro mate

● **64215** grey/gris

Body Steel

Track/feed/end cap
Carril/alimentación/tapa final ✓



The exteriors are true oases. Our designs are designed to conquer these wonderful spaces all year round.
The creative formats and the high resistance of the materials, conceived especially for the outdoors, promise long and happy days in the open air.
Los exteriores son verdaderos oasis. Nuestros diseños están pensados para conquistar estos maravillosos espacios durante todo el año. La creatividad en los formatos y la alta resistencia de los materiales concebidos especialmente para los exteriores, auguran largas y felices jornadas al aire libre.



OUTDOOR

video

floor/portable/spike/suspended

This outdoor collection designed by Nahtrang comes to offer an infinite number of combinations and functionalities. The high quality of its materials and the careful detail of its finishes, make it a premium collection ideal to enjoy in outdoor spaces.

Esta colección de exterior diseñada por Nahtrang llega para ofrecer infinidad de combinaciones y funcionalidades. La alta calidad de sus materiales y el cuidado detalle de sus acabados, la convierten en una colección premium ideal para disfrutar en los espacios exteriores.



Saigon
by Nahtrang

floor IP65 2MT



W100
1.95mt

1.95mt	**71569-08** brown/marrón
Source	E27 MAX 15W not incl **[17463]**
Body	Aluminium/Aluminio
Shade	Synthetic wicker/Mimbre sintético
Diff	Opal PEMD/PEMD Opal





W70
1.2mt / 1.95mt

1.2mt	**71575-07** brown/marrón
1.95mt	**71569-07** brown/marrón
Source	E27 MAX 15W not incl **[17463]**
Body	Aluminium/Aluminio
Shade	Synthetic wicker/Mimbre sintético
Diff	Opal PEMD/PEMD Opal





T70
1.2mt / 1.95mt

1.2mt	**71575-05** matt white/blanco mate
1.2mt	**71575-06** brown/marrón
1.95mt	**71569-05** matt white/blanco mate
1.95mt	**71569-06** brown/marrón
Source	E27 MAX 15W not incl **[17463]**
Body	Aluminium/Aluminio
Shade	Textilene
Diff	Opal PEMD/PEMD Opal





R45
0.6mt / 1.3mt / 2.1mt

0.6mt	**71576-04** matt white/blanco mate
1.3mt	**71575-04** matt white/blanco mate
2.1mt	**71569-04** matt white/blanco mate
Source	E27 MAX 15W not incl **[17463]**
Body	Aluminium/Aluminio
Shade	Opal PEMD/PEMD Opal





R55
0.5mt / 1.15mt / 2mt

0.5mt	**71576-01** matt white/blanco mate
1.15mt	**71575-01** matt white/blanco mate
2mt	**71569-01** matt white/blanco mate
Source	E27 MAX 15W not incl **[17463]**
Body	Aluminium/Aluminio
Shade	Opal PEMD/PEMD Opal





71569-08



71575-07



71575-05



71569-04

portable IP65 3MT

*Rope not included/*cuerda no incluida*



W100
Hole Cap

Hole	**71584-08** brown/marrón
Source	E27 MAX 15W not incl **[17463]**
Body	Aluminium/Aluminio
Shade	Synthetic wicker/Mimbre sintético
Diff	Opal PEMD/PEMD Opal





W70
Hole Cap

Hole	**71584-07** brown/marrón
Source	E27 MAX 15W not incl **[17463]**
Body	Aluminium/Aluminio
Shade	Synthetic wicker/Mimbre sintético
Diff	Opal PEMD/PEMD Opal





T70
Hole Cap

Hole	**71584-05** matt white/blanco mate
Hole	**71584-06** brown/marrón
Source	E27 MAX 15W not incl **[17463]**
Body	Aluminium/Aluminio
Shade	Textilene
Diff	Opal PEMD/PEMD Opal





R45
Hole Cap

Hole	**71584-04** matt white/blanco mate
Source	E27 MAX 15W not incl **[17463]**
Body	Aluminium/Aluminio
Shade	Opal PEMD/PEMD Opal





R55
Hole Cap

Hole	**71584-01** matt white/blanco mate
Source	E27 MAX 15W not incl **[17463]**
Body	Aluminium/Aluminio
Shade	Opal PEMD/PEMD Opal





R17
Hole Cap

Hole	**71584-03** matt white/blanco mate
Source	E27 MAX 15W not incl **[17463]**
Body	Aluminium/Aluminio
Shade	Opal PEMD/PEMD Opal




SAIGON BY NATTEFANG

spike IP65 2.5MT



W70
1.37mt

1.37mt	**71575P-07** brown/marrón
Source	E27 MAX 15W not incl **[17463]**
Body	Aluminium/Aluminio
Shade	Synthetic wicker/Mimbre sintético
Diff	Opal PEMD/PEMD Opal





T70
1.37mt

1.37mt	**71575P-05** matt white/blanco mate
1.37mt	**71575P-06** brown/marrón
Source	E27 MAX 15W not incl **[17463]**
Body	Aluminium/Aluminio
Shade	Textilene
Diff	Opal PEMD/PEMD Opal





R45
0.87mt / 1.5mt

0.87mt	**71576P-04** matt white/blanco mate
1.5mt	**71575P-04** matt white/blanco mate
Source	E27 MAX 15W not incl **[17463]**
Body	Aluminium/Aluminio
Shade	Opal PEMD/PEMD Opal





R55
1.35mt

1.35mt	**71575P-01** matt white/blanco mate
Source	E27 MAX 15W not incl **[17463]**
Body	Aluminium/Aluminio
Shade	Opal PEMD/PEMD Opal





R17
0.73mt / 1.37mt

0.73mt	**71576P-03** matt white/blanco mate
1.37mt	**71575P-03** matt white/blanco mate
Source	E27 MAX 15W not incl **[17463]**
Body	Aluminium/Aluminio
Shade	Opal PEMD/PEMD Opal




SAIGON BY NHATRANG

suspended IP65 3MT



W100
Cone Cap/
Hole Cap

Cone	**71579C-08** brown/marrón
Hole	**71579H-08** brown/marrón
Source	E27 MAX 15W not incl **[17463]**
Body	Aluminium/Aluminio
Shade	Synthetic wicker/Mimbre sintético
Diff	Opal PEMD/PEMD Opal





W70
Cone Cap/
Hole Cap

Cone	**71579C-07** brown/marrón
Hole	**71579H-07** brown/marrón
Source	E27 MAX 15W not incl **[17463]**
Body	Aluminium/Aluminio
Shade	Synthetic wicker/Mimbre sintético
Diff	Opal PEMD/PEMD Opal





T70
Cone Cap/
Hole Cap

Cone	**71579C-05** matt white/blanco mate
Hole	**71579H-05** matt white/blanco mate
Cone	**71579C-06** brown/marrón
Hole	**71579H-06** brown/marrón
Source	E27 MAX 15W not incl **[17463]**
Body	Aluminium/Aluminio
Shade	Textilene
Diff	Opal PEMD/PEMD Opal





R45
Cone Cap/
Hole Cap

Cone	**71579C-04** matt white/blanco mate
Hole	**71579H-04** matt white/blanco mate
Source	E27 MAX 15W not incl **[17463]**
Body	Aluminium/Aluminio
Shade	Opal PEMD/PEMD Opal





R55

Cap	**71579-02** matt white/blanco mate
Source	E27 MAX 15W not incl **[17463]**
Body	Aluminium/Aluminio
Shade	Opal PEMD/PEMD Opal





R17
Cone Cap/
Hole Cap

Cone	**71579C-03** matt white/blanco mate
Hole	**71579H-03** matt white/blanco mate
Source	E27 MAX 15W not incl **[17463]**
Body	Aluminium/Aluminio
Shade	Opal PEMD/PEMD Opal





71579C-07



71575-07



71579H-06



71579C-03



TOC

70775 matt white/blanco mate
70776 matt black/negro mate
70777 grey/gris

LED SMD 2W 3000K 180lm

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

TOUCH LAMP · DIM · IP54 · III · DC5V 1A · Battery

Micro USB · 9h Worktime 5h Charge







TOC

70786 matt white/blanco mate

LED SMD 5W 3000K 468lm

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP54 · DC 3.7V · Battery · USB wire

9h Worktime 9h Charge





Portables

Portátiles



CAGE

75608 dark grey/gris oscuro

LED SMD 12W 2700K 990lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PEMD/PEMD Opal

IP65 2 MT











TASK

70914 matt white/blanco mate

LED SMD 2W 3000K 263lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP54 III Battery ✓ USB Type C

6h Worktime
5h Charge


16lm


103lm


263lm







KASP NEW

● **71912** matt black/negro mate

LED SMD 2W 2700K-3000K 150lm CRI>80
Driver ✓

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Policarbonato Transp.

SOLAR **IP65** III 9h Worktime 20h Charge IK06

360º USB Type **C** 1.5 MT




2700K


3000K

KASP NEW

● **71913** matt black/negro mate

LED SMD 2W 2700K-3000K 150lm CRI>80
Driver ✓

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Policarbonato Transp.

SOLAR **IP65** III 9h Worktime 20h Charge IK06

360º USB Type **C** 1.5 MT




USB
Charger


Wall accessory/*Accesorio aplique*

● **71914** matt black/negro mate





ARGUS

70784 dark grey/gris oscuro

LED SMD 2W 3000K 220lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

TOUCH LAMP | IP54 | DC5V 1A | Battery ✓

Micro USB | 9h Worktime 5h Charge





KERALA

74454 dark grey/gris oscuro

LED SMD 5W 3000K 400lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

TOUCH LAMP | DIM | IP54 | DC5V 1A | Battery ✓

Micro USB | 6h Worktime 8h Charge


100lm


250lm


400lm





BALDA

70498 matt white/blanco mate

E27 MAX 15W LED ⊗ **[17463]**

Body Opal PEMD/PEMD Opal

IP55 2 MT



BALDA

70499 matt white/blanco mate

E27 MAX 15W LED ⊗ **[17463]**

Body Opal PEMD/PEMD Opal

IP55 2 MT





VOILA

71565 dark grey/gris oscuro

LED RGB WHITE 2W 3000K Driver ✓

Body Opal Polycarbonate/Policarbonato Opal

IP44 Battery ✓ ✓ Rope&Hook ✓

Micro USB 7h Worktime 10h Charge









NEW Rush

by Estudi Ribaudí

Electronics and optics by *VOSSLOH-SCHWABE*

LIGHTING SOLUTIONS

Optional drivers by *TCI*

TCI LED professional led applications

CASAMBI

DALI

Different optics to choose from



LIGHTING SOLUTIONS

360° LENS
Optical efficiency 97%
Optimal installation ratio 2:1
(Pole distance to pole height)



LIGHTING SOLUTIONS

360° WIDE LENS
Optical efficiency 96%
Optimal installation ratio 4,5:1
(Pole distance to pole height)



LIGHTING SOLUTIONS

ASSYMETRICAL LENS
Optical efficiency 93%
Optimal installation ratio 4:1
(Pole distance to pole height)



Rush

Body Aluminium/Aluminio
Diff Transparent Polycarbonate/ Policarbonato transparente

LIGHTING SOLUTIONS

COB LED	*VOSSLOH-SCHWABE*
MacAdam Steps	2
Risk Group	1
Lumen maintenance	L90 B10 up to 89.000h
Heat dissipation	Tested at high ambient temperature

IP65 | CRI90 | IK10 | 100-240V | 50-60Hz | Driver incl. | DALI optional | CASAMBI optional





Rush *Beacon* 14W	CCT	FLUX	LENS
750000	2700K	830lm	360º
750000D Dali	2700K	830lm	360º
750000C Casambi	2700K	830lm	360º
750001	2700K	980lm	360º Wide
750001D Dali	2700K	980lm	360º Wide
750001C Casambi	2700K	980lm	360º Wide
750002	2700K	795lm	180º
750002D Dali	2700K	795lm	180º
750002C Casambi	2700K	795lm	180º
750010	3000K	830lm	360º
750010D Dali	3000K	830lm	360º
750010C Casambi	3000K	830lm	360º
750011	3000K	980lm	360º Wide
750011D Dali	3000K	980lm	360º Wide
750011C Casambi	3000K	980lm	360º Wide
750012	3000K	795lm	180º
750012D Dali	3000K	795lm	180º
750012C Casambi	3000K	795lm	180º
750020	4000K	830lm	360º
750020D Dali	4000K	830lm	360º
750020C Casambi	4000K	830lm	360º
750021	4000K	980lm	360º Wide
750021D Dali	4000K	980lm	360º Wide
750021C Casambi	4000K	980lm	360º Wide
750022	4000K	795lm	180º
750022D Dali	4000K	795lm	180º
750022C Casambi	4000K	795lm	180º



Rush *Bollard* 20W	CCT	FLUX	LENS
750100	2700K	1147lm	360º
750100D Dali	2700K	1147lm	360º
750100C Casambi	2700K	1147lm	360º
750101	2700K	1355lm	360º Wide
750101D Dali	2700K	1355lm	360º Wide
750101C Casambi	2700K	1355lm	360º Wide
750102	2700K	1103lm	180º
750102D Dali	2700K	1103lm	180º
750102C Casambi	2700K	1103lm	180º
750110	3000K	1147lm	360º
750110D Dali	3000K	1147lm	360º
750110C Casambi	3000K	1147lm	360º
750111	3000K	1355lm	360º Wide
750111D Dali	3000K	1355lm	360º Wide
750111C Casambi	3000K	1355lm	360º Wide
750112	3000K	1103lm	180º
750112D Dali	3000K	1103lm	180º
750112C Casambi	3000K	1103lm	180º
750120	4000K	1147lm	360º
750120D Dali	4000K	1147lm	360º
750120C Casambi	4000K	1147lm	360º
750121	4000K	1355lm	360º Wide
750121D Dali	4000K	1355lm	360º Wide
750121C Casambi	4000K	1355lm	360º Wide
750122	4000K	1103lm	180º
750122D Dali	4000K	1103lm	180º
750122C Casambi	4000K	1103lm	180º





STANDARD Driver incl. LIGHTING SOLUTIONS

VOSSLOH-SCHWABE

Beacon mA	350mA
Bollard mA	500mA
V	100-240V
Hz	50-60Hz
Power factor	0.90
Low ripple	<30%
Lifetime	50000h

Overload protection
Short-circuit protection
Overheating protection
SELV (Safety Extra Low Voltage)

**DALI option* TCI LED professional led applications

TCI

Beacon mA	350mA
Bollard mA	500mA
V	220-240V
Hz	50-60Hz
Power factor	0.95
Low ripple	<3%
Lifetime	50000h

DALI-2 dimmable
PUSH SWITCH compatible
Overload protection
Short-circuit protection
Overheating protection
SELV (Safety Extra Low Voltage)

**CASAMBI option* TCI LED professional led applications

TCI

Beacon mA	350mA
Bollard mA	500mA
V	220-240V
Hz	50-60Hz
Power factor	0.95
Low ripple	<3%
Lifetime	50000h

DALI-2 dimmable
PUSH SWITCH compatible
Overload protection
Short-circuit protection
Overheating protection
SELV (Safety Extra Low Voltage)

Rush

Body Aluminium/Aluminio
Diff Transparent Polycarbonate/ Policarbonato transparente





LIGHTING SOLUTIONS

COB LED	*VOSSLOH-SCHWABE*
MacAdam Steps	2
Risk Group	1
Lumen maintenance	L90 B10 up to 89.000h
Heat dissipation	Tested at high ambient temperature

IP65 | CRI90 | IK10 | 100-240V | 50-60Hz | Driver incl. | DALI optional | CASAMBI optional



Rush *Pole 3.1mt* 38W	CCT	FLUX	LENS
750200	2700K	3322lm	360º
750200D Dali	2700K	3322lm	360º
750200C Casambi	2700K	3322lm	360º
750201	2700K	3079lm	360º Wide
750201D Dali	2700K	3079lm	360º Wide
750201C Casambi	2700K	3079lm	360º Wide
750202	2700K	2397lm	180º
750202D Dali	2700K	2397lm	180º
750202C Casambi	2700K	2397lm	180º
750210	3000K	3322lm	360º
750210D Dali	3000K	3322lm	360º
750210C Casambi	3000K	3322lm	360º
750211	3000K	3079lm	360º Wide
750211D Dali	3000K	3079lm	360º Wide
750211C Casambi	3000K	3079lm	360º Wide
750212	3000K	2397lm	180º
750212D Dali	3000K	2397lm	180º
750212C Casambi	3000K	2397lm	180º
750220	4000K	3322lm	360º
750220D Dali	4000K	3322lm	360º
750220C Casambi	4000K	3322lm	360º
750221	4000K	3079lm	360º Wide
750221D Dali	4000K	3079lm	360º Wide
750221C Casambi	4000K	3079lm	360º Wide
750222	4000K	2397lm	180º
750222D Dali	4000K	2397lm	180º
750222C Casambi	4000K	2397lm	180º

Rush *Pole 3.7mt* 38W	CCT	FLUX	LENS
750300	2700K	2972lm	360º
750300D Dali	2700K	2972lm	360º
750300C Casambi	2700K	2972lm	360º
750301	2700K	2921lm	360º Wide
750301D Dali	2700K	2921lm	360º Wide
750301C Casambi	2700K	2921lm	360º Wide
750302	2700K	2576lm	180º
750302D Dali	2700K	2576lm	180º
750302C Casambi	2700K	2576lm	180º
750310	3000K	2972lm	360º
750310D Dali	3000K	2972lm	360º
750310C Casambi	3000K	2972lm	360º
750311	3000K	2921lm	360º Wide
750311D Dali	3000K	2921lm	360º Wide
750311C Casambi	3000K	2921lm	360º Wide
750312	3000K	2576lm	180º
750312D Dali	3000K	2576lm	180º
750312C Casambi	3000K	2576lm	180º
750320	4000K	2972lm	360º
750320D Dali	4000K	2972lm	360º
750320C Casambi	4000K	2972lm	360º
750321	4000K	2921lm	360º Wide
750321D Dali	4000K	2921lm	360º Wide
750321C Casambi	4000K	2921lm	360º Wide
750322	4000K	2576lm	180º
750322D Dali	4000K	2576lm	180º
750322C Casambi	4000K	2576lm	180º





STANDARD Driver incl. LIGHTING SOLUTIONS

VOSSLOH-SCHWABE

mA	1050mA
V	100-240V
Hz	50-60Hz
Power factor	0.90
Low ripple	<30%
Lifetime	50000h

Overload protection
Short-circuit protection
Overheating protection
SELV (Safety Extra Low Voltage)

**DALI option* TCI LED professional led applications

TCI

mA	1050mA
V	220-240V
Hz	50-60Hz
Power factor	0.95
Low ripple	<3%
Lifetime	50000h

DALI-2 dimmable
PUSH SWITCH compatible
Overload protection
Short-circuit protection
Overheating protection
SELV (Safety Extra Low Voltage)

**CASAMBI option* TCI LED professional led applications

TCI

mA	1050mA
V	220-240V
Hz	50-60Hz
Power factor	0.95
Low ripple	<3%
Lifetime	50000h

DALI-2 dimmable
PUSH SWITCH compatible
Overload protection
Short-circuit protection
Overheating protection
SELV (Safety Extra Low Voltage)



H.3700 mm
Simulation performed with Rush/*Simulación realizada con Rush*
38W
3000K
Ref. 750210
Optics 360º
Luminaires interdistance/*Interdistancia entre luminarias* 10mt.



H.3100 mm
Simulation performed with Rush/*Simulación realizada con Rush*
38W
3000K
Ref. 750311
Optics 360º Wide
Luminaires interdistance/*Interdistancia entre luminarias* 12mt.

NEW .Screen

by Estudi Ribaudí

Electronics and optics by *VOSSLOH-SCHWABE*

LIGHTING SOLUTIONS

Optional drivers by *TCI*

TCI LED professional led applications

CASAMBI

DALI

Different optics to choose from



LIGHTING SOLUTIONS

360° LENS
Optical efficiency 97%
Optimal installation ratio 2:1
(Pole distance to pole height)



LIGHTING SOLUTIONS

360° WIDE LENS
Optical efficiency 96%
Optimal installation ratio 4,5:1
(Pole distance to pole height)



LIGHTING SOLUTIONS

ASSYMETRICAL LENS
Optical efficiency 93%
Optimal installation ratio 4:1
(Pole distance to pole height)



Screen

Body Aluminium/Aluminio
Diff Transparent Polycarbonate/ Policarbonato transparente

LIGHTING SOLUTIONS

COB LED	*VOSSLOH-SCHWABE*
MacAdam Steps	2
Risk Group	1
Lumen maintenance	L90 B10 up to 89.000h
Heat dissipation	Tested at high ambient temperature

IP65 | CRI90 | IK10 | 100-240V | 50-60Hz | Driver incl. | DALI optional | CASAMBI optional





Screen *Beacon* 14W	CCT	FLUX	LENS
751000	2700K	712lm	360º
751000D Dali	2700K	712lm	360º
751000C Casambi	2700K	712lm	360º
751001	2700K	856lm	360º Wide
751001D Dali	2700K	856lm	360º Wide
751001C Casambi	2700K	856lm	360º Wide
751002	2700K	695lm	180º
751002D Dali	2700K	695lm	180º
751002C Casambi	2700K	695lm	180º
751010	3000K	712lm	360º
751010D Dali	3000K	712lm	360º
751010C Casambi	3000K	712lm	360º
751011	3000K	856lm	360º Wide
751011D Dali	3000K	856lm	360º Wide
751011C Casambi	3000K	856lm	360º Wide
751012	3000K	695lm	180º
751012D Dali	3000K	695lm	180º
751012C Casambi	3000K	695lm	180º
751020	4000K	712lm	360º
751020D Dali	4000K	712lm	360º
751020C Casambi	4000K	712lm	360º
751021	4000K	856lm	360º Wide
751021D Dali	4000K	856lm	360º Wide
751021C Casambi	4000K	856lm	360º Wide
751022	4000K	695lm	180º
751022D Dali	4000K	695lm	180º
751022C Casambi	4000K	695lm	180º



Screen *Bollard* 20W	CCT	FLUX	LENS
751100	2700K	990lm	360º
751100D Dali	2700K	990lm	360º
751100C Casambi	2700K	990lm	360º
751101	2700K	1225lm	360º Wide
751101D Dali	2700K	1225lm	360º Wide
751101C Casambi	2700K	1225lm	360º Wide
751102	2700K	965lm	180º
751102D Dali	2700K	965lm	180º
751102C Casambi	2700K	965lm	180º
751110	3000K	990lm	360º
751110D Dali	3000K	990lm	360º
751110C Casambi	3000K	990lm	360º
751111	3000K	1225lm	360º Wide
751111D Dali	3000K	1225lm	360º Wide
751111C Casambi	3000K	1225lm	360º Wide
751112	3000K	965lm	180º
751112D Dali	3000K	965lm	180º
751112C Casambi	3000K	965lm	180º
751120	4000K	990lm	360º
751120D Dali	4000K	990lm	360º
751120C Casambi	4000K	990lm	360º
751121	4000K	1225lm	360º Wide
751121D Dali	4000K	1225lm	360º Wide
751121C Casambi	4000K	1225lm	360º Wide
751122	4000K	965lm	180º
751122D Dali	4000K	965lm	180º
751122C Casambi	4000K	965lm	180º





STANDARD Driver incl. LIGHTING SOLUTIONS

VOSSLOH-SCHWABE

Beacon mA	350mA
Bollard mA	500mA
V	100-240V
Hz	50-60Hz
Power factor	0.90
Low ripple	<30%
Lifetime	50000h

Overload protection
Short-circuit protection
Overheating protection
SELV (Safety Extra Low Voltage)

**DALI option* TCI LED professional led applications

TCI

Beacon mA	350mA
Bollard mA	500mA
V	220-240V
Hz	50-60Hz
Power factor	0.95
Low ripple	<3%
Lifetime	50000h

DALI-2 dimmable
PUSH SWITCH compatible
Overload protection
Short-circuit protection
Overheating protection
SELV (Safety Extra Low Voltage)

**CASAMBI option* TCI LED professional led applications

TCI

Beacon mA	350mA
Bollard mA	500mA
V	220-240V
Hz	50-60Hz
Power factor	0.95
Low ripple	<3%
Lifetime	50000h

DALI-2 dimmable
PUSH SWITCH compatible
Overload protection
Short-circuit protection
Overheating protection
SELV (Safety Extra Low Voltage)

Screen

Body Aluminium/Aluminio
Diff Transparent Polycarbonate/ Policarbonato transparente





LIGHTING SOLUTIONS

COB LED	*VOSSLOH-SCHWABE*
MacAdam Steps	2
Risk Group	1
Lumen maintenance	L90 B10 up to 89.000h
Heat dissipation	Tested at high ambient temperature

IP65 | CRI90 | IK10 | 100-240V | 50-60Hz | Driver incl. | DALI optional | CASAMBI optional



Screen *Pole 3.1mt* 38W	CCT	FLUX	LENS
751200	2700K	2370lm	360º
751200D Dali	2700K	2370lm	360º
751200C Casambi	2700K	2370lm	360º
751201	2700K	2692lm	360º Wide
751201D Dali	2700K	2692lm	360º Wide
751201C Casambi	2700K	2692lm	360º Wide
751202	2700K	1819lm	180º
751202D Dali	2700K	1819lm	180º
751202C Casambi	2700K	1819lm	180º
751210	3000K	2370lm	360º
751210D Dali	3000K	2370lm	360º
751210C Casambi	3000K	2370lm	360º
751211	3000K	2692lm	360º Wide
751211D Dali	3000K	2692lm	360º Wide
751211C Casambi	3000K	2692lm	360º Wide
751212	3000K	1819lm	180º
751212D Dali	3000K	1819lm	180º
751212C Casambi	3000K	1819lm	180º
751220	4000K	2370lm	360º
751220D Dali	4000K	2370lm	360º
751220C Casambi	4000K	2370lm	360º
751221	4000K	2692lm	360º Wide
751221D Dali	4000K	2692lm	360º Wide
751221C Casambi	4000K	2692lm	360º Wide
751222	4000K	1819lm	180º
751222D Dali	4000K	1819lm	180º
751222C Casambi	4000K	1819lm	180º

Screen *Pole 3.7mt* 38W	CCT	FLUX	LENS
751300	2700K	2661lm	360º
751300D Dali	2700K	2661lm	360º
751300C Casambi	2700K	2661lm	360º
751301	2700K	2145lm	360º Wide
751301D Dali	2700K	2145lm	360º Wide
751301C Casambi	2700K	2145lm	360º Wide
751302	2700K	1656lm	180º
751302D Dali	2700K	1656lm	180º
751302C Casambi	2700K	1656lm	180º
751310	3000K	2661lm	360º
751310D Dali	3000K	2661lm	360º
751310C Casambi	3000K	2661lm	360º
751311	3000K	2145lm	360º Wide
751311D Dali	3000K	2145lm	360º Wide
751311C Casambi	3000K	2145lm	360º Wide
751312	3000K	1656lm	180º
751312D Dali	3000K	1656lm	180º
751312C Casambi	3000K	1656lm	180º
751320	4000K	2661lm	360º
751320D Dali	4000K	2661lm	360º
751320C Casambi	4000K	2661lm	360º
751321	4000K	2145lm	360º Wide
751321D Dali	4000K	2145lm	360º Wide
751321C Casambi	4000K	2145lm	360º Wide
751322	4000K	1656lm	180º
751322D Dali	4000K	1656lm	180º
751322C Casambi	4000K	1656lm	180º





STANDARD Driver incl. VS LIGHTING SOLUTIONS

VOSSLOH-SCHWABE

mA	1050mA
V	100-240V
Hz	50-60Hz
Power factor	0.90
Low ripple	<30%
Lifetime	50000h

Overload protection
Short-circuit protection
Overheating protection
SELV (Safety Extra Low Voltage)

**DALI option* TCI LED professional led applications

TCI

mA	1050mA
V	220-240V
Hz	50-60Hz
Power factor	0.95
Low ripple	<3%
Lifetime	50000h

DALI-2 dimmable
PUSH SWITCH compatible
Overload protection
Short-circuit protection
Overheating protection
SELV (Safety Extra Low Voltage)

**CASAMBI option* TCI LED professional led applications

TCI

mA	1050mA
V	220-240V
Hz	50-60Hz
Power factor	0.95
Low ripple	<3%
Lifetime	50000h

DALI-2 dimmable
PUSH SWITCH compatible
Overload protection
Short-circuit protection
Overheating protection
SELV (Safety Extra Low Voltage)



H.3700 mm
Simulation performed with Screen/*Simulación realizada con Screen*
38W
3000K
Ref. 751312
Optics 180º
Luminaires interdistance/*Interdistancia entre luminarias* 10mt.



H.3100 mm
Simulation performed with Screen/*Simulación realizada con Screen*
38W
3000K
Ref. 751311
Optics 360º Wide
Luminaires interdistance/*Interdistancia entre luminarias* 12mt.

NEW

Bast

Body Aluminium/Aluminio
Diff Transparent Polycarbonate/Policarbonato Transparente

IP65 | IK10 | CRI>80 | 220-240V | 50/60Hz | Driver incl. | 360º



Bast *Bollard*		P	BEAM	CCT	FLUX
70292	●	25W	360º	3000K	2100lm

180° Accessory	
70293	●



360°



180°





CADAQUÉS

— Faro Lab

video

71242 beige/beige

71243 blue/azul

LED SMD 18W 2700K 500lm CRI>80 Driver

Body Aluminum/Aluminio
Shade Textylene/Textilene
Diff Opal Polycarbonate/Policarbonato Opal

IP65 100-240V 50/60Hz 3 MT

Extendible cable/*Cable extensible*

71244 matt black/negro mate

IP44 2.5 MT





IMO Certificate



Ground fixing included

vertisol
contemporary weavers







Floor
Suelo

VERSUS

— Pepe Llaudet



○ **74423** matt white/blanco mate

E27 MAX 15W LED ⊗ **[17463]**

Body Opal PEMD/PEMD Opal

IP44 □ 3 MT





Thanks to DOS architects / Tavis Wright Photo by Tomeu Canyellas



Large accessory

● **74424** black/negro

Body Steel/Acero





Small accessory

● **74422** black/negro

Body Steel/Acero







3daysofdesign Copenhagen, Denmark

CAT — Nahtrang

● **71562** matt black/negro mate
○ **71563** matt white/blanco mate
● **71564** red/rojo

E27 MAX 15W LED ⊗ **[17463]**

Body Aluminium/Aluminio
Diff Opal PEMD/PEMD Opal

IP54 □ 5 MT

Wall accessory/*Accesorio aplique*

● **71556** matt black/negro mate

Body Steel/Acero





SAIGON — Nahtrang

● **71584-02** dark grey/gris oscuro

E27 MAX 15W LED ⊗ **[17463]**

Body Aluminium/Aluminio
Diff Opal PEMD/PEMD Opal

IP65 □ 3 MT



NEW

BROT

— Yembarastudio



Portable/*Portátil*



71256 71257

Portable/*Portátil 900mm*

● **71256** matt black/negro mate

LED SMD 14W 2700K 620lm CRI>80 Driver ✔

Portable/*Portátil 1800mm*

● **71257** matt black/negro mate

LED SMD 21W 2700K 930lm CRI>80 Driver ✔

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP65 100-240V 50/60Hz 1.8 MT





Standard/Estándar



71253 71254

Standard/*Estándar 900mm*

● **71253** matt black/negro mate

LED SMD 14W 2700K 620lm CRI>80 Driver ✔

Standard/*Estándar 1800mm*

● **71254** matt black/negro mate

LED SMD 21W 2700K 930lm CRI>80 Driver ✔

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP65 100-240V 50/60Hz



reddot winner 2021
lighting design







CAST NEW

74155 dark grey/gris oscuro

LED SMD 10W 3000K 550lm CRI>80 Driver

Body Concrete/Cemento
Diff Glass/Cristal

IP65 100-240V 50/60Hz





CAST NEW

74156 dark grey/gris oscuro

LED SMD 10W 3000K 550lm CRI>80 Driver

Body Concrete/Cemento
Diff Glass/Cristal

IP65 100-240V 50/60Hz



BLOCK

— Àlex&Manel Lluscà 



74141 grey/gris

E27 MAX 15W LED ⊗ **[17463]**

Body Concrete/Cemento
Diff Opal Glass/Cristal Opal

SEA SIDE SUITABLE **IP65** IK08





74142 grey/gris

E27 MAX 15W LED ⊗ **[17463]**

Body Concrete/Cemento
Diff Opal Glass/Cristal Opal

SEA SIDE SUITABLE **IP65** IK08



P.338
WALL





LOTUS

— Estudi Ribaudí 

video

71224 dark grey/gris oscuro

LED COB 18W 3000K 1120lm CRI>80 Driver ✔

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP65 IK08 100-240V 50/60Hz







71225 dark grey/gris oscuro

LED COB 18W 3000K 1120lm CRI>80 Driver ✔

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP65 IK08 100-240V 50/60Hz

P.356
WALL







STICKER

— Lucid 



● **75541** dark grey/gris oscuro

LED SMD 10W 3000K 623lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP55 100-240V 50/60Hz



P.355
WALL





TRAM

— Estudi Ribaudí 

● **75531** dark grey/gris oscuro

E27 MAX 15W LED ⊗ **[17463]**

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP65



P.312
POLE

P.340
WALL





TWIST

— Estudi Ribaudí 

71286 dark grey/gris oscuro

LED SMD 10W 3000K 500lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP65 100-240V 50/60Hz







71287 dark grey/gris oscuro

LED SMD 10W 3000K 500lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP65 100-240V 50/60Hz





P.338
WALL



SHELBY

— Conillas





75537 dark grey/gris oscuro

LED SMD 10W 3000K 600lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal+Transparent Polycarbonate/
Policarbonato Opal+Transparente

IP65 220-240V 50/60Hz



75538 dark grey/gris oscuro

LED SMD 10W 3000K 600lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal+Transparent Polycarbonate/
Policarbonato Opal+Transparente

IP65 220-240V 50/60Hz





P.340
WALL





DATNA

— Àlex & Manel Lluscà 

74441 dark grey/gris oscuro

E27 MAX 15W LED ⊗ **[17463]**

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP44





74442 dark grey/gris oscuro

E27 MAX 15W LED ⊗ **[17463]**

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP44



P.312
POLE



P.346
WALL







PLIM

71300 dark grey/gris oscuro

LED SMD 10W 3000K 250lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP65 100-240V 50/60Hz IK08



PLIM

71301 dark grey/gris oscuro

LED SMD 10W 3000K 250lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal+Transparent Polycarbonate/ Policarbonato Opal+Transparente

IP65 100-240V 50/60Hz IK08



PLIM

71299 dark grey/gris oscuro

LED SMD 10W 3000K 250lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal+Transparent Polycarbonate/ Policarbonato Opal+Transparente

IP65 100-240V 50/60Hz IK08



P.343
WALL









MUGA

75604 dark grey/gris oscuro

LED SMD 11.3W 3000K 810lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP55 100-240V 50/60Hz





MUGA

75603 dark grey/gris oscuro

LED SMD 11.3W 3000K 810lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP55 100-240V 50/60Hz





ONZE

70761 dark grey/gris oscuro

E27 MAX 15W LED **[17437]**

Body Die Cast Aluminium/Aluminio Inyectado
Diff Opal Polycarbonate/Policarbonato Opal

IP54



GIZA

70767 dark grey/gris oscuro

LED COB 15W 3000K 500lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Trans. Polycarbonate/Policarbonato Trans.

IP54 100-240V 50/60Hz









GIZA

70768 dark grey/gris oscuro

LED COB 15W 3000K 500lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Trans. Polycarbonate/Policarbonato Trans.

IP54 100-240V 50/60Hz





P.342
WALL



BERET

75522 dark grey/gris oscuro

LED SMD 8W 4000K 350lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP54 220-240V 50/60Hz IK06









BERET

75523 dark grey/gris oscuro

LED SMD 8W 4000K 350lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP54 220-240V 50/60Hz IK06





P.316
POLE

GROP

75600 dark grey/gris oscuro

LED SMD 12.5W 3000K 500lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP54 100-240V 50/60Hz



P.316
POLE





GROP

75601 dark grey/gris oscuro

LED SMD 18W 3000K 870lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP54 100-240V 50/60Hz





NANDA

71216 dark grey/gris oscuro

LED SMD 13W 3000K 500lm CRI>80
Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP54 100-240V 50/60Hz





NANDA

71217 dark grey/gris oscuro

LED SMD 13W 3000K 500lm CRI>80
Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP54 100-240V 50/60Hz



LOGAR

75605 dark grey/gris oscuro

LED SMD 12W 3000K 580lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP54 100-240V 50/60Hz





LOGAR

75606 dark grey/gris oscuro

LED SMD 23W 3000K 1340lm CRI>80
Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP54 100-240V 50/60Hz





WILMA

75001 dark grey/gris oscuro

E27 MAX 15W LED **[17463]**

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP44

P.330
SUSPENDED



P.345
WALL







WILMA

74997 dark grey/gris oscuro

E27 MAX 15W LED **[17463]**

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP44





WILMA

75003 dark grey/gris oscuro

E27 MAX 15W LED **[17463]**

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP44





VERNO

73450 matt black/negro mate

E27 MAX 15W LED **[17463]**

Body Aluminium/Aluminio
Diff Trans. Polycarbonate/Policarbonato Trans.

IP44





VERNO

73440 matt black/negro mate

E27 MAX 15W LED **[17463]**

Body Aluminium/Aluminio
Diff Trans. Polycarbonate/Policarbonato Trans.

IP44





VERNO

73460 matt black/negro mate

E27 MAX 15W LED **[17463]**

Body Aluminium/Aluminio
Diff Trans. Polycarbonate/Policarbonato Trans.

IP44





BLUB'S — Estudi Ribaudí

74433S-03 dark grey/gris oscuro

E27 MAX 15W LED **[17437]**

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44



P.330
SUSPENDED



P.344
WALL





MISTU — Faro Lab

74433S-02 dark grey/gris oscuro

E27 MAX 15W LED **[17437]**

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44



P.330
SUSPENDED



P.344
WALL





MUFFIN — Àlex & Manel Lluscà

74433S-04 dark grey/gris oscuro

E27 MAX 15W LED **[17437]**

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44



P.330
SUSPENDED



P.344
WALL





BLUB'S — Estudi Ribaudí

74434B-03 dark grey/gris oscuro

E27 MAX 15W LED **[17437]**

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44



P.315
POLE





MISTU — Faro Lab

74434B-02 dark grey/gris oscuro

E27 MAX 15W LED **[17437]**

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44



P.314
POLE





MUFFIN — Àlex & Manel Lluscà

74434B-04 dark grey/gris oscuro

E27 MAX 15W LED **[17437]**

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44



P.314
POLE





MOON — Faro Lab

74433S-01 dark grey/gris oscuro

E27 MAX 15W LED **[17437]**

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44



P.330
SUSPENDED



P.344
WALL





NALA

70772 dark grey/gris oscuro

E27 MAX 15W LED **[17463]**

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP54





SETE

75521 dark grey/gris oscuro

LED SMD 6W 3000K 155lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP54 100-240V 50/60Hz

P.351
WALL







MOON — Faro Lab

74434B-01 dark grey/gris oscuro

E27 MAX 15W LED **[17437]**

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44





MILA

70771 dark grey/gris oscuro

LED SMD 18W 4000K 500lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP65 220-240V 50/60Hz





SURAT

72310 dark grey/gris oscuro

E27 MAX 15W LED **[17463]**

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP54



GROW

— Estudi Ribaudí 



71206 dark grey/gris oscuro

LED SMD 9W 3000K 720lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Transparent Polycarbonate/Policarbonato Transparente

IP65 100-240V 50/60Hz



71207 dark grey/gris oscuro

LED SMD 9W 3000K 720lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Transparent Polycarbonate/Policarbonato Transparente

IP65 100-240V 50/60Hz





Flowerpot accessory

71208 dark grey/gris oscuro

Body Polycarbonate/Policarbonato



BU-OH!

— Estudi Ribaudí 



71213 dark grey/gris oscuro

LED SMD 12W 3000K 310lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP65 100-240V 50/60Hz



71214 dark grey/gris oscuro

LED SMD 12W 3000K 310lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP65 100-240V 50/60Hz

P.312
POLE



P.355
WALL











NAYA

71199 dark grey/gris oscuro

LED SMD 8W 3000K 80lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP54 100-240V 50/60Hz 120º





AGRA

70753 dark grey/gris oscuro
70754 rust brown/marrón óxido

LED COB 9W 3000K 420lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP55 100-240V 50/60Hz



AGRA

70755 dark grey/gris oscuro
70756 rust brown/marrón óxido

LED COB 9W 3000K 420lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP55 100-240V 50/60Hz



NAYA

71198 dark grey/gris oscuro

LED SMD 8W 3000K 80lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP54 100-240V 50/60Hz 120º









ALP

74451 dark grey/gris oscuro

LED SMD 7W 3000K 350lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP54 100-240V 50/60Hz 180º





ALP

74452 dark grey/gris oscuro

LED SMD 7W 3000K 350lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP54 100-240V 50/60Hz 180º



P.354
WALL





DAS

75519 dark grey/gris oscuro

LED COB 8W 3000K 480lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP54 100-240V 50/60Hz 180º







DAS

75520 dark grey/gris oscuro

LED COB 8W 3000K 480lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP54 100-240V 50/60Hz 180º





NOBORU

70576 dark grey/gris oscuro

LED COB 16W 3000K 690lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 IK08 100-240V 50/60Hz 36º











MAUREN

70993 brass/latón

E27 MAX 15W LED ✗ **[17463]**

Body Brass/Latón
Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE MADE IN EU IP44







SPY-1

70782 dark grey/gris oscuro

LED COB 6W 3000K 500lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 220-240V 50Hz 30°







SPY-2

70783 dark grey/gris oscuro

LED COB 6W 3000K 500lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 220-240V 50Hz 30°









SHADOW

— Àlex&Manel Lluscà 

72312 dark grey/gris oscuro

LED SMD 11W 3000K 800lm CRI>80 Driver ✔

Body Aluminium/Aluminio
Diff Opal glass/Cristal Opal

IP65 100-240V 50/60Hz





72311 dark grey/gris oscuro

LED SMD 10W 3000K 800lm CRI>80 Driver ✔

Body Aluminium/Aluminio
Diff Opal glass/Cristal Opal

IP65 100-240V 50/60Hz





GINA

71352 dark grey/gris oscuro

GU10 MAX 8W LED ⊗ **[97685327]**

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP44















KLAMP — Àlex & Manel Lluscà

74411 dark grey/gris oscuro

E27 MAX 15W LED ⊗ **[17463]**

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP44





CHANDRA

72298 dark grey/gris oscuro

LED COB 7W 3000K 195lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP54 100-240V 50/60Hz 30º



SOLAR
Solar selection/*Selección solar*





SAURA

70774 dark grey/gris oscuro

LED SMD 2W 3000K 225lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

SOLAR IP54 PIR III 120° 6mt 180°

2.5h Worktime
6/8h Charge

lithium battery







SOLEIL

70785 dark grey/gris oscuro

LED SMD 2W 3000K 140lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

SOLAR IP54 PIR III 3h Worktime 7h Charge IK10





P.291
BOLLARD



P.340
WALL



TRAM — Estudi Ribaudí



75532 dark grey/gris oscuro

LED SMD 42W 3000K 3000lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP55 100-240V 50/60Hz









P.294
BOLLARD

P.346
WALL

DATNA — Àlex & Manel Lluscà



74444E dark grey/gris oscuro

LED SMD 37W 3000K 2700lm CRI85 Driver

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP65 100-240V 50/60Hz



P.303
BOLLARD



P.355
WALL



BU-OH! — Estudi Ribaudí



71209 dark grey/gris oscuro

LED SMD 42W 3000K 2700lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP65 100-240V 50/60Hz







P.300
BOLLARD

P.330
SUSPENDED

P.344
WALL

MISTU — Faro Lab

74435F2-02 dark grey/gris oscuro

2 E27 MAX 15W LED **[17437]**

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44





P.300
BOLLARD



P.330
SUSPENDED



P.344
WALL



MISTU — Faro Lab

74436F3-02 dark grey/gris oscuro

3 E27 MAX 15W LED **[17437]**

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44



P.300
BOLLARD

P.330
SUSPENDED

P.344
WALL

MUFFIN — Àlex & Manel Lluscà

74435F2-04 dark grey/gris oscuro

2 E27 MAX 15W LED **[17437]**

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44





MUFFIN — Àlex & Manel Lluscà 

● **74436F3-04** dark grey/gris oscuro

3 E27 MAX 15W LED ⊗ **[17437]**

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44





P.300
BOLLARD

P.330
SUSPENDED

P.344
WALL

BLUB'S — Estudi Ribaudí 

● **74435F2-03** dark grey/gris oscuro

2 E27 MAX 15W LED ⊗ **[17437]**

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44





BLUB'S — Estudi Ribaudí 

● **74436F3-03** dark grey/gris oscuro

3 E27 MAX 15W LED ⊗ **[17437]**

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44





P.297
BOLLARD



BERET

75524 dark grey/gris oscuro

LED SMD 16W 4000K 625lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP54 100-240V 50/60Hz IK06





P.297
BOLLARD



GROP

75602 dark grey/gris oscuro

LED SMD 27W 3000K 1300lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP54 100-240V 50/60Hz







PLAZA

75607 dark grey/gris oscuro

LED SMD 24W 3000K 1120lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP54 IK08 100-240V 50/60Hz







P.331
SUSPENDED

P.347
WALL

NÁUTICA

71116 rust brown/marrón óxido

E27 MAX 15W LED ⊗ **[17463]**

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente

IP33



NÁUTICA

71117 rust brown/marrón óxido

2 E27 MAX 15W LED ⊗ **[17463]**

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente

IP33



NÁUTICA

71118 rust brown/marrón óxido

3 E27 MAX 15W LED ⊗ **[17463]**

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente

IP33





SLOT

— Lucid



● **70038** matt black/negro mate

LED 13W 3000K 920lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 100-240V 50/60HZ IK08 28° 1 MT ✓











● **70036** matt black/negro mate

LED 13W 3000K 920lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 100-240V 50/60HZ IK08 28°

● **70037** matt black/negro mate

LED 13W 3000K 920lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 100-240V 50/60HZ IK08 28° 1 MT ✓

● **70035** matt black/negro mate

LED 13W 3000K 920lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 100-240V 50/60HZ IK08 28°















Spike&Projector

Estaca y Proyector



FLOW

— Alegre Design 

Spike accessory/*Accesorio estaca*

71548 matt black/negro mate

71549 beige/beige

Body Steel/Acero





71546 matt black/negro mate

71547 beige/beige

GU10 MAX 8W LED ⊗ **[97685327]**

Body Polycarbonate/Policarbonato
Diff Opal PMMA/PMMA Opal

SEA SIDE SUITABLE | WALL& SPIKE | IP65 | 2.5 MT











TONI — Alegre Design

71528 matt black/negro mate

GU10 MAX 8W LED ⊗ **[97685327]**

Body PMMA
Diff Polycarbonate/Policarbonato

SEA SIDE SUITABLE | WALL& SPIKE | IP65 | 2.5 MT

160º
180º





ALFA — Àlex & Manel Lluscà

70025 dark grey/gris oscuro

LED COB 13W 3000K 900lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 | 100-240V | 50/60HZ | 80º | 160º 180º



PROJECT— Àlex&Manel Lluscà

71383 grey/gris

71390 dark grey/gris oscuro

GU10 MAX 8W LED ⊗ **[97685327]**

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 | 90º 95º | 340º



PROJECT— Àlex&Manel Lluscà

71389 dark grey/gris oscuro

E27 PAR 38 MAX 15W LED ⊗ **[17398]**

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 | 95º | 340º











OKI

70160 dark grey/gris oscuro

LED COB 2W 3000K 110lm CRI>80
Driver ✕ **[98324015] [IP67:98111031]**
Spike ✕ **[70525]**

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 AC/DC 12/24V 0.2 MT IK04 30º







OKO

70161 dark grey/gris oscuro

LED COB 20W 3000K 1400lm CRI>80 Driver ✓
Spike ✕ **[70525]**

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 IK08 220-240V 50/60HZ 30º







PLOM

70912 dark grey/gris oscuro

LED CREE 8.5W 3000K 635lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP64 100-240V 50/60HZ 18-45º 90º





LIT

70260 dark grey/gris oscuro

GU10 MAX 8W LED ✕ **[97685327]**

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 220-240V 50/60HZ 36º 90º 180º





SHOW

71095 dark grey/gris oscuro

LED 10W 3000K 500lm CRI>80 Driver ✓
Spike ✕ **[70525]**

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP67 10º-60º 1 MT 100-240V 50/60HZ





FOC

70156 dark grey/gris oscuro

LED COB 16W 3000K 800lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

DIM IP65 220-240V 50/60HZ 36º 90º 180º





VIC

70581 dark grey/gris oscuro

LED SMD 55.5W 3000K 2400lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 IK07 100-240V 50/60HZ 25º 90º 180º





FOC

70157 dark grey/gris oscuro

LED COB 16W 3000K 800lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

DIM IP65 220-240V 50/60HZ 36º 90º 180º





KARL

70261 dark grey/gris oscuro

LED SMD 13.5W 3000K 1100lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 220-240V 50/60HZ 110º





TORAN

70140 dark grey/gris oscuro

LED SMD 3.8W 4000K 345lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP44 IK08 220-240V 50/60HZ 115º 50º 50º

2 MT





KEW

70407 grey/gris

LED 6W 4000K 420lm CRI>80
Transformer 12VDC **[98111031]**

Body 316 Stainless Steel/Acero Inox 316
Diff Transparent PMMA/PMMA Transparente

IP68 III 12V 90º 90º

Very important: to be used only underwater
Importante: uso exclusivo sólo bajo el agua

Visit faro.es to consult how to install it.
Visita faro.es para consultar su instalación.





SETH-60

● **70226** matt black/negro mate

LED SMD 6W 2700K 450lm CRI>80 Driver ✔

Body Aluminium/Aluminio
Diff Transparent PMMA/PMMA Transparente

IP44 | 220-240V | 50/60HZ | 40° | 2 MT





SETH-28

● **70227** matt black/negro mate

LED SMD 6W 2700K 450lm CRI>80 Driver ✔

Body Aluminium/Aluminio
Diff Transparent PMMA/PMMA Transparente

IP44 | 220-240V | 50/60HZ | 40° | 2 MT





PICCOLA

— Faro Lab



70245 matt black/negro mate

70246 matt white/blanco mate

LED SMD 6W 2700K 360lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP65 100-240V 50/60HZ IK08 1.5 MT







FOC

70159 dark grey/gris oscuro

LED COB 16W 3000K 800lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

DIM IP65 220-240V 50/60HZ 36º 90º 180º 0.5 MT



FOC

70158 dark grey/gris oscuro

LED COB 16W 3000K 800lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

DIM IP65 220-240V 50/60HZ 36º 90º 180º 0.5 MT





SOBEK

70151 matt black/negro mate

LED COB 7W 3000K 550lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 100-240V 50/60HZ IK06 50º 0.2 MT





BALDER

70469 matt black/negro mate

LED SMD 3W 3000K 110lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP67 100-240V 50/60HZ 50º 2 MT





PLOM

70913 dark grey/gris oscuro

LED CREE 7W 3000K 636lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP54 100-240V 50/60HZ 18-45º 45º 45º





ANDY

71613 satin gold/oro satinado

GU10 MAX 8W LED ⊗ **[97685327]**

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 0.5 MT





TONO

73150 matt black/negro mate

GU10 MAX 8W LED ⊗ **[97685327]**

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP44 1.8 MT





GARTEN-4

73111 matt black/negro mate

E27 PAR 38 MAX 15W LED ⊗ **[17400]**

Body Heat-Resistant ABS/ABS Termoresistente

IP44 100-240V 50/60HZ 2.5 MT





GARTEN-1

73100 matt black/negro mate

Body Heat-Resistant ABS/ABS Termoresistente

IP44 100-240V 50/60HZ 2 MT



Connection box T

75801 matt black/negro mate

Body PVC

IP68



Connection box

75800 matt black/negro mate

Body PVC

IP68









SCUBA NEW

75753 chrome/cromo

LED SMD 20W 3000K 3200lm CRI>80 Driver

Body 316 Stainless Steel/Acero Inox 316
Diff Opal polycarbonate/Policarbonato opal

IP66 IK10 100-240V 50/60HZ 120º

SCUBA NEW

75754 chrome/cromo

LED SMD 36W 3000K 5400lm CRI>80 Driver

Body 316 Stainless Steel/Acero Inox 316
Diff Opal polycarbonate/Policarbonato opal

IP66 IK10 100-240V 50/60HZ 120º

Canopy accessory for wall & suspension/
Accesorio florón para aplique y suspensión

75755 matt black/negro mate

IP44







P.341
WALL







Suspended
Suspensión



MUFFIN — Àlex&Manel Lluscà

74427C-04 dark grey/gris oscuro

E27 MAX 15W LED **[17437]**

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44 1.5 MT



P.300
BOLLARD



P.344
WALL





WILMA

75002 dark grey/gris oscuro

E27 MAX 15W LED **[17463]**

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP44 1.5 MT



P.299
BOLLARD



P.345
WALL





NÁUTICA

71106 white+copper/blanco+cobre
71108 brown+copper/marrón+cobre
71138 rust brown/marrón óxido

E27 MAX 15W LED **[17463]**

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente

IP33 1 MT



P.317
POLE





MOON — Faro Lab

74427C-01 dark grey/gris oscuro

E27 MAX 15W LED **[17437]**

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44 1.5 MT



P.301
BOLLARD



P.344
WALL





BLUB'S — Estudi Ribaudí

74427C-03 dark grey/gris oscuro

E27 MAX 15W LED **[17437]**

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44 1.5 MT



P.300
BOLLARD



P.344
WALL





MISTU — Faro Lab

74427C-02 dark grey/gris oscuro

E27 MAX 15W LED **[17437]**

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44 1.5 MT



P.300
BOLLARD



P.344
WALL





NÁUTICA

71139 rust brown/marrón óxido

E27 MAX 15W LED ⊗ **[17463]**

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente

IP33 1 MT



P.347
WALL





HONEY

73696 matt black/negro mate

E27 MAX 15W LED ⊗ **[17463]**

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP44 0.7 MT



P.345
WALL





ESTORIL

71143 rust brown/marrón óxido

E27 MAX 15W LED ⊗ **[17463]**

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente

IP33 0.7 MT



P.347
WALL







ESTORIL

71142 rust brown/marrón óxido

E27 MAX 15W LED ⊗ **[17463]**

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente

IP33 0.7 MT





TAMI

70799 dark grey/gris oscuro

LED COB 9W 3000K 600Lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP54 100-240V 50/60HZ 40º 20º 20º





GOZ

70575 dark grey/gris oscuro

LED COB 9W 3000K 500lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 100-240V 50/60HZ 40º





OLOT

71372 matt white/blanco mate

71374 dark grey/gris oscuro

GU10 MAX 8W LED **[97685327]**

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP44





DAKRON

70722 matt white/blanco mate

E27 MAX 15W LED **[17463]**

Body ABS
Diff Opal Polycarbonate/Policarbonato Opal

SEA SIDE SUITABLE IP65 IK10





YEN

70690 grey/gris

E27 MAX 15W LED **[17463]**

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP54





TASA

70806 dark grey/gris oscuro

70821 matt white/blanco mate

E27 MAX 15W LED **[97687127]**

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP44





Ceiling
Techo

NEW

PALS

— Faro Lab

○ **70290** matt white/blanco mate
● **70291** dark grey/gris oscuro

E27 MAX 15W LED ⊗ **[17463]**

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP65 IK06







Surface
Superficie

MASK

— Lucid 

Anti corrosion

MASK has been designed to withstand the most extreme weather and atmospheric conditions. Thanks to the high quality of the aluminum and the surface protection treatments applied to it, we offer a 15-year guarantee, ensuring during this time the maximum surface protection against corrosion.



video

71279 dark grey/gris oscuro
71282 matt white/blanco mate

LED SMD 24W 3000K 550lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

SEA SIDE SUITABLE | **IP65** | IK06 | 100-240V | 50/60Hz









TWIST — Estudi Ribaudí

71285 dark grey/gris oscuro

LED 10W 3000K 500lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP65 100-240V 50/60Hz



P.292
BOLLARDS





BLOCK — Àlex&Manel Lluscà

74139 grey/gris

G45 E27 MAX 15W LED **[17463]**

Body Concrete/Cemento
Diff Opal Glass/Cristal Opal

IP65 IK06 SEA SIDE SUITABLE



P.289
BOLLARDS









HALF — Nahtrang

○ **71536** matt white/blanco mate

● **71537** dark grey/gris oscuro

LED SMD 13W 3000K 1350lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP65 100-240V 50/60Hz







SHELBY — Conillas

75536 dark grey/gris oscuro

LED SMD 10W 3000K 600lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal+Transparent Polycarbonate/
Policarbonato Opal+Transparente

IP44 100-240V 50/60Hz



P.293
BOLLARD









TRAM — Estudi Ribaudí

75529 dark grey/gris oscuro

75533 matt white/blanco mate

E27 MAX 15W LED **[17463]**

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44

P.291
BOLLARD



P.312
POLE











SCUBA NEW

75751 chrome/cromo

LED SMD 36W 3000K 5400lm CRI>80 Driver

Body 316 Stainless Steel/Acero Inox 316
Diff Opal polycarbonate/Policarbonato opal

IP66 IK10 100-240V 50/60Hz 120º



SCUBA NEW

75750 chrome/cromo

LED SMD 20W 3000K 3200lm CRI>80 Driver

Body 316 Stainless Steel/Acero Inox 316
Diff Opal polycarbonate/Policarbonato opal

IP66 IK10 100-240V 50/60Hz 120º



Canopy accessory for wall & suspension/
Accesorio florón para aplique y suspensión

75755 matt black/negro mate

IP44





P.328
SUSPENDED





GIZA

70766 dark grey/gris oscuro

LED COB 15W 3000K 500lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Trans. Polycarbonate/Policarbonato Trans.

IP54 100-240V 50/60Hz



P.296
BOLLARD





KERALA

74453 dark grey/gris oscuro

LED SMD 13W 3000K 600lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP54 100-240V 50/60Hz



ORWELL

75700 dark grey/gris oscuro

LED SMD 8W 3000K 450lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP54 220-240V 50/60Hz



ORWELL WIFI

75701 dark grey/gris oscuro

LED SMD 4-13W 3000K-6500K 95-480lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP54 DIM 220-240V 50/60Hz camera 5mt



P.262
PORTABLE











PLIM

71295 dark grey/gris oscuro

LED SMD 10W 3000K 250lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal+Transparent Polycarbonate/
Policarbonato Opal+Transparente

IP65 100-240V 50/60Hz IK08



PLIM

71296 dark grey/gris oscuro

LED SMD 10W 3000K 250lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP65 100-240V 50/60Hz



PLIM

71297 dark grey/gris oscuro

LED SMD 10W 3000K 250lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal+Transparent Polycarbonate/
Policarbonato Opal+Transparente

IP65 100-240V 50/60Hz IK08







P.295
BOLLARD











MISTU — Faro Lab

74432A-02 dark grey/gris oscuro

E27 MAX 15W LED **[17437]**

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44



P.300
BOLLARD



P.330
SUPPLIED





MOON — Faro Lab

74432A-01 dark grey/gris oscuro

E27 MAX 15W LED **[17437]**

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44



P.301
BOLLARD



P.330
SUPPLIED





MUFFIN — Àlex&Manel Lluscà

74432A-04 dark grey/gris oscuro

E27 MAX 15W LED **[17437]**

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44



P.300
BOLLARD



P.330
SUPPLIED





BLUB'S — Estudi Ribaudí

74432A-03 dark grey/gris oscuro

E27 MAX 15W LED **[17437]**

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP44



P.300
BOLLARD



P.330
SUPPLIED







TOC

70780 matt white/blanco mate
70781 matt black/negro mate

LED SMD 8W 3000K 600lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP65 220-240V 50/60Hz



P.258
PORTABLES







WILMA

74998 dark grey/gris oscuro

E27 MAX 15W LED ✕ [17463]

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP44



P.299
BOLLARD





WILMA

75000 dark grey/gris oscuro

E27 MAX 15W LED ✕ **[17463]**

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP44



P.330
SUSPENDED





HONEY

73695 matt black/negro mate

E27 MAX 15W LED ✕ **[17463]**

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP44



P.331
SUSPENDED





CERES — Àlex&Manel Lluscà

71607 matt black/negro mate

E27 MAX 15W LED **[17437]**

Body Aluminium/Aluminio
Out Diff Polycarbonate/Policarbonato
In Diff Opal Glass/Cristal Opal

IP44





ARGOT

71424 rust brown/marrón óxido

E27 MAX 15W LED **[17463]**

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente

IP44





DADO

71606 rust brown/marrón óxido

E27 MAX 15W LED **[17463]**

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente

IP23





DATNA — Àlex&Manel Lluscà

74440 dark grey/gris oscuro

1xE27 MAX 15W LED **[17463]**

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonatoo Opal

IP44



P.294
BOLLARD



P.312
POLE





NÁUTICA

71110 rust brown/marrón óxido

E27 MAX 15W LED ⊗ **[17463]**

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente

IP33





NÁUTICA

71128 rust brown/marrón óxido

E27 MAX 15W LED ⊗ **[17463]**

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente

IP33



P.330
SUSPENDED





NÁUTICA

71129 rust brown/marrón óxido

E27 MAX 15W LED ⊗ **[17463]**

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente

IP33



P.317
POLE





ESTORIL

71140 rust brown/marrón óxido

E27 MAX 15W LED ⊗ **[17463]**

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente

IP33



P.331
SUSPENDED





ESTORIL

71141 rust brown/marrón óxido

E27 MAX 15W LED ⊗ **[17463]**

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente

IP33





WALLY

74261 rust brown/marrón óxido

E27 MAX 15W LED ⊗ **[17463]**

Body Steel/Acero
Diff Transparent Glass/Cristal Transparente

IP44





NAHIR

70992 brass/latón

E27 MAX 15W LED ⊗ **[17463]**

Body Brass/Latón
Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE | MADE IN EU | IP44









TIMON

70996 brass/latón

E27 MAX 15W LED ⊗ **[17463]**

Body Brass/Latón
Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE | MADE IN EU | IP44







NORAY

70999 brass/latón

E27 MAX 15W LED ⊗ **[17463]**

Body Brass/Latón
Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE | MADE IN EU | IP65





BORDA

70997 brass/latón

E27 MAX 15W LED ⊗ **[17463]**

Body Brass/Latón
Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE | MADE IN EU | IP44





CABO

70998 brass/latón

E27 MAX 15W LED ⊗ **[17463]**

Body Brass/Latón
Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE | MADE IN EU | IP65





HIKARI

● **71274** dark grey/gris oscuro

LED SMD 10W 3000K 400lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP65 IK10 100-240V 50/60Hz







KUBICK

● **70689** dark grey/gris oscuro
● **70715** grey/gris

E27 MAX 15W LED ⊗ **[17463]**

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP44





LUR

● **70827** dark grey/gris oscuro

LED SMD 12W 3000K 950lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP54 100-240V 50/60Hz







SUN

● **70823** dark grey/gris oscuro

LED SMD 4.4W 3000K 275lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP54 100-240V 50/60Hz







TOM

○ **70665** matt white/blanco mate
● **70666** dark grey/gris oscuro

LED SMD 7W 3000K 400lm CRI>80 Driver ✓

Body Polycarbonate/Policarbonato
Diff Opal Polycarbonate/Policarbonato Opal

IP65 IK10 100-240V 50/60Hz







TOM XL

● **70682** dark grey/gris oscuro
○ **70683** matt white/blanco mate

LED SMD 11W 3000K 600lm CRI>80 Driver ✓

Body Polycarbonate/Policarbonato
Diff Opal Polycarbonate/Policarbonato Opal

IP65 IK10 100-240V 50/60Hz







NALA

70773 dark grey/gris oscuro

E27 MAX 15W LED **[17463]**

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP54



P.301
BOLLARD





POMO

71306 dark grey/gris oscuro

2 E27 MAX 15W LED **[17426]**

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 IK06





TAMASHI

71303 dark grey/gris oscuro

E27 MAX 15W LED **[17428]**

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65





PIVOT

71304 matt white/blanco mate

71305 dark grey/gris oscuro

LED SMD 10W 3000K 500lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP65 100-240V 50/60Hz IK06



POL

70829 dark grey/gris oscuro

LED SMD 8W 3000K 550lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP54 100-240V 50/60Hz



MOL

70720 dark grey/gris oscuro

E27 MAX 15W LED **[17463]**

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP44













TEJO

● **70573** dark grey/gris oscuro
○ **70573B** matt white/blanco mate

E27 MAX 15W LED ⊗ **[17463]**

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP54 IK06





NEGUS

● **70696** grey/gris

E27 MAX 15W LED ⊗ **[17463]**

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP54 IK10





BONN

● **70697** dark grey/gris oscuro

E27 MAX 15W LED ⊗ **[17463]**

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP44





FRED

● **70663** dark grey/gris oscuro
○ **70664** matt white/blanco mate

LED SMD 7W 3000K 400lm Driver ✓

Body Polycarbonate/Policarbonato
Diff Opal Polycarbonate/Policarbonato Opal

IP65 IK10 100-240V 50/60Hz







FRED XL

● **70667** dark grey/gris oscuro
○ **70668** matt white/blanco mate

LED SMD 11W 3000K 600lm CRI>80 Driver ✓

Body Polycarbonate/Policarbonato
Diff Opal Polycarbonate/Policarbonato Opal

IP65 IK10 100-240V 50/60Hz







NATRON

● **70887** dark grey/gris oscuro

E27 MAX 15W LED ⊗ **[17437]**

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP54 IK06





CELA

72280 satin inox/inox satinado

E27 MAX 15W LED ⊗ **[17463]**

Body 304 Stainless Steel/Acero Inox 304
Diff Opal Polycarbonate/Policarbonato Opal

IP54





CELA

72281 satin inox/inox satinado

E27 MAX 15W LED ⊗ **[17463]**

Body 304 Stainless Steel/Acero Inox 304
Diff Opal Polycarbonate/Policarbonato Opal

IP54





FEDON

70714 satin inox/inox satinado

E27 MAX 15W LED ⊗ **[17463]**

Body 304 Stainless Steel/Acero Inox 304
Diff Opal Polycarbonate/Policarbonato Opal

IP54





ESTAY

○ **72010** matt white/blanco mate
● **72011** matt black/negro mate

E27 MAX 15W LED ⊗ **[17463]**

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP44





DERBY

○ **72002** matt white/blanco mate

E27 MAX 15W LED ⊗ **[17463]**

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP44





DERBY

○ **72000** matt white/blanco mate
● **72001** matt black/negro mate

E27 MAX 15W LED ⊗ **[17463]**

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP44





ALP

74450 dark grey/gris oscuro

LED SMD 8W 3000K 350lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP54 100-240V 50/60Hz



P.305
BOLLARDS





AXEL

71272 matt white/blanco mate
71273 dark grey/gris oscuro

LED 6W 3000K 360lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 IK07 100-240V 50/60Hz







BRACKET

72272 dark grey/gris oscuro

LED SMD 6W 3000K 270lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP44 220-240V 50/60Hz







CLAUSS

70262 matt white/blanco mate
70263 dark grey/gris oscuro

LED SMD 7W 3000K 480lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP54 IK08 220-240V 50/60Hz







FUTURE — Estudi Ribaudí



71516 matt white/blanco mate
71517 dark grey/gris oscuro

E27 MAX 15W LED **[17437]**

Body Polycarbonate/Policarbonato
Diff Opal Polycarbonate/Policarbonato Opal

SEA SIDE SUITABLE IP44





ÁNCORA—Àlex&Manel Lluscà



74401 dark grey/gris oscuro

E27 MAX 15W LED **[17463]**

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP44





BU-OH! — Estudi Ribaudí

71212 dark grey/gris oscuro

71215 matt white/blanco mate

LED SMD 12W 3000K 310lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP65 100-240V 50/60Hz



P.303 BOLLARD



P.312 POLE









STICKER — Lucid

75540 dark grey/gris oscuro

LED SMD 13W 3000K 770lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

IP55 100-240V 50/60Hz





P.291 BOLLARD



LOTUS

— Estudi Ribaudí

video



○ **71222** matt white/blanco mate

● **71223** dark grey/gris oscuro

LED 18W 3000K 1120lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP65 IK08 100-240V 50/60Hz







P.290
BOLLARDS





VIEW — Estudi Ribaudí

71519 dark grey/gris oscuro

E27 MAX 15W LED **[17463]**

Body Polycarbonate/Policarbonato
Diff Opal Polycarbonate/Policarbonato Opal

SEA SIDE SUITABLE IP54



QUART

70579 dark grey/gris oscuro

LED SMD 30W 3000K 1200lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP65 220-240V 50/60Hz



DRAGMA — Àlex&Manel Lluscà

71362L dark grey/gris oscuro

LED SMD 15W 3000K 500lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP65 100-240V 50/60Hz













LAKO NEW

○ **71909** matt white/blanco mate
● **71910** dark grey/gris oscuro
● **71911** brown/marrón

LED SMD 8W 3000K 600lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 IK07 100-240V 50/60Hz 90º





DORO NEW

○ **71903** matt white/blanco mate
● **71904** dark grey/gris oscuro
● **71905** brown/marrón

LED SMD 20W 3000K 1800lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 IK07 100-240V 50/60Hz





DORO NEW

○ **71906** matt white/blanco mate
● **71907** dark grey/gris oscuro
● **71908** brown/marrón

LED SMD 28W 3000K 2350lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 IK07 100-240V 50/60Hz





DORO NEW

○ **71900** matt white/blanco mate
● **71901** dark grey/gris oscuro
● **71902** brown/marrón

LED SMD 13W 3000K 1000lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 IK07 100-240V 50/60Hz







TAKUA

71277 dark grey/gris oscuro
71308 NEW matt white/blanco mate
71309 NEW brown/marrón

LED SMD 10W 3000K 450lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP65 IK06 100-240V 50/60Hz







OVAL

71276 dark grey/gris oscuro

LED COB 10W 3000K 450lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP65 IK06 100-240V 50/60Hz





TANE

72269 dark grey/gris oscuro

LED SMD 7W 3000K 110lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP44 220-240V 50/60Hz







ADAY

70644 matt white/blanco mate
70645 dark grey/gris oscuro

LED SMD 6W 3000K 450lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP54 IK08 100-240V 50/60Hz





ADAY

70646 matt white/blanco mate
70647 dark grey/gris oscuro

LED SMD 13W 3000K 787lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP54 IK08 220-240V 50/60Hz





WEST

70899 dark grey/gris oscuro

E27 MAX 15W LED **[17437]**

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP54







WEST

70888 dark grey/gris oscuro

E27 MAX 15W LED ⊗ **[17437]**

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP54





KAULA

70405 satin inox/inox satinado

LED SMD 9W 3000K 400lm CRI>80 Driver ✓

Body 316 Stainless Steel/Acero Inox 316
Diff Opal PMMA/PMMA Opal

SEA SIDE SUITABLE IP44 220-240V 50/60Hz





KAULA

70406 satin inox/inox satinado

LED SMD 16W 3000K 650lm CRI>80 Driver ✓

Body 316 Stainless Steel/Acero Inox 316
Diff Opal PMMA/PMMA Opal

SEA SIDE SUITABLE IP44 220-240V 50/60Hz





TOLUCA

71052 satin alum./aluminio satinado

LED SMD 16W 3000K 900lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 IK09 220-240V 50/60Hz





TACANA

71049 satin alum./aluminio satinado

LED SMD 24W 3000K 1700lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 IK09 100-240V 50/60Hz





TACOS

71064 satin alum./aluminio satinado

LED SMD 30W 3000K 2300lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 IK09 100-240V 50/60Hz







LACE

70811 dark grey/gris oscuro

LED HIGH POWER 6W 4000K 315lm CRI>80
Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP54 100-240V 50/60Hz 110º





BRUC

70828 dark grey/gris oscuro

LED 2 SMD 7W 3000K 830lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP54 IK06 100-240V 50/60Hz





LING

70812 dark grey/gris oscuro
70813 matt white/blanco mate

LED HIGH POWER 6W 4000K 315lm CRI>80
Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP54 100-240V 50/60Hz 110º





LACRE

70802 dark grey/gris oscuro

E27 MAX 15W LED ✗ **[17463]**

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP54





LOG

70264 dark grey/gris oscuro

LED SMD 9W 3000K 600lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP54 220-240V 50/60Hz







BLIND

70267 matt white/blanco mate
70268 brown/marrón
70634 dark grey/gris oscuro

LED 6W 3000K 2x90lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 110-240V 50/60Hz







OLAN

70269 matt white/blanco mate
70270 rust brown/marrón óxido
70637 dark grey/gris oscuro

2 LED 6W 3000K 100lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 100-240V 50/60Hz







SUNSET

70686 matt white/blanco mate
70687 dark grey/gris oscuro

LED 2 SMD 3W 3000K 250lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP54 100-240V 50/60Hz





COBO

70404 dark grey/gris oscuro

LED COB 10W 4000K 600lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 220-240V 50/60Hz 40°





THON

70283 matt black/negro mate

LED COB 15W 3000K 825lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP55 220-240V 50/60Hz 18°







THON

70284 matt black/negro mate

LED COB 30W 3000K 1538lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP55 220-240V 50/60Hz 18°





PROA — Àlex&Manel Lluscà

74400 dark grey/gris oscuro

GU10 MAX 8W LED ✕ **[97685327]**

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP44







STEPS — Estudi Ribaudí

75502 matt white/blanco mate

75503 dark grey/gris oscuro

4 GU10 MAX 8W LED **[97685327]**

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP44 — 2 Blind Caps / 2 Tapas Ciegas





STEPS — Estudi Ribaudí

75500 matt white/blanco mate

75501 dark grey/gris oscuro

2 GU10 MAX 8W LED **[97685327]**

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP44 — 1 Blind Cap / 1 Tapa Ciega





KLAMP — Àlex&Manel Lluscà

74407 dark grey/gris oscuro

GU10 MAX 8W LED **[97685327]**

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP44





KLAMP — Àlex&Manel Lluscà

74408 dark grey/gris oscuro

2 GU10 MAX 8W LED **[97685327]**

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP44



P.309
BOLLARDS





BRONX — Àlex&Manel Lluscà

71194 brown/marrón
71195 matt white/blanco mate
71196 dark grey/gris oscuro

GU10 MAX 8W LED ✕ **[97685327]**

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP44







KALA

○ **70582** matt white/blanco mate
70583 dark grey/gris oscuro

LED SMD 16W 2700K 1200lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP54 220-240V 50/60Hz



GUIZA

71278 dark grey/gris oscuro

LED SMD 8W 3000K 400lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 IK06 100-240V 50/60Hz



SUMA

70749 dark grey/gris oscuro

2 E27 MAX 15W LED ✕ **[17463]**

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

IP44











CANON

70566N dark grey/gris oscuro
70567N matt white/blanco mate

LED HIGH POWER 4W 3000K 130lm CRI>80
Driver ✓

Body Aluminium/Aluminio
Diff Tempered Glass/Cristal Templado

IP44 100-240V 50/60Hz 120º



NAIROBI

70830 matt white/blanco mate
70831 dark grey/gris oscuro
70832 rust brown/marrón óxido

LED 2 SMD 6W 3000K 190lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP54 100-240V 50/60Hz



TINIA

71353 dark grey/gris oscuro

E27 MAX 15W LED ✗ **[17063]**

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP44













GINA

71363 dark grey/gris oscuro
71366 matt white/blanco mate
71367 matt black/negro mate

GU10 MAX 8W LED ✗ **[97685327]**

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP44



TAIMA

71388 dark grey/gris oscuro

LED SMD 6W 3000K 310lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP54 220-240V 50/60Hz 90° 90°



WOOD

74455 dark grey/gris oscuro

LED SMD 11W 3000K 600lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP54 100-240V 50/60Hz 95º 90º 90º



P.309
BOLLARD













ELE

74419 dark grey/gris oscuro

LED SMD 6W 3000K 450lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP54 100-240V 50/60Hz 95°







PILL

70824 matt white/blanco mate
70825 dark grey/gris oscuro
70826 rust brown/marrón óxido

LED CREE 4W 3000K 110lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP54 100-240V 50/60Hz



DRAK

72330 Brass/latón

LED 6W 3000K 160lm CRI>80 Driver

Body Brass/latón
Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE IP44 100-240V 50/60Hz IK08



BROW

70408 matt white/blanco mate
70409 dark grey/gris oscuro

LED COB 3W 3000K 100lm CRI>80 Driver

Body Polycarbonate/Policarbonato
Diff Opal PMMA/PMMA Opal

IP44 220-240V 50Hz











KEENAN

70564 nickel/níquel

LED SMD 1W 6500K 80lm CRI>80
Gear ⊗ **98101050**
Magnetic Transformer ⊗

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE | **IP67** | IK08 | III | 12V





KEENAN

70546 nickel/níquel

LED SMD 0,5W 6500K 20lm CRI>80
Gear ⊗ **98101050**
Magnetic Transformer ⊗

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE | **IP67** | IK08 | III | 12V





KEENAN

70547 nickel/níquel

LED SMD 0,8W 6500K 40lm CRI>80
Gear ⊗ **98101050**
Magnetic Transformer ⊗

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE | **IP67** | IK08 | III | 12V





LOTH

70285 matt black/negro mate

LED COB 6W 3000K 165lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP67 | IK10 | 100-240V | 50/60Hz | 2000Kg. 4409Lb.





LOTH

70286 matt black/negro mate

LED 2 COB 6W 3000K 235lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP67 | IK10 | 100-240V | 50/60Hz | 2000Kg. 4409Lb.





LOTH

70287 matt black/negro mate

LED 4 COB 3W 3000K 255lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP67 | IK10 | 100-240V | 50/60Hz | 2000Kg. 4409Lb.





GRANT

70655 dark grey/gris oscuro

LED SMD 1W 3000K 65lm CRI>80 Driver

Body ABS
Diff Transp. Polycarbonate/Policarbonato Transp.

SEA SIDE SUITABLE | IP65 | IK10 | 100-240V | 50/60Hz | 120º



GRANT

70656 dark grey/gris oscuro

LED SMD 1W 3000K 65lm CRI>80 Driver

Body ABS
Diff Transp. Polycarbonate/Policarbonato Transp.

SEA SIDE SUITABLE | IP65 | 100-240V | 50/60Hz | 120º



PATH

70508 dark grey/gris oscuro
70501 matt white/blanco mate

LED SMD 9W 3000K 390lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Policarbonato Transp.

IP44 | 100-240V | 50/60Hz















MUST

70657 dark grey/gris oscuro

LED SMD 2W 3000K 80lm CRI>80 Driver

Body ABS
Diff Transp. Polycarbonate/Policarbonato Transp.

SEA SIDE SUITABLE | IP65 | IK10 | 220-240V | 50/60Hz







MUST

70658 dark grey/gris oscuro

LED SMD 3W 3000K 220lm CRI>80 Driver

Body ABS
Diff Transp. Polycarbonate/Policarbonato Transp.

SEA SIDE SUITABLE | IP65 | IK10 | 220-240V | 50/60Hz





MUST

70659 dark grey/gris oscuro

LED SMD 4W 3000K 240lm CRI>80 Driver

Body ABS
Diff Transp. Polycarbonate/Policarbonato Transp.

SEA SIDE SUITABLE | IP65 | IK10 | 220-240V | 50/60Hz





GRADA

70906 dark grey/gris oscuro
70907 rust brown/marrón óxido

LED SMD 3W 3000K 86lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP54 | 220-240V | 50/60Hz





GRADA

70908 dark grey/gris oscuro
70909 rust brown/marrón óxido

LED SMD 6W 3000K 208lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP54 | 220-240V | 50/60Hz





GRADA

70910 dark grey/gris oscuro
70911 rust brown/marrón óxido

LED SMD 12W 3000K 443lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP54 | 220-240V | 50/60Hz





GALO

○ **70265** matt white/blanco mate

LED CREE 3W 3000K 200lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP54 IK05 100-240V 50/60Hz 73x73







GALO

○ **70266** matt white/blanco mate

LED CREE 3W 3000K 200lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP54 IK05 100-240V 50/60Hz 73x73







DANG

● **70446** matt black/negro mate

LED CREE 3W 3000K 80lm CRI>80 Driver ✗ **[98324015]**

Body Aluminium+316 Stainless Steel+Glass/ Aluminio+Acero Inox 316+Cristal
Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE **IP67** IK05 III 24 Vdc 40°

*Drivers info pag. 647





NASE

○ **70395** matt white/blanco mate

● **70398** dark grey/gris oscuro

LED SMD 2.9W 3000K 49lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Policarbonato Transp.

IP44 220-240V 50/60Hz 120°

92x87x80







NASE

○ **70396** matt white/blanco mate

● **70399** dark grey/gris oscuro

LED SMD 3W 3000K 49lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Policarbonato Transp.

IP44 220-240V 50/60Hz 120°

132x90x80







UVE

● **70397** dark grey/gris oscuro

LED SMD 2W 3000K 70lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Policarbonato Transp.

IP44 IK08 220-240V 50/60Hz 120°

ø78





Recessed
Empotrables



FROL

70135 satin inox/inox satinado

LED SMD 0,8W 3000K 55lm CRI>80 Driver ✔

Body 304 Stainless Steel/Acero Inox 304
Diff Opal Polycarbonate/Policarbonato Opal

IP65 220-240V 50/60Hz 92x92x50









STRIPE

72092 dark grey/gris oscuro
72093 matt white/blanco mate

LED SMD 5W 3000K 50lm CRI>80 Driver ✔

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP54 IK07 100-240V 50/60Hz 230x89



STRIPE

72094 matt white/blanco mate
72095 dark grey/gris oscuro

LED SMD 5W 3000K 70lm CRI>80 Driver ✔

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP54 IK07 100-240V 50/60Hz 230x89





GRON

70134 satin inox/inox satinado

LED SMD 1W 3000K 70lm CRI>80 Driver ✔

Body 304 Stainless Steel/Acero Inox 304
Diff Opal Polycarbonate/Policarbonato Opal

IP65 220-240V 50/60Hz 105x66x50









LISO

71490 matt white/blanco mate
71491 matt black/negro mate

E27 MAX 15W LED ✘ **[17463]**

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP44 71482 230x89

Recessed box/*Caja de empotrar*

71482





ESCA

71480 matt white/blanco mate
71481 matt black/negro mate

E27 MAX 15W LED ✘ **[17463]**

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP44 71482 230x89

Recessed box/*Caja de empotrar*

71482



DART

70272 matt white/blanco mate

70273 matt black/negro mate

LED COB 2W 2700K 70lm CRI>80 Driver ✓

Body Polycarbonate/Policarbonato
Diff Transparent Glass/Cristal Transparente

IP65 220-240V 50/60Hz 100º ø68

Recessed box/*Caja de empotrar*

70276 black/negro

Surface box/*Caja de superficie*

70274 white/blanco

70275 black/negro







SPARK

70162 dark grey/gris oscuro

70163 matt white/blanco mate

LED SMD 5W 3000K 230lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP65 IK10 100-240V 50/60Hz







SPARK

70164 dark grey/gris oscuro

70165 matt white/blanco mate

LED SMD 5W 3000K 100lm CRI>80 Driver ✓

Body Aluminium/Aluminio
Diff Opal Polycarbonate/Policarbonato Opal

IP65 IK10 100-240V 50/60Hz







DART

70277 matt white/blanco mate

70278 matt black/negro mate

LED COB 5W 2700K 275lm CRI>80 Driver ✓

Body Polycarbonate/Policarbonato
Diff Transparent Glass/Cristal Transparente

IP65 220-240V 50/60Hz 100º 160x68

Recessed box/*Caja de empotrar*

70281 black/negro

Surface box/*Caja de superficie*

70279 white/blanco

70280 black/negro









MINI RACING

70403 dark grey/gris oscuro

LED SMD 1W 4000K 30lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Policarbonato Transp.

IP44 IK08 220-240V 50/60Hz 45º

ø76





MINI CARTER

70402 dark grey/gris oscuro

LED SMD 1W 4000K 30lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Policarbonato Transp.

IP44 IK08 220-240V 50/60Hz 45º

ø76







SOUN

70833 dark grey/gris oscuro
70834 matt white/blanco mate

LED SMD 5W 3000K 280lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 IK06 100-240V 50/60Hz 120º

220x950655







SOUN

70900 dark grey/gris oscuro
70901 matt white/blanco mate

LED SMD 8W 3000K 630lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 IK06 100-240V 50/60Hz 120º

183x225x70





STORE

70451 dark grey/gris oscuro

LED SMD 2W 2700K 90lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 IK10 100-240V 50/60Hz 120º

98x160x85







FILTER

70450 dark grey/gris oscuro

LED 2W 2700K 75lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 IK10 100-240V 50/60Hz 120º

98x160x85





SEDNA

70146 dark grey/gris oscuro

LED SMD 1W 3000K 30lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 IK08 100-240V 50/60Hz 70º

80x75





SEDNA

70147 dark grey/gris oscuro

LED SMD 3W 3000K 90lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 IK08 100-240V 50/60Hz 70º

125x58





SEDNA

70148 dark grey/gris oscuro

LED SMD 3W 3000K 90lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 IK08 100-240V 50Hz 70º

128x112





NAT

70638 dark grey/gris oscuro
70271 matt white/blanco mate

LED SMD 8W 3000K 330lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP65 IK08 100-240V 50/60Hz 120º

215x65x70







HORUS

70155 grey/gris

LED SMD 4W 3000K 60lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Policarbonato Transp.

IP65 100-240V 50/60Hz 50º

62x98







HORUS

70154 grey/gris

LED SMD 4W 3000K 60lm CRI>80 Driver

Body Aluminium/Aluminio
Diff Transp. Polycarbonate/Policarbonato Transp.

IP65 IK08 100-240V 50/60Hz 50º

62x98







GRUND

70726 satin inox/inox satinado

70730 anodized black/negro anodizado

LED HIGH POWER 2W 3000K 152lm CRI>90

Body Aluminium+Stainless Steel 316/
Aluminio+Acero Inoxidable 316
Diff Transparent Glass/Cristal Transparente

*Drivers info pag. 647

SEA SIDE SUITABLE | ANTI-GLARE | IP67 | IK08 | III

700 mA | 15º | 1000Kg. 2204Lb. | ø32





GRUND

70728 satin inox/inox satinado

70731 anodized black/negro anodizado

LED COB 7W 3000K 420lm CRI>90

Body Aluminium+Stainless Steel 316/
Aluminio+Acero Inoxidable 316
Diff Transparent Glass/Cristal Transparente

*Drivers info pag. 647

SEA SIDE SUITABLE | ANTI-GLARE | IP67 | IK08 | III

350 mA | 36º | 1000Kg. 2204Lb. | ø60





GRUND

70729 satin inox/inox satinado

70732 anodized black/negro anodizado

LED COB 13W 3000K 846lm CRI>90

Body Aluminium+Stainless Steel 316/
Aluminio+Acero Inoxidable 316
Diff Transparent Glass/Cristal Transparente

*Drivers info pag. 647

SEA SIDE SUITABLE | ANTI-GLARE | IP67 | IK08 | III

350 mA | 36º | 1000Kg. 2204Lb. | ø68





CROSBY

70458N satin inox/inox satinado

LED HIGH POWER 2W 6000K 85lm CRI>80
Driver ✓

Body 316 Stainless Steel/Acero Inox 316
Diff Opal Glass/Cristal Opal

SEA SIDE SUITABLE | IP67 | IK08 | 120-240V | 50/60Hz

120º





CROSBY

70459N satin inox/inox satinado

LED HIGH POWER 2W 3000K 77lm CRI>80
Driver ✓

Body 316 Stainless Steel/Acero Inox 316
Diff Opal Glass/Cristal Opal

SEA SIDE SUITABLE | IP67 | IK08 | 120-240V | 50/60Hz

120º





CROSBY

70453 satin inox/inox satinado

LED HIGH POWER 2W 3000K 77lm CRI>80
Driver ✗ **[98324015]**

Body 316 Stainless Steel/Acero Inox 316
Diff Opal Glass/Cristal Opal

SEA SIDE SUITABLE | IP67 | IK08 | 120-240V | 50/60Hz

120º

*Drivers info pag. 647





GRUND NEW

70733 satin inox/inox satinado

70735 anodized black/negro anodizado

LED HIGH POWER 2W 2700K 100lm CRI>90

Body Aluminium+Stainless Steel 316/
Aluminio+Acero Inoxidable 316
Diff Transparent Glass/Cristal Transparente

*Drivers info pag. 647

SEA SIDE SUITABLE | ANTI-GLARE | IP67 | IK08

700 mA | 15º | 1000Kg. 2204Lb. | ø32





GRUND NEW

70734 satin inox/inox satinado

70736 anodized black/negro anodizado

LED COB 7W 2700K 400lm CRI>90

Body Aluminium+Stainless Steel 316/
Aluminio+Acero Inoxidable 316
Diff Transparent Glass/Cristal Transparente

*Drivers info pag. 647

SEA SIDE SUITABLE | ANTI-GLARE | IP67 | IK08

350 mA | 15º | 1000Kg. 2204Lb. | ø60





CURTIS ASIMETRIC

70462N satin inox/inox satinado

LED HIGH POWER 2W 3000K 77lm CRI>80
Driver

Body 316 Stainless Steel/Acero Inox 316
Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE | IP67 | IK08 | 100-240V | 50/60Hz

Visit faro.es to consult how to install it.
Visita faro.es para consultar su instalación.





KANE

70660 satin inox/inox satinado

LED 3W 3000K 120lm CRI>80

Body 316 Stainless Steel/Acero Inox 316
Diff Transparent Glass/Cristal Transparente

*Drivers info pag. 647

SEA SIDE SUITABLE | IP67 | IK08 | 24 Vdc

1000Kg. 2204Lb. | 120º | ø40





KANE

70661 satin inox/inox satinado

LED 3W 3000K 120lm CRI>80

Body 316 Stainless Steel/Acero Inox 316
Diff Transparent Glass/Cristal Transparente

*Drivers info pag. 647

SEA SIDE SUITABLE | IP67 | IK08 | 24 Vdc

1000Kg. 2204Lb. | 120º | ø40





KANE

70662 satin inox/inox satinado

LED 3W 3000K 120lm CRI>80

Body 316 Stainless Steel/Acero Inox 316
Diff Transparent Glass/Cristal Transparente

*Drivers info pag. 647

SEA SIDE SUITABLE | IP67 | IK08 | 24 Vdc

1000Kg. 2204Lb. | 120º | ø40





TRAS ORIENTABLE

● **71701** matt black/negro mate

LED SMD 4W 3000K 462lm CRI>80
1 Power Supply 24VdC ⊗ **[98324020U]** x max. 4 units

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

ORIENTABLE **IP67** IK09 III 71703

13º 30º 30º 175x195x127

Recessed box/*Caja de empotrar*

● **71703** matt black/negro mate





TRAS

● **71702** matt black/negro mate

LED SMD 8W 3000K 924lm CRI>80
1 Power Supply 24VdC ⊗ **[98324020U]** x max. 2 units

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

IP67 IK09 III 71703 13º 175x195x127

*Drivers info pag. 647

Recessed box/*Caja de empotrar*

● **71703** matt black/negro mate





TRAS NEW

● **71716** 13º matt black/negro mate

● **71717** 40º matt black/negro mate

LED SMD 25W 3000K 2580lm CRI90
1 Power Supply 24VdC ⊗ **[98310228]** x max. 4 units

Body Aluminium+ABS/Aluminio+ABS
Diff Transparent Glass/Cristal Transparente

IP67 IK09 III 250x235x105

*Drivers info pag. 647







GEISER ORIENTABLE

70304 satin inox/inox satinado

GU10 MAX 8W ✕ **[17324]**

Cover 316 Stainless Steel/Acero Inox 316
Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE | ORIENTABLE | ANTI-GLARE

IP67 | IK08 | -20º20º | ø116





GEISER ORIENTABLE 38º

70305 satin inox/inox satinado

LED COB 7W 3000K 400lm Driver ✓

Cover 316 Stainless Steel/Acero Inox 316
Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE | ORIENTABLE | ANTI-GLARE

IP67 | IK08 | 38º | -20º20º | ø116







GEISER ORIENTABLE NEW

70310 satin inox/inox satinado

GU10 MAX 8W ✕ **[97685327]**

Cover 316 Stainless Steel/Acero Inox 316
Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE | ORIENTABLE | ANTI-GLARE

IP67 | IK08 | -20º20º | 2000Kg. 4409Lb.









GEISER ORIENTABLE

70302 10º satin inox/inox satinado
70303 38º satin inox/inox satinado

LED COB 7W 3000K 400lm Driver ✓

Cover 316 Stainless Steel/Acero Inox 316
Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE | ORIENTABLE | ANTI-GLARE

IP67 | 100-240V 50/60Hz | IK08 | -20º20º | 2000Kg. 4409Lb.



70302



70303



GEISER ORIENTABLE NEW

70308 10º satin inox/inox satinado
70309 38º satin inox/inox satinado

LED COB 15W 3000K 900lm Driver ✓

Cover 316 Stainless Steel/Acero Inox 316
Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE | ORIENTABLE | ANTI-GLARE

IP67 | 100-240V 50/60Hz | IK08 | -20º20º | 2000Kg. 4409Lb.



GEISER ORIENTABLE

70306 10º satin inox/inox satinado
70307 38º satin inox/inox satinado

LED COB 29W 3000K 1800lm Driver ✓

Cover 316 Stainless Steel/Acero Inox 316
Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE | ORIENTABLE | ANTI-GLARE | IP67

100-240V 50/60Hz | IK08 | -25º25º | 2000Kg. 4409Lb.



70306



70307





SURIA-3

- **70588** 24º satin inox/inox satinado
- **70592N** 60º satin inox/inox satinado

LED COB 3W 3000K 175lm CRI>80 Driver ✔

Body Aluminium/Aluminio
Outer ring 316 Stainless Steel/Acero Inox 316
Box Polycarbonate/Policarbonato
Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE | IP67 | IK08 | 100-240V | 50/60Hz ✔

1000Kg. 2204Lb.





SURIA-12

- **70589** 24º satin inox/inox satinado
- **70593N** 60º satin inox/inox satinado

LED COB 12W 3000K 1280lm CRI>80 Driver ✔

Body Aluminium/Aluminio
Outer ring 316 Stainless Steel/Acero Inox 316
Box Polycarbonate/Policarbonato
Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE | IP67 | IK08 | 100-240V | 50/60Hz ✔

1000Kg. 2204Lb.





SURIA-24

- **70586** 24º satin inox/inox satinado
- **70587** 60º satin inox/inox satinado

LED COB 24W 3000K 1870lm CRI>80 Driver ✔

Body Aluminium/Aluminio
Outer ring 316 Stainless Steel/Acero Inox 316
Box Polycarbonate/Policarbonato
Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE | IP67 | IK08 | 100-240V | 50/60Hz ✔

1000Kg. 2204Lb.





LED -18

- **71496N** 6000K satin inox/inox satinado
- **71498N** 3000K satin inox/inox satinado

LED HIGH POWER 3W 40lm CRI>80 Driver ✔

Body 316 Stainless Steel/Acero Inox 316
Diff Opal Glass/Cristal Opal

SEA SIDE SUITABLE | IP67 | IK08 | 100-240V | 50/60Hz ✔

1000Kg. 2204Lb.





LED -18

- **71497N** 6000K satin inox/inox satinado
- **71499N** 3000K satin inox/inox satinado

LED HIGH POWER 3W 40lm CRI>80 Driver ✔

Body 316 Stainless Steel/Acero Inox 316
Diff Opal Glass/Cristal Opal

SEA SIDE SUITABLE | IP67 | IK08 | 220-240V | 50/60Hz ✔

1000Kg. 2204Lb.





SALT ASIMETRIC

70591 satin inox/inox satinado

LED COB 9W 3000K 500lm CRI90 Driver ✓

Body 316 Stainless Steel/Acero Inox 316
Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE | IP67 | IK08 | 100-240V | 50/60Hz | 2000Kg. 4409Lb. | 45º







TARO

70449 satin inox/inox satinado

LED COB 7W 3000K 280lm CRI>80 Driver ✓

Body 316 Stainless Steel/Acero Inox 316
Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE | IP67 | IK08 | 100-240V | 50/60Hz | 600Kg. 1322Lb. | 30º





EDEL

70455 satin inox/inox satinado

LED HIGH POWER 18W 4000K 900lm CRI>80 Driver ✗ **[98324020U]**

Body 316 Stainless Steel/Acero Inox 316
Diff Opal Glass/Cristal Opal

SEA SIDE SUITABLE | IP68 | IK08 | III | 24 Vdc | 50/60Hz | 25º | ø156

Very important: to be used only underwater
Importante: uso exclusivo sólo bajo el agua

Visit faro.es to consult how to install it.
Visita faro.es para consultar su instalación.





TECNO-1

71483 satin inox/inox satinado

E27 MAX 15W LED ✗ **[17463]**

Body 316 Stainless Steel/Acero Inox 316
Diff Opal Glass/Cristal Opal

SEA SIDE SUITABLE | IP67 | IK08 | 2000Kg. 4409Lb.





TECNO-6

71489N satin inox/inox satinado

GU10 MAX 8W LED ✗ **[17324]**

Body 316 Stainless Steel/Acero Inox 316
Diff Transparent Glass/Cristal Transparente

SEA SIDE SUITABLE | IP67 | IK08 | 2000Kg. 4409Lb.





LIO

71495 satin inox/inox satinado

GX53 6W 3000K 330lm ✓ **[17340** 100-240V**]**

Body 316 Stainless Steel/Acero Inox 316
Diff Opal Glass/Cristal Opal

SEA SIDE SUITABLE | IP67 | IK10 | 2000Kg. 4409Lb.





FALLS ORIENTABLE NEW

71730 satin inox/inox satinado

LED SMD 9W 3000K 672lm CRI90
Driver ⊗ **[98324031]**

Body 316 Stainless Steel/Acero Inox 316
Diff Transparent Glass/Cristal Transparente

IP67 IK09 III 24 Vdc 1000Kg. 2204Lb.

25º 310x52x100





FALLS ORIENTABLE NEW

71731 satin inox/inox satinado

LED SMD 9W 3000K 669lm CRI90
Driver ⊗ **[98324031]**

Body 316 Stainless Steel/Acero Inox 316
Diff Transparent Glass/Cristal Transparente

IP67 IK09 III 24 Vdc 1000Kg. 2204Lb.

30x60º 310x52x100





FALLS ORIENTABLE NEW

71732 satin inox/inox satinado

LED SMD 18W 3000K 1367lm CRI90
Driver ⊗ **[98324031]**

Body 316 Stainless Steel/Acero Inox 316
Diff Transparent Glass/Cristal Transparente

IP67 IK09 III 24 Vdc 1000Kg. 2204Lb.

25º 520x53x100





FALLS ORIENTABLE NEW

71733 satin inox/inox satinado

LED SMD 18W 3000K 1413lm CRI90
Driver ⊗ **[98324031]**

Body 316 Stainless Steel/Acero Inox 316
Diff Transparent Glass/Cristal Transparente

IP67 IK09 III 24 Vdc 1000Kg. 2204Lb.

30x60º 520x53x100









FALLS NEW

71734 satin inox/inox satinado

LED SMD 6W 2700K 190lm CRI90
Driver ⊗ **[98324031]**

Body 316 Stainless Steel/Acero Inox 316
Diff Opal Glass/Cristal Opal

IP67 IK09 III 24 Vdc 1000Kg. 2204Lb.

310x52x100





FALLS NEW

71735 satin inox/inox satinado

LED SMD 6W 3000K 200lm CRI90
Driver ⊗ **[98324031]**

Body 316 Stainless Steel/Acero Inox 316
Diff Opal Glass/Cristal Opal

IP67 IK09 III 24 Vdc 1000Kg. 2204Lb.

310x52x100





FALLS NEW

71736 satin inox/inox satinado

LED SMD 11W 2700K 291lm CRI90
Driver ⊗ **[98324031]**

Body 316 Stainless Steel/Acero Inox 316
Diff Opal Glass/Cristal Opal

IP67 IK09 III 24 Vdc 1000Kg. 2204Lb.

520x53x100





FALLS NEW

71737 satin inox/inox satinado

LED SMD 11W 3000K 316lm CRI90
Driver ⊗ **[98324031]**

Body 316 Stainless Steel/Acero Inox 316
Diff Opal Glass/Cristal Opal

IP67 IK09 III 24 Vdc 1000Kg. 2204Lb.

520x53x100





Espacio Princesa 52. *Barcelona*.

Let’s Work



/ 01 Lighting consultancy
/ 02 Conceptualization and development
/ 03 Special requests

At your service
proyectos@faro.es


16:22
3G
Grupo
Hall
Editar
FUGA
CYLINDER
SIGMA
2
Todas las lámparas
Lámparas cercanas
Lámparas
Galería
Escenas
Más

Smart Lighting

CASAMBI

Create scenes, regulate light intensity and much more in a simple way, contributing to energy saving and providing Well-being to the user.



Colin Cylinder Deep Fuga Optic Sigma Synch Teko Ledstrip

Multiple features
Múltiples funcionalidades



On/Off Grouping Scenes Animation Gallery Intensity Calendar Timer Sunrise &Sunset

ANDROID APP ON Google play

Available on the iPhone App Store



Surface *Superfície*



Recessed *Empotrable*

Tracks are available for recessed, suspended and surface installation.

Los carriles están disponibles para instalación empotrada, suspendida y de superficie.



Suspended *Suspendida*

video

Neso



Neso is a magnetic track system that allows you to combine different types of luminaires for both general and accent lighting.

1

Choose your Neso track
Escoge tu carril Neso



1m

2m



1m

2m

2

Join them to build continuous lines
Únelos para construir líneas contínuas



MECHANICAL CONNECTOR
For surface, pendant and recessed.
Para superficie, colgante y empotrado.



L AND T ACCESORIES INNER AND OUTER CORNERS
For surface, pendant and recessed.
Para superficie, colgante y empotrado.



INPUT TERMINAL
Necessary for recessed track.
Necesario para carril empotrado.

3

Turn your Neso track surface into pendant
Convierte tu carril Neso superficie en colgante

4

Add luminaires to your Neso track
Añade luminarias a tu carril Neso





Magnetic fixing

Neso allows the integration of lighting in any type of architecture. The luminaires are attached to the rail by means of magnets. This makes it very easy to change their position.
Imagination and creativity to power!

Neso permite la integración de la iluminación en cualquier tipo de arquitectura. las luminarias se fijan al carril mediante imanes. Esto hace que sea muy fácil cambiarlas de posición. ¡Imaginación y creatividad al poder!



Track Recessed

Track **1m**	5020120102	●
Track **1m** Dali	5020120102D	●
Track **2m**	5020120202	●
Track **2m** Dali	5020120202D	●

IP20 | III | SE LV | 24V



Accessories



Input terminal

	5020221402	●
Dali	5020221402D	●



Mechanical connector

	5020200102	●

Power supply

120W	98324120	●
180W	98324180	●
150W	98324150U	●



L

	5020221002	●
Dali	5020221002D	●



T

	5020221102	●
Dali	5020221102D	●



Inner corner

	5020221202	●
Dali	5020221202D	●



Outer corner

	5020221302	●
Dali	5020221302D	●



Track Surface & Suspension

Track **1m**	5020110102	●
Track **1m** Dali	5020110102D	●
Track **2m**	5020110202	●
Track **2m** Dali	5020110202D	●

IP20 | III | SE LV | 24V



Accessories



Mechanical connector

	5020200102	●



Driver box

	5020210002	●
Dali	5020210002D	●



Pendant Kit for driver box

	5020210202	●
Dali	5020210202D	●



SteelWire

	5020210102	●

Power supply

120W	98324120	●
180W	98324180	●
150W	98324150U	●



L

	5020211002	●
Dali	5020211002D	●



T

	5020211102	●
Dali	5020211102D	●



Inner corner

	5020211202	●
Dali	5020211202D	●



Outer corner

	5020211302	●
Dali	5020211302D	●



Input Terminal

	5020210302	●
Dali	5020210302D	●

Neso **Point 3L**



		P	BEAM	CCT	FLUX
5010192712	●	4W	12°	2700K	220lm
5010192722	●	4W	34°	2700K	220lm
5010193012	●	4W	12°	3000K	250lm
5010193022	●	4W	34°	3000K	250lm

LED | IP20 | III | SE LV | CRI>90 | 24V | incl. | 12°/34°



Neso **Point 6L**



		P	BEAM	CCT	FLUX
5010292712	●	8W	12°	2700K	490lm
5010292722	●	8W	34°	2700K	490lm
5010293012	●	8W	12°	3000K	510lm
5010293022	●	8W	34°	3000K	510lm

LED | IP20 | III | SE LV | CRI>90 | 24V | incl. | 12°/34°



*DALI option

Add a D at the end of the ref.

Neso **Point 12L**



		P	BEAM	CCT	FLUX
5010392712	●	16W	12°	2700K	810lm
5010392722	●	16W	34°	2700K	810lm
5010393012	●	16W	12°	3000K	850lm
5010393022	●	16W	34°	3000K	850lm

LED | IP20 | III | SE LV | CRI>90 | 24V | incl. | 12°/34°



*DALI option

Add a D at the end of the ref.

Neso **Unik**



		P	CCT	FLUX
5010892702	●	5W	2700K	330lm

LED | IP20 | III | SE LV | CRI>90 | 24V | incl.



*DALI option

Add a D at the end of the ref.





Neso **Line 32cm**

		P	CCT	FLUX
5010492702	●	13W	2700K	550lm
5010493002	●	13W	3000K	590lm

LED | IP20 | III | SE LV | CRI>90 | 24V | incl.



*DALI option

Add a D at the end of the ref.



Neso **Line 64cm**

		P	CCT	FLUX
5010592702	●	26W	2700K	930lm
5010593002	●	26W	3000K	970lm

LED | IP20 | III | SE LV | CRI>90 | 24V | incl.



*DALI option

Add a D at the end of the ref.



Neso **Top**

		P	BEAM	CCT	FLUX
5010692712	●	5W	20°	2700K	330lm
5010692722	●	5W	40°	2700K	330lm
5010693012	●	5W	20°	3000K	360lm
5010693022	●	5W	40°	3000K	360lm

LED | IP20 | III | SE LV | CRI>90 | 24V | incl. | 20°/40°



*DALI option

Add a D at the end of the ref.







Neso **Hole**

		P	BEAM	CCT	FLUX
5010792712	●	5W	20°	2700K	330lm
5010792722	●	5W	40°	2700K	330lm
5010793012	●	5W	20°	3000K	360lm
5010793022	●	5W	40°	3000K	360lm

LED | IP20 | III | SE LV | CRI>90 | 24V | incl. | 20°/40°



*DALI option

Add a D at the end of the ref.



Neso **Hole** NEW

		P	BEAM	CCT	FLUX
5010802712	●	10W	18°	2700K	705lm
5010803012	●	10W	36°	2700K	705lm
5010802722	●	10W	18°	3000K	735lm
5010803022	●	10W	36°	3000K	735lm

LED | IP20 | III | SE LV | CRI>90 | 24V | incl. | 18°/36°



*DALI option

Add a D at the end of the ref.







Fuga

Fuga **Small**

● ○



Fuga **Medium**

● ○



Fuga **Large**

● ○



LIGHTING SOLUTIONS

Our projectors FUGA incorporate Vossloh components, to offer the latest technology available in the market and the most efficient LED.
Nuestros proyectores FUGA incorporan componentes Vossloh, para poder ofrecer la última tecnología disponible en el mercado y los led más eficientes.



Fuga **Small 7W**			P	CRI	BEAM	CCT	FLUX
	011100101	○	7W	82	24°	2700K	600lm
	011100102	●	7W	82	24°	2700K	600lm
	011100201	○	7W	82	60°	2700K	600lm
	011100202	●	7W	82	60°	2700K	600lm
	011100301	○	7W	85	24°	3000K	650lm
	011100302	●	7W	85	24°	3000K	650lm
	011100401	○	7W	85	60°	3000K	650lm
	011100402	●	7W	85	60°	3000K	650lm
	011100501	○	7W	85	24°	4000K	700lm
	011100502	●	7W	85	24°	4000K	700lm
	011100601	○	7W	85	60°	4000K	700lm
	011100602	●	7W	85	60°	4000K	700lm
Fuga **Small 12W**							
	011100701	○	12W	82	24°	2700K	1050lm
	011100702	●	12W	82	24°	2700K	1050lm
	011100801	○	12W	82	60°	2700K	1050lm
	011100802	●	12W	82	60°	2700K	1050lm
	011100901	○	12W	85	24°	3000K	1100lm
	011100902	●	12W	85	24°	3000K	1100lm
	011101001	○	12W	85	60°	3000K	1100lm
	011101002	●	12W	85	60°	3000K	1100lm
	011101101	○	12W	85	24°	4000K	1150lm
	011101102	●	12W	85	24°	4000K	1150lm
	011101201	○	12W	85	60°	4000K	1150lm
	011101202	●	12W	85	60°	4000K	1150lm

LED | IP20 | incl. | 180° | 90° | 850°C | 24°/60°

*__TRIAC__ option 12W

Add a C at the end of the ref.





Fuga **Medium 12W**			P	CRI	BEAM	CCT	FLUX
	011200101	○	12W	82	24°	2700K	950lm
	011200102	●	12W	82	24°	2700K	950lm
	011200201	○	12W	82	60°	2700K	950lm
	011200202	●	12W	82	60°	2700K	950lm
	011200301	○	12W	85	24°	3000K	1000lm
	011200302	●	12W	85	24°	3000K	1000lm
	011200401	○	12W	85	60°	3000K	1000lm
	011200402	●	12W	85	60°	3000K	1000lm
	011200501	○	12W	85	24°	4000K	1100lm
	011200502	●	12W	85	24°	4000K	1100lm
	011200601	○	12W	85	60°	4000K	1100lm
	011200602	●	12W	85	60°	4000K	1100lm

LED | IP20 | incl. | 180° | 90° | 850°C | 24°/60°

*__DALI__ option

Add a D at the end of the ref.

*__TRIAC__ option

Add a C at the end of the ref.

*__CASAMBI__ option

Add a W at the end of the ref.





Fuga **Medium 18W**

		P	CRI	BEAM	CCT	FLUX
011200701	○	18W	82	24°	2700K	1450lm
011200702	●	18W	82	24°	2700K	1450lm
011200801	○	18W	82	60°	2700K	1450lm
011200802	●	18W	82	60°	2700K	1450lm
011200901	○	18W	85	24°	3000K	1500lm
011200902	●	18W	85	24°	3000K	1500lm
011201001	○	18W	85	60°	3000K	1500lm
011201002	●	18W	85	60°	3000K	1500lm
011201101	○	18W	85	24°	4000K	1600lm
011201102	●	18W	85	24°	4000K	1600lm
011201201	○	18W	85	60°	4000K	1600lm
011201202	●	18W	85	60°	4000K	1600lm

LED | IP20 | incl. | 180° | 90° | 850°C | 24°/60°

*DALI option

Add a D at the end of the ref.

*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.





Fuga **Medium 17W**

CRI95

		P	CRI	BEAM	CCT	FLUX
011201301	○	17W	95	24°	2700K	1250lm
011201302	●	17W	95	24°	2700K	1250lm
011201401	○	17W	95	60°	2700K	1250lm
011201402	●	17W	95	60°	2700K	1250lm
011201501	○	17W	95	24°	3000K	1300lm
011201502	●	17W	95	24°	3000K	1300lm
011201601	○	17W	95	60°	3000K	1300lm
011201602	●	17W	95	60°	3000K	1300lm
011201701	○	17W	95	24°	4000K	1400lm
011201702	●	17W	95	24°	4000K	1400lm
011201801	○	17W	95	60°	4000K	1400lm
011201802	●	17W	95	60°	4000K	1400lm

LED | IP20 | incl. | 180° | 90° | 850°C | 24°/60°

*DALI option

Add a D at the end of the ref.

*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.





Fuga **Medium 24W**

CRI95

		P	CRI	BEAM	CCT	FLUX
011201901	○	24W	95	24°	2700K	1800lm
011201902	●	24W	95	24°	2700K	1800lm
011202001	○	24W	95	60°	2700K	1800lm
011202002	●	24W	95	60°	2700K	1800lm
011202101	○	24W	95	24°	3000K	1850lm
011202102	●	24W	95	24°	3000K	1850lm
011202201	○	24W	95	60°	3000K	1850lm
011202202	●	24W	95	60°	3000K	1850lm
011202301	○	24W	95	24°	4000K	1950lm
011202302	●	24W	95	24°	4000K	1950lm
011202401	○	24W	95	60°	4000K	1950lm
011202402	●	24W	95	60°	4000K	1950lm

LED | IP20 | incl. | 180° | 90° | 850°C | 24°/60°

*DALI option

Add a D at the end of the ref.

*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.





Fuga **Medium 28W**			P	CRI	BEAM	CCT	FLUX
HIGH EFFICIENCY LED	011202501	○	28W	82	24°	2700K	2000lm
	011202502	●	28W	82	24°	2700K	2000lm
	011202601	○	28W	82	60°	2700K	2000lm
	011202602	●	28W	82	60°	2700K	2000lm
	011202701	○	28W	85	24°	3000K	2050lm
	011202702	●	28W	85	24°	3000K	2050lm
	011202801	○	28W	85	60°	3000K	2050lm
	011202802	●	28W	85	60°	3000K	2050lm
	011202901	○	28W	85	24°	4000K	2150lm
	011202902	●	28W	85	24°	4000K	2150lm
	011203001	○	28W	85	60°	4000K	2150lm
	011203002	●	28W	85	60°	4000K	2150lm

LED | IP20 | incl. | 180° | 90° | 850°C | 24°/60°

*DALI option

Add a D at the end of the ref.

*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.





Fuga **Medium 28W**			P	CRI	BEAM	CCT	FLUX
FOOD LIGHTING LED	011203101	○	28W	85	24°	fruits ●	1600lm
	011203102	●	28W	85	24°	fruits ●	1600lm
	011203201	○	28W	85	60°	fruits ●	1600lm
	011203202	●	28W	85	60°	fruits ●	1600lm
	011203301	○	28W	85	24°	fish ●	1700lm
	011203302	●	28W	85	24°	fish ●	1700lm
	011203401	○	28W	85	60°	fish ●	1700lm
	011203402	●	28W	85	60°	fish ●	1700lm
	011203501	○	28W	70	24°	meat ●	1500lm
	011203502	●	28W	70	24°	meat ●	1500lm
	011203601	○	28W	70	60°	meat ●	1500lm
	011203602	●	28W	70	60°	meat ●	1500lm

LED | IP20 | incl. | 180° | 90° | 850°C | 24°/60°

*DALI option

Add a D at the end of the ref.

*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.





Fuga **Medium 21W**			P	CRI	BEAM	CCT	FLUX
RETAIL LIGHTING LED	011203701	○	21W	95	24°	3100K	1300lm
	011203702	●	21W	95	24°	3100K	1300lm
	011203801	○	21W	95	56°	3100K	1300lm
	011203802	●	21W	95	56°	3100K	1300lm
Fuga **Medium 28W**							
RETAIL LIGHTING LED	011203901	○	28W	95	24°	3100K	1800lm
	011203902	●	28W	95	24°	3100K	1800lm
	011204001	○	28W	95	56°	3100K	1800lm
	011204002	●	28W	95	56°	3100K	1800lm

LED | IP20 | incl. | 180° | 90° | 850°C | 24°/56°

*DALI option 21W

Add a D at the end of the ref.

*TRIAC option 21W

Add a C at the end of the ref.

*CASAMBI option 21W

Add a W at the end of the ref.

*DALI option 28W

Add a D at the end of the ref.

*TRIAC option 28W

Add a C at the end of the ref.

*CASAMBI option 28W

Add a W at the end of the ref.





Fuga **Large 18W**

			P	CRI	BEAM	CCT	FLUX
	011300101	○	18W	82	24°	2700K	1350lm
	011300102	●	18W	82	24°	2700K	1350lm
	011300201	○	18W	82	60°	2700K	1350lm
	011300202	●	18W	82	60°	2700K	1350lm
	011300301	○	18W	85	24°	3000K	1400lm
	011300302	●	18W	85	24°	3000K	1400lm
	011300401	○	18W	85	60°	3000K	1400lm
	011300402	●	18W	85	60°	3000K	1400lm
	011300501	○	18W	85	24°	4000K	1500lm
	011300502	●	18W	85	24°	4000K	1500lm
	011300601	○	18W	85	60°	4000K	1500lm
	011300602	●	18W	85	60°	4000K	1500lm

LED | IP20 | incl. | 180° | 90° | 850°C | 24°/60°

*DALI option

Add a D at the end of the ref.

*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.





Fuga **Large 25W**

			P	CRI	BEAM	CCT	FLUX
	011300701	○	25W	82	24°	2700K	1850lm
	011300702	●	25W	82	24°	2700K	1850lm
	011300801	○	25W	82	60°	2700K	1850lm
	011300802	●	25W	82	60°	2700K	1850lm
	011300901	○	25W	85	24°	3000K	1900lm
	011300902	●	25W	85	24°	3000K	1900lm
	011301001	○	25W	85	60°	3000K	1900lm
	011301002	●	25W	85	60°	3000K	1900lm
	011301101	○	25W	85	24°	4000K	2000lm
	011301102	●	25W	85	24°	4000K	2000lm
	011301201	○	25W	85	60°	4000K	2000lm
	011301202	●	25W	85	60°	4000K	2000lm

LED | IP20 | incl. | 180° | 90° | 850°C | 24°/60°

*DALI option

Add a D at the end of the ref.

*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.





Fuga **Large 36W**

CRI95

			P	CRI	BEAM	CCT	FLUX
	011301901	○	36W	95	24°	2700K	2800lm
	011301902	●	36W	95	24°	2700K	2800lm
	011302001	○	36W	95	60°	2700K	2800lm
	011302002	●	36W	95	60°	2700K	2800lm
	011302101	○	36W	95	24°	3000K	2850lm
	011302102	●	36W	95	24°	3000K	2850lm
	011302201	○	36W	95	60°	3000K	2850lm
	011302202	●	36W	95	60°	3000K	2850lm
	011302301	○	36W	95	24°	4000K	2950lm
	011302302	●	36W	95	24°	4000K	2950lm
	011302401	○	36W	95	60°	4000K	2950lm
	011302402	●	36W	95	60°	4000K	2950lm

LED | IP20 | incl. | 180° | 90° | 850°C | 24°/60°

*DALI option

Add a D at the end of the ref.

*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.





Fuga **Large 41W**			P	CRI	BEAM	CCT	FLUX
HIGH EFFICIENCY LED	011301301	○	41W	82	24°	2700K	2950lm
	011301302	●	41W	82	24°	2700K	2950lm
	011301401	○	41W	82	60°	2700K	2950lm
	011301402	●	41W	82	60°	2700K	2950lm
	011301501	○	41W	85	24°	3000K	3000lm
	011301502	●	41W	85	24°	3000K	3000lm
	011301601	○	41W	85	60°	3000K	3000lm
	011301602	●	41W	85	60°	3000K	3000lm
	011301701	○	41W	85	24°	4000K	3100lm
	011301702	●	41W	85	24°	4000K	3100lm
	011301801	○	41W	85	60°	4000K	3100lm
	011301802	●	41W	85	60°	4000K	3100lm

LED | IP20 | incl. | 180° | 90° | 850°C | 24°/60°

*DALI option

Add a D at the end of the ref.

*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.





Fuga **Large 29W**			P	CRI	BEAM	CCT	FLUX
FOOD LIGHTING LED	011302501	○	29W	85	24°	fruits ●	1600lm
	011302502	●	29W	85	24°	fruits ●	1600lm
	011302601	○	29W	85	60°	fruits ●	1600lm
	011302602	●	29W	85	60°	fruits ●	1600lm
	011302701	○	29W	85	24°	fish ●	1700lm
	011302702	●	29W	85	24°	fish ●	1700lm
	011302801	○	29W	85	60°	fish ●	1700lm
	011302802	●	29W	85	60°	fish ●	1700lm
	011302901	○	29W	70	24°	meat ●	1500lm
	011302902	●	29W	70	24°	meat ●	1500lm
	011303001	○	29W	70	60°	meat ●	1500lm
	011303002	●	29W	70	60°	meat ●	1500lm
Fuga **Large 41W**							
FOOD LIGHTING LED	011303101	○	41W	85	24°	fruits ●	2350lm
	011303102	●	41W	85	24°	fruits ●	2350lm
	011303201	○	41W	85	60°	fruits ●	2350lm
	011303202	●	41W	85	60°	fruits ●	2350lm
	011303301	○	41W	85	24°	fish ●	2450lm
	011303302	●	41W	85	24°	fish ●	2450lm
	011303401	○	41W	85	60°	fish ●	2450lm
	011303402	●	41W	85	60°	fish ●	2450lm
	011303501	○	41W	70	24°	meat ●	2250lm
	011303502	●	41W	70	24°	meat ●	2250lm
	011303601	○	41W	70	60°	meat ●	2250lm
	011303602	●	41W	70	60°	meat ●	2250lm

LED | IP20 | incl. | 180° | 90° | 850°C | 24°/60°

*DALI option 29W

Add a D at the end of the ref.

*TRIAC option 29W

Add a C at the end of the ref.

*CASAMBI option 29W

Add a W at the end of the ref.

*DALI option 41W

Add a D at the end of the ref.

*TRIAC option 41W

Add a C at the end of the ref.

*CASAMBI option 41W

Add a W at the end of the ref.





Fuga **Large 29W**			P	CRI	BEAM	CCT	FLUX
RETAIL LIGHTING LED	011303701	○	29W	95	24°	3100K	1800lm
	011303702	●	29W	95	24°	3100K	1800lm
	011303801	○	29W	95	56°	3100K	1800lm
	011303802	●	29W	95	56°	3100K	1800lm
Fuga **Large 36W**							
RETAIL LIGHTING LED	011303901	○	41W	95	24°	3100K	2700lm
	011303902	●	41W	95	24°	3100K	2700lm
	011304001	○	41W	95	56°	3100K	2700lm
	011304002	●	41W	95	56°	3100K	2700lm



*__DALI__ option 29W

Add a D at the end of the ref.

*__TRIAC__ option 29W

Add a C at the end of the ref.

*__CASAMBI__ option 29W

Add a W at the end of the ref.

*__DALI__ option 41W

Add a D at the end of the ref.

*__TRIAC__ option 41W

Add a C at the end of the ref.

*__CASAMBI__ option 41W

Add a W at the end of the ref.



Sigma

Sigma **Nano**

●



Sigma **Mini**

●



LIGHTING SOLUTIONS

Our projectors FUGA incorporate Vossloh components, to offer the latest technology available in the market and the most efficient LED.
Nuestros proyectores FUGA incorporan componentes Vossloh, para poder ofrecer la última tecnología disponible en el mercado y los led más eficientes.





Sigma **Nano 10W**		P	CRI	BEAM	CCT	FLUX
011000102	●	10W	82	20°	2700K	600lm
011000202	●	10W	82	56°	2700K	600lm
011000302	●	10W	85	20°	3000K	650lm
011000402	●	10W	85	56°	3000K	650lm
011000502	●	10W	85	20°	4000K	700lm
011000602	●	10W	85	56°	4000K	700lm
Sigma Nano 15W						
011000702	●	15W	82	20°	2700K	1050lm
011000802	●	15W	82	56°	2700K	1050lm
011000902	●	15W	85	20°	3000K	1100lm
011001002	●	15W	85	56°	3000K	1100lm
011001102	●	15W	85	20°	4000K	1150lm
011001202	●	15W	85	56°	4000K	1150lm

LED | IP20 | incl. | 358° | 180° | 850°C | 20°/56°

*__TRIAC__ option 15W

Add a C at the end of the ref.



Sigma **Mini 12W**

			P	CRI	BEAM	CCT	FLUX
	010900102	●	12W	82	20°	2700K	950lm
	010900202	●	12W	82	56°	2700K	950lm
	010900302	●	12W	85	20°	3000K	1000lm
	010900402	●	12W	85	56°	3000K	1000lm
	010900502	●	12W	85	20°	4000K	1100lm
	010900602	●	12W	85	56°	4000K	1100lm

LED | IP20 | incl. | 358° | 180° | 850°C | 20°/56°



*DALI option

Add a D at the end of the ref.

*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.



Sigma **Mini 18W**

			P	CRI	BEAM	CCT	FLUX
	010900702	●	18W	82	20°	2700K	1450lm
	010900802	●	18W	82	56°	2700K	1450lm
	010900902	●	18W	85	20°	3000K	1500lm
	010901002	●	18W	85	56°	3000K	1500lm
	010901102	●	18W	85	20°	4000K	1600lm
	010901202	●	18W	85	56°	4000K	1600lm

LED | IP20 | incl. | 358° | 180° | 850°C | 20°/56°



*DALI option

Add a D at the end of the ref.

*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.



Sigma **Mini 17W**

			P	CRI	BEAM	CCT	FLUX
CRI95	010901302	●	17W	95	20°	2700K	1250lm
	010901402	●	17W	95	56°	2700K	1250lm
	010901502	●	17W	95	20°	3000K	1300lm
	010901602	●	17W	95	56°	3000K	1300lm
	010901702	●	17W	95	20°	4000K	1400lm
	010901802	●	17W	95	56°	4000K	1400lm

LED | IP20 | incl. | 358° | 180° | 850°C | 20°/56°



*DALI option

Add a D at the end of the ref.

*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.



Sigma **Mini 24W**			P	CRI	BEAM	CCT	FLUX
CRI95	010901902	●	24W	95	20°	2700K	1800lm
	010902002	●	24W	95	56°	2700K	1800lm
	010902102	●	24W	95	20°	3000K	1850lm
	010902202	●	24W	95	56°	3000K	1850lm
	010902302	●	24W	95	20°	4000K	1950lm
	010902402	●	24W	95	56°	4000K	1950lm

LED | IP20 | | incl. | 358° | 180° | 850°C | 20°/56°



*DALI option

Add a D at the end of the ref.

*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.



Sigma **Mini 24W**			P	CRI	BEAM	CCT	FLUX
HIGH EFFICIENCY LED	010902502	●	24W	82	20°	2700K	2000lm
	010902602	●	24W	82	56°	2700K	2000lm
	010902702	●	24W	85	20°	3000K	2050lm
	010902802	●	24W	85	56°	3000K	2050lm
	010902902	●	24W	85	20°	4000K	2150lm
	010903002	●	24W	85	56°	4000K	2150lm

LED | IP20 | | incl. | 358° | 180° | 850°C | 20°/56°



*DALI option

Add a D at the end of the ref.

*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.



Sigma **Mini 27W**			P	CRI	BEAM	CCT	FLUX
FOOD LIGHTING LED	010903102	●	27W	85	20°	fruits ●	1600lm
	010903202	●	27W	85	56°	fruits ●	1600lm
	010903302	●	27W	85	20°	fish ●	1700lm
	010903402	●	27W	85	56°	fish ●	1700lm
	010903502	●	27W	70	20°	meat ●	1500lm
	010903602	●	27W	70	56°	meat ●	1500lm

LED | IP20 | | incl. | 358° | 180° | 850°C | 20°/56°



*DALI option

Add a D at the end of the ref.

*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.



Sigma **Mini 20W**			P	CRI	BEAM	CCT	FLUX
RETAIL LIGHTING LED	010903702	●	20W	95	20°	3100K	1300lm
	010903802	●	20W	95	56°	3100K	1300lm
Sigma **Mini 27W**							
RETAIL LIGHTING LED	010903902	●	27W	95	20°	3100K	1800lm
	010904002	●	27W	95	56°	3100K	1800lm

LED | IP20 | | incl. | 358° | 180° | 850°C | 20°/56°



*DALI option 20W

Add a D at the end of the ref.

*TRIAC option 20W

Add a C at the end of the ref.

*CASAMBI option 20W

Add a W at the end of the ref.

*DALI option 27W

Add a D at the end of the ref.

*TRIAC option 27W

Add a C at the end of the ref.

*CASAMBI option 27W

Add a W at the end of the ref.



Cylinder

Cylinder **Nano**

●○



Cylinder **Mini**

●○



Cylinder

●○



LIGHTING SOLUTIONS

Our projectors FUGA incorporate Vossloh components, to offer the latest technology available in the market and the most efficient LED.
Nuestros proyectores FUGA incorporan componentes Vossloh, para poder ofrecer la última tecnología disponible en el mercado y los led más eficientes.





Cylinder **Nano 7W**

		P	CRI	BEAM	CCT	FLUX
010800101	○	7W	82	20°	2700K	600lm
010800102	●	7W	82	20°	2700K	600lm
010800201	○	7W	82	56°	2700K	600lm
010800202	●	7W	82	56°	2700K	600lm
010800301	○	7W	85	20°	3000K	650lm
010800302	●	7W	85	20°	3000K	650lm
010800401	○	7W	85	56°	3000K	650lm
010800402	●	7W	85	56°	3000K	650lm
010800501	○	7W	85	20°	4000K	700lm
010800502	●	7W	85	20°	4000K	700lm
010800601	○	7W	85	56°	4000K	700lm
010800602	●	7W	85	56°	4000K	700lm

Cylinder **Nano 12W**

		P	CRI	BEAM	CCT	FLUX
010800701	○	12W	82	20°	2700K	1050lm
010800702	●	12W	82	20°	2700K	1050lm
010800801	○	12W	82	56°	2700K	1050lm
010800802	●	12W	82	56°	2700K	1050lm
010800901	○	12W	85	20°	3000K	1100lm
010800902	●	12W	85	20°	3000K	1100lm
010801001	○	12W	85	56°	3000K	1100lm
010801002	●	12W	85	56°	3000K	1100lm
010801101	○	12W	85	20°	4000K	1150lm
010801102	●	12W	85	20°	4000K	1150lm
010801201	○	12W	85	56°	4000K	1150lm
010801202	●	12W	85	56°	4000K	1150lm

LED | IP20 | incl. | 355° | 180° | 850°C | 20°/56°

*__TRIAC__ option 12W

Add a C at the end of the ref.

*__CASAMBI__ option 12W

Add a W at the end of the ref.





Cylinder **Mini 12W**

		P	CRI	BEAM	CCT	FLUX
010704101	○	12W	82	20°	2700K	950lm
010704102	●	12W	82	20°	2700K	950lm
010704201	○	12W	82	56°	2700K	950lm
010704202	●	12W	82	56°	2700K	950lm
010704301	○	12W	85	20°	3000K	1000lm
010704302	●	12W	85	20°	3000K	1000lm
010704401	○	12W	85	56°	3000K	1000lm
010704402	●	12W	85	56°	3000K	1000lm
010704501	○	12W	85	20°	4000K	1100lm
010704502	●	12W	85	20°	4000K	1100lm
010704601	○	12W	85	56°	4000K	1100lm
010704602	●	12W	85	56°	4000K	1100lm

LED | IP20 | incl. | 355° | 180° | 850°C | 20°/56°

*__DALI__ option

Add a D at the end of the ref.

*__TRIAC__ option

Add a C at the end of the ref.

*__CASAMBI__ option

Add a W at the end of the ref.





Cylinder **Mini 18W**

			P	CRI	BEAM	CCT	FLUX
	010704701	○	18W	82	20º	2700K	1450lm
	010704702	●	18W	82	20º	2700K	1450lm
	010704801	○	18W	82	56º	2700K	1450lm
	010704802	●	18W	82	56º	2700K	1450lm
	010704901	○	18W	85	20º	3000K	1500lm
	010704902	●	18W	85	20º	3000K	1500lm
	010705001	○	18W	85	56º	3000K	1500lm
	010705002	●	18W	85	56º	3000K	1500lm
	010705101	○	18W	85	20º	4000K	1600lm
	010705102	●	18W	85	20º	4000K	1600lm
	010705201	○	18W	85	56º	4000K	1600lm
	010705202	●	18W	85	56º	4000K	1600lm

LED | IP20 | incl. | 355º | 180º | 850ºC | 20º/56º

*DALI option

Add a D at the end of the ref.

*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.





Cylinder **Mini 17W**

CRI95

			P	CRI	BEAM	CCT	FLUX
	010705301	○	17W	95	20º	2700K	1250lm
	010705302	●	17W	95	20º	2700K	1250lm
	010705401	○	17W	95	56º	2700K	1250lm
	010705402	●	17W	95	56º	2700K	1250lm
	010705501	○	17W	95	20º	3000K	1300lm
	010705502	●	17W	95	20º	3000K	1300lm
	010705601	○	17W	95	56º	3000K	1300lm
	010705602	●	17W	95	56º	3000K	1300lm
	010705701	○	17W	95	20º	4000K	1400lm
	010705702	●	17W	95	20º	4000K	1400lm
	010705801	○	17W	95	56º	4000K	1400lm
	010705802	●	17W	95	56º	4000K	1400lm

LED | IP20 | incl. | 355º | 180º | 850ºC | 20º/56º

*DALI option

Add a D at the end of the ref.

*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.





Cylinder **Mini 24W**

CRI95

			P	CRI	BEAM	CCT	FLUX
	010705901	○	24W	95	20º	2700K	1800lm
	010705902	●	24W	95	20º	2700K	1800lm
	010706001	○	24W	95	56º	2700K	1800lm
	010706002	●	24W	95	56º	2700K	1800lm
	010706101	○	24W	95	20º	3000K	1850lm
	010706102	●	24W	95	20º	3000K	1850lm
	010706201	○	24W	95	56º	3000K	1850lm
	010706202	●	24W	95	56º	3000K	1850lm
	010706301	○	24W	95	20º	4000K	1950lm
	010706302	●	24W	95	20º	4000K	1950lm
	010706401	○	24W	95	56º	4000K	1950lm
	010706402	●	24W	95	56º	4000K	1950lm

LED | IP20 | incl. | 355º | 180º | 850ºC | 20º/56º

*DALI option

Add a D at the end of the ref.

*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.





Cylinder **Mini 27W**

			P	CRI	BEAM	CCT	FLUX
HIGH EFFICIENCY LED	010706501	○	27W	82	20°	2700K	2000lm
	010706502	●	27W	82	20°	2700K	2000lm
	010706601	○	27W	82	56°	2700K	2000lm
	010706602	●	27W	82	56°	2700K	2000lm
	010706701	○	27W	85	20°	3000K	2050lm
	010706702	●	27W	85	20°	3000K	2050lm
	010706801	○	27W	85	56°	3000K	2050lm
	010706802	●	27W	85	56°	3000K	2050lm
	010706901	○	27W	85	20°	4000K	2150lm
	010706902	●	27W	85	20°	4000K	2150lm
	010707001	○	27W	85	56°	4000K	2150lm
	010707002	●	27W	85	56°	4000K	2150lm

LED | IP20 | incl. | 355° | 180° | 850°C | 20°/56°

*DALI option

Add a D at the end of the ref.

*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.





Cylinder **Mini 27W**

			P	CRI	BEAM	CCT	FLUX
FOOD LIGHTING LED	010707101	○	27W	85	20°	fruits ●	1600lm
	010707102	●	27W	85	20°	fruits ●	1600lm
	010707201	○	27W	85	56°	fruits ●	1600lm
	010707202	●	27W	85	56°	fruits ●	1600lm
	010707301	○	27W	85	20°	fish ●	1700lm
	010707302	●	27W	85	20°	fish ●	1700lm
	010707401	○	27W	85	56°	fish ●	1700lm
	010707402	●	27W	85	56°	fish ●	1700lm
	010707501	○	27W	70	20°	meat ●	1500lm
	010707502	●	27W	70	20°	meat ●	1500lm
	010707601	○	27W	70	56°	meat ●	1500lm
	010707602	●	27W	70	56°	meat ●	1500lm

LED | IP20 | incl. | 355° | 180° | 850°C | 20°/56°

*DALI option

Add a D at the end of the ref.

*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.





Cylinder **Mini 20W**

			P	CRI	BEAM	CCT	FLUX
RETAIL LIGHTING LED	010707701	○	20W	95	20°	3100K	1300lm
	010707702	●	20W	95	20°	3100K	1300lm
	010707801	○	20W	95	56°	3100K	1300lm
	010707802	●	20W	95	56°	3100K	1300lm

Cylinder **Mini 27W**

			P	CRI	BEAM	CCT	FLUX
RETAIL LIGHTING LED	010707901	○	27W	95	20°	3100K	1800lm
	010707902	●	27W	95	20°	3100K	1800lm
	010708001	○	27W	95	56°	3100K	1800lm
	010708002	●	27W	95	56°	3100K	1800lm

LED | IP20 | incl. | 355° | 180° | 850°C | 20°/56°

*DALI option 20W

Add a D at the end of the ref.

*TRIAC option 20W

Add a C at the end of the ref.

*CASAMBI option 20W

Add a W at the end of the ref.

*DALI option 27W

Add a D at the end of the ref.

*TRIAC option 27W

Add a C at the end of the ref.

*CASAMBI option 27W

Add a W at the end of the ref.





Cylinder **18W**

			P	CRI	BEAM	CCT	FLUX
	010604101	○	18W	82	20º	2700K	1350lm
	010604102	●	18W	82	20º	2700K	1350lm
	010604201	○	18W	82	56º	2700K	1350lm
	010604202	●	18W	82	56º	2700K	1350lm
	010604301	○	18W	85	20º	3000K	1400lm
	010604302	●	18W	85	20º	3000K	1400lm
	010604401	○	18W	85	56º	3000K	1400lm
	010604402	●	18W	85	56º	3000K	1400lm
	010604501	○	18W	85	20º	4000K	1500lm
	010604502	●	18W	85	20º	4000K	1500lm
	010604601	○	18W	85	56º	4000K	1500lm
	010604602	●	18W	85	56º	4000K	1500lm

LED | IP20 | incl. | 355º | 180º | 850ºC | 20º/56º

*DALI option

Add a D at the end of the ref.

*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.





Cylinder **25W**

			P	CRI	BEAM	CCT	FLUX
	010604701	○	25W	85	20º	2700K	1850lm
	010604702	●	25W	85	20º	2700K	1850lm
	010604801	○	25W	85	56º	2700K	1850lm
	010604802	●	25W	85	56º	2700K	1850lm
	010604901	○	25W	85	20º	3000K	1900lm
	010604902	●	25W	85	20º	3000K	1900lm
	010605001	○	25W	85	56º	3000K	1900lm
	010605002	●	25W	85	56º	3000K	1900lm
	010605101	○	25W	85	20º	4000K	2000lm
	010605102	●	25W	85	20º	4000K	2000lm
	010605201	○	25W	85	56º	4000K	2000lm
	010605202	●	25W	85	56º	4000K	2000lm

LED | IP20 | incl. | 355º | 180º | 850ºC | 20º/56º

*DALI option

Add a D at the end of the ref.

*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.





Cylinder **36W**

CRI95

			P	CRI	BEAM	CCT	FLUX
	010605901	○	36W	95	20º	2700K	2800lm
	010605902	●	36W	95	20º	2700K	2800lm
	010606001	○	36W	95	56º	2700K	2800lm
	010606002	●	36W	95	56º	2700K	2800lm
	010606101	○	36W	95	20º	3000K	2850lm
	010606102	●	36W	95	20º	3000K	2850lm
	010606201	○	36W	95	56º	3000K	2850lm
	010606202	●	36W	95	56º	3000K	2850lm
	010606301	○	36W	95	20º	4000K	2950lm
	010606302	●	36W	95	20º	4000K	2950lm
	010606401	○	36W	95	56º	4000K	2950lm
	010606402	●	36W	95	56º	4000K	2950lm

LED | IP20 | incl. | 355º | 180º | 850ºC | 20º/56º

*DALI option

Add a D at the end of the ref.

*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.





Cylinder **36W**

HIGH EFFICIENCY LED

		P	CRI	BEAM	CCT	FLUX
010605301	○	36W	82	20°	2700K	2950lm
010605302	●	36W	82	20°	2700K	2950lm
010605401	○	36W	82	56°	2700K	2950lm
010605402	●	36W	82	56°	2700K	2950lm
010605501	○	36W	85	20°	3000K	3000lm
010605502	●	36W	85	20°	3000K	3000lm
010605601	○	36W	85	56°	3000K	3000lm
010605602	●	36W	85	56°	3000K	3000lm
010605701	○	36W	85	20°	4000K	3100lm
010605702	●	36W	85	20°	4000K	3100lm
010605801	○	36W	85	56°	4000K	3100lm
010605802	●	36W	85	56°	4000K	3100lm

LED | IP20 | incl. | 355° | 180° | 850°C | 20°/56°

*DALI option

Add a D at the end of the ref.

*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.





Cylinder **24W**

FOOD LIGHTING LED

		P	CRI	BEAM	CCT	FLUX
010606501	○	24W	85	20°	fruits ●	1600lm
010606502	●	24W	85	20°	fruits ●	1600lm
010606601	○	24W	85	56°	fruits ●	1600lm
010606602	●	24W	85	56°	fruits ●	1600lm
010606701	○	24W	85	20°	fish ●	1700lm
010606702	●	24W	85	20°	fish ●	1700lm
010606801	○	24W	85	56°	fish ●	1700lm
010606802	●	24W	85	56°	fish ●	1700lm
010606901	○	24W	70	20°	meat ●	1500lm
010606902	●	24W	70	20°	meat ●	1500lm
010607001	○	24W	70	56°	meat ●	1500lm
010607002	●	24W	70	56°	meat ●	1500lm

LED | IP20 | incl. | 355° | 180° | 850°C | 20°/56°

*DALI option

Add a D at the end of the ref.

*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.





Cylinder **36W**

FOOD LIGHTING LED

		P	CRI	BEAM	CCT	FLUX
010607101	○	36W	85	20°	fruits ●	2350lm
010607102	●	36W	85	20°	fruits ●	2350lm
010607201	○	36W	85	56°	fruits ●	2350lm
010607202	●	36W	85	56°	fruits ●	2350lm
010607301	○	36W	85	20°	fish ●	2450lm
010607302	●	36W	85	20°	fish ●	2450lm
010607401	○	36W	85	56°	fish ●	2450lm
010607402	●	36W	85	56°	fish ●	2450lm
010607501	○	36W	70	20°	meat ●	2250lm
010607502	●	36W	70	20°	meat ●	2250lm
010607601	○	36W	70	56°	meat ●	2250lm
010607602	●	36W	70	56°	meat ●	2250lm

LED | IP20 | incl. | 355° | 180° | 850°C | 20°/56°

*DALI option

Add a D at the end of the ref.

*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.



Cylinder **24W**

RETAIL LIGHTING LED

		P	CRI	BEAM	CCT	FLUX
010607701	○	24W	95	20º	3100K	1800lm
010607702	●	24W	95	20º	3100K	1800lm
010607801	○	24W	95	56º	3100K	1800lm
010607802	●	24W	95	56º	3100K	1800lm

LED | IP20 | incl. | 355º | 180º | 850ºC | 20º/56º



*DALI option

Add a D at the end of the ref.

*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.



Cylinder **36W**

RETAIL LIGHTING LED

		P	CRI	BEAM	CCT	FLUX
010607901	○	36W	95	20º	3100K	2700lm
010607902	●	36W	95	20º	3100K	2700lm
010608001	○	36W	95	56º	3100K	2700lm
010608002	●	36W	95	56º	3100K	2700lm

LED | IP20 | incl. | 355º | 180º | 850ºC | 20º/56º



*DALI option

Add a D at the end of the ref.

*TRIAC option

Add a C at the end of the ref.

*CASAMBI option

Add a W at the end of the ref.



Cylinder **QR-111 LED**

		P	SOCKET	V
01065701	○	MAX 12W	G53	12
01065702	●	MAX 12W	G53	12

LED | IP20 | 355º | 180º | 850ºC



Cylinder **QR-111 LED TRIAC**

		P	SOCKET	V
01065701R	○	MAX 15W	G53	12
01065702R	●	MAX 15W	G53	12

LED | IP20 | 355º | 180º | 850ºC | DIM

How to install

3Phase track, 16 A

Outer main supply installation
Instalación con cabezal de alimentación en el exterior



Inner main supply installation
Instalación con cabezal de alimentación en el interior



1	Outer “L” JOINT
2	inner “L” JOINT
3	Outer live end
4	inner live end
5	Outer “T” INTERMEDIATE JOINT
6	inner “T” INTERMEDIATE JOINT
7	CROSS JOINT

Connection sketch
Esquema de conexiones

1 Circuit



N-conductor i = 16 A max

2 Circuit



N-conductor i = 16 A max

3 Circuit



L1 + L2 + L3 i = 16 A max

Recommended distance between fixage
Distancia recomendada entre fijaciones



Max.Weight: 19,84 lb
Peso máx.: 9 kg

Max. 3 projectors = 3,8 KVA
Máx. 3 proyectores = 3,8 KVA



Max.Weight: 33,06 lb
Peso máx.: 15 kg

Max. 5 projectors = 3,8 KVA
Máx. 5 proyectores = 3,8 KVA

Accessories



Base for surface

01991301	○
01991302	●
01991303	●



***Adapter/track connector**

01997001	○
01997002	●

*Only for/Sólo para: Triphase track

3Phase Track

Compatible with IVELA & GLOBAL



Surface & pendent 3 phase track

01990101	○	1000 mm
01990102	●	1000 mm
01990103	○	1000 mm
01990201	●	2000 mm
01990202	○	2000 mm
01990203	●	2000 mm

IP20



Surface & pendent Dali track

01995001	○	1000 mm
01995002	●	1000 mm
01995003	○	1000 mm
01995101	●	2000 mm
01995102	○	2000 mm
01995103	●	2000 mm

IP20



Recessed 3 phase track

01997101	○	1000 mm
01997102	●	1000 mm
01997201	○	2000 mm
01997202	●	2000 mm

IP20



Inner live end

01990601	○
01990602	●



Dali inner live end

01993501	○
01993502	●



Inner live end

01997401	○
01997402	●



Outer live end

01990701	○
01990702	●



Dali outer live end

01993601	○
01993602	●



Outer live end

01997301	○
01997302	●



Centre feed

01993301	○
01993302	●



Dali centre feed

01993401	○
01993402	●



Centre feed

01997801	○
01997802	●

Accessories for surface&pendant 3phase track, surface&pendant Dali track



Inner “L” Joint

01990501	○
01990502	●



Cross Joint

01991001	○
01991002	●



Outer “L” Joint

01990401	○
01990402	●



Intermediate Joint

01990801	○
01990802	●



Outer “T”

01990901	○
01990902	●



End cap

01991101	○
01991102	●



Inner “T”

01991601	○
01991602	●



Flexible “L”

01993201	○
01993202	●



Ceiling kit 1piece

01991201	○



Pendant Kit 2000

01990301	○
01990302	●

Accessories for recessed 3phase track



Intermediate Joint

01997501	○
01997502	●



End cap

01997701	○
01997702	●



Ceiling Kit 1piece

01997601	○



Deep



Deep **Small**

●○



Deep **Medium**

●○



Deep **Large**

●○

LIGHTING SOLUTIONS

Our projectors FUGA incorporate Vossloh components, to offer the latest technology available in the market and the most efficient LED.
Nuestros proyectores FUGA incorporan componentes Vossloh, para poder ofrecer la última tecnología disponible en el mercado y los led más eficientes.

TYPOLOGY	FAMILIES	POWER	LED	ANGLE	COLOR	ACCESORY
| 3 | Recessed	| 01 | Round/Redondo	| 35 | 350 mA	| 827 | 2700K 620lm	| 1 | 15º	| 1 | ○ white	| - | No accesory
	| 02 | Round Trimless/Redondo sin marco		| 830 | 3000K 650lm	| 3 | 36º	| 2 | ● black	| H | Honeycomb
	| 03 | Square/Cuadrado		| 840 | 4000K 690lm	| 6 | 60º		| S | Stripy
	| 04 | Square Trimless/Cuadrado sin marco		| 930 | 3000K 580lm CRI95			| D | Spread
			| 940 | 4000K 600lm CRI95			





Deep 60 **Round**	P	CCT	FLUX	CRI	BEAM	
30135 | 827 | 1 | 1 |	6/11W	2700K	620lm	-	15º	○
30135 | 827 | 1 | 2 |	6/11W	2700K	620lm	-	15º	●
30135 | 827 | 3 | 1 |	6/11W	2700K	620lm	-	36º	○
30135 | 827 | 3 | 2 |	6/11W	2700K	620lm	-	36º	●
30135 | 827 | 6 | 1 |	6/11W	2700K	620lm	-	60º	○
30135 | 827 | 6 | 2 |	6/11W	2700K	620lm	-	60º	●
30135 | 830 | 1 | 1 |	6/11W	3000K	650lm	-	15º	○
30135 | 830 | 1 | 2 |	6/11W	3000K	650lm	-	15º	●
30135 | 830 | 3 | 1 |	6/11W	3000K	650lm	-	36º	○
30135 | 830 | 3 | 2 |	6/11W	3000K	650lm	-	36º	●
30135 | 830 | 6 | 1 |	6/11W	3000K	650lm	-	60º	○
30135 | 830 | 6 | 2 |	6/11W	3000K	650lm	-	60º	●
30135 | 840 | 1 | 1 |	6/11W	4000K	640lm	-	15º	○
30135 | 840 | 1 | 2 |	6/11W	4000K	690lm	-	15º	●
30135 | 840 | 3 | 1 |	6/11W	4000K	690lm	-	36º	○
30135 | 840 | 3 | 2 |	6/11W	4000K	690lm	-	36º	●
30135 | 840 | 6 | 1 |	6/11W	4000K	690lm	-	60º	○
30135 | 840 | 6 | 2 |	6/11W	4000K	690lm	-	60º	●
30135 | 930 | 1 | 1 |	6/11W	3000K	580lm	95	15º	○
30135 | 930 | 1 | 2 |	6/11W	3000K	580lm	95	15º	●
30135 | 930 | 3 | 1 |	6/11W	3000K	580lm	95	36º	○
30135 | 930 | 3 | 2 |	6/11W	3000K	580lm	95	36º	●
30135 | 930 | 6 | 1 |	6/11W	3000K	580lm	95	60º	○
30135 | 930 | 6 | 2 |	6/11W	3000K	580lm	95	60º	●
30135 | 940 | 1 | 1 |	6/11W	4000K	600lm	95	15º	○
30135 | 940 | 1 | 2 |	6/11W	4000K	600lm	95	15º	●
30135 | 940 | 3 | 1 |	6/11W	4000K	600lm	95	36º	○
30135 | 940 | 3 | 2 |	6/11W	4000K	600lm	95	36º	●
30135 | 940 | 6 | 1 |	6/11W	4000K	600lm	95	60º	○
30135 | 940 | 6 | 2 |	6/11W	4000K	600lm	95	60º	●

LED | IP23 | III | ø85 | no incl. | 1-30 | 355º | 30º | 850ºC | 15º/36º/60º

*6W 100-240V Driver not incl.

98310620

*__TRIAC__ 6W Driver not incl.

98310509C

*11W 100-240V Driver not incl.

98310116

*__TRIAC__ 11W Driver not incl.

98310114C

*__DALI__ 11W Driver not incl.

98310536

*__CASAMBI__ 11W Driver not incl.

98310538



*Accessory Honeycomb not incl.

Add an H at the end of the ref.



*Accessory Spread not incl.

Add a D at the end of the ref.



*Accessory Stripy not incl.

Add an S at the end of the ref.

Deep **Small** | 3 | 0 | 2 | 3 | 5 | | | | | | |

TYPOLOGY	FAMILIES	POWER	LED	ANGLE	COLOR	ACCESORY
| 3 | Recessed	| 01 | Round/Redondo	| 35 | 350 mA	| 827 | 2700K 620lm	| 1 | 15º	| 1 | ○ white	| - | No accesory
	| 02 | Round Trimless/Redondo sin marco		| 830 | 3000K 650lm	| 3 | 36º	| 2 | ● black	| H | Honeycomb
	| 03 | Square/Cuadrado		| 840 | 4000K 690lm	| 6 | 60º		| S | Stripy
	| 04 | Square Trimless/Cuadrado sin marco		| 930 | 3000K 580lm CRI95			| D | Spread
			| 940 | 4000K 600lm CRI95			





Deep 60 **Round Trimless**	P	CCT	FLUX	CRI	BEAM	
30235 | 827 | 1 | 1	6/11W	2700K	620lm	-	15º	○
30235 | 827 | 1 | 2	6/11W	2700K	620lm	-	15º	●
30235 | 827 | 3 | 1	6/11W	2700K	620lm	-	36º	○
30235 | 827 | 3 | 2	6/11W	2700K	620lm	-	36º	●
30235 | 827 | 6 | 1	6/11W	2700K	620lm	-	60º	○
30235 | 827 | 6 | 2	6/11W	2700K	620lm	-	60º	●
30235 | 830 | 1 | 1	6/11W	3000K	650lm	-	15º	○
30235 | 830 | 1 | 2	6/11W	3000K	650lm	-	15º	●
30235 | 830 | 3 | 1	6/11W	3000K	650lm	-	36º	○
30235 | 830 | 3 | 2	6/11W	3000K	650lm	-	36º	●
30235 | 830 | 6 | 1	6/11W	3000K	650lm	-	60º	○
30235 | 830 | 6 | 2	6/11W	3000K	650lm	-	60º	●
30235 | 840 | 1 | 1	6/11W	4000K	640lm	-	15º	○
30235 | 840 | 1 | 2	6/11W	4000K	690lm	-	15º	●
30235 | 840 | 3 | 1	6/11W	4000K	690lm	-	36º	○
30235 | 840 | 3 | 2	6/11W	4000K	690lm	-	36º	●
30235 | 840 | 6 | 1	6/11W	4000K	690lm	-	60º	○
30235 | 840 | 6 | 2	6/11W	4000K	690lm	-	60º	●
30235 | 930 | 1 | 1	6/11W	3000K	580lm	95	15º	○
30235 | 930 | 1 | 2	6/11W	3000K	580lm	95	15º	●
30235 | 930 | 3 | 1	6/11W	3000K	580lm	95	36º	○
30235 | 930 | 3 | 2	6/11W	3000K	580lm	95	36º	●
30235 | 930 | 6 | 1	6/11W	3000K	580lm	95	60º	○
30235 | 930 | 6 | 2	6/11W	3000K	580lm	95	60º	●
30235 | 940 | 1 | 1	6/11W	4000K	600lm	95	15º	○
30235 | 940 | 1 | 2	6/11W	4000K	600lm	95	15º	●
30235 | 940 | 3 | 1	6/11W	4000K	600lm	95	36º	○
30235 | 940 | 3 | 2	6/11W	4000K	600lm	95	36º	●
30235 | 940 | 6 | 1	6/11W	4000K	600lm	95	60º	○
30235 | 940 | 6 | 2	6/11W	4000K	600lm	95	60º	●

LED | IP23 | III | ø85 | no incl. | 1-30 | 355º | 30º | 850ºC | 15º/36º/60º

*6W 100-240V Driver not incl.

98310620

*__TRIAC__ 6W Driver not incl.

98310509C

*11W 100-240V Driver not incl.

98310116

*__TRIAC__ 11W Driver not incl.

98310114C

*__DALI__ 11W Driver not incl.

98310536

*__CASAMBI__ 11W Driver not incl.

98310538



*Accessory Honeycomb not incl.

Add an H at the end of the ref.



*Accessory Spread not incl.

Add a D at the end of the ref.



*Accessory Stripy not incl.

Add an S at the end of the ref.

TYPOLOGY	FAMILIES	POWER	LED	ANGLE	COLOR	ACCESORY
| 3 | Recessed	| 01 | Round/Redondo	| 35 | 350 mA	| 827 | 2700K 620lm	| 1 | 15°	| 1 | ○ white	| - | No accesory
	| 02 | Round Trimless/Redondo sin marco		| 830 | 3000K 650lm	| 3 | 36°	| 2 | ● black	| H | Honeycomb
	| 03 | Square/Cuadrado		| 840 | 4000K 690lm	| 6 | 60°		| S | Stripy
	| 04 | Square Trimless/Cuadrado sin marco		| 930 | 3000K 580lm CRI95			| D | Spread
			| 940 | 4000K 600lm CRI95			





Deep 60 **Square**	P	CCT	FLUX	CRI	BEAM	
30335 | 827 | 1 | 1 |	6/11W	2700K	620lm	-	15°	○
30335 | 827 | 1 | 2 |	6/11W	2700K	620lm	-	15°	●
30335 | 827 | 3 | 1 |	6/11W	2700K	620lm	-	36°	○
30335 | 827 | 3 | 2 |	6/11W	2700K	620lm	-	36°	●
30335 | 827 | 6 | 1 |	6/11W	2700K	620lm	-	60°	○
30335 | 827 | 6 | 2 |	6/11W	2700K	620lm	-	60°	●
30335 | 830 | 1 | 1 |	6/11W	3000K	650lm	-	15°	○
30335 | 830 | 1 | 2 |	6/11W	3000K	650lm	-	15°	●
30335 | 830 | 3 | 1 |	6/11W	3000K	650lm	-	36°	○
30335 | 830 | 3 | 2 |	6/11W	3000K	650lm	-	36°	●
30335 | 830 | 6 | 1 |	6/11W	3000K	650lm	-	60°	○
30335 | 830 | 6 | 2 |	6/11W	3000K	650lm	-	60°	●
30335 | 840 | 1 | 1 |	6/11W	4000K	640lm	-	15°	○
30335 | 840 | 1 | 2 |	6/11W	4000K	690lm	-	15°	●
30335 | 840 | 3 | 1 |	6/11W	4000K	690lm	-	36°	○
30335 | 840 | 3 | 2 |	6/11W	4000K	690lm	-	36°	●
30335 | 840 | 6 | 1 |	6/11W	4000K	690lm	-	60°	○
30335 | 840 | 6 | 2 |	6/11W	4000K	690lm	-	60°	●
30335 | 930 | 1 | 1 |	6/11W	3000K	580lm	95	15°	○
30335 | 930 | 1 | 2 |	6/11W	3000K	580lm	95	15°	●
30335 | 930 | 3 | 1 |	6/11W	3000K	580lm	95	36°	○
30335 | 930 | 3 | 2 |	6/11W	3000K	580lm	95	36°	●
30335 | 930 | 6 | 1 |	6/11W	3000K	580lm	95	60°	○
30335 | 930 | 6 | 2 |	6/11W	3000K	580lm	95	60°	●
30335 | 940 | 1 | 1 |	6/11W	4000K	600lm	95	15°	○
30335 | 940 | 1 | 2 |	6/11W	4000K	600lm	95	15°	●
30335 | 940 | 3 | 1 |	6/11W	4000K	600lm	95	36°	○
30335 | 940 | 3 | 2 |	6/11W	4000K	600lm	95	36°	●
30335 | 940 | 6 | 1 |	6/11W	4000K	600lm	95	60°	○
30335 | 940 | 6 | 2 |	6/11W	4000K	600lm	95	60°	●

LED | IP23 | III | 85x85 | no incl. | 1-30 | 355° | 30° | 850°C | 15°/36°/60° | DALI optional

*6W 100-240V Driver not incl.

98310620

*TRIAC 6W Driver not incl.

98310509C

*11W 100-240V Driver not incl.

98310116

*TRIAC 11W Driver not incl.

98310114C

*DALI 11W Driver not incl.

98310536

*CASAMBI 11W Driver not incl.

98310538



*Accessory Honeycomb not incl.

Add an H at the end of the ref.



*Accessory Spread not incl.

Add a D at the end of the ref.



*Accessory Stripy not incl.

Add an S at the end of the ref.

TYPOLOGY	FAMILIES	POWER	LED	ANGLE	COLOR	ACCESORY
| 3 | Recessed	| 01 | Round/Redondo	| 35 | 350 mA	| 827 | 2700K 620lm	| 1 | 15°	| 1 | ○ white	| - | No accesory
	| 02 | Round Trimless/Redondo sin marco		| 830 | 3000K 650lm	| 3 | 36°	| 2 | ● black	| H | Honeycomb
	| 03 | Square/Cuadrado		| 840 | 4000K 690lm	| 6 | 60°		| S | Stripy
	| 04 | Square Trimless/Cuadrado sin marco		| 930 | 3000K 580lm CRI95			| D | Spread
			| 940 | 4000K 600lm CRI95			





Deep 60 **Square Trimless**	P	CCT	FLUX	CRI	BEAM	
30435 | 827 | 1 | 1	6/11W	2700K	620lm	-	15°	○
30435 | 827 | 1 | 2	6/11W	2700K	620lm	-	15°	●
30435 | 827 | 3 | 1	6/11W	2700K	620lm	-	36°	○
30435 | 827 | 3 | 2	6/11W	2700K	620lm	-	36°	●
30435 | 827 | 6 | 1	6/11W	2700K	620lm	-	60°	○
30435 | 827 | 6 | 2	6/11W	2700K	620lm	-	60°	●
30435 | 830 | 1 | 1	6/11W	3000K	650lm	-	15°	○
30435 | 830 | 1 | 2	6/11W	3000K	650lm	-	15°	●
30435 | 830 | 3 | 1	6/11W	3000K	650lm	-	36°	○
30435 | 830 | 3 | 2	6/11W	3000K	650lm	-	36°	●
30435 | 830 | 6 | 1	6/11W	3000K	650lm	-	60°	○
30435 | 830 | 6 | 2	6/11W	3000K	650lm	-	60°	●
30435 | 840 | 1 | 1	6/11W	4000K	640lm	-	15°	○
30435 | 840 | 1 | 2	6/11W	4000K	690lm	-	15°	●
30435 | 840 | 3 | 1	6/11W	4000K	690lm	-	36°	○
30435 | 840 | 3 | 2	6/11W	4000K	690lm	-	36°	●
30435 | 840 | 6 | 1	6/11W	4000K	690lm	-	60°	○
30435 | 840 | 6 | 2	6/11W	4000K	690lm	-	60°	●
30435 | 930 | 1 | 1	6/11W	3000K	580lm	95	15°	○
30435 | 930 | 1 | 2	6/11W	3000K	580lm	95	15°	●
30435 | 930 | 3 | 1	6/11W	3000K	580lm	95	36°	○
30435 | 930 | 3 | 2	6/11W	3000K	580lm	95	36°	●
30435 | 930 | 6 | 1	6/11W	3000K	580lm	95	60°	○
30435 | 930 | 6 | 2	6/11W	3000K	580lm	95	60°	●
30435 | 940 | 1 | 1	6/11W	4000K	600lm	95	15°	○
30435 | 940 | 1 | 2	6/11W	4000K	600lm	95	15°	●
30435 | 940 | 3 | 1	6/11W	4000K	600lm	95	36°	○
30435 | 940 | 3 | 2	6/11W	4000K	600lm	95	36°	●
30435 | 940 | 6 | 1	6/11W	4000K	600lm	95	60°	○
30435 | 940 | 6 | 2	6/11W	4000K	600lm	95	60°	●

LED | IP23 | III | 85x85 | no incl. | 1-30 | 355° | 30° | 850°C | 15°/36°/60° | DALI optional

*6W 100-240V Driver not incl.

98310620

*__TRIAC__ 6W Driver not incl.

98310509C

*11W 100-240V Driver not incl.

98310116

*__TRIAC__ 11W Driver not incl.

98310114C

*__DALI__ 11W Driver not incl.

98310536

*__CASAMBI__ 11W Driver not incl.

98310538



*Accessory Honeycomb not incl.

Add an H at the end of the ref.



*Accessory Spread not incl.

Add a D at the end of the ref.



*Accessory Stripy not incl.

Add an S at the end of the ref.

TYPOLOGY	FAMILIES	POWER	LED	ANGLE	COLOR	ACCESORY
| 3 | Recessed	| 05 | Round/Redondo	| 50 | 500 mA	| 827 | 2700K 1100lm	| 1 | 15°	| 1 | ○ white	| - | No accesory
	| 06 | Round Trimless/Redondo sin marco		| 830 | 3000K 1190lm	| 3 | 36°	| 2 | ● black	| H | Honeycomb
	| 07 | Square/Cuadrado		| 840 | 4000K 1240lm	| 6 | 60°		| S | Stripy
	| 08 | Square Trimless/Cuadrado sin marco		| 930 | 3000K 950lm CRI95			| D | Spread
			| 940 | 4000K 1050lm CRI95			





*11W 100-240V Driver not incl.

98310116

***TRIAC** 11W Driver not incl.

98310114C

*18W 100-240V Driver not incl.

98310321

***TRIAC** 18W Driver not incl.

98310321LC

***DALI** 11/18W Driver not incl.

98310536

***CASAMBI** 11/18W Driver not incl.

98310538

Deep 78 **Round**	P	CCT	FLUX	CRI	BEAM	
30550 | 827 | 1 | 1 |	12/18W	2700K	1100lm	-	15°	○
30550 | 827 | 1 | 2 |	12/18W	2700K	1100lm	-	15°	●
30550 | 827 | 3 | 1 |	12/18W	2700K	1100lm	-	36°	○
30550 | 827 | 3 | 2 |	12/18W	2700K	1100lm	-	36°	●
30550 | 827 | 6 | 1 |	12/18W	2700K	1100lm	-	60°	○
30550 | 827 | 6 | 2 |	12/18W	2700K	1100lm	-	60°	●
30550 | 830 | 1 | 1 |	12/18W	3000K	1190lm	-	15°	○
30550 | 830 | 1 | 2 |	12/18W	3000K	1190lm	-	15°	●
30550 | 830 | 3 | 1 |	12/18W	3000K	1190lm	-	36°	○
30550 | 830 | 3 | 2 |	12/18W	3000K	1190lm	-	36°	●
30550 | 830 | 6 | 1 |	12/18W	3000K	1190lm	-	60°	○
30550 | 830 | 6 | 2 |	12/18W	3000K	1190lm	-	60°	●
30550 | 840 | 1 | 1 |	12/18W	4000K	1240lm	-	15°	○
30550 | 840 | 1 | 2 |	12/18W	4000K	1240lm	-	15°	●
30550 | 840 | 3 | 1 |	12/18W	4000K	1240lm	-	36°	○
30550 | 840 | 3 | 2 |	12/18W	4000K	1240lm	-	36°	●
30550 | 840 | 6 | 1 |	12/18W	4000K	1240lm	-	60°	○
30550 | 840 | 6 | 2 |	12/18W	4000K	1240lm	-	60°	●
30550 | 930 | 1 | 1 |	12/18W	3000K	950lm	95	15°	○
30550 | 930 | 1 | 2 |	12/18W	3000K	950lm	95	15°	●
30550 | 930 | 3 | 1 |	12/18W	3000K	950lm	95	36°	○
30550 | 930 | 3 | 2 |	12/18W	3000K	950lm	95	36°	●
30550 | 930 | 6 | 1 |	12/18W	3000K	950lm	95	60°	○
30550 | 930 | 6 | 2 |	12/18W	3000K	950lm	95	60°	●
30550 | 940 | 1 | 1 |	12/18W	4000K	1050lm	95	15°	○
30550 | 940 | 1 | 2 |	12/18W	4000K	1050lm	95	15°	●
30550 | 940 | 3 | 1 |	12/18W	4000K	1050lm	95	36°	○
30550 | 940 | 3 | 2 |	12/18W	4000K	1050lm	95	36°	●
30550 | 940 | 6 | 1 |	12/18W	4000K	1050lm	95	60°	○
30550 | 940 | 6 | 2 |	12/18W	4000K	1050lm	95	60°	●





*Accessory Honeycomb not incl.

Add an H at the end of the ref.



*Accessory Spread not incl.

Add a D at the end of the ref.



*Accessory Stripy not incl.

Add an S at the end of the ref.

TYPOLOGY	FAMILIES	POWER	LED	ANGLE	COLOR	ACCESORY
| 3 | Recessed	| 05 | Round/Redondo	| 50 | 500 mA	| 827 | 2700K 1100lm	| 1 | 15°	| 1 | ○ white	| - | No accesory
	| 06 | Round Trimless/Redondo sin marco		| 830 | 3000K 1190lm	| 3 | 36°	| 2 | ● black	| H | Honeycomb
	| 07 | Square/Cuadrado		| 840 | 4000K 1240lm	| 6 | 60°		| S | Stripy
	| 08 | Square Trimless/Cuadrado sin marco		| 930 | 3000K 950lm CRI95			| D | Spread
			| 940 | 4000K 1050lm CRI95			





Deep 78 **Round Trimless**	P	CCT	FLUX	CRI	BEAM	
30650 | 827 | 1 | 1 |	12/18W	2700K	1100lm	-	15°	○
30650 | 827 | 1 | 2 |	12/18W	2700K	1100lm	-	15°	●
30650 | 827 | 3 | 1 |	12/18W	2700K	1100lm	-	36°	○
30650 | 827 | 3 | 2 |	12/18W	2700K	1100lm	-	36°	●
30650 | 827 | 6 | 1 |	12/18W	2700K	1100lm	-	60°	○
30650 | 827 | 6 | 2 |	12/18W	2700K	1100lm	-	60°	●
30650 | 830 | 1 | 1 |	12/18W	3000K	1190lm	-	15°	○
30650 | 830 | 1 | 2 |	12/18W	3000K	1190lm	-	15°	●
30650 | 830 | 3 | 1 |	12/18W	3000K	1190lm	-	36°	○
30650 | 830 | 3 | 2 |	12/18W	3000K	1190lm	-	36°	●
30650 | 830 | 6 | 1 |	12/18W	3000K	1190lm	-	60°	○
30650 | 830 | 6 | 2 |	12/18W	3000K	1190lm	-	60°	●
30650 | 840 | 1 | 1 |	12/18W	4000K	1240lm	-	15°	○
30650 | 840 | 1 | 2 |	12/18W	4000K	1240lm	-	15°	●
30650 | 840 | 3 | 1 |	12/18W	4000K	1240lm	-	36°	○
30650 | 840 | 3 | 2 |	12/18W	4000K	1240lm	-	36°	●
30650 | 840 | 6 | 1 |	12/18W	4000K	1240lm	-	60°	○
30650 | 840 | 6 | 2 |	12/18W	4000K	1240lm	-	60°	●
30650 | 930 | 1 | 1 |	12/18W	3000K	950lm	95	15°	○
30650 | 930 | 1 | 2 |	12/18W	3000K	950lm	95	15°	●
30650 | 930 | 3 | 1 |	12/18W	3000K	950lm	95	36°	○
30650 | 930 | 3 | 2 |	12/18W	3000K	950lm	95	36°	●
30650 | 930 | 6 | 1 |	12/18W	3000K	950lm	95	60°	○
30650 | 930 | 6 | 2 |	12/18W	3000K	950lm	95	60°	●
30650 | 940 | 1 | 1 |	12/18W	4000K	1050lm	95	15°	○
30650 | 940 | 1 | 2 |	12/18W	4000K	1050lm	95	15°	●
30650 | 940 | 3 | 1 |	12/18W	4000K	1050lm	95	36°	○
30650 | 940 | 3 | 2 |	12/18W	4000K	1050lm	95	36°	●
30650 | 940 | 6 | 1 |	12/18W	4000K	1050lm	95	60°	○
30650 | 940 | 6 | 2 |	12/18W	4000K	1050lm	95	60°	●

LED | IP23 | III | ø105 | no incl. | 1-30 | 355° | 30° | 850°C | 15°/36°/60°

*11W 100-240V Driver not incl.

98310116

*__TRIAC__ 11W Driver not incl.

98310114C

*18W 100-240V Driver not incl.

98310321

*__TRIAC__ 18W Driver not incl.

98310321LC

*__DALI__ 11/18W Driver not incl.

98310536

*__CASAMBI__ 11/18W Driver not incl.

98310538



*Accessory Honeycomb not incl.

Add an H at the end of the ref.



*Accessory Spread not incl.

Add a D at the end of the ref.



*Accessory Stripy not incl.

Add an S at the end of the ref.

TYPOLOGY	FAMILIES	POWER	LED	ANGLE	COLOR	ACCESORY
| 3 | Recessed	| 05 | Round/Redondo	| 50 | 500 mA	| 827 | 2700K 1100lm	| 1 | 15°	| 1 | ○ white	| - | No accesory
	| 06 | Round Trimless/Redondo sin marco		| 830 | 3000K 1190lm	| 3 | 36°	| 2 | ● black	| H | Honeycomb
	| 07 | Square/Cuadrado		| 840 | 4000K 1240lm	| 6 | 60°		| S | Stripy
	| 08 | Square Trimless/Cuadrado sin marco		| 930 | 3000K 950lm CRI95			| D | Spread
			| 940 | 4000K 1050lm CRI95			





Deep 78 **Square**	P	CCT	FLUX	CRI	BEAM	
30750 | 827 | 1 | 1 |	12/18W	2700K	1100lm	-	15°	○
30750 | 827 | 1 | 2 |	12/18W	2700K	1100lm	-	15°	●
30750 | 827 | 3 | 1 |	12/18W	2700K	1100lm	-	36°	○
30750 | 827 | 3 | 2 |	12/18W	2700K	1100lm	-	36°	●
30750 | 827 | 6 | 1 |	12/18W	2700K	1100lm	-	60°	○
30750 | 827 | 6 | 2 |	12/18W	2700K	1100lm	-	60°	●
30750 | 830 | 1 | 1 |	12/18W	3000K	1190lm	-	15°	○
30750 | 830 | 1 | 2 |	12/18W	3000K	1190lm	-	15°	●
30750 | 830 | 3 | 1 |	12/18W	3000K	1190lm	-	36°	○
30750 | 830 | 3 | 2 |	12/18W	3000K	1190lm	-	36°	●
30750 | 830 | 6 | 1 |	12/18W	3000K	1190lm	-	60°	○
30750 | 830 | 6 | 2 |	12/18W	3000K	1190lm	-	60°	●
30750 | 840 | 1 | 1 |	12/18W	4000K	1240lm	-	15°	○
30750 | 840 | 1 | 2 |	12/18W	4000K	1240lm	-	15°	●
30750 | 840 | 3 | 1 |	12/18W	4000K	1240lm	-	36°	○
30750 | 840 | 3 | 2 |	12/18W	4000K	1240lm	-	36°	●
30750 | 840 | 6 | 1 |	12/18W	4000K	1240lm	-	60°	○
30750 | 840 | 6 | 2 |	12/18W	4000K	1240lm	-	60°	●
30750 | 930 | 1 | 1 |	12/18W	3000K	950lm	95	15°	○
30750 | 930 | 1 | 2 |	12/18W	3000K	950lm	95	15°	●
30750 | 930 | 3 | 1 |	12/18W	3000K	950lm	95	36°	○
30750 | 930 | 3 | 2 |	12/18W	3000K	950lm	95	36°	●
30750 | 930 | 6 | 1 |	12/18W	3000K	950lm	95	60°	○
30750 | 930 | 6 | 2 |	12/18W	3000K	950lm	95	60°	●
30750 | 940 | 1 | 1 |	12/18W	4000K	1050lm	95	15°	○
30750 | 940 | 1 | 2 |	12/18W	4000K	1050lm	95	15°	●
30750 | 940 | 3 | 1 |	12/18W	4000K	1050lm	95	36°	○
30750 | 940 | 3 | 2 |	12/18W	4000K	1050lm	95	36°	●
30750 | 940 | 6 | 1 |	12/18W	4000K	1050lm	95	60°	○
30750 | 940 | 6 | 2 |	12/18W	4000K	1050lm	95	60°	●

LED | IP23 | III | 105x105 | no incl. | 1-30 | 355° | 30° | 850°C | 15°/36°/60°

*11W 100-240V Driver not incl.

98310116

***TRIAC** 11W Driver not incl.

98310114C

*18W 100-240V Driver not incl.

98310321

***TRIAC** 18W Driver not incl.

98310321LC

***DALI** 11/18W Driver not incl.

98310536

***CASAMBI** 11/18W Driver not incl.

98310538



*Accessory Honeycomb not incl.

Add an H at the end of the ref.



*Accessory Spread not incl.

Add a D at the end of the ref.



*Accessory Stripy not incl.

Add an S at the end of the ref.

Deep **Medium** | 3 | 0 | 8 | 5 | 0 | | | | | | |

TYPOLOGY	FAMILIES	POWER	LED	ANGLE	COLOR	ACCESORY
| 3 | Recessed	| 05 | Round/Redondo	| 50 | 500 mA	| 827 | 2700K 1100lm	| 1 | 15°	| 1 | ○ white	| - | No accesory
	| 06 | Round Trimless/Redondo sin marco		| 830 | 3000K 1190lm	| 3 | 36°	| 2 | ● black	| H | Honeycomb
	| 07 | Square/Cuadrado		| 840 | 4000K 1240lm	| 6 | 60°		| S | Stripy
	| 08 | Square Trimless/Cuadrado sin marco		| 930 | 3000K 950lm CRI95			| D | Spread
			| 940 | 4000K 1050lm CRI95			





Deep 78 **Square Trimless**	P	CCT	FLUX	CRI	BEAM	
30850 | 827 | 1 | 1 |	12/18W	2700K	1100lm	-	15°	○
30850 | 827 | 1 | 2 |	12/18W	2700K	1100lm	-	15°	●
30850 | 827 | 3 | 1 |	12/18W	2700K	1100lm	-	36°	○
30850 | 827 | 3 | 2 |	12/18W	2700K	1100lm	-	36°	●
30850 | 827 | 6 | 1 |	12/18W	2700K	1100lm	-	60°	○
30850 | 827 | 6 | 2 |	12/18W	2700K	1100lm	-	60°	●
30850 | 830 | 1 | 1 |	12/18W	3000K	1190lm	-	15°	○
30850 | 830 | 1 | 2 |	12/18W	3000K	1190lm	-	15°	●
30850 | 830 | 3 | 1 |	12/18W	3000K	1190lm	-	36°	○
30850 | 830 | 3 | 2 |	12/18W	3000K	1190lm	-	36°	●
30850 | 830 | 6 | 1 |	12/18W	3000K	1190lm	-	60°	○
30850 | 830 | 6 | 2 |	12/18W	3000K	1190lm	-	60°	●
30850 | 840 | 1 | 1 |	12/18W	4000K	1240lm	-	15°	○
30850 | 840 | 1 | 2 |	12/18W	4000K	1240lm	-	15°	●
30850 | 840 | 3 | 1 |	12/18W	4000K	1240lm	-	36°	○
30850 | 840 | 3 | 2 |	12/18W	4000K	1240lm	-	36°	●
30850 | 840 | 6 | 1 |	12/18W	4000K	1240lm	-	60°	○
30850 | 840 | 6 | 2 |	12/18W	4000K	1240lm	-	60°	●
30850 | 930 | 1 | 1 |	12/18W	3000K	950lm	95	15°	○
30850 | 930 | 1 | 2 |	12/18W	3000K	950lm	95	15°	●
30850 | 930 | 3 | 1 |	12/18W	3000K	950lm	95	36°	○
30850 | 930 | 3 | 2 |	12/18W	3000K	950lm	95	36°	●
30850 | 930 | 6 | 1 |	12/18W	3000K	950lm	95	60°	○
30850 | 930 | 6 | 2 |	12/18W	3000K	950lm	95	60°	●
30850 | 940 | 1 | 1 |	12/18W	4000K	1050lm	95	15°	○
30850 | 940 | 1 | 2 |	12/18W	4000K	1050lm	95	15°	●
30850 | 940 | 3 | 1 |	12/18W	4000K	1050lm	95	36°	○
30850 | 940 | 3 | 2 |	12/18W	4000K	1050lm	95	36°	●
30850 | 940 | 6 | 1 |	12/18W	4000K	1050lm	95	60°	○
30850 | 940 | 6 | 2 |	12/18W	4000K	1050lm	95	60°	●



*11W 100-240V Driver not incl.

98310116

***TRIAC** 11W Driver not incl.

98310114C

*18W 100-240V Driver not incl.

98310321

***TRIAC** 18W Driver not incl.

98310321LC

***DALI** 11/18W Driver not incl.

98310536

***CASAMBI** 11/18W Driver not incl.

98310538



*Accessory Honeycomb not incl.

Add an H at the end of the ref.



*Accessory Spread not incl.

Add a D at the end of the ref.



*Accessory Stripy not incl.

Add an S at the end of the ref.

TYPOLOGY	FAMILIES	POWER	LED	ANGLE	COLOR	ACCESORY
| 3 | Recessed	| 09 | Round/Redondo	| 10 | 1050 mA	| 827 | 2700K 2400lm	| 1 | 15º	| 1 | ○ white	| - | No accesory
	| 10 | Round Trimless/Redondo sin marco		| 830 | 3000K 2550lm	| 3 | 36º	| 2 | ● black	| H | Honeycomb
	| 11 | Square/Cuadrado		| 840 | 4000K 2650lm	| 6 | 60º		| S | Stripy
	| 12 | Square Trimless/Cuadrado sin marco		| 927 | 2700K 2020lm CRI95			| D | Spread
			| 930 | 3000K 2100lm CRI95			
			| 940 | 4000K 2300lm CRI95			
			| 941 | P.White 2050lm CRI95			





Deep 90 **Round**	P	CCT	FLUX	CRI	BEAM	
30910 | 827 | 1 | 1 |	18/25/39W	2700K	2400lm	-	15º	○
30910 | 827 | 1 | 2 |	18/25/39W	2700K	2400lm	-	15º	●
30910 | 827 | 3 | 1 |	18/25/39W	2700K	2400lm	-	36º	○
30910 | 827 | 3 | 2 |	18/25/39W	2700K	2400lm	-	36º	●
30910 | 827 | 6 | 1 |	18/25/39W	2700K	2400lm	-	60º	○
30910 | 827 | 6 | 2 |	18/25/39W	2700K	2400lm	-	60º	●
30910 | 830 | 1 | 1 |	18/25/39W	3000K	2550lm	-	15º	○
30910 | 830 | 1 | 2 |	18/25/39W	3000K	2550lm	-	15º	●
30910 | 830 | 3 | 1 |	18/25/39W	3000K	2550lm	-	36º	○
30910 | 830 | 3 | 2 |	18/25/39W	3000K	2550lm	-	36º	●
30910 | 830 | 6 | 1 |	18/25/39W	3000K	2550lm	-	60º	○
30910 | 830 | 6 | 2 |	18/25/39W	3000K	2550lm	-	60º	●
30910 | 840 | 1 | 1 |	18/25/39W	4000K	2650lm	-	15º	○
30910 | 840 | 1 | 2 |	18/25/39W	4000K	2650lm	-	15º	●
30910 | 840 | 3 | 1 |	18/25/39W	4000K	2650lm	-	36º	○
30910 | 840 | 3 | 2 |	18/25/39W	4000K	2650lm	-	36º	●
30910 | 840 | 6 | 1 |	18/25/39W	4000K	2650lm	-	60º	○
30910 | 840 | 6 | 2 |	18/25/39W	4000K	2650lm	-	60º	●
30910 | 927 | 1 | 1 |	18/25/39W	2700K	2020lm	95	15º	○
30910 | 927 | 1 | 2 |	18/25/39W	2700K	2020lm	95	15º	●
30910 | 927 | 3 | 1 |	18/25/39W	2700K	2020lm	95	36º	○
30910 | 927 | 3 | 2 |	18/25/39W	2700K	2020lm	95	36º	●
30910 | 927 | 6 | 1 |	18/25/39W	2700K	2020lm	95	60º	○
30910 | 927 | 6 | 2 |	18/25/39W	2700K	2020lm	95	60º	●
30910 | 930 | 1 | 1 |	18/25/39W	3000K	2020lm	95	15º	○
30910 | 930 | 1 | 2 |	18/25/39W	3000K	2020lm	95	15º	●
30910 | 930 | 3 | 1 |	18/25/39W	3000K	2020lm	95	36º	○
30910 | 930 | 3 | 2 |	18/25/39W	3000K	2020lm	95	36º	●
30910 | 930 | 6 | 1 |	18/25/39W	3000K	2020lm	95	60º	○
30910 | 930 | 6 | 2 |	18/25/39W	3000K	2020lm	95	60º	●
30910 | 940 | 1 | 1 |	18/25/39W	4000K	2300lm	95	15º	○
30910 | 940 | 1 | 2 |	18/25/39W	4000K	2300lm	95	15º	●
30910 | 940 | 3 | 1 |	18/25/39W	4000K	2300lm	95	36º	○
30910 | 940 | 3 | 2 |	18/25/39W	4000K	2300lm	95	36º	●
30910 | 940 | 6 | 1 |	18/25/39W	4000K	2300lm	95	60º	○
30910 | 940 | 6 | 2 |	18/25/39W	4000K	2300lm	95	60º	●
30910 | 941 | 1 | 1 |	18/25/39W	P.White	2050lm	95	15º	○
30910 | 941 | 1 | 2 |	18/25/39W	P.White	2050lm	95	15º	●
30910 | 941 | 3 | 1 |	18/25/39W	P.White	2050lm	95	36º	○
30910 | 941 | 3 | 2 |	18/25/39W	P.White	2050lm	95	36º	●
30910 | 941 | 6 | 1 |	18/25/39W	P.White	2050lm	95	60º	○
30910 | 941 | 6 | 2 |	18/25/39W	P.White	2050lm	95	60º	●

LED | IP23 | III | ø125 | no incl. | 1-30 | 355º | 30º | 850ºC | 15º/36º/60º

*18W 100-240V Driver not incl.

98310321

***TRIAC** 18W Driver not incl.

98310321LC

*25W 100-240V Driver not incl.

98310233

***TRIAC** 25W Driver not incl.

98310236C

*39W 100-240V Driver not incl.

98310444

***DALI** 18/25/39W Driver not incl.

98310536

***CASAMBI** 18/25/39W Driver not incl.

98310538



*Accessory Honeycomb not incl.

Add an H at the end of the ref.



*Accessory Spread not incl.

Add a D at the end of the ref.



*Accessory Stripy not incl.

Add an S at the end of the ref.

TYPOLOGY	FAMILIES	POWER	LED	ANGLE	COLOR	ACCESORY
| 3 | Recessed	| 09 | Round/Redondo	| 10 | 1050 mA	| 827 | 2700K 2400lm	| 1 | 15°	| 1 | ○ white	| - | No accesory
	| 10 | Round Trimless/Redondo sin marco		| 830 | 3000K 2550lm	| 3 | 36°	| 2 | ● black	| H | Honeycomb
	| 11 | Square/Cuadrado		| 840 | 4000K 2650lm	| 6 | 60°		| S | Stripy
	| 12 | Square Trimless/Cuadrado sin marco		| 927 | 2700K 2020lm CRI95			| D | Spread
			| 930 | 3000K 2100lm CRI95			
			| 940 | 4000K 2300lm CRI95			
			| 941 | P.White 2050lm CRI95			





Deep 90 **Round Trimless**	P	CCT	FLUX	CRI	BEAM	
31010 | 827 | 1 | 1 |	18/25/39W	2700K	2400lm	-	15°	○
31010 | 827 | 1 | 2 |	18/25/39W	2700K	2400lm	-	15°	●
31010 | 827 | 3 | 1 |	18/25/39W	2700K	2400lm	-	36°	○
31010 | 827 | 3 | 2 |	18/25/39W	2700K	2400lm	-	36°	●
31010 | 827 | 6 | 1 |	18/25/39W	2700K	2400lm	-	60°	○
31010 | 827 | 6 | 2 |	18/25/39W	2700K	2400lm	-	60°	●
31010 | 830 | 1 | 1 |	18/25/39W	3000K	2550lm	-	15°	○
31010 | 830 | 1 | 2 |	18/25/39W	3000K	2550lm	-	15°	●
31010 | 830 | 3 | 1 |	18/25/39W	3000K	2550lm	-	36°	○
31010 | 830 | 3 | 2 |	18/25/39W	3000K	2550lm	-	36°	●
31010 | 830 | 6 | 1 |	18/25/39W	3000K	2550lm	-	60°	○
31010 | 830 | 6 | 2 |	18/25/39W	3000K	2550lm	-	60°	●
31010 | 840 | 1 | 1 |	18/25/39W	4000K	2650lm	-	15°	○
31010 | 840 | 1 | 2 |	18/25/39W	4000K	2650lm	-	15°	●
31010 | 840 | 3 | 1 |	18/25/39W	4000K	2650lm	-	36°	○
31010 | 840 | 3 | 2 |	18/25/39W	4000K	2650lm	-	36°	●
31010 | 840 | 6 | 1 |	18/25/39W	4000K	2650lm	-	60°	○
31010 | 840 | 6 | 2 |	18/25/39W	4000K	2650lm	-	60°	●
31010 | 927 | 1 | 1 |	18/25/39W	2700K	2020lm	95	15°	○
31010 | 927 | 1 | 2 |	18/25/39W	2700K	2020lm	95	15°	●
31010 | 927 | 3 | 1 |	18/25/39W	2700K	2020lm	95	36°	○
31010 | 927 | 3 | 2 |	18/25/39W	2700K	2020lm	95	36°	●
31010 | 927 | 6 | 1 |	18/25/39W	2700K	2020lm	95	60°	○
31010 | 927 | 6 | 2 |	18/25/39W	2700K	2020lm	95	60°	●
31010 | 930 | 1 | 1 |	18/25/39W	3000K	2020lm	95	15°	○
31010 | 930 | 1 | 2 |	18/25/39W	3000K	2020lm	95	15°	●
31010 | 930 | 3 | 1 |	18/25/39W	3000K	2020lm	95	36°	○
31010 | 930 | 3 | 2 |	18/25/39W	3000K	2020lm	95	36°	●
31010 | 930 | 6 | 1 |	18/25/39W	3000K	2020lm	95	60°	○
31010 | 930 | 6 | 2 |	18/25/39W	3000K	2020lm	95	60°	●
31010 | 940 | 1 | 1 |	18/25/39W	4000K	2300lm	95	15°	○
31010 | 940 | 1 | 2 |	18/25/39W	4000K	2300lm	95	15°	●
31010 | 940 | 3 | 1 |	18/25/39W	4000K	2300lm	95	36°	○
31010 | 940 | 3 | 2 |	18/25/39W	4000K	2300lm	95	36°	●
31010 | 940 | 6 | 1 |	18/25/39W	4000K	2300lm	95	60°	○
31010 | 940 | 6 | 2 |	18/25/39W	4000K	2300lm	95	60°	●
31010 | 941 | 1 | 1 |	18/25/39W	P.White	2050lm	95	15°	○
31010 | 941 | 1 | 2 |	18/25/39W	P.White	2050lm	95	15°	●
31010 | 941 | 3 | 1 |	18/25/39W	P.White	2050lm	95	36°	○
31010 | 941 | 3 | 2 |	18/25/39W	P.White	2050lm	95	36°	●
31010 | 941 | 6 | 1 |	18/25/39W	P.White	2050lm	95	60°	○
31010 | 941 | 6 | 2 |	18/25/39W	P.White	2050lm	95	60°	●

LED | IP23 | III | ø125 | no incl. | 1-30 | 355° | 30° | 850°C | 15°/36°/60°

*18W 100-240V Driver not incl.

98310321

*__TRIAC__ 18W Driver not incl.

98310321LC

*25W 100-240V Driver not incl.

98310233

*__TRIAC__ 25W Driver not incl.

98310236C

*39W 100-240V Driver not incl.

98310444

*__DALI__ 18/25/39W Driver not incl.

98310536

*__CASAMBI__ 18/25/39W Driver not incl.

98310538



*Accessory Honeycomb not incl.

Add an H at the end of the ref.



*Accessory Spread not incl.

Add a D at the end of the ref.



*Accessory Stripy not incl.

Add an S at the end of the ref.

TYPOLOGY	FAMILIES	POWER	LED	ANGLE	COLOR	ACCESORY
| 3 | Recessed	| 09 | Round/Redondo	| 10 | 1050 mA	| 827 | 2700K 2400lm	| 1 | 15°	| 1 | ○ white	| - | No accesory
	| 10 | Round Trimless/Redondo sin marco		| 830 | 3000K 2550lm	| 3 | 36°	| 2 | ● black	| H | Honeycomb
	| 11 | Square/Cuadrado		| 840 | 4000K 2650lm	| 6 | 60°		| S | Stripy
	| 12 | Square Trimless/Cuadrado sin marco		| 927 | 2700K 2020lm CRI95			| D | Spread
			| 930 | 3000K 2100lm CRI95			
			| 940 | 4000K 2300lm CRI95			
			| 941 | P.White 2050lm CRI95			





Deep 90 **Square**	P	CCT	FLUX	CRI	BEAM	
31110 | 827 | 1 | 1 |	18/25/39W	2700K	2400lm	-	15°	○
31110 | 827 | 1 | 2 |	18/25/39W	2700K	2400lm	-	15°	●
31110 | 827 | 3 | 1 |	18/25/39W	2700K	2400lm	-	36°	○
31110 | 827 | 3 | 2 |	18/25/39W	2700K	2400lm	-	36°	●
31110 | 827 | 6 | 1 |	18/25/39W	2700K	2400lm	-	60°	○
31110 | 827 | 6 | 2 |	18/25/39W	2700K	2400lm	-	60°	●
31110 | 830 | 1 | 1 |	18/25/39W	3000K	2550lm	-	15°	○
31110 | 830 | 1 | 2 |	18/25/39W	3000K	2550lm	-	15°	●
31110 | 830 | 3 | 1 |	18/25/39W	3000K	2550lm	-	36°	○
31110 | 830 | 3 | 2 |	18/25/39W	3000K	2550lm	-	36°	●
31110 | 830 | 6 | 1 |	18/25/39W	3000K	2550lm	-	60°	○
31110 | 830 | 6 | 2 |	18/25/39W	3000K	2550lm	-	60°	●
31110 | 840 | 1 | 1 |	18/25/39W	4000K	2650lm	-	15°	○
31110 | 840 | 1 | 2 |	18/25/39W	4000K	2650lm	-	15°	●
31110 | 840 | 3 | 1 |	18/25/39W	4000K	2650lm	-	36°	○
31110 | 840 | 3 | 2 |	18/25/39W	4000K	2650lm	-	36°	●
31110 | 840 | 6 | 1 |	18/25/39W	4000K	2650lm	-	60°	○
31110 | 840 | 6 | 2 |	18/25/39W	4000K	2650lm	-	60°	●
31110 | 927 | 1 | 1 |	18/25/39W	2700K	2020lm	95	15°	○
31110 | 927 | 1 | 2 |	18/25/39W	2700K	2020lm	95	15°	●
31110 | 927 | 3 | 1 |	18/25/39W	2700K	2020lm	95	36°	○
31110 | 927 | 3 | 2 |	18/25/39W	2700K	2020lm	95	36°	●
31110 | 927 | 6 | 1 |	18/25/39W	2700K	2020lm	95	60°	○
31110 | 927 | 6 | 2 |	18/25/39W	2700K	2020lm	95	60°	●
31110 | 930 | 1 | 1 |	18/25/39W	3000K	2020lm	95	15°	○
31110 | 930 | 1 | 2 |	18/25/39W	3000K	2020lm	95	15°	●
31110 | 930 | 3 | 1 |	18/25/39W	3000K	2020lm	95	36°	○
31110 | 930 | 3 | 2 |	18/25/39W	3000K	2020lm	95	36°	●
31110 | 930 | 6 | 1 |	18/25/39W	3000K	2020lm	95	60°	○
31110 | 930 | 6 | 2 |	18/25/39W	3000K	2020lm	95	60°	●
31110 | 940 | 1 | 1 |	18/25/39W	4000K	2300lm	95	15°	○
31110 | 940 | 1 | 2 |	18/25/39W	4000K	2300lm	95	15°	●
31110 | 940 | 3 | 1 |	18/25/39W	4000K	2300lm	95	36°	○
31110 | 940 | 3 | 2 |	18/25/39W	4000K	2300lm	95	36°	●
31110 | 940 | 6 | 1 |	18/25/39W	4000K	2300lm	95	60°	○
31110 | 940 | 6 | 2 |	18/25/39W	4000K	2300lm	95	60°	●
31110 | 941 | 1 | 1 |	18/25/39W	P.White	2050lm	95	15°	○
31110 | 941 | 1 | 2 |	18/25/39W	P.White	2050lm	95	15°	●
31110 | 941 | 3 | 1 |	18/25/39W	P.White	2050lm	95	36°	○
31110 | 941 | 3 | 2 |	18/25/39W	P.White	2050lm	95	36°	●
31110 | 941 | 6 | 1 |	18/25/39W	P.White	2050lm	95	60°	○
31110 | 941 | 6 | 2 |	18/25/39W	P.White	2050lm	95	60°	●

LED | IP23 | III | 125x125 | no incl. | 1-30 | 355° | 30° | 850°C | 15°/36°/60°

*18W 100-240V Driver not incl.

98310321

***TRIAC** 18W Driver not incl.

98310321LC

*25W 100-240V Driver not incl.

98310233

***TRIAC** 25W Driver not incl.

98310236C

*39W 100-240V Driver not incl.

98310444

***DALI** 18/25/39W Driver not incl.

98310536

***CASAMBI** 18/25/39W Driver not incl.

98310538



*Accessory Honeycomb not incl.

Add an H at the end of the ref.



*Accessory Spread not incl.

Add a D at the end of the ref.



*Accessory Stripy not incl.

Add an S at the end of the ref.

TYPOLOGY	FAMILIES	POWER	LED	ANGLE	COLOR	ACCESORY
| 3 | Recessed	| 09 | Round/Redondo	| 10 | 1050 mA	| 827 | 2700K 2400lm	| 1 | 15°	| 1 | ○ white	| - | No accesory
	| 10 | Round Trimless/Redondo sin marco		| 830 | 3000K 2550lm	| 3 | 36°	| 2 | ● black	| H | Honeycomb
	| 11 | Square/Cuadrado		| 840 | 4000K 2650lm	| 6 | 60°		| S | Stripy
	| 12 | Square Trimless/Cuadrado sin marco		| 927 | 2700K 2020lm CRI95			| D | Spread
			| 930 | 3000K 2100lm CRI95			
			| 940 | 4000K 2300lm CRI95			
			| 941 | P.White 2050lm CRI95			





Deep 90 **Square Trimless**	P	CCT	FLUX	CRI	BEAM	
31210 | 827 | 1 | 1 |	18/25/39W	2700K	2400lm	-	15°	○
31210 | 827 | 1 | 2 |	18/25/39W	2700K	2400lm	-	15°	●
31210 | 827 | 3 | 1 |	18/25/39W	2700K	2400lm	-	36°	○
31210 | 827 | 3 | 2 |	18/25/39W	2700K	2400lm	-	36°	●
31210 | 827 | 6 | 1 |	18/25/39W	2700K	2400lm	-	60°	○
31210 | 827 | 6 | 2 |	18/25/39W	2700K	2400lm	-	60°	●
31210 | 830 | 1 | 1 |	18/25/39W	3000K	2550lm	-	15°	○
31210 | 830 | 1 | 2 |	18/25/39W	3000K	2550lm	-	15°	●
31210 | 830 | 3 | 1 |	18/25/39W	3000K	2550lm	-	36°	○
31210 | 830 | 3 | 2 |	18/25/39W	3000K	2550lm	-	36°	●
31210 | 830 | 6 | 1 |	18/25/39W	3000K	2550lm	-	60°	○
31210 | 830 | 6 | 2 |	18/25/39W	3000K	2550lm	-	60°	●
31210 | 840 | 1 | 1 |	18/25/39W	4000K	2650lm	-	15°	○
31210 | 840 | 1 | 2 |	18/25/39W	4000K	2650lm	-	15°	●
31210 | 840 | 3 | 1 |	18/25/39W	4000K	2650lm	-	36°	○
31210 | 840 | 3 | 2 |	18/25/39W	4000K	2650lm	-	36°	●
31210 | 840 | 6 | 1 |	18/25/39W	4000K	2650lm	-	60°	○
31210 | 840 | 6 | 2 |	18/25/39W	4000K	2650lm	-	60°	●
31210 | 927 | 1 | 1 |	18/25/39W	2700K	2020lm	95	15°	○
31210 | 927 | 1 | 2 |	18/25/39W	2700K	2020lm	95	15°	●
31210 | 927 | 3 | 1 |	18/25/39W	2700K	2020lm	95	36°	○
31210 | 927 | 3 | 2 |	18/25/39W	2700K	2020lm	95	36°	●
31210 | 927 | 6 | 1 |	18/25/39W	2700K	2020lm	95	60°	○
31210 | 927 | 6 | 2 |	18/25/39W	2700K	2020lm	95	60°	●
31210 | 930 | 1 | 1 |	18/25/39W	3000K	2020lm	95	15°	○
31210 | 930 | 1 | 2 |	18/25/39W	3000K	2020lm	95	15°	●
31210 | 930 | 3 | 1 |	18/25/39W	3000K	2020lm	95	36°	○
31210 | 930 | 3 | 2 |	18/25/39W	3000K	2020lm	95	36°	●
31210 | 930 | 6 | 1 |	18/25/39W	3000K	2020lm	95	60°	○
31210 | 930 | 6 | 2 |	18/25/39W	3000K	2020lm	95	60°	●
31210 | 940 | 1 | 1 |	18/25/39W	4000K	2300lm	95	15°	○
31210 | 940 | 1 | 2 |	18/25/39W	4000K	2300lm	95	15°	●
31210 | 940 | 3 | 1 |	18/25/39W	4000K	2300lm	95	36°	○
31210 | 940 | 3 | 2 |	18/25/39W	4000K	2300lm	95	36°	●
31210 | 940 | 6 | 1 |	18/25/39W	4000K	2300lm	95	60°	○
31210 | 940 | 6 | 2 |	18/25/39W	4000K	2300lm	95	60°	●
31210 | 941 | 1 | 1 |	18/25/39W	P.White	2050lm	95	15°	○
31210 | 941 | 1 | 2 |	18/25/39W	P.White	2050lm	95	15°	●
31210 | 941 | 3 | 1 |	18/25/39W	P.White	2050lm	95	36°	○
31210 | 941 | 3 | 2 |	18/25/39W	P.White	2050lm	95	36°	●
31210 | 941 | 6 | 1 |	18/25/39W	P.White	2050lm	95	60°	○
31210 | 941 | 6 | 2 |	18/25/39W	P.White	2050lm	95	60°	●

LED | IP23 | III | 125x125 | no incl. | 1-30 | 355° | 30° | 850°C | 15°/36°/60°

*18W 100-240V Driver not incl.

98310321

*__TRIAC__ 18W Driver not incl.

98310321LC

*25W 100-240V Driver not incl.

98310233

*__TRIAC__ 25W Driver not incl.

98310236C

*39W 100-240V Driver not incl.

98310444

*__DALI__ 18/25/39W Driver not incl.

98310536

*__CASAMBI__ 18/25/39W Driver not incl.

98310538



*Accessory Honeycomb not incl.

Add an H at the end of the ref.



*Accessory Spread not incl.

Add a D at the end of the ref.



*Accessory Stripy not incl.

Add an S at the end of the ref.



Synch



CITILED®
The Light Engine

Our downlights SYNCH incorporate Citizen components, to offer the latest technology available in the market and the most efficient LED.
Nuestros downlights SYNCH incorporan componentes Citizen, para poder ofrecer la última tecnología disponible en el mercado y los led más eficientes.









*13/19W Driver not incl.

98310321

*TRIAC 13/19W Driver not incl.

98310321LC

*DALI 13/19W Driver not incl.

98310536

*CASAMBI 13/19W Driver not incl.

98310538

Synch **Trimless 13/19W**

		P	CRI	BEAM	CCT	FLUX
038002801	○	13/19W	80	25°	2700K	810/1110lm
038002802	●	13/19W	80	25°	2700K	810/1110lm
038002804	●	13/19W	80	25°	2700K	810/1110lm
038002901	○	13/19W	80	36°	2700K	810/1110lm
038002902	●	13/19W	80	36°	2700K	810/1110lm
038002904	●	13/19W	80	36°	2700K	810/1110lm
038003001	○	13/19W	80	52°	2700K	810/1110lm
038003002	●	13/19W	80	52°	2700K	810/1110lm
038003004	●	13/19W	80	52°	2700K	810/1110lm
038003101	○	13/19W	80	25°	3000K	840/1170lm
038003102	●	13/19W	80	25°	3000K	840/1170lm
038003104	●	13/19W	80	25°	3000K	840/1170lm
038003201	○	13/19W	80	36°	3000K	840/1170lm
038003202	●	13/19W	80	36°	3000K	840/1170lm
038003204	●	13/19W	80	36°	3000K	840/1170lm
038003301	○	13/19W	80	52°	3000K	840/1170lm
038003302	●	13/19W	80	52°	3000K	840/1170lm
038003304	●	13/19W	80	52°	3000K	840/1170lm
038003701	○	13/19W	80	25°	4000K	840/1250lm
038003702	●	13/19W	80	25°	4000K	840/1250lm
038003704	●	13/19W	80	25°	4000K	840/1250lm
038003801	○	13/19W	80	36°	4000K	840/1250lm
038003802	●	13/19W	80	36°	4000K	840/1250lm
038003804	●	13/19W	80	36°	4000K	840/1250lm
038003901	○	13/19W	80	52°	4000K	840/1250lm
038003902	●	13/19W	80	52°	4000K	840/1250lm
038003904	●	13/19W	80	52°	4000K	840/1250lm
038004601	○	13/19W	97	25°	2700K	600/840lm
038004602	●	13/19W	97	25°	2700K	600/840lm
038004604	●	13/19W	97	25°	2700K	600/840lm
038004701	○	13/19W	97	36°	2700K	600/840lm
038004702	●	13/19W	97	36°	2700K	600/840lm
038004704	●	13/19W	97	36°	2700K	600/840lm
038004801	○	13/19W	97	52°	2700K	600/840lm
038004802	●	13/19W	97	52°	2700K	600/840lm
038004804	●	13/19W	97	52°	2700K	600/840lm
038004901	○	13/19W	97	25°	3000K	630/870lm
038004902	●	13/19W	97	25°	3000K	630/870lm
038004904	●	13/19W	97	25°	3000K	630/870lm
038005001	○	13/19W	97	36°	3000K	630/870lm
038005002	●	13/19W	97	36°	3000K	630/870lm
038005004	●	13/19W	97	36°	3000K	630/870lm
038005101	○	13/19W	97	52°	3000K	630/870lm
038005102	●	13/19W	97	52°	3000K	630/870lm
038005104	●	13/19W	97	52°	3000K	630/870lm
038005201	○	13/19W	97	25°	4000K	660/900lm
038005202	●	13/19W	97	25°	4000K	660/900lm
038005204	●	13/19W	97	25°	4000K	660/900lm
038005301	○	13/19W	97	36°	4000K	660/900lm
038005302	●	13/19W	97	36°	4000K	660/900lm
038005304	●	13/19W	97	36°	4000K	660/900lm
038005401	○	13/19W	97	52°	4000K	660/900lm
038005402	●	13/19W	97	52°	4000K	660/900lm
038005404	●	13/19W	97	52°	4000K	660/900lm

LED | IP20 | III | no incl. | ø127 | 1-30 | 0-30° | 850°C | 25°/36°/56°

*Possibility 3500, 5000 and 6000K models, consultWith the commercial.
Posibilidad de modelos con 3500, 5000 y 6000K, consulta con el comercial.

Synch **13/19W**









		P	CRI	BEAM	CCT	FLUX
038000101	○	13/19W	80	25°	2700K	810/1110lm
038000102	●	13/19W	80	25°	2700K	810/1110lm
038000104	●	13/19W	80	25°	2700K	810/1110lm
038000201	○	13/19W	80	36°	2700K	810/1110lm
038000202	●	13/19W	80	36°	2700K	810/1110lm
038000204	●	13/19W	80	36°	2700K	810/1110lm
038000301	○	13/19W	80	52°	2700K	810/1110lm
038000302	●	13/19W	80	52°	2700K	810/1110lm
038000304	●	13/19W	80	52°	2700K	810/1110lm
038000401	○	13/19W	80	25°	3000K	840/1170lm
038000402	●	13/19W	80	25°	3000K	840/1170lm
038000404	●	13/19W	80	25°	3000K	840/1170lm
038000501	○	13/19W	80	36°	3000K	840/1170lm
038000502	●	13/19W	80	36°	3000K	840/1170lm
038000504	●	13/19W	80	36°	3000K	840/1170lm
038000601	○	13/19W	80	52°	3000K	840/1170lm
038000602	●	13/19W	80	52°	3000K	840/1170lm
038000604	●	13/19W	80	52°	3000K	840/1170lm
038001001	○	13/19W	80	25°	4000K	840/1200lm
038001002	●	13/19W	80	25°	4000K	840/1200lm
038001004	●	13/19W	80	25°	4000K	840/1200lm
038001101	○	13/19W	80	36°	4000K	840/1200lm
038001102	●	13/19W	80	36°	4000K	840/1200lm
038001104	●	13/19W	80	36°	4000K	840/1200lm
038001201	○	13/19W	80	52°	4000K	840/1200lm
038001202	●	13/19W	80	52°	4000K	840/1200lm
038001204	●	13/19W	80	52°	4000K	840/1200lm
038001901	○	13/19W	97	25°	2700K	600/840lm
038001902	●	13/19W	97	25°	2700K	600/840lm
038001904	●	13/19W	97	25°	2700K	600/840lm
038002001	○	13/19W	97	36°	2700K	600/840lm
038002002	●	13/19W	97	36°	2700K	600/840lm
038002004	●	13/19W	97	36°	2700K	600/840lm
038002101	○	13/19W	97	52°	2700K	600/840lm
038002102	●	13/19W	97	52°	2700K	600/840lm
038002104	●	13/19W	97	52°	2700K	600/840lm
038002201	○	13/19W	97	25°	3000K	630/870lm
038002202	●	13/19W	97	25°	3000K	630/870lm
038002204	●	13/19W	97	25°	3000K	630/870lm
038002301	○	13/19W	97	36°	3000K	630/870lm
038002302	●	13/19W	97	36°	3000K	630/870lm
038002304	●	13/19W	97	36°	3000K	630/870lm
038002401	○	13/19W	97	52°	3000K	630/870lm
038002402	●	13/19W	97	52°	3000K	630/870lm
038002404	●	13/19W	97	52°	3000K	630/870lm
038002501	○	13/19W	97	25°	4000K	660/900lm
038002502	●	13/19W	97	25°	4000K	660/900lm
038002504	●	13/19W	97	25°	4000K	660/900lm
038002601	○	13/19W	97	36°	4000K	660/900lm
038002602	●	13/19W	97	36°	4000K	660/900lm
038002604	●	13/19W	97	36°	4000K	660/900lm
038002701	○	13/19W	97	52°	4000K	660/900lm
038002702	●	13/19W	97	52°	4000K	660/900lm
038002704	●	13/19W	97	52°	4000K	660/900lm

LED | IP20 | III | no incl. | ø127 | 1-30 | 0-30° | 850°C | 25°/36°/56°

*13/19W Driver not incl.

98310321

***TRIAC** 13/19W Driver not incl.

98310321LC

***DALI** 13/19W Driver not incl.

98310536

***CASAMBI** 13/19W Driver not incl.

98310538

*Possibility 3500, 5000 and 6000K models, consultWith the commercial.
Posibilidad de modelos con 3500, 5000 y 6000K, consulta con el comercial.



Optic



Optic **Mini**

●○



Optic

●○

LIGHTING SOLUTIONS

Our projectors FUGA incorporate Vossloh components, to offer the latest technology available in the market and the most efficient LED.
Nuestros proyectores FUGA incorporan componentes Vossloh, para poder ofrecer la última tecnología disponible en el mercado y los led más eficientes.





Optic **Mini 12/18W**

			P	CRI	BEAM	CCT	FLUX
	032503001	○	12/18W	82	20°	2700K	950/1450lm
	032503002	●	12/18W	82	20°	2700K	950/1450lm
	032503003	●	12/18W	82	20°	2700K	950/1450lm
	032503101	○	12/18W	82	56°	2700K	950/1450lm
	032503102	●	12/18W	82	56°	2700K	950/1450lm
	032503103	●	12/18W	82	56°	2700K	950/1450lm
	032503201	○	12/18W	85	20°	3000K	1000/1500lm
	032503202	●	12/18W	85	20°	3000K	1000/1500lm
	032503203	●	12/18W	85	20°	3000K	1000/1500lm
	032503301	○	12/18W	85	56°	3000K	1000/1500lm
	032503302	●	12/18W	85	56°	3000K	1000/1500lm
	032503303	●	12/18W	85	56°	3000K	1000/1500lm
	032503401	○	12/18W	85	20°	4000K	1100/1600lm
	032503402	●	12/18W	85	20°	4000K	1100/1600lm
	032503403	●	12/18W	85	20°	4000K	1100/1600lm
	032503501	○	12/18W	85	56°	4000K	1100/1600lm
	032503502	●	12/18W	85	56°	4000K	1100/1600lm
	032503503	●	12/18W	85	56°	4000K	1100/1600lm

LED | IP20 | III | no incl. | ø135 | 1-30 | 20° | 850°C | 20°/56°

*12W Driver not incl.	*TRIAC 12W Driver not incl.	*DALI 12/18W Driver not incl.
98310116	98310114C	98310536
*18W Driver not incl.	*TRIAC 18W Driver not incl.	*CASAMBI 12/18W Driver not incl.
98310321	98310321LC	98310538





Optic **Mini 17/24W**

CRI95

			P	CRI	BEAM	CCT	FLUX
	032503601	○	17/24W	95	20°	2700K	1250/1800lm
	032503602	●	17/24W	95	20°	2700K	1250/1800lm
	032503603	●	17/24W	95	20°	2700K	1250/1800lm
	032503701	○	17/24W	95	56°	2700K	1250/1800lm
	032503702	●	17/24W	95	56°	2700K	1250/1800lm
	032503703	●	17/24W	95	56°	2700K	1250/1800lm
	032503801	○	17/24W	95	20°	3000K	1300/1850lm
	032503802	●	17/24W	95	20°	3000K	1300/1850lm
	032503803	●	17/24W	95	20°	3000K	1300/1850lm
	032503901	○	17/24W	95	56°	3000K	1300/1850lm
	032503902	●	17/24W	95	56°	3000K	1300/1850lm
	032503903	●	17/24W	95	56°	3000K	1300/1850lm
	032504001	○	17/24W	95	20°	4000K	1400/1950lm
	032504002	●	17/24W	95	20°	4000K	1400/1950lm
	032504003	●	17/24W	95	20°	4000K	1400/1950lm
	032504101	○	17/24W	95	56°	4000K	1400/1950lm
	032504102	●	17/24W	95	56°	4000K	1400/1950lm
	032504103	●	17/24W	95	56°	4000K	1400/1950lm

LED | IP20 | III | no incl. | ø135 | 1-30 | 20° | 850°C | 20°/56°

*17W Driver not incl.	*TRIAC 17W Driver not incl.	*DALI 17/24W Driver not incl.
98310321	98310321LC	98310536
*24W Driver not incl.	*TRIAC 24W Driver not incl.	*CASAMBI 17/24W Driver not incl.
98310233	98310236C	98310538





Optic **Mini 24W**			P	CRI	BEAM	CCT	FLUX
HIGH EFFICIENCY LED	032504201	○	24W	82	20°	2700K	2000lm
	032504202	●	24W	82	20°	2700K	2000lm
	032504203	●	24W	82	20°	2700K	2000lm
	032504301	○	24W	82	56°	2700K	2000lm
	032504302	●	24W	82	56°	2700K	2000lm
	032504303	●	24W	82	56°	2700K	2000lm
	032504401	○	24W	85	20°	3000K	2050lm
	032504402	●	24W	85	20°	3000K	2050lm
	032504403	●	24W	85	20°	3000K	2050lm
	032504501	○	24W	85	56°	3000K	2050lm
	032504502	●	24W	85	56°	3000K	2050lm
	032504503	●	24W	85	56°	3000K	2050lm
	032504601	○	24W	85	20°	4000K	2150lm
	032504602	●	24W	85	20°	4000K	2150lm
	032504603	●	24W	85	20°	4000K	2150lm
	032504701	○	24W	85	56°	4000K	2150lm
	032504702	●	24W	85	56°	4000K	2150lm
	032504703	●	24W	85	56°	4000K	2150lm
FOOD LIGHTING LED	032504801	○	24W	85	20°	fruits ●	1600lm
	032504802	●	24W	85	20°	fruits ●	1600lm
	032504803	●	24W	85	20°	fruits ●	1600lm
	032504901	○	24W	85	56°	fruits ●	1600lm
	032504902	●	24W	85	56°	fruits ●	1600lm
	032504903	●	24W	85	56°	fruits ●	1600lm
	032505001	○	24W	85	20°	fish ●	1700lm
	032505002	●	24W	85	20°	fish ●	1700lm
	032505003	●	24W	85	20°	fish ●	1700lm
	032505101	○	24W	85	56°	fish ●	1700lm
	032505102	●	24W	85	56°	fish ●	1700lm
	032505103	●	24W	85	56°	fish ●	1700lm
	032505201	○	24W	70	20°	meat ●	1500lm
	032505202	●	24W	70	20°	meat ●	1500lm
	032505203	●	24W	70	20°	meat ●	1500lm
	032505301	○	24W	70	56°	meat ●	1500lm
	032505302	●	24W	70	56°	meat ●	1500lm
	032505303	●	24W	70	56°	meat ●	1500lm

LED | IP20 | III | no incl. | ø135 | 1-30 | 20° | 850°C | 20°/56°

*24W Driver not incl.	*TRIAC Driver not incl.	*DALI Driver not incl.	*CASAMBI Driver not incl.
98310233	98310236C	98310536	98310538





Optic **Mini 17/24W**			P	CRI	BEAM	CCT	FLUX
RETAIL LIGHTING LED	032505401	○	17/24W	95	20°	3100K	1300/1800lm
	032505402	●	17/24W	95	20°	3100K	1300/1800lm
	032505403	●	17/24W	95	20°	3100K	1300/1800lm
	032505501	○	17/24W	95	56°	3100K	1300/1800lm
	032505502	●	17/24W	95	56°	3100K	1300/1800lm
	032505503	●	17/24W	95	56°	3100K	1300/1800lm

LED | IP20 | III | no incl. | ø135 | 1-30 | 20° | 850°C | 20°/56°

*17W Driver not incl.	*TRIAC 17W Driver not incl.	*DALI 17/24W Driver not incl.
98310321	98310321LC	98310536
*24W Driver not incl.	*TRIAC 24W Driver not incl.	*CASAMBI 17/24W Driver not incl.
98310233	98310236C	98310538





Optic **18/25W**

		P	CRI	BEAM	CCT	FLUX
032003001	○	18/25W	82	20°	2700K	1350/1850lm
032003002	●	18/25W	82	20°	2700K	1350/1850lm
032003101	○	18/25W	82	56°	2700K	1350/1850lm
032003102	●	18/25W	82	56°	2700K	1350/1850lm
032003201	○	18/25W	85	20°	3000K	1400/1900lm
032003202	●	18/25W	85	20°	3000K	1400/1900lm
032003301	○	18/25W	85	56°	3000K	1400/1900lm
032003302	●	18/25W	85	56°	3000K	1400/1900lm
032003401	○	18/25W	85	20°	4000K	1500/2000lm
032003402	●	18/25W	85	20°	4000K	1500/2000lm
032003501	○	18/25W	85	56°	4000K	1500/2000lm
032003502	●	18/25W	85	56°	4000K	1500/2000lm

LED | IP20 | III | no incl. | ø152 | 1-30 | 20° | 850°C | 20°/56°

*18W Driver not incl.
98310321

*25W Driver not incl.
98310233

*TRIAC 18W Driver not incl.
98310321LC

*TRIAC 25W Driver not incl.
98310236C

*DALI 18/25W Driver not incl.
98310536

*CASAMBI 12/25W Driver not incl.
98310538





Optic **24/36W**

CRI95

		P	CRI	BEAM	CCT	FLUX
032003601	○	24/36W	95	20°	2700K	1800/2800lm
032003602	●	24/36W	95	20°	2700K	1800/2800lm
032003701	○	24/36W	95	56°	2700K	1800/2800lm
032003702	●	24/36W	95	56°	2700K	1800/2800lm
032003801	○	24/36W	95	20°	3000K	1850/2850lm
032003802	●	24/36W	95	20°	3000K	1850/2850lm
032003901	○	24/36W	95	56°	3000K	1850/2850lm
032003902	●	24/36W	95	56°	3000K	1850/2850lm
032004001	○	24/36W	95	20°	4000K	1950/2950lm
032004002	●	24/36W	95	20°	4000K	1950/2950lm
032004101	○	24/36W	95	56°	4000K	1950/2950lm
032004102	●	24/36W	95	56°	4000K	1950/2950lm

LED | IP20 | III | no incl. | ø152 | 1-30 | 20° | 850°C | 20°/56°

*17W Driver not incl.
98310321

*24W Driver not incl.
98310233

*TRIAC 17W Driver not incl.
98310321LC

*TRIAC 24W Driver not incl.
98310236C

*DALI 17/24W Driver not incl.
98310536

*CASAMBI 17/24W Driver not incl.
98310538





Optic **36W**			P	CRI	BEAM	CCT	FLUX
HIGH EFFICIENCY LED	032004201	○	36W	82	20°	2700K	2950lm
	032004202	●	36W	82	20°	2700K	2950lm
	032004301	○	36W	82	56°	2700K	2950lm
	032004302	●	36W	82	56°	2700K	2950lm
	032004401	○	36W	85	20°	3000K	3000lm
	032004402	●	36W	85	20°	3000K	3000lm
	032004501	○	36W	85	56°	3000K	3000lm
	032004502	●	36W	85	56°	3000K	3000lm
	032004601	○	36W	85	20°	4000K	3100lm
	032004602	●	36W	85	20°	4000K	3100lm
	032004701	○	36W	85	56°	4000K	3100lm
	032004702	●	36W	85	56°	4000K	3100lm

LED | IP20 | III | no incl. | ø152 | 1-30 | 20° | 850°C | 20°/56°

*36W Driver not incl.
98310444

***DALI** Driver not incl.
98310536

***CASAMBI** Driver not incl.
98310538





Optic **24/36W**			P	CRI	BEAM	CCT	FLUX
FOOD LIGHTING LED	032004801	○	24/36W	85	20°	fruits	1600/2350lm
	032004802	●	24/36W	85	20°	fruits	1600/2350lm
	032004901	○	24/36W	85	20°	fruits	1600/2350lm
	032004902	●	24/36W	85	56°	fruits	1600/2350lm
	032005001	○	24/36W	85	56°	fish	1700/2450lm
	032005002	●	24/36W	85	56°	fish	1700/2450lm
	032005101	○	24/36W	85	20°	fish	1700/2450lm
	032005102	●	24/36W	85	20°	fish	1700/2450lm
	032005201	○	24/36W	70	20°	meat	1500/2250lm
	032005202	●	24/36W	70	56°	meat	1500/2250lm
	032005301	○	24/36W	70	56°	meat	1500/2250lm
	032005302	●	24/36W	70	56°	meat	1500/2250lm

LED | IP20 | III | no incl. | ø152 | 1-30 | 20° | 850°C | 20°/56°

*24W Driver not incl.
98310233

***TRIAC** 24W Driver not incl.
98310236C

***DALI** 24/36W Driver not incl.
98310536

*36W Driver not incl.
98310444

***CASAMBI** 24/36W Driver not incl.
98310538





Optic **24/36W**			P	CRI	BEAM	CCT	FLUX
RETAIL LIGHTING LED	032005401	○	24/36W	95	20°	3100K	1800/2700lm
	032005402	●	24/36W	95	20°	3100K	1800/2700lm
	032005501	○	24/36W	95	56°	3100K	1800/2700lm
	032005502	●	24/36W	95	56°	3100K	1800/2700lm

LED | IP20 | III | no incl. | ø152 | 1-30 | 20° | 850°C | 20°/56°

*24W Driver not incl.
98310233

***TRIAC** 24W Driver not incl.
98310236C

***DALI** 24/36W Driver not incl.
98310536

*36W Driver not incl.
98310444

***CASAMBI** 24/36W Driver not incl.
98310538



Colin



Colin **Nano**



Colin **Mini**



Colin

LIGHTING SOLUTIONS

Our projectors FUGA incorporate Vossloh components, to offer the latest technology available in the market and the most efficient LED.
Nuestros proyectores FUGA incorporan componentes Vossloh, para poder ofrecer la última tecnología disponible en el mercado y los led más eficientes.





Colin **Nano 7/12W**

		P	CRI	BEAM	CCT	FLUX
035000101	○	7/12W	82	20°	2700K	600/1050lm
035000102	●	7/12W	82	20°	2700K	600/1050lm
035000103	●	7/12W	82	20°	2700K	600/1050lm
035000201	○	7/12W	82	56°	2700K	600/1050lm
035000202	●	7/12W	82	56°	2700K	600/1050lm
035000203	●	7/12W	82	56°	2700K	600/1050lm
035000301	○	7/12W	85	20°	3000K	650/1100lm
035000302	●	7/12W	85	20°	3000K	650/1100lm
035000303	●	7/12W	85	20°	3000K	650/1100lm
035000401	○	7/12W	85	56°	3000K	650/1100lm
035000402	●	7/12W	85	56°	3000K	650/1100lm
035000403	●	7/12W	85	56°	3000K	650/1100lm
035000501	○	7/12W	85	20°	4000K	700/1150lm
035000502	●	7/12W	85	20°	4000K	700/1150lm
035000503	●	7/12W	85	20°	4000K	700/1150lm
035000601	○	7/12W	85	56°	4000K	700/1150lm
035000602	●	7/12W	85	56°	4000K	700/1150lm
035000603	●	7/12W	85	56°	4000K	700/1150lm



*7W Driver not incl.	*TRIAC 7W Driver not incl.	*12W Driver not incl.
98310620	98310509C	98310116
***DALI** 12W Driver not incl.*	***TRIAC** 12W Driver not incl.*	***CASAMBI** 12W Driver not incl.*
98310536	98310114C	98310538





Colin **Nano 7/12W Trimless**

		P	CRI	BEAM	CCT	FLUX
035100101	○	7/12W	82	20°	2700K	600/1050lm
035100102	●	7/12W	82	20°	2700K	600/1050lm
035100201	●	7/12W	82	56°	2700K	600/1050lm
035100202	○	7/12W	82	56°	2700K	600/1050lm
035100301	●	7/12W	85	20°	3000K	650/1100lm
035100302	●	7/12W	85	20°	3000K	650/1100lm
035100401	○	7/12W	85	56°	3000K	650/1100lm
035100402	●	7/12W	85	56°	3000K	650/1100lm
035100501	●	7/12W	85	20°	4000K	700/1150lm
035100502	○	7/12W	85	20°	4000K	700/1150lm
035100601	●	7/12W	85	56°	4000K	700/1150lm
035100602	●	7/12W	85	56°	4000K	700/1150lm



*7W Driver not incl.	*TRIAC 7W Driver not incl.	*12W Driver not incl.
98310620	98310509C	98310116
***DALI** 12W Driver not incl.*	***TRIAC** 12W Driver not incl.*	***CASAMBI** 12W Driver not incl.*
98310536	98310114C	98310538





Colin **Nano 14/24W**

		P	CRI	BEAM	CCT	FLUX
035005001	○	14/24W	82	20°	2700K	1200/2100lm
035005002	●	14/24W	82	20°	2700K	1200/2100lm
035005003	●	14/24W	82	20°	2700K	1200/2100lm
035005101	○	14/24W	82	56°	2700K	1200/2100lm
035005102	●	14/24W	82	56°	2700K	1200/2100lm
035005103	●	14/24W	82	56°	2700K	1200/2100lm
035005201	○	14/24W	85	20°	3000K	1300/2200lm
035005202	●	14/24W	85	20°	3000K	1300/2200lm
035005203	●	14/24W	85	20°	3000K	1300/2200lm
035005301	○	14/24W	85	56°	3000K	1300/2200lm
035005302	●	14/24W	85	56°	3000K	1300/2200lm
035005303	●	14/24W	85	56°	3000K	1300/2200lm
035005401	○	14/24W	85	20°	4000K	1400/2300lm
035005402	●	14/24W	85	20°	4000K	1400/2300lm
035005403	●	14/24W	85	20°	4000K	1400/2300lm
035005501	○	14/24W	85	56°	4000K	1400/2300lm
035005502	●	14/24W	85	56°	4000K	1400/2300lm
035005503	●	14/24W	85	56°	4000K	1400/2300lm

LED | IP20 | III | no incl. | 212x102 | 1-30 | 20° | 850°C | 20°/56°

*14W Driver not incl.
2x 98310620

*TRIAC 14W Driver not incl.
2x 98310509C

*24W Driver not incl.
2x 98310116

*DALI 24W Driver not incl.
2x 98310536

*TRIAC 24W Driver not incl.
2x 98310114C

*CASAMBI 24W Driver not incl.
2x 98310538





Colin **Nano 14/24W Trimless**

		P	CRI	BEAM	CCT	FLUX
035105001	○	14/24W	82	20°	2700K	1200/2100lm
035105002	●	14/24W	82	20°	2700K	1200/2100lm
035105101	●	14/24W	82	56°	2700K	1200/2100lm
035105102	○	14/24W	82	56°	2700K	1200/2100lm
035105201	●	14/24W	85	20°	3000K	1300/2200lm
035105202	●	14/24W	85	20°	3000K	1300/2200lm
035105301	○	14/24W	85	56°	3000K	1300/2200lm
035105302	●	14/24W	85	56°	3000K	1300/2200lm
035105401	●	14/24W	85	20°	4000K	1400/2300lm
035105402	○	14/24W	85	20°	4000K	1400/2300lm
035105501	●	14/24W	85	56°	4000K	1400/2300lm
035105502	●	14/24W	85	56°	4000K	1400/2300lm

LED | IP20 | III | no incl. | 110x222 | 1-30 | 20° | 850°C | 20°/56°

*14W Driver not incl.
2x 98310620

*TRIAC 14W Driver not incl.
2x 98310509C

*24W Driver not incl.
2x 98310116

*DALI 24W Driver not incl.
2x 98310536

*TRIAC 24W Driver not incl.
2x 98310114C

*CASAMBI 24W Driver not incl.
2x 98310538





Colin **Mini 12/18W**

			P	CRI	BEAM	CCT	FLUX
	033008301	○	12/18W	82	20°	2700K	950/1450lm
	033008302	●	12/18W	82	20°	2700K	950/1450lm
	033008303	●	12/18W	82	20°	2700K	950/1450lm
	033008401	○	12/18W	82	56°	2700K	950/1450lm
	033008402	●	12/18W	82	56°	2700K	950/1450lm
	033008403	●	12/18W	82	56°	2700K	950/1450lm
	033008501	○	12/18W	85	20°	3000K	1000/1500lm
	033008502	●	12/18W	85	20°	3000K	1000/1500lm
	033008503	●	12/18W	85	20°	3000K	1000/1500lm
	033008601	○	12/18W	85	56°	3000K	1000/1500lm
	033008602	●	12/18W	85	56°	3000K	1000/1500lm
	033008603	●	12/18W	85	56°	3000K	1000/1500lm
	033008701	○	12/18W	85	20°	4000K	1100/1600lm
	033008702	●	12/18W	85	20°	4000K	1100/1600lm
	033008703	●	12/18W	85	20°	4000K	1100/1600lm
	033008801	○	12/18W	85	56°	4000K	1100/1600lm
	033008802	●	12/18W	85	56°	4000K	1100/1600lm
	033008803	●	12/18W	85	56°	4000K	1100/1600lm

LED | IP20 | III | no incl. | 128x129 | 200 | 20° | 850°C | 20°/56°

*12W Driver not incl.
98310116

***TRIAC** 12W Driver not incl.
98310114C

*18W Driver not incl.
98310321

***TRIAC** 18W Driver not incl.
98310321LC

***DALI** 12/18W Driver not incl.
98310536

***CASAMBI** 12/18W Driver not incl.
98310538





Colin **Mini 17/24W**

CRI95

			P	CRI	BEAM	CCT	FLUX
	033008901	○	17/24W	95	20°	2700K	1250/1800lm
	033008902	●	17/24W	95	20°	2700K	1250/1800lm
	033008903	●	17/24W	95	20°	2700K	1250/1800lm
	033009001	○	17/24W	95	56°	2700K	1250/1800lm
	033009002	●	17/24W	95	56°	2700K	1250/1800lm
	033009003	●	17/24W	95	56°	2700K	1250/1800lm
	033009101	○	17/24W	95	20°	3000K	1300/1850lm
	033009102	●	17/24W	95	20°	3000K	1300/1850lm
	033009103	●	17/24W	95	20°	3000K	1300/1850lm
	033009201	○	17/24W	95	56°	3000K	1300/1850lm
	033009202	●	17/24W	95	56°	3000K	1300/1850lm
	033009203	●	17/24W	95	56°	3000K	1300/1850lm
	033009301	○	17/24W	95	20°	4000K	1400/1950lm
	033009302	●	17/24W	95	20°	4000K	1400/1950lm
	033009303	●	17/24W	95	20°	4000K	1400/1950lm
	033009401	○	17/24W	95	56°	4000K	1400/1950lm
	033009402	●	17/24W	95	56°	4000K	1400/1950lm
	033009403	●	17/24W	95	56°	4000K	1400/1950lm

LED | IP20 | III | no incl. | 128x129 | 200 | 20° | 850°C | 20°/56°

*17W Driver not incl.
98310321

***TRIAC** 17W Driver not incl.
98310321LC

*24W Driver not incl.
98310233

***TRIAC** 24W Driver not incl.
98310236C

***DALI** 17/24W Driver not incl.
98310536

***CASAMBI** 17/24W Driver not incl.
98310538





Colin **Mini 24W**

			P	CRI	BEAM	CCT	FLUX
HIGH EFFICIENCY LED	033009501	○	24W	82	20°	2700K	2000lm
	033009502	●	24W	82	20°	2700K	2000lm
	033009503	●	24W	82	20°	2700K	2000lm
	033009601	○	24W	82	56°	2700K	2000lm
	033009602	●	24W	82	56°	2700K	2000lm
	033009603	●	24W	82	56°	2700K	2000lm
	033009701	○	24W	85	20°	3000K	2050lm
	033009702	●	24W	85	20°	3000K	2050lm
	033009703	●	24W	85	20°	3000K	2050lm
	033009801	○	24W	85	56°	3000K	2050lm
	033009802	●	24W	85	56°	3000K	2050lm
	033009803	●	24W	85	56°	3000K	2050lm
	033009901	○	24W	85	20°	4000K	2150lm
	033009902	●	24W	85	20°	4000K	2150lm
	033009903	●	24W	85	20°	4000K	2150lm
	033010001	○	24W	85	56°	4000K	2150lm
	033010002	●	24W	85	56°	4000K	2150lm
	033010003	●	24W	85	56°	4000K	2150lm
FOOD LIGHTING LED	033010101	○	24W	85	20°	fruits ●	1600lm
	033010102	●	24W	85	20°	fruits ●	1600lm
	033010103	●	24W	85	20°	fruits ●	1600lm
	033010201	○	24W	85	56°	fruits ●	1600lm
	033010202	●	24W	85	56°	fruits ●	1600lm
	033010203	●	24W	85	56°	fruits ●	1600lm
	033010301	○	24W	85	20°	fish ●	1700lm
	033010302	●	24W	85	20°	fish ●	1700lm
	033010303	●	24W	85	20°	fish ●	1700lm
	033010401	○	24W	85	56°	fish ●	1700lm
	033010402	●	24W	85	56°	fish ●	1700lm
	033010403	●	24W	85	56°	fish ●	1700lm
	033010501	○	24W	70	20°	meat ●	1500lm
	033010502	●	24W	70	20°	meat ●	1500lm
	033010503	●	24W	70	20°	meat ●	1500lm
	033010601	○	24W	70	56°	meat ●	1500lm
	033010602	●	24W	70	56°	meat ●	1500lm
	033010603	●	24W	70	56°	meat ●	1500lm

LED | IP20 | III | no incl. | 128x129 | 200 | 20° | 850°C | 20°/56°

*24W Driver not incl.
98310233

*TRIAC Driver not incl.
98310236C

*DALI Driver not incl.
98310536

*CASAMBI Driver not incl.
98310538



Colin **Mini 17/24W**

			P	CRI	BEAM	CCT	FLUX
RETAIL LIGHTING LED	033010701	○	17/24W	95	20°	3100K	1300/1800lm
	033010702	●	17/24W	95	20°	3100K	1300/1800lm
	033010703	●	17/24W	95	20°	3100K	1300/1800lm
	033010801	○	17/24W	95	56°	3100K	1300/1800lm
	033010802	●	17/24W	95	56°	3100K	1300/1800lm
	033010803	●	17/24W	95	56°	3100K	1300/1800lm

LED | IP20 | III | no incl. | 128x129 | 200 | 20° | 850°C | 20°/56°

*17W Driver not incl.
98310321

*TRIAC 17W Driver not incl.
98310321LC

*24W Driver not incl.
98310233

*TRIAC 24W Driver not incl.
98310236C

*DALI 17/24W Driver not incl.
98310536

*CASAMBI 17/24W Driver not incl.
98310538





Colin 2L **Mini 24/36W**

		P	CRI	BEAM	CCT	FLUX
	033010901	24/36W	82	20°	2700K	1900/2900lm
	033010902	24/36W	82	20°	2700K	1900/2900lm
	033010903	24/36W	82	20°	2700K	1900/2900lm
	033011001	24/36W	82	56°	2700K	1900/2900lm
	033011002	24/36W	82	56°	2700K	1900/2900lm
	033011003	24/36W	82	56°	2700K	1900/2900lm
	033011101	24/36W	85	20°	3000K	2000/3000lm
	033011102	24/36W	85	20°	3000K	2000/3000lm
	033011103	24/36W	85	20°	3000K	2000/3000lm
	033011201	24/36W	85	56°	3000K	2000/3000lm
	033011202	24/36W	85	56°	3000K	2000/3000lm
	033011203	24/36W	85	56°	3000K	2000/3000lm
	033011301	24/36W	85	20°	4000K	2200/3200lm
	033011302	24/36W	85	20°	4000K	2200/3200lm
	033011303	24/36W	85	20°	4000K	2200/3200lm
	033011401	24/36W	85	56°	4000K	2200/3200lm
	033011402	24/36W	85	56°	4000K	2200/3200lm
	033011403	24/36W	85	56°	4000K	2200/3200lm

LED | IP20 | III | no incl. | 263x129 | 200 | 20° | 850°C | 20°/56°

*24W Driver not incl.

2x 98310116

*__TRIAC__ 24W Driver not incl.

2x 98310114C

*36W Driver not incl.

2x 98310321

*__TRIAC__ 36W Driver not incl.

2x 98310321LC

*__DALI__ 24/36W Driver not incl.

2x 98310536

*__CASAMBI__ 24/36W Driver not incl.

2x 98310538





Colin 2L **Mini 34/48W**

CRI95

		P	CRI	BEAM	CCT	FLUX
	033011501	34/48W	95	20°	2700K	2500/3600lm
	033011502	34/48W	95	20°	2700K	2500/3600lm
	033011503	34/48W	95	20°	2700K	2500/3600lm
	033011601	34/48W	95	56°	2700K	2500/3600lm
	033011602	34/48W	95	56°	2700K	2500/3600lm
	033011603	34/48W	95	56°	2700K	2500/3600lm
	033011701	34/48W	95	20°	3000K	2600/3700lm
	033011702	34/48W	95	20°	3000K	2600/3700lm
	033011703	34/48W	95	20°	3000K	2600/3700lm
	033011801	34/48W	95	56°	3000K	2600/3700lm
	033011802	34/48W	95	56°	3000K	2600/3700lm
	033011803	34/48W	95	56°	3000K	2600/3700lm
	033011901	34/48W	95	20°	4000K	2800/3900lm
	033011902	34/48W	95	20°	4000K	2800/3900lm
	033011903	34/48W	95	20°	4000K	2800/3900lm
	033012001	34/48W	95	56°	4000K	2800/3900lm
	033012002	34/48W	95	56°	4000K	2800/3900lm
	033012003	34/48W	95	56°	4000K	2800/3900lm

LED | IP20 | III | no incl. | 263x129 | 200 | 20° | 850°C | 20°/56°

*34W Driver not incl.

2x 98310321

*__TRIAC__ 34W Driver not incl.

2x 98310321LC

*48W Driver not incl.

2x 98310233

*__TRIAC__ 48W Driver not incl.

2x 98310236C

*__DALI__ 34/48W Driver not incl.

2x 98310536

*__CASAMBI__ 34/48W Driver not incl.

2x 98310538





Colin 2L **Mini 48W**			P	CRI	BEAM	CCT	FLUX
HIGH EFFICIENCY LED	033012101	○	48W	82	20°	2700K	4000lm
	033012102	●	48W	82	20°	2700K	4000lm
	033012103	◐	48W	82	20°	2700K	4000lm
	033012201	○	48W	82	56°	2700K	4000lm
	033012202	●	48W	82	56°	2700K	4000lm
	033012203	◐	48W	82	56°	2700K	4000lm
	033012301	○	48W	85	20°	3000K	4100lm
	033012302	●	48W	85	20°	3000K	4100lm
	033012303	◐	48W	85	20°	3000K	4100lm
	033012401	○	48W	85	56°	3000K	4100lm
	033012402	●	48W	85	56°	3000K	4100lm
	033012403	◐	48W	85	56°	3000K	4100lm
	033012501	○	48W	85	20°	4000K	4300lm
	033012502	●	48W	85	20°	4000K	4300lm
	033012503	◐	48W	85	20°	4000K	4300lm
	033012601	○	48W	85	56°	4000K	4300lm
	033012602	●	48W	85	56°	4000K	4300lm
	033012603	◐	48W	85	56°	4000K	4300lm
FOOD LIGHTING LED	033012701	○	48W	85	20°	fruits	3200lm
	033012702	●	48W	85	20°	fruits	3200lm
	033012703	◐	48W	85	20°	fruits	3200lm
	033012801	○	48W	85	56°	fruits	3200lm
	033012802	●	48W	85	56°	fruits	3200lm
	033012803	◐	48W	85	56°	fruits	3200lm
	033012901	○	48W	85	20°	fish	3400lm
	033012902	●	48W	85	20°	fish	3400lm
	033012903	◐	48W	85	20°	fish	3400lm
	033013001	○	48W	85	56°	fish	3400lm
	033013002	●	48W	85	56°	fish	3400lm
	033013003	◐	48W	85	56°	fish	3400lm
	033013101	○	48W	70	20°	meat	3000lm
	033013102	●	48W	70	20°	meat	3000lm
	033013103	◐	48W	70	20°	meat	3000lm
	033013201	○	48W	70	56°	meat	3000lm
	033013202	●	48W	70	56°	meat	3000lm
	033013203	◐	48W	70	56°	meat	3000lm

LED | IP20 | III | no incl. | 263x129 | 200 | 20° | 850°C | 20°/56°

*48W Driver not incl.
2x 98310233

***TRIAC** Driver not incl.
2x 98310236C

***DALI** Driver not incl.
2x 98310536

***CASAMBI** Driver not incl.
2x 98310538





Colin 2L **Mini 34/48W**			P	CRI	BEAM	CCT	FLUX
RETAIL LIGHTING LED	033013301	○	34/48W	95	20°	3100K	2600/3600lm
	033013302	●	34/48W	95	20°	3100K	2600/3600lm
	033013303	◐	34/48W	95	20°	3100K	2600/3600lm
	033013401	○	34/48W	95	56°	3100K	2600/3600lm
	033013402	●	34/48W	95	56°	3100K	2600/3600lm
	033013403	◐	34/48W	95	56°	3100K	2600/3600lm

LED | IP20 | III | no incl. | 263x129 | 200 | 20° | 850°C | 20°/56°

*34W Driver not incl.
2x 98310116

***TRIAC** 34W Driver not incl.
2x 98310114C

*48W Driver not incl.
2x 98310233

***TRIAC** 48W Driver not incl.
2x 98310236C

***DALI** 34/48W Driver not incl.
2x 98310536

***CASAMBI** 34/48W Driver not incl.
2x 98310538





Colin 3L **Mini 36/54W**

		P	CRI	BEAM	CCT	FLUX
	033013501	36/54W	82	20°	2700K	2850/4350lm
	033013502	36/54W	82	20°	2700K	2850/4350lm
	033013503	36/54W	82	20°	2700K	2850/4350lm
	033013601	36/54W	82	56°	2700K	2850/4350lm
	033013602	36/54W	82	56°	2700K	2850/4350lm
	033013603	36/54W	82	56°	2700K	2850/4350lm
	033013701	36/54W	85	20°	3000K	3000/4500lm
	033013702	36/54W	85	20°	3000K	3000/4500lm
	033013703	36/54W	85	20°	3000K	3000/4500lm
	033013801	36/54W	85	56°	3000K	3000/4500lm
	033013802	36/54W	85	56°	3000K	3000/4500lm
	033013803	36/54W	85	56°	3000K	3000/4500lm
	033013901	36/54W	85	20°	4000K	3300/4800lm
	033013902	36/54W	85	20°	4000K	3300/4800lm
	033013903	36/54W	85	20°	4000K	3300/4800lm
	033014001	36/54W	85	56°	4000K	3300/4800lm
	033014002	36/54W	85	56°	4000K	3300/4800lm
	033014003	36/54W	85	56°	4000K	3300/4800lm

LED | IP20 | III | no incl. | 403x129 | 200 | 20° | 850°C | 20°/56°

*36W Driver not incl.
3x 98310116

*__TRIAC__ 36W Driver not incl.
3x 98310114C

*54W Driver not incl.
3x 98310321

*__TRIAC__ 54W Driver not incl.
3x 98310321LC

*__DALI__ 36/54W Driver not incl.
3x 98310536

*__CASAMBI__ 36/54W Driver not incl.
3x 98310538





Colin 3L **Mini 51/72W**

CRI95

		P	CRI	BEAM	CCT	FLUX
	033014101	51/72W	95	20°	2700K	3750/5400lm
	033014102	51/72W	95	20°	2700K	3750/5400lm
	033014103	51/72W	95	20°	2700K	3750/5400lm
	033014201	51/72W	95	56°	2700K	3750/5400lm
	033014202	51/72W	95	56°	2700K	3750/5400lm
	033014203	51/72W	95	56°	2700K	3750/5400lm
	033014301	51/72W	95	20°	3000K	3900/5550lm
	033014302	51/72W	95	20°	3000K	3900/5550lm
	033014303	51/72W	95	20°	3000K	3900/5550lm
	033014401	51/72W	95	56°	3000K	3900/5550lm
	033014402	51/72W	95	56°	3000K	3900/5550lm
	033014403	51/72W	95	56°	3000K	3900/5550lm
	033014501	51/72W	95	20°	4000K	4200/5850lm
	033014502	51/72W	95	20°	4000K	4200/5850lm
	033014503	51/72W	95	20°	4000K	4200/5850lm
	033014601	51/72W	95	56°	4000K	4200/5850lm
	033014602	51/72W	95	56°	4000K	4200/5850lm
	033014603	51/72W	95	56°	4000K	4200/5850lm

LED | IP20 | III | no incl. | 403x129 | 200 | 20° | 850°C | 20°/56°

*51W Driver not incl.
3x 98310321

*__TRIAC__ 51W Driver not incl.
3x 98310321LC

*72W Driver not incl.
3x 98310233

*__TRIAC__ 72W Driver not incl.
3x 98310236C

*__DALI__ 51/72W Driver not incl.
3x 98310536

*__CASAMBI__ 51/72W Driver not incl.
3x 98310538





Colin 3L **Mini 72W**			P	CRI	BEAM	CCT	FLUX
HIGH EFFICIENCY LED	033014701	○	72W	82	20°	2700K	6000lm
	033014702	●	72W	82	20°	2700K	6000lm
	033014703	●	72W	82	20°	2700K	6000lm
	033014801	○	72W	82	56°	2700K	6000lm
	033014802	●	72W	82	56°	2700K	6000lm
	033014803	●	72W	82	56°	2700K	6000lm
	033014901	○	72W	85	20°	3000K	6150lm
	033014902	●	72W	85	20°	3000K	6150lm
	033014903	●	72W	85	20°	3000K	6150lm
	033015001	○	72W	85	56°	3000K	6150lm
	033015002	●	72W	85	56°	3000K	6150lm
	033015003	●	72W	85	56°	3000K	6150lm
	033015101	○	72W	85	20°	4000K	6450lm
	033015102	●	72W	85	20°	4000K	6450lm
	033015103	●	72W	85	20°	4000K	6450lm
	033015201	○	72W	85	56°	4000K	6450lm
	033015202	●	72W	85	56°	4000K	6450lm
	033015203	●	72W	85	56°	4000K	6450lm
FOOD LIGHTING LED	033015301	○	72W	85	20°	fruits ●	4800lm
	033015302	●	72W	85	20°	fruits ●	4800lm
	033015303	●	72W	85	20°	fruits ●	4800lm
	033015401	○	72W	85	56°	fruits ●	4800lm
	033015402	●	72W	85	56°	fruits ●	4800lm
	033015403	●	72W	85	56°	fruits ●	4800lm
	033015501	○	72W	85	20°	fish ●	5100lm
	033015502	●	72W	85	20°	fish ●	5100lm
	033015503	●	72W	85	20°	fish ●	5100lm
	033015601	○	72W	85	56°	fish ●	5100lm
	033015602	●	72W	85	56°	fish ●	5100lm
	033015603	●	72W	85	56°	fish ●	5100lm
	033015701	○	72W	70	20°	meat ●	4500lm
	033015702	●	72W	70	20°	meat ●	4500lm
	033015703	●	72W	70	20°	meat ●	4500lm
	033015801	○	72W	70	56°	meat ●	4500lm
	033015802	●	72W	70	56°	meat ●	4500lm
	033015803	●	72W	70	56°	meat ●	4500lm

LED | IP20 | III | no incl. | 403x129 | 200 | 20° | 850°C | 20°/56°

*72W Driver not incl.

3x 98310233

*TRIAC Driver not incl.

3x 98310236C

*DALI Driver not incl.

3x 98310536

*CASAMBI Driver not incl.

3x 98310538





Colin 3L **Mini 51/72W**			P	CRI	BEAM	CCT	FLUX
RETAIL LIGHTING LED	033015901	○	51/72W	95	20°	3100K	3900/5400lm
	033015902	●	51/72W	95	20°	3100K	3900/5400lm
	033015903	●	51/72W	95	20°	3100K	3900/5400lm
	033016001	○	51/72W	95	56°	3100K	3900/5400lm
	033016002	●	51/72W	95	56°	3100K	3900/5400lm
	033016003	●	51/72W	95	56°	3100K	3900/5400lm

LED | IP20 | III | no incl. | 403x129 | 200 | 20° | 850°C | 20°/56°

*51W Driver not incl.

3x 98310116

*TRIAC 51W Driver not incl.

3x 98310114C

*72W Driver not incl.

3x 98310233

*TRIAC 72W Driver not incl.

3x 98310236C

*DALI 51/72W Driver not incl.

3x 98310536

*CASAMBI 51/72W Driver not incl.

3x 98310538





Colin **18/25W**

			P	CRI	BEAM	CCT	FLUX
	034008501	○	18/25W	82	20°	2700K	1350/1850lm
	034008502	●	18/25W	82	20°	2700K	1350/1850lm
	034008503	●	18/25W	82	20°	2700K	1350/1850lm
	034008601	○	18/25W	82	56°	2700K	1350/1850lm
	034008602	●	18/25W	82	56°	2700K	1350/1850lm
	034008603	●	18/25W	82	56°	2700K	1350/1850lm
	034008701	○	18/25W	85	20°	3000K	1400/1900lm
	034008702	●	18/25W	85	20°	3000K	1400/1900lm
	034008703	●	18/25W	85	20°	3000K	1400/1900lm
	034008801	○	18/25W	85	56°	3000K	1400/1900lm
	034008802	●	18/25W	85	56°	3000K	1400/1900lm
	034008803	●	18/25W	85	56°	3000K	1400/1900lm
	034008901	○	18/25W	85	20°	4000K	1500/2000lm
	034008902	●	18/25W	85	20°	4000K	1500/2000lm
	034008903	●	18/25W	85	20°	4000K	1500/2000lm
	034009001	○	18/25W	85	56°	4000K	1500/2000lm
	034009002	●	18/25W	85	56°	4000K	1500/2000lm
	034009003	●	18/25W	85	56°	4000K	1500/2000lm

LED | IP20 | III | no incl. | 162x162 | 1-30 | 20° | 850°C | 20°/56°

*18W Driver not incl.
98310321

***TRIAC** 18W Driver not incl.
98310321LC

*25W Driver not incl.
98310233

***TRIAC** 25W Driver not incl.
98310236C

***DALI** 18/25W Driver not incl.
98310536

***CASAMBI** 18/25W Driver not incl.
98310538





Colin **24/36W**

			P	CRI	BEAM	CCT	FLUX
FOOD LIGHTING LED	034010301	○	24/36W	85	20°	fruits ●	1600/2350lm
	034010302	●	24/36W	85	20°	fruits ●	1600/2350lm
	034010303	●	24/36W	85	20°	fruits ●	1600/2350lm
	034010401	○	24/36W	85	56°	fruits ●	1600/2350lm
	034010402	●	24/36W	85	56°	fruits ●	1600/2350lm
	034010403	●	24/36W	85	56°	fruits ●	1600/2350lm
	034010501	○	24/36W	85	20°	fish ●	1700/2450lm
	034010502	●	24/36W	85	20°	fish ●	1700/2450lm
	034010503	●	24/36W	85	20°	fish ●	1700/2450lm
	034010601	○	24/36W	85	56°	fish ●	1700/2450lm
	034010602	●	24/36W	85	56°	fish ●	1700/2450lm
	034010603	●	24/36W	85	56°	fish ●	1700/2450lm
	034010701	○	24/36W	70	20°	meat ●	1500/2250lm
	034010702	●	24/36W	70	20°	meat ●	1500/2250lm
	034010703	●	24/36W	70	20°	meat ●	1500/2250lm
	034010801	○	24/36W	70	56°	meat ●	1500/2250lm
	034010802	●	24/36W	70	56°	meat ●	1500/2250lm
	034010803	●	24/36W	70	56°	meat ●	1500/2250lm
RETAIL LIGHTING LED	034010901	○	24/36W	95	20°	3100K	1800/2700lm
	034010902	●	24/36W	95	20°	3100K	1800/2700lm
	034010903	●	24/36W	95	20°	3100K	1800/2700lm
	034011001	○	24/36W	95	56°	3100K	1800/2700lm
	034011002	●	24/36W	95	56°	3100K	1800/2700lm
	034011003	●	24/36W	95	56°	3100K	1800/2700lm

LED | IP20 | III | no incl. | 162x162 | 1-30 | 20° | 850°C | 20°/56°

*24W Driver not incl.
98310233

***TRIAC** 24W Driver not incl.
98310236C

*36W Driver not incl.
98310444

***DALI** 24/36W Driver not incl.
98310536

***CASAMBI** 24/36W Driver not incl.
98310538





Colin **36W**			P	CRI	BEAM	CCT	FLUX
CRI95	034009101	○	36W	95	20°	2700K	2800lm
	034009102	●	36W	95	20°	2700K	2800lm
	034009103	●	36W	95	20°	2700K	2800lm
	034009201	○	36W	95	56°	2700K	2800lm
	034009202	●	36W	95	56°	2700K	2800lm
	034009203	●	36W	95	56°	2700K	2800lm
	034009301	○	36W	95	20°	3000K	2850lm
	034009302	●	36W	95	20°	3000K	2850lm
	034009303	●	36W	95	20°	3000K	2850lm
	034009401	○	36W	95	56°	3000K	2850lm
	034009402	●	36W	95	56°	3000K	2850lm
	034009403	●	36W	95	56°	3000K	2850lm
	034009501	○	36W	95	20°	4000K	2950lm
	034009502	●	36W	95	20°	4000K	2950lm
	034009503	●	36W	95	20°	4000K	2950lm
	034009601	○	36W	95	56°	4000K	2950lm
	034009602	●	36W	95	56°	4000K	2950lm
	034009603	●	36W	95	56°	4000K	2950lm
HIGH EFFICIENCY LED	034009701	○	36W	82	20°	2700K	2950lm
	034009702	●	36W	82	20°	2700K	2950lm
	034009703	●	36W	82	20°	2700K	2950lm
	034009801	○	36W	82	56°	2700K	2950lm
	034009802	●	36W	82	56°	2700K	2950lm
	034009803	●	36W	82	56°	2700K	2950lm
	034009901	○	36W	85	20°	3000K	3000lm
	034009902	●	36W	85	20°	3000K	3000lm
	034009903	●	36W	85	20°	3000K	3000lm
	034010001	○	36W	85	56°	3000K	3000lm
	034010002	●	36W	85	56°	3000K	3000lm
	034010003	●	36W	85	56°	3000K	3000lm
	034010101	○	36W	85	20°	4000K	3100lm
	034010102	●	36W	85	20°	4000K	3100lm
	034010103	●	36W	85	20°	4000K	3100lm
	034010201	○	36W	85	56°	4000K	3100lm
	034010202	●	36W	85	56°	4000K	3100lm
	034010203	●	36W	85	56°	4000K	3100lm

LED | IP20 | III | no incl. | 162x162 | 1-30 | 20° | 850°C | 20°/56°

*36W Driver not incl.	*DALI Driver not incl.	*CASAMBI Driver not incl.
98310444	98310536	98310538





Colin **QR-111 LED**			P	SOCKET	V
	03400401	○	MAX 12W	G53	12
	03400402	●	MAX 12W	G53	12
	03400403	●	MAX 12W	G53	12

LED | IP20 | III | no incl. | 162x162 | 1-30 | 20° | 850°C

*Electronic Gear not incl.
98111020





Colin 2L **36/50W**

			P	CRI	BEAM	CCT	FLUX
	034011101	○	36/50W	82	20°	2700K	2700/3700lm
	034011102	●	36/50W	82	20°	2700K	2700/3700lm
	034011103	●	36/50W	82	20°	2700K	2700/3700lm
	034011201	○	36/50W	82	56°	2700K	2700/3700lm
	034011202	●	36/50W	82	56°	2700K	2700/3700lm
	034011203	●	36/50W	82	56°	2700K	2700/3700lm
	034011301	○	36/50W	85	20°	3000K	2800/3800lm
	034011302	●	36/50W	85	20°	3000K	2800/3800lm
	034011303	●	36/50W	85	20°	3000K	2800/3800lm
	034011401	○	36/50W	85	56°	3000K	2800/3800lm
	034011402	●	36/50W	85	56°	3000K	2800/3800lm
	034011403	●	36/50W	85	56°	3000K	2800/3800lm
	034011501	○	36/50W	85	20°	4000K	3000/4000lm
	034011502	●	36/50W	85	20°	4000K	3000/4000lm
	034011503	●	36/50W	85	20°	4000K	3000/4000lm
	034011601	○	36/50W	85	56°	4000K	3000/4000lm
	034011602	●	36/50W	85	56°	4000K	3000/4000lm
	034011603	●	36/50W	85	56°	4000K	3000/4000lm

LED | IP20 | III | no incl. | 332x160 | 1-30 | 20° | 850°C | 20°/56°

*36W Driver not incl.
2x 98310321

***TRIAC** 36W Driver not incl.
2x 98310321LC

*50W Driver not incl.
2x 98310233

***TRIAC** 50W Driver not incl.
2x 98310236C

***DALI** 36/50W Driver not incl.
2x 98310536

***CASAMBI** 36/50W Driver not incl.
2x 98310538





Colin 2L **48/72W**

			P	CRI	BEAM	CCT	FLUX
FOOD LIGHTING LED	034012901	○	48/72W	85	20°	fruits	3200/4700lm
	034012902	●	48/72W	85	20°	fruits	3200/4700lm
	034012903	●	48/72W	85	20°	fruits	3200/4700lm
	034013001	○	48/72W	85	56°	fruits	3200/4700lm
	034013002	●	48/72W	85	56°	fruits	3200/4700lm
	034013003	●	48/72W	85	56°	fruits	3200/4700lm
	034013101	○	48/72W	85	20°	fish	3400/4900lm
	034013102	●	48/72W	85	20°	fish	3400/4900lm
	034013103	●	48/72W	85	20°	fish	3400/4900lm
	034013201	○	48/72W	85	56°	fish	3400/4900lm
	034013202	●	48/72W	85	56°	fish	3400/4900lm
	034013203	●	48/72W	85	56°	fish	3400/4900lm
	034013301	○	48/72W	70	20°	meat	3000/4500lm
	034013302	●	48/72W	70	20°	meat	3000/4500lm
	034013303	●	48/72W	70	20°	meat	3000/4500lm
	034013401	○	48/72W	70	56°	meat	3000/4500lm
	034013402	●	48/72W	70	56°	meat	3000/4500lm
	034013403	●	48/72W	70	56°	meat	3000/4500lm
RETAIL LIGHTING LED	034013501	○	48/72W	95	20°	3100K	3600/5400lm
	034013502	●	48/72W	95	20°	3100K	3600/5400lm
	034013503	●	48/72W	95	20°	3100K	3600/5400lm
	034013601	○	48/72W	95	56°	3100K	3600/5400lm
	034013602	●	48/72W	95	56°	3100K	3600/5400lm
	034013603	●	48/72W	95	56°	3100K	3600/5400lm

LED | IP20 | III | no incl. | 332x160 | 1-30 | 20° | 850°C | 20°/56° | DALI optional

*48W Driver not incl.
2x 98310233

***TRIAC** 48W Driver not incl.
2x 98310236C

*72W Driver not incl.
2x 98310444

***DALI** 48/72W Driver not incl.
2x 98310536

***CASAMBI** 48/72W Driver not incl.
2x 98310538





Colin 2L **72W**			P	CRI	BEAM	CCT	FLUX
CRI95	034011701	○	72W	95	20°	2700K	5600lm
	034011702	●	72W	95	20°	2700K	5600lm
	034011703	●	72W	95	20°	2700K	5600lm
	034011801	○	72W	95	56°	2700K	5600lm
	034011802	●	72W	95	56°	2700K	5600lm
	034011803	●	72W	95	56°	2700K	5600lm
	034011901	○	72W	95	20°	3000K	5700lm
	034011902	●	72W	95	20°	3000K	5700lm
	034011903	●	72W	95	20°	3000K	5700lm
	034012001	○	72W	95	56°	3000K	5700lm
	034012002	●	72W	95	56°	3000K	5700lm
	034012003	●	72W	95	56°	3000K	5700lm
	034012101	○	72W	95	20°	4000K	5900lm
	034012102	●	72W	95	20°	4000K	5900lm
	034012103	●	72W	95	20°	4000K	5900lm
	034012201	○	72W	95	56°	4000K	5900lm
	034012202	●	72W	95	56°	4000K	5900lm
	034012203	●	72W	95	56°	4000K	5900lm
HIGH EFFICIENCY LED	034012301	○	72W	82	20°	2700K	5900lm
	034012302	●	72W	82	20°	2700K	5900lm
	034012303	●	72W	82	20°	2700K	5900lm
	034012401	○	72W	82	56°	2700K	5900lm
	034012402	●	72W	82	56°	2700K	5900lm
	034012403	●	72W	82	56°	2700K	5900lm
	034012501	○	72W	85	20°	3000K	6000lm
	034012502	●	72W	85	20°	3000K	6000lm
	034012503	●	72W	85	20°	3000K	6000lm
	034012601	○	72W	85	56°	3000K	6000lm
	034012602	●	72W	85	56°	3000K	6000lm
	034012603	●	72W	85	56°	3000K	6000lm
	034012701	○	72W	85	20°	4000K	6200lm
	034012702	●	72W	85	20°	4000K	6200lm
	034012703	●	72W	85	20°	4000K	6200lm
	034012801	○	72W	85	56°	4000K	6200lm
	034012802	●	72W	85	56°	4000K	6200lm
	034012803	●	72W	85	56°	4000K	6200lm

LED | IP20 | III | no incl. | 332x160 | 1-30 | 20° | 850°C | 20°/56°

*72W Driver not incl.

2x 98310444

*DALI Driver not incl.

2x 98310536

*CASAMBI Driver not incl.

2x 98310538



Colin 2L **QR-111 LED**			P	SOCKET	V
	03400501	○	MAX 12W	2x G53	12
	03400502	●	MAX 12W	2x G53	12
	03400503	●	MAX 12W	2x G53	12

LED | IP20 | III | no incl. | 332x162 | 1-30 | 20° | 850°C

*Electronic Gear not incl.

2x 98111020







Colin 3L **54/75W**

		P	CRI	BEAM	CCT	FLUX
034013701	○	54/75W	82	20°	2700K	4050/3700lm
034013702	●	54/75W	82	20°	2700K	4050/3700lm
034013703	●	54/75W	82	20°	2700K	4050/3700lm
034013801	○	54/75W	82	56°	2700K	4050/3700lm
034013802	●	54/75W	82	56°	2700K	4050/3700lm
034013803	●	54/75W	82	56°	2700K	4050/3700lm
034013901	○	54/75W	85	20°	3000K	4200/5700lm
034013902	●	54/75W	85	20°	3000K	4200/5700lm
034013903	●	54/75W	85	20°	3000K	4200/5700lm
034014001	○	54/75W	85	56°	3000K	4200/5700lm
034014002	●	54/75W	85	56°	3000K	4200/5700lm
034014003	●	54/75W	85	56°	3000K	4200/5700lm
034014101	○	54/75W	85	20°	4000K	4500/6000lm
034014102	●	54/75W	85	20°	4000K	4500/6000lm
034014103	●	54/75W	85	20°	4000K	4500/6000lm
034014201	○	54/75W	85	56°	4000K	4500/6000lm
034014202	●	54/75W	85	56°	4000K	4500/6000lm
034014203	●	54/75W	85	56°	4000K	4500/6000lm

LED | IP20 | III | no incl. | 502x162 | 1-30 | 20° | 850°C | 20°/56°

*54W Driver not incl.

3x 98310321

***TRIAC** 54W Driver not incl.

3x 98310321LC

*75W Driver not incl.

3x 98310233

***TRIAC** 75W Driver not incl.

3x 98310236C

***DALI** 54/75W Driver not incl.

3x 98310536

***CASAMBI** 54/75W Driver not incl.

3x 98310538





Colin 3L **72/108W**

			P	CRI	BEAM	CCT	FLUX
FOOD LIGHTING LED	034015501	○	72/108W	85	20°	fruits	4800/7050lm
	034015502	●	72/108W	85	20°	fruits	4800/7050lm
	034015503	●	72/108W	85	20°	fruits	4800/7050lm
	034015601	○	72/108W	85	56°	fruits	4800/7050lm
	034015602	●	72/108W	85	56°	fruits	4800/7050lm
	034015603	●	72/108W	85	56°	fruits	4800/7050lm
	034015701	○	72/108W	85	20°	fish	5100/7350lm
	034015702	●	72/108W	85	20°	fish	5100/7350lm
	034015703	●	72/108W	85	20°	fish	5100/7350lm
	034015801	○	72/108W	85	56°	fish	5100/7350lm
	034015802	●	72/108W	85	56°	fish	5100/7350lm
	034015803	●	72/108W	85	56°	fish	5100/7350lm
	034015901	○	72/108W	70	20°	meat	4500/6750lm
	034015902	●	72/108W	70	20°	meat	4500/6750lm
	034015903	●	72/108W	70	20°	meat	4500/6750lm
	034016001	○	72/108W	70	56°	meat	4500/6750lm
	034016002	●	72/108W	70	56°	meat	4500/6750lm
	034016003	●	72/108W	70	56°	meat	4500/6750lm
RETAIL LIGHTING LED	034016101	○	72/108W	95	20°	3100K	5400/8100lm
	034016102	●	72/108W	95	20°	3100K	5400/8100lm
	034016103	●	72/108W	95	20°	3100K	5400/8100lm
	034016201	○	72/108W	95	56°	3100K	5400/8100lm
	034016202	●	72/108W	95	56°	3100K	5400/8100lm
	034016203	●	72/108W	95	56°	3100K	5400/8100lm

LED | IP20 | III | no incl. | 502x162 | 1-30 | 20° | 850°C | 20°/56°

*72W Driver not incl.

3x 98310233

***TRIAC** 72W Driver not incl.

3x 98310236C

*108W Driver not incl.

3x 98310444

***DALI** 72/108W Driver not incl.

3x 98310536

***CASAMBI** 72/108W Driver not incl.

3x 98310538





Colin 3L **108W**			P	CRI	BEAM	CCT	FLUX
CRI95	034014301	○	108W	95	20°	2700K	8400lm
	034014302	●	108W	95	20°	2700K	8400lm
	034014303	●	108W	95	20°	2700K	8400lm
	034014401	○	108W	95	56°	2700K	8400lm
	034014402	●	108W	95	56°	2700K	8400lm
	034014403	●	108W	95	56°	2700K	8400lm
	034014501	○	108W	95	20°	3000K	8550lm
	034014502	●	108W	95	20°	3000K	8550lm
	034014503	●	108W	95	20°	3000K	8550lm
	034014601	○	108W	95	56°	3000K	8550lm
	034014602	●	108W	95	56°	3000K	8550lm
	034014603	●	108W	95	56°	3000K	8550lm
	034014701	○	108W	95	20°	4000K	8850lm
	034014702	●	108W	95	20°	4000K	8850lm
	034014703	●	108W	95	20°	4000K	8850lm
	034014801	○	108W	95	56°	4000K	8850lm
	034014802	●	108W	95	56°	4000K	8850lm
	034014803	●	108W	95	56°	4000K	8850lm
HIGH EFFICIENCY LED	034014901	○	108W	82	20°	2700K	8850lm
	034014902	●	108W	82	20°	2700K	8850lm
	034014903	●	108W	82	20°	2700K	8850lm
	034015001	○	108W	82	56°	2700K	8850lm
	034015002	●	108W	82	56°	2700K	8850lm
	034015003	●	108W	82	56°	2700K	8850lm
	034015101	○	108W	85	20°	3000K	9000lm
	034015102	●	108W	85	20°	3000K	9000lm
	034015103	●	108W	85	20°	3000K	9000lm
	034015201	○	108W	85	56°	3000K	9000lm
	034015202	●	108W	85	56°	3000K	9000lm
	034015203	●	108W	85	56°	3000K	9000lm
	034015301	○	108W	85	20°	4000K	9300lm
	034015302	●	108W	85	20°	4000K	9300lm
	034015303	●	108W	85	20°	4000K	9300lm
	034015401	○	108W	85	56°	4000K	9300lm
	034015402	●	108W	85	56°	4000K	9300lm
	034015403	●	108W	85	56°	4000K	9300lm

LED | IP20 | III | no incl. | 502x162 | 1-30 | 20° | 850°C | 20°/56°

*108W Driver not incl.	*DALI Driver not incl.	*CASAMBI Driver not incl.
3x 98310444	3x 98310536	3x 98310538



Colin 3L **QR-111 LED**			P	SOCKET	V
	03400601	○	MAX 12W	3x G53	12
	03400602	●	MAX 12W	3x G53	12
	03400603	●	MAX 12W	3x G53	12

LED | IP20 | III | no incl. | 502x162 | 1-30 | 20° | 850°C

*Electronic Gear not incl.
3x 98111020





Teko



Teko

● ○



Teko **2L**

● ○



Teko **3L**

● ○

LIGHTING SOLUTIONS

Our projectors FUGA incorporate Vossloh components, to offer the latest technology available in the market and the most efficient LED.
Nuestros proyectores FUGA incorporan componentes Vossloh, para poder ofrecer la última tecnología disponible en el mercado y los led más eficientes.





Teko **12/18W**

			P	CRI	BEAM	CCT	FLUX
	050400101	○	12/18W	82	20°	2700K	950/1450lm
	050400102	●	12/18W	82	20°	2700K	950/1450lm
	050400201	○	12/18W	82	56°	2700K	950/1450lm
	050400202	●	12/18W	82	56°	2700K	950/1450lm
	050400301	○	12/18W	85	20°	3000K	1000/1500lm
	050400302	●	12/18W	85	20°	3000K	1000/1500lm
	050400401	○	12/18W	85	56°	3000K	1000/1500lm
	050400402	●	12/18W	85	56°	3000K	1000/1500lm
	050400501	○	12/18W	85	20°	4000K	1100/1600lm
	050400502	●	12/18W	85	20°	4000K	1100/1600lm
	050400601	○	12/18W	85	56°	4000K	1100/1600lm
	050400602	●	12/18W	85	56°	4000K	1100/1600lm

LED | IP20 | III | no incl. | 20° | 850°C | 20°/56°

*12W Driver not incl.
98310116

***TRIAC** 12W Driver not incl.
98310114C

*18W Driver not incl.
98310321

***TRIAC** 18W Driver not incl.
98310321LC

***DALI** 12/18W Driver not incl.
98310536

***CASAMBI** 12/25W Driver not incl.
98310538





Teko **17/24W**

CRI95

			P	CRI	BEAM	CCT	FLUX
	050400701	○	17/24W	95	20°	2700K	1250/1800lm
	050400702	●	17/24W	95	20°	2700K	1250/1800lm
	050400801	○	17/24W	95	56°	2700K	1250/1800lm
	050400802	●	17/24W	95	56°	2700K	1250/1800lm
	050400901	○	17/24W	95	20°	3000K	1300/1850lm
	050400902	●	17/24W	95	20°	3000K	1300/1850lm
	050401001	○	17/24W	95	56°	3000K	1300/1850lm
	050401002	●	17/24W	95	56°	3000K	1300/1850lm
	050401101	○	17/24W	95	20°	4000K	1400/1950lm
	050401102	●	17/24W	95	20°	4000K	1400/1950lm
	050401201	○	17/24W	95	56°	4000K	1400/1950lm
	050401202	●	17/24W	95	56°	4000K	1400/1950lm

LED | IP20 | III | no incl. | 20° | 850°C | 20°/56°

*17W Driver not incl.
98310321

***TRIAC** 17W Driver not incl.
98310321LC

*24W Driver not incl.
98310233

***TRIAC** 24W Driver not incl.
98310236C

***DALI** 17/24W Driver not incl.
98310536

***CASAMBI** 17/24W Driver not incl.
98310538





Teko **24W**			P	CRI	BEAM	CCT	FLUX
HIGH EFFICIENCY LED	050401301	○	24W	82	20°	2700K	2000lm
	050401302	●	24W	82	20°	2700K	2000lm
	050401401	○	24W	82	56°	2700K	2000lm
	050401402	●	24W	82	56°	2700K	2000lm
	050401501	○	24W	85	20°	3000K	2050lm
	050401502	●	24W	85	20°	3000K	2050lm
	050401601	○	24W	85	56°	3000K	2050lm
	050401602	●	24W	85	56°	3000K	2050lm
	050401701	○	24W	85	20°	4000K	2150lm
	050401702	●	24W	85	20°	4000K	2150lm
	050401801	○	24W	85	56°	4000K	2150lm
	050401802	●	24W	85	56°	4000K	2150lm
FOOD LIGHTING LED	050401901	○	24W	82	20°	fruits	1600lm
	050401902	●	24W	82	20°	fruits	1600lm
	050402001	○	24W	82	56°	fruits	1600lm
	050402002	●	24W	82	56°	fruits	1600lm
	050402101	○	24W	85	20°	fish	1700lm
	050402102	●	24W	85	20°	fish	1700lm
	050402201	○	24W	85	56°	fish	1700lm
	050402202	●	24W	85	56°	fish	1700lm
	050402301	○	24W	85	20°	meat	1500lm
	050402302	●	24W	85	20°	meat	1500lm
	050402401	○	24W	85	56°	meat	1500lm
	050402402	●	24W	85	56°	meat	1500lm

LED | IP20 | III | no incl. | 20° | 850°C | 20°/56°

*36W Driver not incl.
98310233

***TRIAC** Driver not incl.
98310236C

***DALI** Driver not incl.
98310536

***CASAMBI** Driver not incl.
98310538





Teko **17/24W**			P	CRI	BEAM	CCT	FLUX
RETAIL LIGHTING LED	050402501	○	17/24W	95	20°	3100K	1300/1800lm
	050402502	●	17/24W	95	20°	3100K	1300/1800lm
	050402601	○	17/24W	95	56°	3100K	1300/1800lm
	050402602	●	17/24W	95	56°	3100K	1300/1800lm

LED | IP20 | III | no incl. | 20° | 850°C | 20°/56°

*17W Driver not incl.
98310321

***TRIAC** 17W Driver not incl.
98310321LC

*24W Driver not incl.
98310233

***TRIAC** 24W Driver not incl.
98310236C

***DALI** 17/24W Driver not incl.
98310536

***CASAMBI** 17/24W Driver not incl.
98310538





Teko 2L **24/36W**

			P	CRI	BEAM	CCT	FLUX
	050500101	○	24/36W	82	20°	2700K	1900/2900lm
	050500102	●	24/36W	82	20°	2700K	1900/2900lm
	050500201	○	24/36W	82	56°	2700K	1900/2900lm
	050500202	●	24/36W	82	56°	2700K	1900/2900lm
	050500301	○	24/36W	85	20°	3000K	2000/3000lm
	050500302	●	24/36W	85	20°	3000K	2000/3000lm
	050500401	○	24/36W	85	56°	3000K	2000/3000lm
	050500402	●	24/36W	85	56°	3000K	2000/3000lm
	050500501	○	24/36W	85	20°	4000K	2200/3200lm
	050500502	●	24/36W	85	20°	4000K	2200/3200lm
	050500601	○	24/36W	85	56°	4000K	2200/3200lm
	050500602	●	24/36W	85	56°	4000K	2200/3200lm

LED | IP20 | III | no incl. | 20° | 850°C | 20°/56°

*24W Driver not incl.	*TRIAC 24W Driver not incl.	*36W Driver not incl.
2x 98310116	2x 98310114C	2x 98310321
***TRIAC** 36W Driver not incl.*	***DALI** 24/36W Driver not incl.*	***CASAMBI** 24/36W Driver not incl.*
2x 98310321LC	2x 98310536	2x 98310538





Teko 2L **17/24W**

			P	CRI	BEAM	CCT	FLUX
CRI95	050500701	○	34/48W	95	20°	2700K	2500/3600lm
	050500702	●	34/48W	95	20°	2700K	2500/3600lm
	050500801	○	34/48W	95	56°	2700K	2500/3600lm
	050500802	●	34/48W	95	56°	2700K	2500/3600lm
	050500901	○	34/48W	95	20°	3000K	2600/3700lm
	050500902	●	34/48W	95	20°	3000K	2600/3700lm
	050501001	○	34/48W	95	56°	3000K	2600/3700lm
	050501002	●	34/48W	95	56°	3000K	2600/3700lm
	050501101	○	34/48W	95	20°	4000K	2800/3900lm
	050501102	●	34/48W	95	20°	4000K	2800/3900lm
	050501201	○	34/48W	95	56°	4000K	2800/3900lm
	050501202	●	34/48W	95	56°	4000K	2800/3900lm

LED | IP20 | III | no incl. | 20° | 850°C | 20°/56°

*34W Driver not incl.	*TRIAC 34W Driver not incl.	*48W Driver not incl.
2x 98310321	2x 98310321LC	2x 98310233
***TRIAC** 48W Driver not incl.*	***DALI** 34/48W Driver not incl.*	***CASAMBI** 34/48W Driver not incl.*
2x 98310236C	2x 98310536	2x 98310538





Teko 2L **48W**			P	CRI	BEAM	CCT	FLUX
HIGH EFFICIENCY LED	050501301	○	48W	82	20°	2700K	4000lm
	050501302	●	48W	82	20°	2700K	4000lm
	050501401	○	48W	82	56°	2700K	4000lm
	050501402	●	48W	82	56°	2700K	4000lm
	050501501	○	48W	85	20°	3000K	4100lm
	050501502	●	48W	85	20°	3000K	4100lm
	050501601	○	48W	85	56°	3000K	4100lm
	050501602	●	48W	85	56°	3000K	4100lm
	050501701	○	48W	85	20°	4000K	4300lm
	050501702	●	48W	85	20°	4000K	4300lm
	050501801	○	48W	85	56°	4000K	4300lm
	050501802	●	48W	85	56°	4000K	4300lm
FOOD LIGHTING LED	050501901	○	48W	82	20°	fruits	3200lm
	050501902	●	48W	82	20°	fruits	3200lm
	050502001	○	48W	82	56°	fruits	3200lm
	050502002	●	48W	82	56°	fruits	3200lm
	050502101	○	48W	85	20°	fish	3400lm
	050502102	●	48W	85	20°	fish	3400lm
	050502201	○	48W	85	56°	fish	3400lm
	050502202	●	48W	85	56°	fish	3400lm
	050502301	○	48W	85	20°	meat	3000lm
	050502302	●	48W	85	20°	meat	3000lm
	050502401	○	48W	85	56°	meat	3000lm
	050502402	●	48W	85	56°	meat	3000lm

LED | IP20 | III | no incl. | 20° | 850°C | 20°/56°

*48W Driver not incl.
2x 98310233

***TRIAC** Driver not incl.
2x 98310236C

***DALI** Driver not incl.
2x 98310536

***CASAMBI** Driver not incl.
2x 98310538





Teko 2L **34/48W**			P	CRI	BEAM	CCT	FLUX
RETAIL LIGHTING LED	050502501	○	34/48W	95	20°	3100K	2600/3600lm
	050502502	●	34/48W	95	20°	3100K	2600/3600lm
	050502601	○	34/48W	95	56°	3100K	2600/3600lm
	050502602	●	34/48W	95	56°	3100K	2600/3600lm

LED | IP20 | III | no incl. | 20° | 850°C | 20°/56°

*34W Driver not incl.
2x 98310321

***TRIAC** 34W Driver not incl.
2x 98310321LC

*48W Driver not incl.
2x 98310233

***TRIAC** 48W Driver not incl.
2x 98310236C

***DALI** 34/48W Driver not incl.
2x 98310536

***CASAMBI** 34/48W Driver not incl.
2x 98310538





Teko 3L **36/54W**

			P	CRI	BEAM	CCT	FLUX
	050600101	○	36/54W	82	20°	2700K	2850/4350lm
	050600102	●	36/54W	82	20°	2700K	2850/4350lm
	050600201	○	36/54W	82	56°	2700K	2850/4350lm
	050600202	●	36/54W	82	56°	2700K	2850/4350lm
	050600301	○	36/54W	85	20°	3000K	3000/4500lm
	050600302	●	36/54W	85	20°	3000K	3000/4500lm
	050600401	○	36/54W	85	56°	3000K	3000/4500lm
	050600402	●	36/54W	85	56°	3000K	3000/4500lm
	050600501	○	36/54W	85	20°	4000K	3300/4800lm
	050600502	●	36/54W	85	20°	4000K	3300/4800lm
	050600601	○	36/54W	85	56°	4000K	3300/4800lm
	050600602	●	36/54W	85	56°	4000K	3300/4800lm

LED | IP20 | III | no incl. | 20° | 850°C | 20°/56°

*36W Driver not incl.

3x 98310116

*TRIAC 36W Driver not incl.

3x 98310114C

*54W Driver not incl.

3x 98310321

*TRIAC 54W Driver not incl.

3x 98310321LC

*DALI 36/54W Driver not incl.

3x 98310536

*CASAMBI 36/54W Driver not incl.

3x 98310538





Teko 3L **51/72W**

			P	CRI	BEAM	CCT	FLUX
CRI95	050600701	○	51/72W	95	20°	2700K	3750/5400lm
	050600702	●	51/72W	95	20°	2700K	3750/5400lm
	050600801	○	51/72W	95	56°	2700K	3750/5400lm
	050600802	●	51/72W	95	56°	2700K	3750/5400lm
	050600901	○	51/72W	95	20°	3000K	3900/5550lm
	050600902	●	51/72W	95	20°	3000K	3900/5550lm
	050601001	○	51/72W	95	56°	3000K	3900/5550lm
	050601002	●	51/72W	95	56°	3000K	3900/5550lm
	050601101	○	51/72W	95	20°	4000K	4200/5850lm
	050601102	●	51/72W	95	20°	4000K	4200/5850lm
	050601201	○	51/72W	95	56°	4000K	4200/5850lm
	050601202	●	51/72W	95	56°	4000K	4200/5850lm

LED | IP20 | III | no incl. | 20° | 850°C | 20°/56°

*51W Driver not incl.

3x 98310321

*TRIAC 51W Driver not incl.

3x 98310321LC

*72W Driver not incl.

3x 98310233

*TRIAC 72W Driver not incl.

3x 98310236C

*DALI 51/72W Driver not incl.

3x 98310536

*CASAMBI 51/72W Driver not incl.

3x 98310538





Teko 3L **72W**			P	CRI	BEAM	CCT	FLUX
HIGH EFFICIENCY LED	050601301	○	72W	82	20°	2700K	6000lm
	050601302	●	72W	82	20°	2700K	6000lm
	050601401	○	72W	82	56°	2700K	6000lm
	050601402	●	72W	82	56°	2700K	6000lm
	050601501	○	72W	85	20°	3000K	6150lm
	050601502	●	72W	85	20°	3000K	6150lm
	050601601	○	72W	85	56°	3000K	6150lm
	050601602	●	72W	85	56°	3000K	6150lm
	050601701	○	72W	85	20°	4000K	6450lm
	050601702	●	72W	85	20°	4000K	6450lm
	050601801	○	72W	85	56°	4000K	6450lm
	050601802	●	72W	85	56°	4000K	6450lm
FOOD LIGHTING LED	050601901	○	72W	82	20°	fruits	4800lm
	050601902	●	72W	82	20°	fruits	4800lm
	050602001	○	72W	82	56°	fruits	4800lm
	050602002	●	72W	82	56°	fruits	4800lm
	050602101	○	72W	85	20°	fish	5100lm
	050602102	●	72W	85	20°	fish	5100lm
	050602201	○	72W	85	56°	fish	5100lm
	050602202	●	72W	85	56°	fish	5100lm
	050602301	○	72W	85	20°	meat	4500lm
	050602302	●	72W	85	20°	meat	4500lm
	050602401	○	72W	85	56°	meat	4500lm
	050602402	●	72W	85	56°	meat	4500lm

LED | IP20 | III | no incl. | 20° | 850°C | 20°/56°

*72W Driver not incl.
3x 98310233

***TRIAC** Driver not incl.
3x 98310236C

***DALI** Driver not incl.
3x 98310536

***CASAMBI** Driver not incl.
3x 98310538





Teko 3L **51/72W**			P	CRI	BEAM	CCT	FLUX
RETAIL LIGHTING LED	050602501	○	51/72W	95	20°	3100K	3900/5400lm
	050602502	●	51/72W	95	20°	3100K	3900/5400lm
	050602601	○	51/72W	95	56°	3100K	3900/5400lm
	050602602	●	51/72W	95	56°	3100K	3900/5400lm

LED | IP20 | III | no incl. | 20° | 850°C | 20°/56°

*51W Driver not incl.
3x 98310321

***TRIAC** 51W Driver not incl.
3x 98310321LC

*72W Driver not incl.
3x 98310233

***TRIAC** 72W Driver not incl.
3x 98310236C

***DALI** 51/72W Driver not incl.
3x 98310536

***CASAMBI** 51/72W Driver not incl.
3x 98310538



Via

1
Choose your Via
Escoge tu Via





2
Join them to build continuous lines
Únelos para construir líneas contínuas



CONTINUOUS ACCESSORY
For surface, pendant and recessed.
Para superficie, colgante y empotrado.



L-SHAPE
Only for surface and pendant.
Solo para superficie y colgante.

3
Turn your via surface into pendant
Convierte tu via superficie en colgante

Use the pendant accesory for the first unit.
Usa el accesorio colgante para la primera unidad.

Use the steelWires for the following units.
Usa los tensores de acero para las siguientes unidades.



Don't forget your continuous accessory!
¡No te olvides de tu accesorio continuo!

LIGHTING SOLUTIONS

Our projectors FUGA incorporate Vossloh components, to offer the latest technology available in the market and the most efficient LED.
Nuestros proyectores FUGA incorporan componentes Vossloh, para poder ofrecer la última tecnología disponible en el mercado y los led más eficientes.





Via Surface **560 12W**		P	P/m	CRI	CCT	FLUX
041000901	○	12W	21,4W/m	80	3000K	1000lm
041000902	●	12W	21,4W/m	80	3000K	1000lm
041000903	●	12W	21,4W/m	80	3000K	1000lm
041001801	○	12W	21,4W/m	80	4000K	1100lm
041001802	●	12W	21,4W/m	80	4000K	1100lm
041001803	●	12W	21,4W/m	80	4000K	1100lm
Via Surface 560 17W						
041000801	○	17W	30,3W/m	80	3000K	1200lm
041000802	●	17W	30,3W/m	80	3000K	1200lm
041000803	●	17W	30,3W/m	80	3000K	1200lm
041001701	○	17W	30,3W/m	80	4000K	1300lm
041001702	●	17W	30,3W/m	80	4000K	1300lm
041001703	●	17W	30,3W/m	80	4000K	1300lm
Via Surface 560 24W						
041000701	○	24W	42,8W/m	80	3000K	1900lm
041000702	●	24W	42,8W/m	80	3000K	1900lm
041000703	●	24W	42,8W/m	80	3000K	1900lm
041001601	○	24W	42,8W/m	80	4000K	2000lm
041001602	●	24W	42,8W/m	80	4000K	2000lm
041001603	●	24W	42,8W/m	80	4000K	2000lm

LED | IP20 | incl.

***PRISMATIC 12W** option

Add a U at the end of the ref.

***PRISMATIC 17W** option

Add a U at the end of the ref.

***PRISMATIC 24W** option

Add a U at the end of the ref.

***DALI/PUSH 24W** option

Add a D at the end of the ref.

***DALI/PUSH&PRISMATIC 24W** option

Add DU at the end of the ref.





Via Surface **840 17W**		P	P/m	CRI	CCT	FLUX
041000601	○	17W	21,4W/m	80	3000K	1500lm
041000602	●	17W	21,4W/m	80	3000K	1500lm
041000603	●	17W	21,4W/m	80	3000K	1500lm
041001501	○	17W	21,4W/m	80	4000K	1600lm
041001502	●	17W	21,4W/m	80	4000K	1600lm
041001503	●	17W	21,4W/m	80	4000K	1600lm
Via Surface 840 25W						
041000501	○	25W	30,3W/m	80	3000K	1800lm
041000502	●	25W	30,3W/m	80	3000K	1800lm
041000503	●	25W	30,3W/m	80	3000K	1800lm
041001401	○	25W	30,3W/m	80	4000K	1900lm
041001402	●	25W	30,3W/m	80	4000K	1900lm
041001403	●	25W	30,3W/m	80	4000K	1900lm
Via Surface 840 36W						
041000401	○	36W	42,8W/m	80	3000K	2800lm
041000402	●	36W	42,8W/m	80	3000K	2800lm
041000403	●	36W	42,8W/m	80	3000K	2800lm
041001301	○	36W	42,8W/m	80	4000K	3000lm
041001302	●	36W	42,8W/m	80	4000K	3000lm
041001303	●	36W	42,8W/m	80	4000K	3000lm

LED | IP20 | incl.

***PRISMATIC 17W** option

Add a U at the end of the ref.

***PRISMATIC 25W** option

Add a U at the end of the ref.

***PRISMATIC 36W** option

Add a U at the end of the ref.

***DALI/PUSH 36W** option

Add a D at the end of the ref.

***DALI/PUSH&PRISMATIC 36W** option

Add DU at the end of the ref.





Via Surface **1120 25W**			P	P/m	CRI	CCT	FLUX
	041000301	○	25W	21,4W/m	80	3000K	2000lm
	041000302	●	25W	21,4W/m	80	3000K	2000lm
	041000303	●	25W	21,4W/m	80	3000K	2000lm
	041001201	○	25W	21,4W/m	80	4000K	2100lm
	041001202	●	25W	21,4W/m	80	4000K	2100lm
	041001203	●	25W	21,4W/m	80	4000K	2100lm
Via Surface **1120 37W**							
	041000201	○	37W	30,3W/m	80	3000K	2300lm
	041000202	●	37W	30,3W/m	80	3000K	2300lm
	041000203	●	37W	30,3W/m	80	3000K	2300lm
	041001101	○	37W	30,3W/m	80	4000K	2500lm
	041001102	●	37W	30,3W/m	80	4000K	2500lm
	041001103	●	37W	30,3W/m	80	4000K	2500lm
Via Surface **1120 52W**							
	041000101	○	52W	42,8W/m	80	3000K	3700lm
	041000102	●	52W	42,8W/m	80	3000K	3700lm
	041000103	●	52W	42,8W/m	80	3000K	3700lm
	041001001	○	52W	42,8W/m	80	4000K	4600lm
	041001002	●	52W	42,8W/m	80	4000K	4600lm
	041001003	●	52W	42,8W/m	80	4000K	4600lm

LED | IP20 | ⏚ | incl.

***PRISMATIC 25W** option

Add a U at the end of the ref.

***PRISMATIC 37W** option

Add a U at the end of the ref.

***PRISMATIC 52W** option

Add a U at the end of the ref.

***DALI/PUSH 52W** option

Add a D at the end of the ref.

***DALI/PUSH&PRISMATIC 52W** option

Add DU at the end of the ref.





L-SHAPE			P/m	CRI	CCT
	041009601	○	21,4W/m	80	3000K
	041009602	●	21,4W/m	80	3000K
	041009603	●	21,4W/m	80	3000K
	041009701	○	21,4W/m	80	4000K
	041009702	●	21,4W/m	80	4000K
	041009703	●	21,4W/m	80	4000K
	041009801	○	30,3-42,8W/m	80	3000K
	041009802	●	30,3-42,8W/m	80	3000K
	041009803	●	30,3-42,8W/m	80	3000K
	041009901	○	30,3-42,8W/m	80	4000K
	041009902	●	30,3-42,8W/m	80	4000K
	041009903	●	30,3-42,8W/m	80	4000K

IP20 | III

***PRISMATIC 21,4W/m** option

Add a U at the end of the ref.

***PRISMATIC 30,3-42,8W/m** option

Add a U at the end of the ref.

Accessories



Pendant Canopy + 2 x steelWires

04100101	○
04100102	●
04100103	●



Pendant Canopy + 2 x steelWires

Dali	04100101D	○
Dali	04100102D	●
Dali	04100103D	●

Continuous accessory 1pc

04100201	●



Steelwires 2pcs

04100100	●





Via Recessed **560 12W**		P	P/m	CRI	CCT	FLUX
041002701	○	12W	21,4W/m	80	3000K	1000lm
041002702	●	12W	21,4W/m	80	3000K	1000lm
041003001	○	12W	21,4W/m	80	4000K	1100lm
041003002	●	12W	21,4W/m	80	4000K	1100lm
Via Recessed 560 17W						
041002601	○	17W	30,3W/m	80	3000K	1200lm
041002602	●	17W	30,3W/m	80	3000K	1200lm
041002901	○	17W	30,3W/m	80	4000K	1300lm
041002902	●	17W	30,3W/m	80	4000K	1300lm
Via Recessed 560 24W						
041002501	○	24W	42,8W/m	80	3000K	1900lm
041002502	●	24W	42,8W/m	80	3000K	1900lm
041002801	○	24W	42,8W/m	80	4000K	2000lm
041002802	●	24W	42,8W/m	80	4000K	2000lm

LED | IP20 | incl.

***PRISMATIC 12W** option

Add a U at the end of the ref.

***PRISMATIC 17W** option

Add a U at the end of the ref.

***PRISMATIC 24W** option

Add a U at the end of the ref.

***DALI/PUSH 24W** option

Add a D at the end of the ref.

***DALI/PUSH&PRISMATIC 24W** option

Add DU at the end of the ref.





Via Recessed **840 17W**		P	P/m	CRI	CCT	FLUX
0410003301	○	17W	21,4W/m	80	3000K	1500lm
0410003302	●	17W	21,4W/m	80	3000K	1500lm
0410003601	○	17W	21,4W/m	80	4000K	1600lm
0410003602	●	17W	21,4W/m	80	4000K	1600lm
Via Recessed 840 25W						
0410003201	○	25W	30,3W/m	80	3000K	1800lm
0410003202	●	25W	30,3W/m	80	3000K	1800lm
0410003501	○	25W	30,3W/m	80	4000K	1900lm
0410003502	●	25W	30,3W/m	80	4000K	1900lm
Via Recessed 840 36W						
0410003101	○	36W	42,8W/m	80	3000K	2800lm
0410003102	●	36W	42,8W/m	80	3000K	2800lm
0410003401	○	36W	42,8W/m	80	4000K	3000lm
0410003402	●	36W	42,8W/m	80	4000K	3000lm

LED | IP20 | incl.

***PRISMATIC 17W** option

Add a U at the end of the ref.

***PRISMATIC 25W** option

Add a U at the end of the ref.

***PRISMATIC 36W** option

Add a U at the end of the ref.

***DALI/PUSH 36W** option

Add a D at the end of the ref.

***DALI/PUSH&PRISMATIC 36W** option

Add DU at the end of the ref.



Via Recessed **1120 23W**			P	P/m	CRI	CCT	FLUX
	0410003901	○	23W	21,4W/m	80	3000K	2000lm
	0410003902	●	23W	21,4W/m	80	3000K	2000lm
	0410004201	○	23W	21,4W/m	80	4000K	2100lm
	0410004202	●	23W	21,4W/m	80	4000K	2100lm
Via Recessed **1120 34W**							
	0410003801	○	34W	30,3W/m	80	3000K	2300lm
	0410003802	●	34W	30,3W/m	80	3000K	2300lm
	0410004101	○	34W	30,3W/m	80	4000K	2500lm
	0410004102	●	34W	30,3W/m	80	4000K	2500lm
Via Recessed **1120 48W**							
	0410003701	○	48W	42,8W/m	80	3000K	3700lm
	0410003702	●	48W	42,8W/m	80	3000K	3700lm
	0410004001	○	48W	42,8W/m	80	4000K	4600lm
	0410004002	●	48W	42,8W/m	80	4000K	4600lm

LED | IP20 | ⏚ | incl.

*PRISMATIC 23W option

Add a U at the end of the ref.

*PRISMATIC 34W option

Add a U at the end of the ref.

*PRISMATIC 48W option

Add a U at the end of the ref.

*DALI/PUSH 48W option

Add a D at the end of the ref.

*DALI/PUSH&PRISMATIC 48W option

Add DU at the end of the ref.

Accessories

Continuous accessory 1pc	
04100201	●







Fonovia

Fonovia is a concept of linear light that isolates us from the environment, creating moments of concentration thanks to its fabric with sound-absorbing properties that in turn softens the light creating spaces of well-being. It accompanies moments of concentration and privacy. Fabric that favours acoustic absorption. Ideal for crowded spaces and meeting rooms.



1

Choose your via pendant composition in page 473
Escoge tu composición de via colgante en la página 473



2

Dress it with fonovia sound absorbing shade system
Vístela con el sistema de pantallas fonoabsorbentes fonovia



3

Create your Fonovia as long as you want
Crea tu Fonovia tan largo como quieras





Ledstrip Vertical 5Mt
14W/Mt IP67 2700K

08045001-01	10 cm
08045001-02	20 cm
08045001-03	30 cm
08045001-04	40 cm
08045001-05	50 cm
08045001-06	60 cm
08045001-07	70 cm
08045001-08	80 cm
08045001-09	90 cm
08045001-10	100 cm
08045001-11	110 cm
08045001-12	120 cm
08045001-13	130 cm
08045001-14	140 cm
08045001-15	150 cm
08045001-16	160 cm
08045001-17	170 cm
08045001-18	180 cm
08045001-19	190 cm
08045001-20	200 cm
08045001-21	210 cm
08045001-22	220 cm
08045001-23	230 cm
08045001-24	240 cm
08045001-25	250 cm
08045001-26	260 cm
08045001-27	270 cm
08045001-28	280 cm
08045001-29	290 cm
08045001-30	300 cm
08045001-31	310 cm
08045001-32	320 cm
08045001-33	330 cm
08045001-34	340 cm
08045001-35	350 cm
08045001-36	360 cm
08045001-37	370 cm
08045001-38	380 cm
08045001-39	390 cm
08045001-40	400 cm
08045001-41	410 cm
08045001-42	420 cm
08045001-43	430 cm
08045001-44	440 cm
08045001-45	450 cm
08045001-46	460 cm
08045001-47	470 cm
08045001-48	480 cm
08045001-49	490 cm
08045001	500 cm

LED | IP67 | III | DIM

Ledstrip Vertical 5Mt
14W/Mt IP67 3000K

08046001-01	10 cm
08046001-02	20 cm
08046001-03	30 cm
08046001-04	40 cm
08046001-05	50 cm
08046001-06	60 cm
08046001-07	70 cm
08046001-08	80 cm
08046001-09	90 cm
08046001-10	100 cm
08046001-11	110 cm
08046001-12	120 cm
08046001-13	130 cm
08046001-14	140 cm
08046001-15	150 cm
08046001-16	160 cm
08046001-17	170 cm
08046001-18	180 cm
08046001-19	190 cm
08046001-20	200 cm
08046001-21	210 cm
08046001-22	220 cm
08046001-23	230 cm
08046001-24	240 cm
08046001-25	250 cm
08046001-26	260 cm
08046001-27	270 cm
08046001-28	280 cm
08046001-29	290 cm
08046001-30	300 cm
08046001-31	310 cm
08046001-32	320 cm
08046001-33	330 cm
08046001-34	340 cm
08046001-35	350 cm
08046001-36	360 cm
08046001-37	370 cm
08046001-38	380 cm
08046001-39	390 cm
08046001-40	400 cm
08046001-41	410 cm
08046001-42	420 cm
08046001-43	430 cm
08046001-44	440 cm
08046001-45	450 cm
08046001-46	460 cm
08046001-47	470 cm
08046001-48	480 cm
08046001-49	490 cm
08046001	500 cm

LED | IP67 | III | DIM

Ledstrip Horizontal 5Mt
14W/Mt IP67 2700K

08047001-01	10 cm
08047001-02	20 cm
08047001-03	30 cm
08047001-04	40 cm
08047001-05	50 cm
08047001-06	60 cm
08047001-07	70 cm
08047001-08	80 cm
08047001-09	90 cm
08047001-10	100 cm
08047001-11	110 cm
08047001-12	120 cm
08047001-13	130 cm
08047001-14	140 cm
08047001-15	150 cm
08047001-16	160 cm
08047001-17	170 cm
08047001-18	180 cm
08047001-19	190 cm
08047001-20	200 cm
08047001-21	210 cm
08047001-22	220 cm
08047001-23	230 cm
08047001-24	240 cm
08047001-25	250 cm
08047001-26	260 cm
08047001-27	270 cm
08047001-28	280 cm
08047001-29	290 cm
08047001-30	300 cm
08047001-31	310 cm
08047001-32	320 cm
08047001-33	330 cm
08047001-34	340 cm
08047001-35	350 cm
08047001-36	360 cm
08047001-37	370 cm
08047001-38	380 cm
08047001-39	390 cm
08047001-40	400 cm
08047001-41	410 cm
08047001-42	420 cm
08047001-43	430 cm
08047001-44	440 cm
08047001-45	450 cm
08047001-46	460 cm
08047001-47	470 cm
08047001-48	480 cm
08047001-49	490 cm
08047001	500 cm

LED | IP67 | III | DIM

Ledstrip Horizontal 5Mt
14W/Mt IP67 3000K

08048001-01	10 cm
08048001-02	20 cm
08048001-03	30 cm
08048001-04	40 cm
08048001-05	50 cm
08048001-06	60 cm
08048001-07	70 cm
08048001-08	80 cm
08048001-09	90 cm
08048001-10	100 cm
08048001-11	110 cm
08048001-12	120 cm
08048001-13	130 cm
08048001-14	140 cm
08048001-15	150 cm
08048001-16	160 cm
08048001-17	170 cm
08048001-18	180 cm
08048001-19	190 cm
08048001-20	200 cm
08048001-21	210 cm
08048001-22	220 cm
08048001-23	230 cm
08048001-24	240 cm
08048001-25	250 cm
08048001-26	260 cm
08048001-27	270 cm
08048001-28	280 cm
08048001-29	290 cm
08048001-30	300 cm
08048001-31	310 cm
08048001-32	320 cm
08048001-33	330 cm
08048001-34	340 cm
08048001-35	350 cm
08048001-36	360 cm
08048001-37	370 cm
08048001-38	380 cm
08048001-39	390 cm
08048001-40	400 cm
08048001-41	410 cm
08048001-42	420 cm
08048001-43	430 cm
08048001-44	440 cm
08048001-45	450 cm
08048001-46	460 cm
08048001-47	470 cm
08048001-48	480 cm
08048001-49	490 cm
08048001	500 cm

LED | IP67 | III | DIM

Ledstrip





Ledstrip 5Mt **14.4W/Mt 24V**
CRI85 2300K 3000lm

08040101-01	10 cm
08040101-02	20 cm
08040101-03	30 cm
08040101-04	40 cm
08040101-05	50 cm
08040101-06	60 cm
08040101-07	70 cm
08040101-08	80 cm
08040101-09	90 cm
08040101-10	100 cm
08040101-11	110 cm
08040101-12	120 cm
08040101-13	130 cm
08040101-14	140 cm
08040101-15	150 cm
08040101-16	160 cm
08040101-17	170 cm
08040101-18	180 cm
08040101-19	190 cm
08040101-20	200 cm
08040101-21	210 cm
08040101-22	220 cm
08040101-23	230 cm
08040101-24	240 cm
08040101-25	250 cm
08040101-26	260 cm
08040101-27	270 cm
08040101-28	280 cm
08040101-29	290 cm
08040101-30	300 cm
08040101-31	310 cm
08040101-32	320 cm
08040101-33	330 cm
08040101-34	340 cm
08040101-35	350 cm
08040101-36	360 cm
08040101-37	370 cm
08040101-38	380 cm
08040101-39	390 cm
08040101-40	400 cm
08040101-41	410 cm
08040101-42	420 cm
08040101-43	430 cm
08040101-44	440 cm
08040101-45	450 cm
08040101-46	460 cm
08040101-47	470 cm
08040101-48	480 cm
08040101-49	490 cm
08040101	500 cm

LED | IP20 | III | DIM

Ledstrip 5Mt **14.4W/Mt 24V CRI85**
2700K 3650lm

08040301-01	10 cm
08040301-02	20 cm
08040301-03	30 cm
08040301-04	40 cm
08040301-05	50 cm
08040301-06	60 cm
08040301-07	70 cm
08040301-08	80 cm
08040301-09	90 cm
08040301-10	100 cm
08040301-11	110 cm
08040301-12	120 cm
08040301-13	130 cm
08040301-14	140 cm
08040301-15	150 cm
08040301-16	160 cm
08040301-17	170 cm
08040301-18	180 cm
08040301-19	190 cm
08040301-20	200 cm
08040301-21	210 cm
08040301-22	220 cm
08040301-23	230 cm
08040301-24	240 cm
08040301-25	250 cm
08040301-26	260 cm
08040301-27	270 cm
08040301-28	280 cm
08040301-29	290 cm
08040301-30	300 cm
08040301-31	310 cm
08040301-32	320 cm
08040301-33	330 cm
08040301-34	340 cm
08040301-35	350 cm
08040301-36	360 cm
08040301-37	370 cm
08040301-38	380 cm
08040301-39	390 cm
08040301-40	400 cm
08040301-41	410 cm
08040301-42	420 cm
08040301-43	430 cm
08040301-44	440 cm
08040301-45	450 cm
08040301-46	460 cm
08040301-47	470 cm
08040301-48	480 cm
08040301-49	490 cm
08040301	500 cm

LED | IP20 | III | DIM

Ledstrip 5Mt **14.4W/Mt 24V**
CRI85 3000K 3640lm

08040201-01	10 cm
08040201-02	20 cm
08040201-03	30 cm
08040201-04	40 cm
08040201-05	50 cm
08040201-06	60 cm
08040201-07	70 cm
08040201-08	80 cm
08040201-09	90 cm
08040201-10	100 cm
08040201-11	110 cm
08040201-12	120 cm
08040201-13	130 cm
08040201-14	140 cm
08040201-15	150 cm
08040201-16	160 cm
08040201-17	170 cm
08040201-18	180 cm
08040201-19	190 cm
08040201-20	200 cm
08040201-21	210 cm
08040201-22	220 cm
08040201-23	230 cm
08040201-24	240 cm
08040201-25	250 cm
08040201-26	260 cm
08040201-27	270 cm
08040201-28	280 cm
08040201-29	290 cm
08040201-30	300 cm
08040201-31	310 cm
08040201-32	320 cm
08040201-33	330 cm
08040201-34	340 cm
08040201-35	350 cm
08040201-36	360 cm
08040201-37	370 cm
08040201-38	380 cm
08040201-39	390 cm
08040201-40	400 cm
08040201-41	410 cm
08040201-42	420 cm
08040201-43	430 cm
08040201-44	440 cm
08040201-45	450 cm
08040201-46	460 cm
08040201-47	470 cm
08040201-48	480 cm
08040201-49	490 cm
08040201	500 cm

LED | IP20 | III | DIM



Ledstrip 5Mt **19.2W/Mt 24V**
CRI85 2700K 5082lm

08030301-01	10 cm
08030301-02	20 cm
08030301-03	30 cm
08030301-04	40 cm
08030301-05	50 cm
08030301-06	60 cm
08030301-07	70 cm
08030301-08	80 cm
08030301-09	90 cm
08030301-10	100 cm
08030301-11	110 cm
08030301-12	120 cm
08030301-13	130 cm
08030301-14	140 cm
08030301-15	150 cm
08030301-16	160 cm
08030301-17	170 cm
08030301-18	180 cm
08030301-19	190 cm
08030301-20	200 cm
08030301-21	210 cm
08030301-22	220 cm
08030301-23	230 cm
08030301-24	240 cm
08030301-25	250 cm
08030301-26	260 cm
08030301-27	270 cm
08030301-28	280 cm
08030301-29	290 cm
08030301-30	300 cm
08030301-31	310 cm
08030301-32	320 cm
08030301-33	330 cm
08030301-34	340 cm
08030301-35	350 cm
08030301-36	360 cm
08030301-37	370 cm
08030301-38	380 cm
08030301-39	390 cm
08030301-40	400 cm
08030301-41	410 cm
08030301-42	420 cm
08030301-43	430 cm
08030301-44	440 cm
08030301-45	450 cm
08030301-46	460 cm
08030301-47	470 cm
08030301-48	480 cm
08030301-49	490 cm
08030301	500 cm

LED | IP20 | III | DIM

Ledstrip 5Mt **19.2W/Mt 24V**
CRI85 3000K 4280lm

08030201-01	10 cm
08030201-02	20 cm
08030201-03	30 cm
08030201-04	40 cm
08030201-05	50 cm
08030201-06	60 cm
08030201-07	70 cm
08030201-08	80 cm
08030201-09	90 cm
08030201-10	100 cm
08030201-11	110 cm
08030201-12	120 cm
08030201-13	130 cm
08030201-14	140 cm
08030201-15	150 cm
08030201-16	160 cm
08030201-17	170 cm
08030201-18	180 cm
08030201-19	190 cm
08030201-20	200 cm
08030201-21	210 cm
08030201-22	220 cm
08030201-23	230 cm
08030201-24	240 cm
08030201-25	250 cm
08030201-26	260 cm
08030201-27	270 cm
08030201-28	280 cm
08030201-29	290 cm
08030201-30	300 cm
08030201-31	310 cm
08030201-32	320 cm
08030201-33	330 cm
08030201-34	340 cm
08030201-35	350 cm
08030201-36	360 cm
08030201-37	370 cm
08030201-38	380 cm
08030201-39	390 cm
08030201-40	400 cm
08030201-41	410 cm
08030201-42	420 cm
08030201-43	430 cm
08030201-44	440 cm
08030201-45	450 cm
08030201-46	460 cm
08030201-47	470 cm
08030201-48	480 cm
08030201-49	490 cm
08030201	500 cm

LED | IP20 | III | DIM



Ledstrip 5Mt **RGB**		Controller		Amplifier	
08041001	500 cm	98324812	24V	98324813	24V

LED | IP20 | III | DIM



Surface Profile 45°

08050101-01	10 cm
08050101-02	20 cm
08050101-03	30 cm
08050101-04	40 cm
08050101-05	50 cm
08050101-06	60 cm
08050101-07	70 cm
08050101-08	80 cm
08050101-09	90 cm
08050101-10	100 cm
08050101-11	110 cm
08050101-12	120 cm
08050101-13	130 cm
08050101-14	140 cm
08050101-15	150 cm
08050101-16	160 cm
08050101-17	170 cm
08050101-18	180 cm
08050101-19	190 cm
08050101	200 cm



Surface Profile

08060101-01	10 cm
08060101-02	20 cm
08060101-03	30 cm
08060101-04	40 cm
08060101-05	50 cm
08060101-06	60 cm
08060101-07	70 cm
08060101-08	80 cm
08060101-09	90 cm
08060101-10	100 cm
08060101-11	110 cm
08060101-12	120 cm
08060101-13	130 cm
08060101-14	140 cm
08060101-15	150 cm
08060101-16	160 cm
08060101-17	170 cm
08060101-18	180 cm
08060101-19	190 cm
08060101	200 cm



Surface Profile 8mm

08080101-01	10 cm
08080101-02	20 cm
08080101-03	30 cm
08080101-04	40 cm
08080101-05	50 cm
08080101-06	60 cm
08080101-07	70 cm
08080101-08	80 cm
08080101-09	90 cm
08080101-10	100 cm
08080101-11	110 cm
08080101-12	120 cm
08080101-13	130 cm
08080101-14	140 cm
08080101-15	150 cm
08080101-16	160 cm
08080101-17	170 cm
08080101-18	180 cm
08080101-19	190 cm
08080101	200 cm



Recessed Profile

08070101-01	10 cm
08070101-02	20 cm
08070101-03	30 cm
08070101-04	40 cm
08070101-05	50 cm
08070101-06	60 cm
08070101-07	70 cm
08070101-08	80 cm
08070101-09	90 cm
08070101-10	100 cm
08070101-11	110 cm
08070101-12	120 cm
08070101-13	130 cm
08070101-14	140 cm
08070101-15	150 cm
08070101-16	160 cm
08070101-17	170 cm
08070101-18	180 cm
08070101-19	190 cm
08070101	200 cm



Endcap (2 Pcs)
08050104



Endcap (2 Pcs)
08060104



Endcap (2 Pcs)
08080104



Endcap (2 Pcs)
08070104



Surface profile clip
08050105



Recessed clip
08060105





Opal Diffuser	
08060102-01	10 cm
08060102-02	20 cm
08060102-03	30 cm
08060102-04	40 cm
08060102-05	50 cm
08060102-06	60 cm
08060102-07	70 cm
08060102-08	80 cm
08060102-09	90 cm
08060102-10	100 cm
08060102-11	110 cm
08060102-12	120 cm
08060102-13	130 cm
08060102-14	140 cm
08060102-15	150 cm
08060102-16	160 cm
08060102-17	170 cm
08060102-18	180 cm
08060102-19	190 cm
08060102	200 cm

Transparent Diffuser	
08060103-01	10 cm
08060103-02	20 cm
08060103-03	30 cm
08060103-04	40 cm
08060103-05	50 cm
08060103-06	60 cm
08060103-07	70 cm
08060103-08	80 cm
08060103-09	90 cm
08060103-10	100 cm
08060103-11	110 cm
08060103-12	120 cm
08060103-13	130 cm
08060103-14	140 cm
08060103-15	150 cm
08060103-16	160 cm
08060103-17	170 cm
08060103-18	180 cm
08060103-19	190 cm
08060103	200 cm

Power Supply			P	V	P.Factor	Rated V	Temp. Range	Tc	Size (mm)
	98324020U	II	20W	24 Vdc	0,55	100-240 V	-25< + 50ºC	80ºC	146 x 55 x 19
	98324030	II	30W	24 Vdc	0,95	220-240 V	-20< + 45ºC	75ºC	168 x 51 x 24
	98324060	II	50W	24 Vdc	0,95	220-240 V	-20< + 45ºC	75ºC	172 x 63 x 30
	98324120	II	75W	24 Vdc	0,95	220-240 V	-20< + 45ºC	75ºC	193 x 63 x 30
	98324180	II	100W	24 Vdc	0,90	220-240 V	-20< + 45ºC	75ºC	380 x 49 x 32
	98324150U	II	150W	24 Vdc	0,90	220-240 V	-20< + 45ºC	75ºC	180 x 65 x 31
Dali-DMX	97308	II	100W	24 Vdc	0,90	100-240 V	-20< + 45ºC	75ºC	207 x 76 x 35
Triac IP66	97397	II	200W	24 Vdc	0,90	220-240 V	-20< + 45ºC	75ºC	256 x 78 x 47
Casambi	98324599	II	120W	24 Vdc	0,98	220-240 V	-25< + 50ºC	75ºC	240 x 60 x 49

IP67 Power Supply									
	98324031	II	30W	24 Vdc	0,90	220-240 V	-20< + 45ºC	75ºC	132 x 42 x 34
	98324076	II	75W	24 Vdc	0,90	220-240 V	-20< + 45ºC	75ºC	180 x 49 x 32
	98324100	II	100W	24 Vdc	0,90	220-240 V	-20< + 45ºC	75ºC	206 x 69 x 37
	98324151	II	150W	24 Vdc	0,90	220-240 V	-20< + 45ºC	75ºC	206 x 69 x 37

Dimmer for 12-24V LED Power Supply									
	97052	II	12-24 V			220-240 V	-25< + 50ºC	75ºC	156 x 52 x 30

Drivers

200mA

98310509C	Constant current LED driver of 6-8W, 220-240V - 50/60Hz,With 200mA	*Controlador LED de corriente constante de 6-8W, 220-240V - 50/60Hz, con 200mA*		
98310620	Constant current LED driver of 1-20W, 100-240V - 50/60Hz,With 200mA	*Controlador LED de corriente constante de 1-20W, 100-240V - 50/60Hz, con 200mA*		
98310510C	Constant current LED driver of 10W, 220-240V - 50/60Hz,With 250mA TRIAC C	*Controlador LED de corriente constante de 10W, 220-240V - 50/60Hz, con 250mA*		

350mA

98310110LC	Constant current LED driver of 3-10W, 220-240V - 50/60Hz,With 350mA TRIAC	*Controlador LED de corriente constante de 3-10W, 220-240V - 50/60Hz, con 350mA*		
98310114C	Constant current LED driver of 10-14W, 220-240V - 50/60Hz,With 350mA TRIAC C	*Controlador LED de corriente constante de 10-14W, 220-240V - 50/60Hz, con 350mA*		
98310118LC	Constant current LED driver of 9-18W, 220-240V - 50/60Hz,With 350mA TRIAC LC	*Controlador LED de corriente constante de 9-18W, 220-240V - 50/60Hz, con 350mA*		
98310116	Constant current LED driver of 8-16W, 100-240V - 50/60Hz,With 350mA	*Controlador LED de corriente constante de 8-16W, 100-240V - 50/60Hz, con 350mA*		
98310620	Constant current LED driver of 1-20W, 100-240V - 50/60Hz,With 350mA	*Controlador LED de corriente constante de 1-20W, 100-240V - 50/60Hz, con 350mA*		
98310103	Constant current LED driver of 1-3W, 100-240V - 50/60Hz,With 350mA	*Controlador LED de corriente constante de 1-3W, 100-240V - 50/60Hz, con 350mA*		

500mA

98310307C	Constant current LED driver of 4,5-7W, 220-240V - 50/60Hz,With 500mA TRIAC C	*Controlador LED de corriente constante de 4,5-7W, 220-240V - 50/60Hz, con 500mA*		
98310321LC	Constant current LED driver of 8-21W, 220-240V - 50/60Hz,With 500mA TRIAC LC	*Controlador LED de corriente constante de 8-21W, 220-240V - 50/60Hz, con 500mA*		
98310321	Constant current LED driver of 10,5-21W, 100-240V - 50/60Hz,With 500mA	*Controlador LED de corriente constante de 10,5-21W, 100-240V - 50/60Hz, con 500mA*		
98310306	Constant current LED driver of 3-6W, 100-240V - 50/60Hz,With 500mA	*Controlador LED de corriente constante de 3-6W, 100-240V - 50/60Hz, con 500mA*		

700mA

98310210	Constant current LED driver of 4-10W, 220-240V - 50/60Hz,With 700mA TRIAC LC	*Controlador LED de corriente constante de 4-10W, 220-240V - 50/60Hz, con 700mA*		
98310220LC	Constant current LED driver of 11-20W, 220-240V - 50/60Hz,With 700mA TRIAC LC	*Controlador LED de corriente constante de 11-20W, 220-240V - 50/60Hz, con 700mA*		
98310236C	Constant current LED driver of 21-31W, 220-240V - 50/60Hz,With 700mA TRIAC C	*Controlador LED de corriente constante de 21-31W, 220-240V - 50/60Hz, con 700mA*		
98310233	Constant current LED driver of 14-30W, 100-240V - 50/60Hz,With 700mA	*Controlador LED de corriente constante de 14-30W, 100-240V - 50/60Hz, con 700mA*		
98310228	Constant current LED driver of 21-30W, 220-240V - 50/60Hz,With 700mA	*Controlador LED de corriente constante de 21-30W, 220-240V - 50/60Hz, con 700mA*		
98310203	Constant current LED driver of 3W, 100-240V - 50/60Hz,With 700mA	*Controlador LED de corriente constante de 3W, 100-240V - 50/60Hz, con 700mA*		
98310206E	Constant current LED driver of 1-6W, 100-240V - 50/60Hz,With 700mA	*Controlador LED de corriente constante de 1-6W, 100-240V - 50/60Hz, con 700mA*		

1050mA

98310444	Dimmable constant current LED driver up to 40W, 100-240, 50/60Hz.	*Controlador LED de corriente constante regulable hasta 40W, 100-240, 50/60Hz. Multi-corriente con dip-switch.*		

MULTICURRENT & SPECIAL DIM

98311320	Dimmable constant current LED driver up to 20W, 100-240, 50/60Hz. Multi-currentWith dip-switch. Currents available: 250-900mA in steps of 50mA. Dimmable options are: PUSH and 0/1-10V	*Controlador LED de corriente constante regulable hasta 20W, 100-240, 50/60Hz. Multi-corriente con dip-switch. Corrientes disponibles: 250-900mA en pasos de 50mA. Las opciones regulables son: PUSH y 0/1-10V*		
98310599	Dimmable constant current LED driver up to 50W, 100-240, 50/60Hz. Multi-currentWith dip-switch. Currents available: 350-500-550-650-700-750-850-900-1050mA. Dimmable options are: PUSH, 1-10V and DALI	*Controlador LED de corriente constante regulable hasta 50W, 100-240, 50/60Hz. Multi-corriente con dip-switch. Corrientes disponibles: 350-500-550-650-700-750-850-900-1050mA. Las opciones regulables son: PUSH, 1-10V y DALI*		
98311315	Constant current LED driver of 10-20W, 220-240V - 50/60Hz,With 250-700mA	*Controlador LED de corriente constante de 10-20W, 220-240V - 50/60Hz, con 250-700mA*		
98310538	Constant current LED driver of 30-60W, 100-240V - 50/60Hz,With 1200mA	*Controlador LED de corriente constante de 30-60W, 100-240V - 50/60Hz, con 1200mA*		
98310536	Dimmable constant current LED driver up to 38W, 220-240, 50/60Hz. Multi-currentWith dip-switch. Currents available: 300-1050mA in steps of 50mA. Dimmable options are: PUSH and DALI	*Controlador LED de corriente constante regulable hasta 38W, 220-240, 50/60Hz. Multi-corriente con dip-switch. Corrientes disponibles: 300-1050mA en pasos de 50mA. Las opciones regulables son: PUSH y DALI*		

12V

98111012	Constant voltage power supply for 12V DC. Supplies up to 12W, 220-240V, 50/60Hz	*Fuente de alimentación de voltaje constante para 12V DC. Suministra hasta 12W, 220-240V, 50/60Hz.*		
98111020	Constant voltage power supply for 12V DC. Supplies up to 20W, 220-240V, 50/60Hz.	*Fuente de alimentación de voltaje constante para 12V DC. Suministra hasta 20W, 220-240V, 50/60Hz.*		
97197	Constant voltage power supply for SORAA lampsWorking at 12V. Supplies up to 20W, 100-240V, 50/60Hz. Dimmable options are: DALI.	*Fuente de alimentación de voltaje constante para lámparas SORAA que funcionan a 12V. Suministra hasta 20W, 100-240V, 50/60Hz. Las opciones regulables son: DALI.*		

98324006	Constant voltage power supply for 24V DC. Supplies up to 6W, 100-240V, 50/60Hz	*Fuente de alimentación de voltaje constante para 24V DC. Suministra hasta 6W, 100-240V, 50/60Hz*		
98324020U	Constant voltage power supply for 24V DC. Supplies up to 20W, 100-240V, 50/60Hz	*Fuente de alimentación de voltaje constante para 24V DC. Suministra hasta 20W, 100-240V, 50/60Hz*		
98324030	Constant voltage power supply for 24V DC. Supplies up to 30W, 220-240V, 50/60Hz	*Fuente de alimentación de voltaje constante para 24V DC. Suministra hasta 30W, 220-240V, 50/60Hz*		
98324031	Constant voltage power supply for 24V DC. Supplies up to 30W, 220-240V, 50/60Hz.With protection rated at IP67	*Fuente de alimentación de voltaje constante para 24V DC. Suministra hasta 30W, 220-240V, 50/60Hz. Con protección clasificada en IP67*		
98324060	Constant voltage power supply for 24V DC. Supplies up to 75W, 220-240V, 50/60Hz	*Fuente de alimentación de voltaje constante para 24V DC. Suministra hasta 75W, 220-240V, 50/60Hz*		
98324076	Constant voltage power supply for 24V DC. Supplies up to 75W, 220-240V, 50/60Hz.With protection rated at IP67	*Fuente de alimentación de voltaje constante para 24V DC. Suministra hasta 75W, 220-240V, 50/60Hz. Con protección clasificada en IP67*		
98324100	Constant voltage power supply for 24V DC. Supplies up to 100W, 220-240V, 50/60Hz.With protection rated at IP67	*Fuente de alimentación de voltaje constante para 24V DC. Suministra hasta 100W, 220-240V, 50/60Hz. Con protección clasificada en IP67*		
98324151	Constant voltage power supply for 24V DC. Supplies up to 150W, 220-240V, 50/60Hz.With protection rated at IP67	*Fuente de alimentación de voltaje constante para 24V DC. Suministra hasta 150W, 220-240V, 50/60Hz. Con protección clasificada en IP67*		
98324120	Constant voltage power supply for 24V DC. Supplies up to 120W, 220-240V, 50/60Hz	*Fuente de alimentación de voltaje constante para 24V DC. Suministra hasta 120W, 220-240V, 50/60Hz*		
98324180	Constant voltage power supply for 24V DC. Supplies up to 180W, 220-240V, 50/60Hz	*Fuente de alimentación de voltaje constante para 24V DC. Suministra hasta 180W, 220-240V, 50/60Hz*		
98324150U	Constant voltage power supply for 24V DC. Supplies up to 150-200W, 120-240V, 50/60Hz	*Fuente de alimentación de voltaje constante para 24V DC. Suministra hasta 150-200W, 120-240V, 50/60Hz*		

PRICES
Prices established in this price list cancel all the previous ones and can be modified without notice. Conditions,characteristics and product prices set in this price list are the current ones on the printing date unless misprint and are subject to possible modifications. Prices set in this price list cancel all the previous ones and can be modified without notice. Taxes and rates charged in our invoices will be met by the buyer.
The catalogue prices are public prices.
VAT IS NOT INCLUDED IN THIS PRICE LIST.
Valid prices for Germany, Belgium, Spain, France, Greece, Holland and Portugal.

COLOR CODE OF EURO COLUMN



Products from standard range.

Products of the range 1.

Products of the range 2.

DELIVERIES AND INSURANCE
Before taking on the expedition, the buyer should make sure that all bulks are in perfect conditions. If any anomaly, waste or breakage is detected, opening in the presence of a transport company agent or an insurance company agent should be done.

DELIVERY TERMS
Delivery terms are approximate and start from the order approval date on the part of LOREFAR, S.L.

CLAIMS AND RETURNS
Claims should be done within 8 days from the merchandise reception. No returnsWhich have not previously been accepted by LOREFAR, S.L. will be admitted. Merchandise not delivered in perfect conditions and free of charge will not be accepted. Returns will be accepted if faulty merchandise, not due to broken glass or missing components previous notice to LOREFAR S.L. In such cases, please get in touch with us so that we can urgently deliver required parts.
Changes or returns of merchandise in good conditions will not be accepted. In case of explicit acceptance by LOREFAR, S.L., 20% for depreciation and merchandise sortingWill be charged when receiving and checking.

SAMPLES
Samples will be completely paid when returning provided that they are in perfect conditions.

PRODUCTS
All products shown in this catalogue are supplied individually (accessories, equipments and lamps). Acceptance of our invoices or delivery notes and mentioned merchandise by the buyer, means implicit consent to our general sales conditions.

PRECIOS
Las condiciones, características y s de los productos que aparecen en esta tarifa son los vigentes a la fecha de impresión salvo error tipográfico y están sujetos a posibles modificaciones. Los s señalados en esta tarifa anulan todos los anteriores y pueden ser modificados sin previo aviso. Serán a cargo del comprador cuantos impuestos y tasas graven la operación objeto de nuestras facturas. Los s mostrados son s de venta al público (PVP).
IVA NO INCLUIDO EN TARIFA.
Tarifa válida para Alemania, Bélgica, España, Francia, Grecia, Holanda
y Portugal.

CÓDIGO DE COLORES DE LA COLUMNA EURO



Productos gama estándar.

Productos gama 1.

Productos gama 2.

ENVIOS Y SEGUROS
Antes de hacerse cargo de la expedición, el comprador deberá asegurarse de que los bultos están en perfectas condiciones. En caso de detectar alguna anomalía, merma o rotura deberá exigir su apertura en presencia de algún agente de la compañía de transportes o de la compañía aseguradora en su caso.

PLAZOS DE ENTREGA
Los plazos de entrega se entienden aproximados y empiezan a contar desde la fecha de aceptación del pedido por parte de LOREFAR S.L.

RECLAMACIONES Y DEVOLUCIONES
Las reclamaciones deberán hacerse dentro de los ocho días siguientes a la recepción de la mercancía. No se admitirá ninguna devolución que no haya sido previamente aceptada por LOREFAR S.L., ni mercancía que no sea entregada en perfecto estado y libre de todo gasto. Previa comunicación a LOREFAR S.L. se aceptará la mercancía devuelta por defectuosa, nunca por cristales rotos o falta de algún componente. En estos casos rogamos se pongan en contacto con nosotros para enviarles urgentemente las piezas requeridas. No se admitirán cambios ni devoluciones de mercancía en buen estado. En caso de aceptación explícita por parte de LOREFAR S.L., a su recepción y comprobación se emitirá un cargo del 20% en concepto de depreciación y clasificación de la mercancía.

MUESTRAS
Las muestras se abonarán completamente a su devolución, siempre que se encuentren en perfecto estado.

PRODUCTOS
Todos los productos que se muestran en este catálogo se suministran unitariamente (accesorios, equipos y lámparas). La aceptación por parte del comprador de nuestras facturas o albaranes y de las mercancías allí reseñadas, supone su conformidad implícita a nuestras condiciones generales de venta.

PRIX
Les conditions, caractéristiques et prix des produits qui apparaissent dans ces tarifs sont ceux en vigueur à la date d'impression sauf erreur typographique et sont susceptibles de modifications.
Les prix indiqués dans ces tarifs annulent tous les prix antérieurs et peuvent être modifiés sans préavis . Les impôts et les taxes seront à la charge de l'acheteur grèvant l'opération objet de nos factures. Les prix du catalogue son les prix de vente public.
TVA NON COMPRISE DANS LES TARIFS
Tarifs valables pour l'Allemagne, la Belgique, l'Espagne, la France, la
Grèce, la Hollande et le Portugal .

CODE COULEUR DE LA COLONNE EURO



Produits de la gamme standard.

Produits gamme 1.

Produits gamme 2.

ENVOIS ET ASSURANCES
Avant de se faire responsable de l'expédition, l'acheteur devra s'assurer
que les colis sont en parfaites conditions. S'il détecte une anomalie, une perte ou une rupture, celui-ci devra exiger l'ouverture en présence d'un agent de l'entreprise de transport ou de la compagnie d'assurance.

DÉLAIS DE LIVRAISON
Les délais de livraison sont approximatifs et commencent à courir à partir de la date d'acceptation de la commande de la part de LOREFAR S.L.

RÉCLAMATIONS ET RENVOIS
Les réclamations devront être réalisées dans les huit jours suivants la
réception de la marchandise. Aucun renvoi non préalablement accepté par LOREFAR S.L. ne sera admis, ni aucune marchandise non livrée en parfait état et libre de tout frais. Après communication préalable à LOREFAR S.L. la marchandise défectueuse sera renvoyée, mais dans le cas de verres brisés ou de l'absence d'un composant. Dans ces cas nous vous prions de prendre contact avec nous afin que nous vous envoyions de manière urgente les pièces demandées. Les changements ou les retours de marchandises en bon état ne seront pas admis. En cas d'acceptation explicite de la part de LOREFAR S.L., lors de sa réception et de sa vérification un coût de 20% en concept de dépréciation et de classification de la marchandise sera facturé.

ÉCHANTILLONS
Les échantillons seront complètement payés lors de leur renvoi,
toujours à condition qu'ils soient en bon état.

PRODUITS
Tous les produits de ce catalogue sont fournis unitairement (accessoires, équipements et lampes). L'acceptation de la part de l'acheteur de nos factures ou bordereaux et des marchandises signalées sur celles-ci, suppose sa conformité implicite à nos conditions générales de vente.

Ceiling fans are practical and efficient solutions for creating comfortable and welcoming areas. With a wide selection of designs and finishes to choose from, you will find the perfect ceiling fan to express your personal style and create a comfortable and stylish environment.

Los ventiladores de techo son soluciones prácticas y eficientes para crear áreas confortables y acogedoras. Con una amplia selección de diseños y acabados para elegir, encontrarás el ventilador de techo perfecto que te permitirá expresar tu gusto personal y crear un ambiente confortable y con estilo.



FAN

Ceiling fan projects
Proyectos de ventilación

As experts and leaders in fan, we can customize and adapt fan functions to your needs.
Como expertos y líderes en ventilación, podemos personalizar y adaptar las funciones del ventilador a tus necesidades.



How you want to control your fan
Elige cómo controlar tu ventilador

on/off
voice / *voz*
remote control / *mando a distancia*
wall control / *regulador de pared*
KNX



Our fans around the world
Nuestros ventiladores en todo el mundo

We adapt the electrical voltage and frequency you need in your country
Adaptamos la tensión y frecuencia eléctrica que necesites en tu región



We adapt fan speeds to your needs
Adaptamos las velocidades del ventilador a tus necesidades



We modify the memory of your fan
Modificamos la memoria de tu ventilador

What do you need?¿Qué necesitas?

Send your demand on/*envíanos tu petición a* **fanprojects@faro.es**

Smart Fan
Ventiladores inteligentes

Control your fan with your mobile or your voice
Controla tu ventilador con tu móvil o tu voz



Search for the fans with *Smart Fan* symbol
Busca los ventiladores con el símbolo ***Smart Fan***



It works with WiFi *Funciona con WiFi*

Download app
Descarga la app

WiZ

Available on the iPhone App Store

ANDROID APP ON Google play



Compatible: Alexa, Google & Siri

Watch video
Ver el vídeo

Size it to your space
El tamaño del espacio

Size is really important when selecting your ceiling fan. If a fan is too large, it can overwhelm the space. On the flip side, if the fan is too small, the airflow may be inadequate for that area.
El tamaño es realmente importante al seleccionar el ventilador de techo. Si un ventilador es demasiado grande, puede saturar el espacio. Por otro lado, si el ventilador es demasiado pequeño, el flujo de aire puede ser inadecuado para esa área.



XL
28 m2 o más/or more
300 SQ.FT or more



más/over ø165 CM.
over ø56 INCH.



L
17,6-28 m2
190-300 SQ.FT



más/over ø132 CM.
ø50-54 INCH.



M
13-17,6 m2
140-190 SQ.FT



ø107-132 CM.
ø44-48 INCH.



S
13 m2 o menos/or less
140 SQ.FT or less



ø107 CM. o menos/or less
ø42 INCH. or less





Thanks to **The Room Studio** Photo Mauricio Fuertes

Faro fans.
Best choise.
La mejor elección.

/ 01 **Summer/Winter. Useful throughout the year.**
Verano/invierno. Útil durante todo el año.

/ 02 **Healthy & environmental friendly.**
Saludable y respetuosos con el medio ambiente.

/ 03 **High performance.**
Alta calidad.

/ 04 **Cost-effective. Over 50% energy saving compared to other systems.**
Eficiente. Más del 50% de ahorro de energía en comparación con otros sistemas.

/ 05 **Engine guaranteed for 15 years.**
Motor con garantía de 15 años.

/ 06 **DC Motor. The engine with the most performance.**
Motor DC. Un mejor rendimiento.

/ 07 **Wide range. Over 80 designs.**
Amplia gama. Más de 80 diseños.

	S	M	L	XL	Motor	IP44	Summer Winter	With light	Without light	LED	Optional	Control remote	Wall control	Chain	Ceiling mounted	Inclining roof
Alo (Light)			●				●	●		●		incl.				●
Alo			●				●		●			incl.				●
Aloha			●				●		●		●	incl.				●
Andros				●	●		●		●			incl.				●
Aoba				●	●		●		●			incl.				
Attos				●	●		●	●		●		incl.				●
Cebu	●						●	●				incl.				●
Century				●	●		●	●		●		incl.				●
Chicago	●							●				incl.				●
Cies				●	●		●		●		●	incl.				●
Cocos			●		●		●	●		●		incl.				●
Cooper NEW		●			●		●		●			incl.				
Corso			●				●	●				optional		incl.	●	●
Cuba			●				●		●			optional		incl.	●	●
Decofan	●				●		●		●		●	incl.				
Disc			●		●		●	●		●		incl.				●
Easy	●						●	●				incl.			●	●
Eco Indus		●					●		●			optional	incl.			●
Eterfan		●			●		●		●		●	incl.				
Factory	●						●		●					incl.		●
Fraser NEW	●				●		●	●		●		incl.				
Grid			●		●		●		●		●	incl.				
Gotland NEW			●		●		●		●			incl.				●
Hydra			●		●		●	●			●	incl.				●
Ibiza			●				●		●			incl.				●
Icaria			●				●	●				incl.				●
Ice			●				●	●		●		incl.				●
Indus			●						●				incl.			
Islot			●		●		●		●			incl.				
Izaro			●		●		●	●		●		incl.				●
Just Fan S	●				●		●		●		●	incl.				●
Just Fan M		●			●		●		●		●	incl.				●
Just Fan XL				●	●		●		●		●	incl.				●
Kauai NEW				●	●		●		●			incl.				●
Keiki	●						●		●				incl.			●
Khios XXL NEW				●	●		●	●		●		incl.				
Komodo		●					●	●						incl.		●
Lama			●				●		●			incl.				
Lantau L			●				●		●			incl.				●
Lantau L (Light)			●				●	●		●		incl.				●
Lantau XL				●			●		●			incl.				●
Lantau XL (Light)				●			●	●		●		incl.				●
Leyte			●		●		●	●		●		incl.				
Lisboa	●						●	●				optional		incl.	●	●
Lombok			●				●	●				optional		incl.		●
Luzon			●						●			incl.				●

	S	M	L	XL	Motor	IP44	Summer Winter	With light	Without light	LED	Optional	Control remote	Wall control	Chain	Ceiling mounted	Inclining roof
Mallorca			●				●		●			incl.				●
Malvinas			●		●		●		●				incl.			●
Manhattan				●	●		●	●		●		incl.				●
Mediterráneo	●							●						incl.		
Meno				●			●		●			incl.				●
Milos NEW			●		●		●		●			incl.				●
Mini Eterfan		●			●		●		●		●	incl.				
Mini Icaria	●						●	●				incl.				●
Mini Indus	●								●				incl.			
Mini Lantau	●						●		●			incl.				●
Mini Mallorca	●						●		●			incl.				●
Mini Tube		●			●		●		●		●	incl.				
Mini Ufo	●						●	●				incl.				
Molokai		●			●		●		●			incl.				●
Morea			●		●		●		●			incl.				●
Nassau		●			●		●		●			incl.				●
Nias			●		●		●		●			incl.			●	
Nisos				●			●		●			optional		incl.	●	●
Nuu			●		●		●		●			incl.				●
Nuu (Light)			●		●		●	●		●		incl.				●
Oboe	●						●		●							●
Palao	●						●	●				optional		incl.		●
Palk			●		●		●	●				incl.				●
Panay		●						●				incl.				●
Pemba			●		●		●		●		●	incl.				
Polaris			●		●		●	●		●		incl.				●
Polea			●		●		●		●			incl.				●
Poros			●		●		●	●		●		incl.				●
Samos NEW			●		●		●		●			incl.				
Saona			●		●		●	●		●		incl.				●
Sioux			●		●	●	●		●			incl.				●
Siros			●		●		●		●			incl.				●
Rodas			●		●		●	●		●		incl.				●
Tabarca			●				●	●				incl.				●
Tilos				●	●		●	●				incl.				●
Timor			●				●	●		●		incl.				
Tonic			●		●		●		●	●		incl.				●
Tonsay			●				●	●				incl.				
Tube		●							●		●	incl.				
Typhoon			●		●	●	●				●	incl.				●
Vanu				●			●	●				incl.			●	●
Vedra	●						●		●			optional	incl.			●
Vulcano			●				●	●		●		incl.				●
Winch			●				●	●				incl.			●	●
Winche			●		●	●	●				●	incl.				●
Yakarta		●					●		●			optional		incl.		●



NEW

KHIOS

XXL SIZE | ø305 CM | ø120 INCH | > 28 M2 > 300 SQ.FT | DC MOTOR | SUMMER WINTER | REMOTE CONTROL



34250
Body matt black/negro mate
Blades matt black/negro mate

Body Steel/Acero
Blades Aluminium/Aluminio
W 16-47-70-93-116-140
RPM 38-56-64-70-74-77
Voltage (V/Hz) 220-240/50-60

LED SMD 30W 2700K 1700lm
CRI>80 Driver
Diff Opal Polycarbonate/
Policarbonato opal



A	A I
670/26.3"	630/24.8"
B	**C**
200/7.9"	300/11.8"
D	**E**
170/6.7"	240/9.4"
F	**G**
3050/120"	1400/55.1"



MANHATTAN

ø244 CM | ø96 INCH | > 28 M2 > 300 SQ.FT | DC MOTOR | SUMMER WINTER | REMOTE CONTROL | INCLINING ROOF



33496
Body satin nickel/níquel satinado
Blades satin inox/inox satinado

Body Steel/Acero
Blades Aluminium/Aluminio
W 15-20-25-30-35-56
RPM 50-55-60-65-70-78
Airflow 269,12 m3 min/9500 CFM
Voltage (V/Hz) 220-240/50-60
Optional downrod p. 636

LED SMD 16W
CRI>80 Driver ✔
Diff Polycarbonate/ Policarbonato
Dimmable
Temperature
2700K 795lm
3300K 2250lm
4600K 1400lm



A	A I
360/14.17"	325/12.79"
B	**C**
200/7.87"	130/5.12"
D	**E**
55/2.16"	130/5.12"
F	**G**
2440/96"	1160/45.67"



NEW

KAUAI

ø240 CM | ø94 INCH | > 28 M2 > 300 SQ.FT | DC MOTOR | SMART FAN OPTION | SUMMER WINTER | WITH PROGRAMMER | INCLINING ROOF



34200
34200WP *Smart Fan*
Body dark brown/marrón oscuro
Blades pine tree/pino

Body Steel/Acero
Blades Wood/Madera
With timer/Con temporizador 1-4-8hr
W 13-17-21-36-54
RPM 79-86-93-110-126
Airflow 254,85 m3 min/9000 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan **(V/Hz)** 100-240/50-60
Downrods (2)
125mm/4.9" | 250mm/9.8"



A	A I
480/18.9"	430/16.9"
B	**C**
170/6.7"	210/8.3"
D	**E**
65/2.5"	150/5.9"
F	**G**
2400/94.5"	1000/39.4"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



ATTOS

ø213 CM | ø84 INCH | > 28 M2 > 300 SQ.FT | DC MOTOR | SMART FAN OPTION | SUMMER WINTER | REMOTE CONTROL | INCLINING ROOF



33494
33494WP ***Smart Fan***
Body white/blanco
Blades white/blanco



33495
33495WP ***Smart Fan***
Body brown/marrón
Blades brown/marrón



Body Steel/Acero
Blades ABS
W 5-7-12-18-28-44
RPM 30-44-58-72-86-103
Voltage (V/Hz) 220-240/60
Voltage ***Smart Fan*** **(V/Hz)** 100-240/50-60
Optional downrod p. 636

LED SMD 18W
CRI>80 Driver ✔
Diff Polycarbonate/ Policarbonato
Dimmable
Temperature
2700K 1000lm
3300K 1100lm
4600K 1200lm



A	A I
340/13.3"	210/8.2"
B	**C**
120/4.7"	130/5.1"
D	**E**
60/2.3"	130/5.1"
F	**G**
2130/84"	1020/40.1"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34151 del receptor. El precio del receptor es con el descuento PRO35.



ANDROS

ø213 CM | ø84 INCH | > 28 M2 > 300 SQ.FT | DC MOTOR | SUMMER WINTER | REMOTE CONTROL | INCLINING ROOF



33461
Body white/blanco
Blades white/blanco



33462
Body brown/marrón
Blades brown/marrón



33465
Body satin nickel/níquel satinado
Blades satin nickel/níquel satinado

Optional downrod/Tijas opcionales ⊗



34002	1220mm/48in	matt nickel níquel mate
34008	1220mm/48in	brown marrón
34011	1220mm/48in	white blanco



34001	900mm/35in	matt nickel níquel mate
34007	900mm/35in	brown marrón
34010	900mm/35in	white blanco



34000	600mm/23in	matt nickel níquel mate
34006	600mm/23in	brown marrón
34009	600mm/23in	white blanco

Body Steel/Acero
Blades Aluminium/Aluminio
W 4-6-10-15-22-35
RPM 30-41-53-64-74-88
Airflow 406,40 m3 min/14352 CFM
Voltage (V/Hz) 220-240/50-60



A	A1
460/18.1"	425/16.7"
B	**C**
220/8.6"	240/9.4"
D	**E**
50/1.96"	ø150/5.9"
F	**G**
ø2133/83.9"	950/37.4"



CIES

ø210 CM | ø83 INCH | > 28 M2 > 300 SQ.FT | DC MOTOR | SMART FAN OPTION | SUMMER WINTER | WITH PROGRAMMER | INCLINING ROOF



33512
33512WP ***Smart Fan***
Body shiny white/blanco brillo
Blades white/blanco



with light/con luz

DIMMABLE SMD LED 18W 3000K 900lm CRI>80 Driver
Diff ABS+Polycarbonate/ABS+Policarbonato

33512-1
33512WP-1 ***Smart Fan***
Body shiny white/blanco brillo
Blades white/blanco

*Light Kits also sold separately p.651/*Los kits de luz también se venden por separado p.651*

Body Steel/Acero
Blades ABS
With timer/Con temporizador 1-4-8hr
W 6-9-15-28-44
RPM 54-67-79-98-112
Airflow 344.4 m3 min/12159 CFM
Voltage (V/Hz) 220-240/50-60
Voltage ***Smart Fan*** **(V/Hz)** 100-240/50-60



A	A I
430/16.92"	380/14.96"
B	**C**
250/9.84"	230/9.05"
D	**E**
50/1.96"	148/5.83"
F	**G**
2108/83"	930/36.61"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34151 del receptor. El precio del receptor es con el descuento PRO35.



AOBA

ø180 CM | ø71 INCH | > 28 M2 > 300 SQ.FT | REMOTE CONTROL



33349
Body black/negro
Blades wood/madera

Body Steel/Acero
Blades Wood/Madera
W 30-70-88
RPM 74-125-152
Airflow 120m3 min/4237,7CFM
Voltage (V/Hz) 220-240/50
Downrods (3) ✔
203mm/8" | 305mm/12" | 510mm/20"



A	A I
520/20.47"	410/16.14"
B	**C**
200/7.87"	230/9.05"
D	**E**
145/5.70"	160/6.29"
F	**G**
1800/70.86"	780/30.70"



JUSTFAN
— Conillas

ø178 CM | ø70 INCH | > 28 M2 > 300 SQ.FT | DC MOTOR | SMART FAN OPTION | SUMMER WINTER | REMOTE CONTROL | INCLINING ROOF



33430
33430WP *Smart Fan*
Body matt black/negro mate
Blades dark walnut/nogal oscuro



33432
33432WP *Smart Fan*
Body matt black/negro mate
Blades matt black/negro mate

P.599 M
P.631 S





Body Steel/Acero
Blades ABS
W 4-6-9-12-17-31
RPM 48-64-82-98-114-145
Airflow 175,28 m3 min/6190,01 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan* **(V/Hz)** 100-240/50-60
Downrods (3) ✔
101mm/3.9" | 203mm/7.8" | 457mm/17.7"



A	A1
640/25.2"	630/24.8"
B	**C**
180/7.05"	ø130/5.1"
D	**E**
55/2.1"	ø130/5.1"
F	**G**
ø1780/70"	890/35"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



NISOS

ø178 CM | ø70 INCH | > 28 M2 > 300 SQ.FT | SUMMER WINTER | INCLINING ROOF | DIRECT CEILING MOUNTING | CONTROLLED BY CHAINS





33363
Body dark brown/marrón oscuro
Blades cherry+dark walnut/cerezo+nogal oscuro

Body Steel/Acero
Blades Plywood
W 26-50-88
RPM 59-83-113
Voltage (V/Hz) 220-240/50
Airflow 154 m3 min/5500 CFM
Optional downrod p. 636
Remote control [33929/33937]





A	A1
860/33.8"	820/31.6"
B	C
200/7.87"	300/11.8"
D	E
60/2.35"	ø130/5.1"
F	G
ø1780/70.1"	750/ 29.5"

A	A1
260/10.2"	230/9"
B	C
200/7.87"	300/11.8"
D	E
60/2.35"	ø130/5.1"
F	G
ø1780/70.1"	750/ 29.5"



LANTAU

ø168 CM | ø66 INCH | > 28 M2 > 300 SQ.FT | SUMMER WINTER | REMOTE CONTROL | INCLINING ROOF



33464
Body satin nickel/níquel satinado
Blades dark walnut/nogal oscuro



33504
Body satin nickel/níquel satinado
Blades pine/pino



with light/con luz

AC LED SMD 15W 3000K 900lm CRI>80
Diff Opal Glass/Cristal Opal

33463
Body satin nickel/níquel satinado
Blades dark walnut/nogal oscuro

33505
Body satin nickel/níquel satinado
Blades pine/pino

Body Steel/Acero
Blades Wood/Madera
W 24-39-82
RPM 70-95-135
Airflow 261,6 m3 min/9235 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636



P.553 L	P.619 S
	

A	A1
410/16.1"	335/13.2"
B	**C**
180/7.05"	180/7.05"
D	**E**
70/2.79"	ø150/5.9"
F	**G**
ø1680/66.1"	840/33"



TILOS

ø168 CM | ø66 INCH | > 28 M2 > 300 SQ.FT | DC MOTOR | SUMMER WINTER | REMOTE CONTROL | INCLINING ROOF



33466
Body dark brown/marrón oscuro
Blades dark brown/marrón oscuro

Optional downrod/Tijas opcionales ⊗



34005
dark brown/marrón oscuro
1220mm/48”



34004
dark brown/marrón oscuro
900mm/35”



34003
dark brown/marrón oscuro
600mm/23”

Body Steel/Acero
Blades ABS
W 4-6-9-14-21-35
RPM 31-43-55-67-78-95
Airflow 264,05 m3 min/9325 CFM
Voltage (V/Hz) 220-240/50-60

2 E27 MAX 15W
LED ⊗ **[17463]**
Diff Opal Glass/
Cristal Opal



A	A I
500/19.6”	440/17.3”
B	**C**
290/11.4”	220/8.6”
D	**E**
60/2.3”	ø140/5.51”
F	**G**
ø1685/66.3”	750/29.5”



CENTURY

ø165 CM | ø65 INCH | > 28 M2 > 300 SQ.FT | DC MOTOR | SMART FAN OPTION | SUMMER WINTER | REMOTE CONTROL | INCLINING ROOF



33553
33553WP *Smart Fan*
Body white/blanco
Blades white/blanco



33554
33554WP *Smart Fan*
Body satin nickel/níquel satinado
Blades grey/gris

Body Steel/Acero
Blades Plywood
W 5-8-12-17-25-35
RPM 60-80-95-110-125-140
Airflow 233,41 m3 min/8243 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan **(V/Hz)** 100-240/50-60
Optional downrod p. 636

LED SMD
15W 3000K
400-1200lm
CRI>80 Driver
✔
Diff Opal
PMMA/PMMA
Opal



A	A1
330/12.6"	250/9.8"
B	**C**
170/6.7''	150/5.9"
D	**E**
50/1.96"	ø130/5.11"
F	**G**
ø1650/64.9"	750/29.5"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



Thanks to Beti Guasch & Estudi Nou Arquitectes Photo by Sara Adroer

ALO

ø152 CM | ø60 INCH | > 17,6-28 M2 190-300 SQ.FT | SUMMER WINTER | REMOTE CONTROL | INCLINING ROOF



33718
Body matt black/negro mate
Blades rustic pine/pino rústico



33728
Body white/blanco
Blades rustic pine/pino rústico



with light/con luz

LED SMD 17W 3000K 600lm CRI>80 Driver
Diff Opal Glass/Cristal Opal

33719
Body black/negro
Blades rustic pine/pino rústico

33727
Body white/blanco
Blades rustic pine/pino rústico

Body Steel/Acero
Blades Wood/Madera
W 14-30-56
RPM 80-113-155
Airflow 129,29 m3 min/4564 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636



A	A1
335/13.2"	320/12.6"
B	**C**
180/70.8"	160/6.29"
D	**E**
60/23.6"	ø130/5.1"
F	**G**
ø1520/59.8"	760/29.9"

VULCANO

ø152 CM | ø60 INCH | > 17,6-28 M2 190-300 SQ.FT | DC MOTOR | SMART FAN OPTION | SUMMER WINTER | REMOTE CONTROL | INCLINING ROOF



33549
33549WP *Smart Fan
Body white/blanco
Blades white/blanco

Body Steel/Acero
Blades ABS
W 5-8-10,5-14,7-16,9-21,4
RPM 80-108-126-149-161-180
Airflow 177,88 m3 min/6281,77 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan **(V/Hz)** 100-240/50-60
Optional downrod p. 636

LED SMD 25W 3000K
2000lm CRI>80
Driver ✔
Diff Opal Glass/Cristal Opal



A	A1
330/13"	250/9.8"
B	**C**
123/4.84"	284/11.2"
D	**E**
55/2.16"	ø139/5.5"
F	**G**
ø1524/6"	645/25.4"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.

TONIC

ø152 CM | ø60 INCH | > 17,6-28 M2 190-300 SQ.FT | DC MOTOR | SMART FAN OPTION | SUMMER WINTER | REMOTE CONTROL | INCLINING ROOF



33552
33552WP ***Smart Fan***
Body dark brown/marrón oscuro
Blades dark brown/marrón oscuro

Body Steel/Acero
Blades ABS
Accessory cap/Tapa accesorio ✔
W 5-7-9-11-14-18
RPM 100-120-140-160-180-200
Airflow 180,57 m3 min/6377 CFM
Voltage (V/Hz) 220-240/50-60
Voltage ***Smart Fan*** **(V/Hz)**
100-240/50-60
Optional downrod p. 636

LED SMD 15W 3000K
400-1200lm CRI>80
Driver ✔
Diff Polycarbonate/
Policarbonato



A	A I
310/12.2"	250/9.8"
B	**C**
190/7.48"	180/7.05"
D	**E**
50/1.9"	ø130/5.11"
F	**G**
ø1520/59.8"	870/34.2"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



MOREA

ø152 CM | ø60 INCH | > 17,6-28 M2 190-300 SQ.FT | DC MOTOR | SMART FAN OPTION | SUMMER WINTER | WITH PROGRAMMER | INCLINING ROOF



33511
33511WP ***Smart Fan***
Body brown/marrón
Blades nogal wood/madera nogal



33519
33519WP ***Smart Fan***
Body brown/marrón
Blades pine wood/madera pino

Body Steel/Acero
Blades ABS
With timer/Con temporizador 1-4-8hr
W 3-7-12-17-38
RPM 58-105-131-148-195
Airflow 211,7 m3 min/7473 CFM
Voltage (V/Hz) 220-240/50-60
Voltage ***Smart Fan*** **(V/Hz)** 100-240/50-60
Optional downrod p. 636



A	A I
280/11.02"	215/8.46"
B	**C**
130/5.12"	170/6.69"
D	**E**
50/1.96"	148/5.83"
F	**G**
1520/60"	750/29.52"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



Thanks to MIKMAX

LAMA

ø143 CM | ø56 INCH | > 17,6-28 M2 190-300 SQ.FT | SUMMER WINTER | REMOTE CONTROL



33506
Body matt nickel/níquel mate
Blades pine wood/madera pino



33507
Body black/negro
Blades nogal wood/madera nogal

Body Steel/Acero
Blades Wood/Madera
W 16-27-44
RPM 84-114-143
Airflow 178,83 m3 min/6313 CFM
Voltage (V/Hz) 220-240/50



A	A I
272/10.6"	220/8.6"
B	C
120/4.7"	ø180/7.1"
D	E
25/1"	ø190/7.5"
F	G
ø1430/56.3"	610/24"

INDUS

ø140 CM | ø55 INCH | > 17,6-28 M2 190-300 SQ.FT | WALL CONTROL





33001
Body white/blanco
Blades white/blanco



33002
Body chrome/cromado
Blades chrome/cromado

P.612
M



P.627
S



Body Steel/Acero
Blades Steel/Acero
W 16-21-26-32-48
RPM 113-142-173-203-260
Airflow 155,52 m3 min/5492 CFM
Voltage (V/Hz) 220-240/50



A	A1
483/19"	440/17.3"
B	**C**
160/6.29"	180/7.05"
D	**E**
120/4.71"	ø145/5.7"
F	**G**
ø1400/55.1"	555/21.9"

MALVINAS

ø140 CM	ø55 INCH	> 17,6-28 M2 190-300 SQ.FT	SUMMER WINTER	WALL CONTROL	INCLINING ROOF





33110
Body dark grey/gris oscuro
Blades
walnut+reddish mahogany/
nogal+caoba rojizo



33111
Body dark brown/marrón oscuro
Blades
mahogany+reddish mahogany/
caoba+caoba rojizo

Body Steel/Acero
Blades MDF
W 24-37-48-57-80
RPM 111-145-170-187-229
Airflow 176,22 m3 min/6223 CFM
Voltage (V/Hz) 220-240/50



A	A1
600/23.6"	500/19.6"
B	C
160/6.59"	200/7.87"
D	E
60/2.35"	ø130/5.1"
F	G
ø1400/55.1"	590/23.2"

LEYTE

ø138 CM | ø54 INCH | > 17,6-28 M2 190-300 SQ.FT | DC MOTOR | SMART FAN OPTION | DIM | SUMMER WINTER | WITH PROGRAMMER | INCLINING ROOF



33780
33780WP ***Smart Fan***
Body brown/marrón
Blades brown/marrón

Body Steel/Acero
Blades ABS
With timer/Con temporizador 1-4-8hr
W 6-10-15-23-39
RPM 81-102-122-140-165
Airflow 166,32 m3 min/5803 CFM
Voltage (V/Hz) 220-240/50-60
Voltage ***Smart Fan*** **(V/Hz)** 100-240/50-60
Optional downrod p. 636

LED SMD 20W
CRI>80 Driver ✔
Diff ABS
DIMMABLE
3000K 990lm
4000K 2250lm
6000K 1400lm



A	A1
380/14.9"	270/10.6"
B	**C**
240/94.4"	350/13.7"
D	**E**
60/23.6"	ø170/6.7"
F	**G**
ø1380/54.3"	590/11.4"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.

COCOS

ø137 CM | ø54 INCH | > 17,6-28 M2 190-300 SQ.FT | DC MOTOR | SMART FAN OPTION | SUMMER WINTER | REMOTE CONTROL | INCLINING ROOF



33548
33548WP *Smart Fan
Body white/blanco
Blades white/blanco

Body Steel/Acero
Blades ABS
W 7-10-13-17-24-29
RPM 66-88-104-115-138-146
Airflow 234 m3 min/8266 CFM
Voltage (V/Hz) 230/50-60
Voltage *Smart Fan **(V/Hz)**
100-240/50-60
Optional downrod p. 636

LED SMD 20W 3000K
1600lm CRI>80
Driver ✔
Diff Opal Polycarbonate/Policarbonato Opal



A	A1
500/19.6"	260/10.2"
B	**C**
140/5.5"	200/78.7"
D	**E**
55/21.6"	ø140/5.5"
F	**G**
ø1370/52"	585/23"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



HYDRA

ø133 CM | ø52 INCH | > 17,6-28 M2 190-300 SQ.FT | DC MOTOR | SUMMER WINTER | WITH PROGRAMMER | INCLINING ROOF



33725
Body black/negro
Blades dark walnut+black/nogal oscuro+negro



33726
Body white/blanco
Blades white/blanco

Body Steel/Acero
Blades Plywood
With timer/Con temporizador 1-4-8hr
W 5-7-10-13-18-25
RPM 99-116-134-154-172-193
Airflow 175,99m3min / 6213 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636

LED SMD
22W 3000K
1200lm
CRI>80
Driver ✔
Diff Acrylic/
Acrílico



A	A1
310/5.1"	270/10.6"
B	**C**
130/5.1"	250/9.8"
D	**E**
52/2.04"	130/5.1"
F	**G**
1330/52"	540/21.2"



NEW **MILOS**

ø132 CM | ø52 INCH | > 17,6-28 M2 190-300 SQ.FT | DC MOTOR | SMART FAN OPTION | SUMMER WINTER | REMOTE CONTROL | INCLINING ROOF



34100
34100WP *Smart Fan*
Body matt black/negro mate
Blades matt black/negro mate

Body Steel/Acero
Blades Plywood
W 4-6-10-16-28-34
RPM 50-73-96-118-143-188
Airflow 140,14 m3 min/4949 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan* **(V/Hz)** 100-240/50-60



A	A I
270/10.6"	260/10.2"
B	**C**
120/4.7"	70/2.7"
D	**E**
60/2.3"	140/5.5"
F	**G**
1320/52"	600/23.6"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.

MENO

ø135 CM | ø53 INCH | > 17,6-28 M2 190-300 SQ.FT | SUMMER WINTER | WITH PROGRAMMER | INCLINING ROOF



33782
Body white/blanco
Blades white/blanco

Body ABS
Blades ABS
With timer/Con temporizador 1-2-4-8hr
W 22-43-85
RPM 108-162-235
Airflow 192 m3 min/6795 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636



A	A I
320/12.59"	275/10.82"
B	**C**
160/6.29"	260/10.23"
D	**E**
60/2.36"	150/5.9"
F	**G**
1350/53.14"	540/21.25"

NEW GOTLAND

ø132 CM | ø52 INCH | > 17,6-28 M2 190-300 SQ.FT | DC MOTOR | SMART FAN OPTION | SUMMER WINTER | WITH PROGRAMMER | INCLINING ROOF





33446
33446WP ***Smart Fan***
Body matt white/blanco mate
Blades matt white/blanco mate



33447
33447WP ***Smart Fan***
Body matt black/negro mate
Blades walnut/nogal

Body Steel/Acero
Blades ABS
With timer/Con temporizador 1-4-8hr
W 4-6-10-17-23-30
RPM 95-121-148-177-198-214
Airflow 218,8 m3 min/7730 CFM
Voltage (V/Hz) 220-240/50-60
Voltage ***Smart Fan*** **(V/Hz)** 100-240/50-60
Optional downrod p. 636



A	A I
290/11.4"	250/9.8"
B	**C**
130/5.1"	170/6.7"
D	**E**
55/2.2"	130/5.1"
F	**G**
1320/52"	580/22.8"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.

SIROS

ø132 CM | ø52 INCH | > 17,6-28 M2 190-300 SQ.FT | DC MOTOR | SMART FAN OPTION | SUMMER WINTER | WITH PROGRAMMER | INCLINING ROOF



33804
33804WP ***Smart Fan***
Body white/blanco
Blades white/blanco

Body Steel/Acero
Blades ABS
With timer/Con temporizador 1-4-8hr
W 6-12-19-25-38
RPM 85-108-129-150-180
Airflow 6650 CFM/188m3min
Voltage (V/Hz) 220-240/50-60
Voltage ***Smart Fan*** **(V/Hz)** 100-240/50-60



A	A I
250/9.8"	230/9.05"
B	**C**
80/3.1"	ø204/8.03"
D	**E**
60/2.4"	150/6"
F	**G**
1320/52"	560/22.04"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.

NEW **SAMOS**

ø132 CM | ø52 INCH | > 17,6-28 M2 190-300 SQ.FT | DC MOTOR | SMART FAN OPTION | SUMMER WINTER | REMOTE CONTROL



33729
33729WP *Smart Fan
Body matt white/blanco mate
Blades matt white/blanco mate

Body Steel/Acero
Blades ABS
W 7-10-13-19-25-33
RPM 95-112-129-146-163-180
Airflow 125,4 m3 min/4430 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan **(V/Hz)** 100-240/50-60
Optional downrod p. 636



A	A I
340/13.4"	300/11.8"
B	**C**
170/6.7"	165/6.5"
D	**E**
70/2.7"	130/5.1"
F	**G**
1310/52"	570/22.4"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.

SAONA

ø132 CM | ø52 INCH | > 17,6-28 M2 190-300 SQ.FT | DC MOTOR | SMART FAN OPTION | SUMMER WINTER | WITH PROGRAMMER | INCLINING ROOF



33803
33803WP *Smart Fan
Body white/blanco
Blades white/blanco

Body Steel/Acero
Blades ABS
With timer/Con temporizador 1-4-8hr
W 5-8-14-21-38
RPM 85-105-126-155-180
Airflow 188 m3 min 6643 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan **(V/Hz)**
100-240/50-60

LED SMD 24W
3000K 990lm CRI>80
Driver ✔
Diff ABS
DIMMABLE
3000K 1089lm
4000K 2475lm
6000K 1540lm



A	A I
330/12.99"	250/9.84"
B	**C**
150/5.90"	330/12.99"
D	**E**
58/2.29"	150/5.90"
F	**G**
ø1320/51.9"	490/19.29"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.

ISLOT

ø132 CM | ø52 INCH | > 17,6-28 M2 190-300 SQ.FT | DC MOTOR | SMART FAN OPTION | SUMMER WINTER | WITH PROGRAMMER | INCLINING ROOF



33802
33802WP ***Smart Fan***
Body white/blanco
Blades white/blanco

Body Steel/Acero
Blades ABS
Diff ABS
With timer/Con temporizador 1-4-8hr
W 6-9-15-23-38
RPM 109-140-168-200-235
Airflow 185 m3 min/6550 CFM
Voltage (V/Hz) 220-240/50-60
Voltage ***Smart Fan*** **(V/Hz)** 100-240/50-60



A	A1
280/11"	230/9.1"
B	**C**
100/3.9"	300/11.8"
D	**E**
70/2.7"	150/5.9"
F	**G**
1320/51.9"	520/20.4"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



RODAS

ø132 CM | ø52 INCH | > 17,6-28 M2 190-300 SQ.FT | DC MOTOR | SMART FAN OPTION | DIM | SUMMER WINTER | WITH PROGRAMMER | INCLINING ROOF





33522
33522WP ***Smart Fan***
Body white/white
Blades pine+white/pino+blanco



33523
33523WP ***Smart Fan***
Body dark brown/marrón oscuro
Blades dark brown/marrón oscuro

Body Steel/Acero
Blades Plywood
With timer/Con temporizador 1-4-8hr
W 7-9-12-16-21-26
RPM 130-145-160-178-194-210
Airflow 246 m3 min/6300 CFM
Voltage (V/Hz) 220-240/50-60
Voltage ***Smart Fan*** **(V/Hz)**
100-240/50-60
Optional downrod p. 636

LED SMD 5-20W
3000K 1200 lm
CRI>80
Driver ✔
Diff Glass/Cristal



A	A I
370/14.5"	250/9.8"
B	**C**
230/9.1"	310/12.2"
D	**E**
70/2.7"	160/6.3"
F	**G**
1320/51.9"	580/22.8"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34151 del receptor. El precio del receptor es con el descuento PRO35.



Thanks to MIKMAX

POROS

ø132 CM | ø52 INCH | > 17,6-28 M2 190-300 SQ.FT | DC MOTOR | SMART FAN OPTION | DIM | SUMMER WINTER | WITH PROGRAMMER | INCLINING ROOF



33524
33524WP *Smart Fan
Body white/blanco
Blades pine/pino

Body Steel/Acero
Blades Wood/Madera
With timer/Con temporizador 1-4-8hr
W 7-9-12-15-20-26
RPM 120-132-145-160-174-185
Airflow 240 m3 min/6244 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan **(V/Hz)**
100-240/50-60
Optional downrod p. 636

LED SMD
5-19W 2700K
1200lm CRI>80
Driver ✔
Diff Glass/
Cristal



A	A I
370/14.6"	280/11"
B	**C**
160/6.3"	180/7.1"
D	**E**
70/2.7"	160/6.3"
F	**G**
1320/51.9"	560/22.1"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34151 del receptor. El precio del receptor es con el descuento PRO35.



Thanks to Monica Garrido Photo Felipe Schefeel

LANTAU

ø132 CM | ø52 INCH | > 17,6-28 M2 190-300 SQ.FT | SUMMER WINTER | REMOTE CONTROL | INCLINING ROOF



33370
Body satin nickel/níquel satinado
Blades dark walnut/nogal oscuro



33373
Body satin nickel/níquel satinado
Blades pine/pino



33516
Body matt black/negro mate
Blades dark walnut/nogal oscuro



with light/con luz

AC LED SMD 15W 3000K 900lm CRI>80
Diff Opal Glass/Cristal Opal

33518
Body satin nickel/níquel satinado
Blades dark walnut/nogal oscuro

Body Steel/Acero
Blades Wood/Madera
W 14-30-65
RPM 90-140-180
Airflow 147,56 m3 min/5211 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636



P.521 XL
P.619 S




A	A1
330/13"	320/12.6"
B	**C**
165.6.46"	160/6.29"
D	**E**
70/2.79"	ø160/6.3"
F	**G**
ø1320/51.9"	660/26"



GRID

ø132 CM | ø52 INCH | > 17,6-28 M2 190-300 SQ.FT | DC MOTOR | SMART FAN OPTION | SUMMER WINTER | WITH PROGRAMMER | INCLINING ROOF



33341
33341WP ***Smart Fan***
Body white/blanco
Blades cherry/cerezo



33345
33345WP ***Smart Fan***
Body black/negro
Blades brown/marrón



with light/con luz

LED SMD 18W 3000K 1500lm CRI>80 Driver **Diff** ABS

33341-2
33341WP-2 ***Smart Fan***
Body white/blanco
Blades cherry/cerezo

33345-2
33345WP-2 ***Smart Fan***
Body black/negro
Blades brown/marrón

*Light Kits also sold separately p.651/*Los kits de luz también se venden por separado p.651*

Body Steel/Acero
Blades ABS
With timer/Con temporizador 1-4-8hr
W 5-9-17-20-30
RPM 86-135-159-175-197
Airflow 134 m3 min/4802 CFM
Voltage (V/Hz) 220-240/50-60
Voltage ***Smart Fan*** **(V/Hz)**
100-240/50-60



A	A1
340/13.38"	290/11.41"
B	C
130/5.18"	190/7.48"
D	E
50/1.96"	140/5.51"
F	G
1320/51.96"	560/22.04"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



NUU

— Estudi Ribaudí 

ø132 CM | ø52 INCH | > 17,6-28 M2 190-300 SQ.FT | DC MOTOR | SMART FAN OPTION | SUMMER WINTER | WITH PROGRAMMER | INCLINING ROOF



33721
33721WP ***Smart Fan***
Body matt white/blanco mate
Blades matt white/blanco mate



with light/con luz

LED SMD 15W 3000K 600lm CRI>80 Driver
Diff Steel+Acrylic/Acero+Acrílico

33722
33722WP ***Smart Fan***
Body matt white/blanco mate
Blades matt white/blanco mate

Body Steel/Acero
Blades ABS
With timer/Con temporizador 1-4-8hr
W 5-8-11-14-21-35
RPM 106-126-147-165-186–212
Airflow 104,58m3 min/3693,43 CFM
Voltage (V/Hz) 220-240/50-60
Voltage ***Smart Fan*** **(V/Hz)** 100-240/50-60



A	A I
330/12.99"	290/11.41"
B	**C**
160/6.29"	110/4.33"
D	**E**
55/2.16"	130/5.12"
F	**G**
1320/51.96"	600/23.62"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



ICE

— Estudi Ribaudí 

ø132 CM | ø52 INCH | > 17,6-28 M2 190-300 SQ.FT | SUMMER WINTER | REMOTE CONTROL | INCLINING ROOF



33460 wireless speaker
Body white/blanco
Blades white+maple/blanco+arce





Body Steel/Acero
Blades MDF
W 13-25-55 **[33460]**
RPM 75-135-180
Airflow 157,52 m3 min/5563 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636

LED SMD 15W 3000K 800lm CRI>80
Driver ✔
Diff Opal Glass/Cristal Opal



A	A1
385/15.1"	270/10.6"
B	**C**
210/8.24"	230/7.68"
D	**E**
65/2.51"	ø150/5.9"
F	**G**
ø1320/51.9"	555/21.9"



DISC

— Conillas

ø132 CM | ø52 INCH | > 17,6-28 M2 190-300 SQ.FT | DC MOTOR | SUMMER WINTER | WITH PROGRAMMER | INCLINING ROOF



33397
Body shiny white/blanco brillo
Blades white+maple/blanco+arce





LIGHT DOWN
22W 962lm



LIGHT UP
11W 396lm



LIGHT UP & DOWN
33W 1351lm

Body Steel/Acero
Blades MDF
With timer/Con temporizador 1-4-8hr
W 6-10-13-23-37
RPM 100-135-160-195-230
Airflow 211,72 m3 min/7477 CFM
Voltage (V/Hz) 220-240/50-60
Optional downrod p. 636

LED SMD 19W 2700K
CRI>80 Driver ✔
Diff Polycarbonate/
Policarbonato



A	A1
460/18.1"	330/13"
B	**C**
280/11"	ø145/5.7"
D	**E**
55/2.1"	ø150/5.9"
F	**G**
ø1320/51.9"	576/22.7"



POLEA

— Conillas

ø132 CM | ø52 INCH | > 17,6-28 M2 190-300 SQ.FT | DC MOTOR | SMART FAN OPTION | SUMMER WINTER | WITH PROGRAMMER | INCLINING ROOF



33724
33724WP ***Smart Fan***
Body brown+black/marrón+negro
Blades walnut+black/nogal+negro



Body Steel/Acero
Blades Plywood
With timer/Con temporizador 1-4-8hr
W 5-7-10-14-20-33
RPM 86-102-119-131-151-167
Airflow 111,3 m3min/3929CFM
Voltage (V/Hz) 220-240/50-60
Voltage ***Smart Fan*** **(V/Hz)** 100-240/50-60
Optional downrod p. 636



A	A I
372/14.6"	254/10"
B	C
118/4.6"	228/9"
D	E
56/2.2"	130/5.12"
F	G
1322/52"	547/21"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



WINCH

— Faro Lab

ø132 CM | ø52 INCH | > 17,6-28 M2 190-300 SQ.FT | REMOTE CONTROL | INCLINING ROOF | DIRECT CEILING MOUNTING



33396
Body dark brown/marrón oscuro
Blades dark brown/marrón oscuro

Body Steel/Acero
Blades MDF
W 15-30-60
RPM 90-145-190
Airflow 151,38 m3 min/5346 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636

2 E27 MAX 15W LED
[17463]
Diff Opal glass/Cristal opal



A	A1
520/20.4"	370/14.5"
B	C
350/13.7"	ø400/16"
D	E
60/2.4"	ø130/5.1"
F	G
ø1320/51.9"	560/22"



A	A1
500/19.7"	330/13"
B	C
350/13.7"	ø400/16"
D	E
60/2.4"	ø130/5.1"
F	G
ø1320/51.9"	560/22"



LUZON

ø132 CM | ø52 INCH | > 17,6-28 M2 190-300 SQ.FT | REMOTE CONTROL | INCLINING ROOF



33750
Body white/blanco
Blades white/blanco



33751
Body brown/marrón
Blades brown/marrón

Body Steel/Acero
Blades ABS
W 23-42-65
RPM 90-120-155
Airflow 215,73 m3 min/7615 CFM
Voltage (V/Hz) 220-240/50
Downrods (3) ✔
105mm/3.99" | 152mm/60"
Optional downrod p. 636



A	A1
285/11.2"	235/9.2"
B	**C**
180/70.8"	ø160/6.3"
D	**E**
60/23.6"	ø140/5.5"
F	**G**
ø1320/52"	590/23.2"

SIOUX

ø132 CM | ø52 INCH | > 17,6-28 M2 190-300 SQ.FT | DC MOTOR | SMART FAN OPTION | IP44 OUTDOOR | SUMMER WINTER | WITH PROGRAMMER | INCLINING ROOF



33770
33770WP ***Smart Fan***
Body white/blanco
Blades white/blanco

Body Steel/Acero
Blades ABS
With timer/Con temporizador 1-4-8hr
W 5-10-16-23-38
RPM 106-143-174-198-233
Airflow 164,32 m3 min/5803 CFM
Voltage (V/Hz) 110-240/50-60
Voltage ***Smart Fan*** **(V/Hz)** 100-240/50-60
Downrods (2)
127mm/5" | 254mm/10"
Optional downrod p. 636



A	A I
320/12.6"	260/10.2"
B	**C**
200/78.7"	ø220/8.6"
D	**E**
70/27.7	ø170/6.7"
F	**G**
ø1320/52"	590/23.2"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.

POLARIS

ø132 CM | ø52 INCH | > 17,6-28 M2 190-300 SQ.FT | DC MOTOR | SMART FAN OPTION | SUMMER WINTER | WITH PROGRAMMER | INCLINING ROOF



33346
33346WP ***Smart Fan***
Body white/blanco
Blades white/blanco

Body Steel/Acero
Blades ABS
With timer/Con temporizador 1-4-8hr
W 4-9-16-23-35
RPM 86-108-130-145-175
Airflow 163 m3 min/4900 CFM
Voltage (V/Hz) 220-240/50-60
Voltage ***Smart Fan*** **(V/Hz)**
100-240/50-60
Optional downrod p. 636

LED SMD 18W
2700K 1500lm
CRI>80 Driver
Diff Polycarbonate/
Policarbonato



A	A1
350/13.7"	275/10.8"
B	**C**
180/7.1"	170/7"
D	**E**
50/2"	ø130/5.1"
F	**G**
ø1320/51.9"	555/21.8"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.

TIMOR

ø132 CM | ø52 INCH | > 17,6-28 M2 190-300 SQ.FT | SUMMER WINTER | REMOTE CONTROL



33372
Body white/blanco
Blades white+maple/blanco+arce



Body Steel/Acero
Blades Plywood
W 17-30-50
RPM 90-130-170
Airflow 134,28 m3 min/4742 CFM
Voltage (V/Hz) 220-240/50

LED SMD 12W 2300K 900lm
CRI>80 Driver ✔
Diff Opal Acrylic/Acrílico Opal



A	A1
270/10.6"	240/9.4"
B	**C**
80/3.11"	ø175/6.88"
D	**E**
50/1.9"	ø175/6.9"
F	**G**
ø1320/51.9"	570/22.4"

PALK

ø132 CM | ø52 INCH | > 17,6-28 M2 190-300 SQ.FT | DC MOTOR | SUMMER WINTER | REMOTE CONTROL | INCLINING ROOF



33470
Body satin nickel/níquel satinado
Blades maple/arce

Body Steel/Acero
Blades Plywood
W 3-5-8-13-21-32
RPM 50-77-104-131-158-185
Airflow 198,22 m3 min/7000 CFM
Voltage (V/Hz) 220-240/50-60
Optional downrod p. 636

2 E14 MAX 8W LED ⊗ **[17461]**
Diff Opal Glass/Cristal Opal



A	A1
390/15.3"	325/12.8"
B	C
140/5.51"	ø150/5.9"
D	E
60/2.35"	ø130/5.1"
F	G
ø1320/51.9"	570/22.4"



TONSAY

ø132 CM | ø52 INCH | > 17,6-28 M2 190-300 SQ.FT | SUMMER WINTER | REMOTE CONTROL





33384
Body white/blanco
Blades white+maple/blanco+arce





33385
Body matt nickel/níquel mate
Blades grey+mahogany/gris+caoba





33386
Body dark brown/marrón oscuro
Blades cedar+wenge/cedro+wengué

Body Steel/Acero
Blades Plywood
W 10-24-46
RPM 83-132-180
Airflow 145,63 m3 min/5143 CFM
Voltage (V/Hz) 220-240/50

2 E27 MAX 15W LED
[17463]
Diff Opal Glass/Cristal Opal



A	A1
305/12"	270/10.6"
B	**C**
300/11.8"	ø238/9.34"
D	**E**
-	ø190/7.5"
F	**G**
ø1320/51.9"	535/20.06"



PEMBA

ø132 CM | ø52 INCH | > 17,6-28 M2 190-300 SQ.FT | DC MOTOR | SUMMER WINTER | REMOTE CONTROL



33471N
Body white/blanco
Blades white/blanco



33491
Body grey/gris
Blades grey/gris



33492
Body brown/marrón
Blades brown/marrón



with light/con luz

LED SMD 16W 3000K 800lm CRI>80 Driver
Diff Polycarbonate/Policarbonato

33471N-3
Body white/blanco
Blades white/blanco

33491-4
Body grey/gris
Blades grey/gris

33492-5
Body brown/marrón
Blades brown/marrón

*Light Kits also sold separately p.651/*Los kits de luz también se venden por separado p.651*

Body Steel/Acero
Blades ABS
W 3-5-9-14-21-32
RPM 50-76-102-127-157-180
Airflow 191,14 m3 min/6750 CFM
Voltage (V/Hz) 220-240/50-60



A	A1
215/8.46"	190/7.5"
B	**C**
570/22.4"	180/70.5"
D	**E**
65/2.51"	ø170/6.7"
F	**G**
ø1320/51.9"	570/22.4"

NIAS

ø132 CM | ø52 INCH | > 17,6-28 M2 190-300 SQ.FT | DC MOTOR | SUMMER WINTER | REMOTE CONTROL





33472N
Body satin nickel/níquel satinado
Blades walnut/nogal

with light/con luz

LED SMD 16W 800lm CRI>80
Driver ✔



33472N-6
Body satin nickel/níquel satinado
Blades walnut/nogal
Diff Polycarbonate/Policarbonato

*Light Kits also sold separately p.651/*Los kits de luz también se venden por separado p.651*

Body Steel/Acero
Blades Plywood
W 2-7-9-14-21-32
RPM 50-82-114-146-178-210
Airflow 195,39 m3 min/6900 CFM
Voltage (V/Hz) 220-240/50-60



A	A1
190/7.5"	155/6.1"
B	**C**
–	ø140/5.5"
D	**E**
–	ø170/6.9"
F	**G**
ø1320/51.9"	630/24.8"

VANU

ø132 CM | ø52 INCH | > 17,6-28 M2 190-300 SQ.FT | SUMMER WINTER | REMOTE CONTROL | INCLINING ROOF | DIRECT CEILING MOUNTING



33314
Body dark brown/marrón oscuro
Blades dark walnut/nogal oscuro

Body Steel/Acero
Blades Plywood
W 14-31-60
RPM 75-120-172
Airflow 163,61 m3 min/5778 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636

E27 MAX 15W LED ⊗ **[17463]**
Diff Opal Glass/Cristal Opal



A	A1
430/16.9"	300/11.8"
B	**C**
220/8.63"	240/9.43"
D	**E**
60/2.35"	ø130/5.1"
F	**G**
ø1320/51.9"	540/21.2"



ICARIA

ø132 CM | ø52 INCH | > 17,6-28 M2 190-300 SQ.FT | SUMMER WINTER | REMOTE CONTROL | INCLINING ROOF



33700
Body white/blanco
Blades white+maple/blanco+arce





33701
Body aluminium/aluminio
Blades grey+maple/gris+arce





33702
Body brown/marrón
Blades brown+mahogany/marrón+caoba





33705
Body antique brass/oro envejecido
Blades brown+oak/marrón+roble



P.615
S



Body Steel/Acero
Blades MDF
W 15-30-56
RPM 100-150-205
Airflow 155,62 m3 min/5496 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636

2 E27 MAX 15W LED
[17463]
Diff Opal Glass/Cristal Opal



A	A1
415/16.3"	330/12.9"
B	**C**
280/11"	ø270/10.6"
D	**E**
50/2"	ø150/5.9"
F	**G**
ø1320/51.9"	520/20.5"

IBIZA

ø132 CM | ø52 INCH | > 17,6-28 M2 190-300 SQ.FT | SUMMER WINTER | REMOTE CONTROL | INCLINING ROOF





33284
Body white/blanco
Blades white/blanco



33287
Body satin nickel/níquel satinado
Blades grey+maple/gris+acre



33288
Body rust brown/marrón óxido
Blades mahogany+bleached oak/ caoba+roble emblanquecido

Body Steel/Acero
Blades Plywood
W 16-29-49
RPM 113-162-212
Airflow 149,57 m3 min/5282 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636



A	A1
330/12.9"	270/10.6"
B	C
170/6.9"	175/6.88"
D	E
60/2.35"	ø130/5.1"
F	G
ø1320/51.9"	570/ 22.4"

MALLORCA

ø132 CM | ø52 INCH | > 17,6-28 M2 190-300 SQ.FT | SUMMER WINTER | REMOTE CONTROL | INCLINING ROOF





33292
Body matt nickel/níquel mate
Blades grey+maple/gris+acre



33350
Body white/blanco
Blades white+maple/blanco+acre



33351
Body rust brown/marrón óxido
Blades mahogany+bleached oak/
caoba+roble emblanquecido

P.617
S



Body Steel/Acero
Blades MDF
W 15-30-56
RPM 100-150-205
Airflow 154,30 m3 min/5449 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636



A	A1
380/15"	330/12.9"
B	**C**
180/7.05"	250/9.82"
D	**E**
60/2.35"	ø130/5.1"
F	**G**
ø1320/51.9"	520/20.4"

CUBA

ø132 CM | ø52 INCH | > 17,6-28 M2 190-300 SQ.FT | SUMMER WINTER | INCLINING ROOF | CONTROLLED BY CHAINS





33352
Body dark brown/marrón oscuro
Blades dark brown/marrón oscuro



33352B NEW
Body antique brass/oro envejecido
Blades brown/marrón

Body Steel/Acero
Blades ABS
W 20-34-65
RPM 73-99-145
Airflow 127,45 m3 min/4501 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636
Remote control [33929/33937]



A	A1
510/20.1"	450/17.7"
B	**C**
350/13.7"	370/15.5"
D	**E**
60/2.35·	ø130/5.1"
F	**G**
ø1320/51.9"	600/23"

CORSO

ø132 CM | ø52 INCH | > 17,6-28 M2 190-300 SQ.FT | SUMMER WINTER | INCLINING ROOF | DIRECT CEILING MOUNTING | CONTROLLED BY CHAINS



33274
Body dark brown/marrón oscuro
Blades reddish mahogany+pickled oak/aoba rojizo+roble envejecido



Body Steel/Acero
Blades Plywood
W 23-34-57
RPM 87-135-198
Airflow 161,92 m3min/5718 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636
Remote control [33929/33937] ⊗

4 E27 MAX 15W LED ⊗ **[17463]**
Diff Translucent Glass/
Cristal Translúcido



A	A I
520/20.5"	290/11.4"
B	**C**
400/15.74"	360/14.17"
D	**E**
60/2.35"	ø130/5.1"
F	**G**
ø1320/51.9"	525/20.7"

LOMBOK

ø132 CM	ø52 INCH	> 17,6-28 M2 190-300 SQ.FT	SUMMER WINTER	INCLINING ROOF	CONTROLLED BY CHAINS



33019
Body dark brown/marrón oscuro
Blades rustic pine/pino rústico

Body Steel/Acero
Blades Wood/Madera
W 14-29-58
RPM 85-135-185
Airflow 123,72 m3 min/4369 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636
Remote control [33929/33937] ⊗

2 E27 MAX 15W LED ⊗ **[17443]**
Diff Opal glass/Cristal opal



A	A1
500/19.7"	246/9.7"
B	**C**
330/12.9"	285/11.2"
D	**E**
60/2.35"	ø130/5.1"
F	**G**
ø1320/51.9"	541/21.3"

ALOHA

ø132 CM | ø52 INCH | > 17,6-28 M2 190-300 SQ.FT | SUMMER WINTER | REMOTE CONTROL | INCLINING ROOF





33710
Body dark brown/marrón oscuro
Blades walnut+dark walnut/
nogal+nogal oscuro

with light/con luz

3 E27 MAX 15W LED ⊗ **[17426]**



33710-13
dark brown/marrón oscuro

*Light Kits also sold separately p.651/*Los kits de luz también se venden por separado p.651*

Body Steel/Acero
Blades Plywood
W 15-32-58
RPM 80-125-180
Airflow 128,95 m3 min/4552 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636



A	A1
315/12.4"	285/11.2"
B	**C**
130/5.1"	240/9.43"
D	**E**
60/2.36"	130/5.11"
F	**G**
ø1320/51.9"	530/20.9"

TABARCA

ø132 CM | ø52 INCH | > 17,6-28 M2 190-300 SQ.FT | SUMMER WINTER | REMOTE CONTROL | INCLINING ROOF





33752
Body shiny white/blanco brillo
Blades white+maple/blanco+arce



33753
Body shiny grey/gris brillo
Blades grey+maple/gris+arce

Body Steel/Acero
Blades Plywood
W 23-34-50
RPM 125-160-200
Airflow 141,95 m3 min/5011 CFM
Voltage (V/Hz) 220-240/50-60

2 E27 MAX 15W
LED ⊗ **[17463]**
Diff Glass/Cristal



A	A I
450/17.72"	330/13"
B	**C**
300/11.81"	220/8.66"
D	**E**
60/2.36"	130/5.12"
F	**G**
1320/52"	540/21.25"

IZARO

ø130 CM | ø51 INCH | 13-17 M2 140-190 SQ.FT | DC MOTOR | SMART FAN OPTION | SUMMER WINTER | WITH PROGRAMMER | INCLINING ROOF



33514
33514WP ***Smart Fan***
Body shiny white/blanco brillo
Blades white+mapple/blanco+arce

Body Steel/Acero
Blades Plywood
With timer/Con temporizador 1-4-8hr
W 5-10-16-25-37
RPM 100-142-165-192-226
Airflow 190,12 m3 min/6711 CFM
Voltage (V/Hz) 220-240/50-60
Voltage ***Smart Fan*** **(V/Hz)** 100-240/50-60
Optional downrod p. 636

LED SMD 15W
3000K 850lm
CRI>80 Driver ✔
Diff Glass/Cristal



A	A I
420/16.53"	270/10.62"
B	**C**
260/10.23"	230/9.05"
D	**E**
70/2.75"	150/5.90"
F	**G**
1300/51.18"	540/21.25"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34151 del receptor. El precio del receptor es con el descuento PRO35.



TYPHOON

— Jordi Busquets



ø130 CM | ø51 INCH | 13-17 M2 140-190 SQ.FT | DC MOTOR | SMART FAN OPTION | IP44 OUTDOOR | SUMMER WINTER | REMOTE CONTROL | INCLINING ROOF



33480
33480WP ***Smart Fan***
Body white/blanco
Blades white/blanco



33489
33489WP ***Smart Fan***
Body grey/gris
Blades grey/gris



33490
33490WP ***Smart Fan***
Body brown/marrón
Blades brown/marrón



with light/con luz

LED SMD 16W 3000K 900lm CRI>80 Driver
Diff Polycarbonate/Policarbonato

33480-14
33480WP-14 ***Smart Fan***
white/blanco

33489-15
33489WP-15 ***Smart Fan***
grey/gris

33490-16
33490WP-16 ***Smart Fan***
brown/marrón

*Light Kits also sold separately p.651/*Los kits de luz también se venden por separado p.651*

Indoor/Outdoor IP44
Body ABS
Blades ABS
W 3-5-8-12-21-31
RPM 50-71-93-115-138-162
Airflow 183,09 m3 min/6463 CFM
Voltage (V/Hz) 220-240/50-60
Optional downrod p. 636



A	A1
390/15.3"	370/13.77"
B	**C**
200/7.87"	200/7.87"
D	**E**
55/2.1"	ø130/5.1"
F	**G**
ø1300/51.8"	530/20.8"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



Thanks to The Room Studio Photo: Maurício Fuertes

WINCHE

— Conillas

ø130 CM | ø51 INCH | 13-17 M2 140-190 SQ.FT | DC MOTOR | SMART FAN OPTION | SUMMER WINTER | REMOTE CONTROL | INCLINING ROOF



33481 Indoor/Outdoor IP44
33481WP *Smart Fan
Body black/negro
Blades dark brown/marrón oscuro



33482
33482WP *Smart Fan
Body chrome/cromado
Blades brown/marrón



with light/con luz LED SMD 16W 3000K 800lm CRI>80 Driver

33481-7 IP44
33481WP-7 *Smart Fan
Body black/negro
Blades dark brown/marrón oscuro

33482-8
33482WP-8 *Smart Fan
Body chrome/cromado
Blades brown/marrón

*Light Kits also sold separately p.651/*Los kits de luz también se venden por separado p.651*

Body Steel/Acero
Blades ABS
Diff Polycarbonate/Policarbonato
W 3-5-8-12-21-35
RPM 50-71-93-115-138-162
Airflow 183,01 m3 min/6463 CFM
Voltage (V/Hz) 220-240/50-60
Optional downrod p. 636



A	A1
390/15.3"	355/13.97"
B	**C**
210/8.26"	190/7.48"
D	**E**
55/2.1"	ø130/5.11"
F	**G**
ø1270/50"	530/21.8"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



NEW **COPPER**
— Conillas

ø128 CM | ø50 INCH | 13-17 M2 140-190 SQ.FT | DC MOTOR | SMART FAN OPTION | SUMMER WINTER | REMOTE CONTROL | INCLINING ROOF



33451
33451WP *Smart Fan
Body matt black/negro mate
Blades walnut/nogal



Body Steel/Acero
Blades Polycarbonate/ Policarbonato
W 4-6-9-13-22-32
RPM 51-77-103-129-155-185
Airflow 145,66 m3 min/5144 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan **(V/Hz)** 100-240/50-60
Downrods (3) ✓
100mm/3.9" | 200mm/7.8" | 450mm/17.7"



A	A1
640/25.2"	630/24.8"
B	**C**
180/7.05"	ø160/6.3"
D	**E**
60/2.3"	ø130/5.1"
F	**G**
ø1280/50.4"	555/21.8"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.


1
4

MINI ETERFAN

— Conillas

ø128 CM | ø50 INCH | 13-17 M2 140-190 SQ.FT | DC MOTOR | SMART FAN OPTION | SUMMER WINTER | REMOTE CONTROL



33382
33382WP ***Smart Fan***
Body chrome/cromo
Blades transparent/transparente



32020
32020WP ***Smart Fan***
Body shiny white/blanco brillo
Blades transparent/transparente



32025
32025WP ***Smart Fan***
Body matt white/blanco mate
Blades transparent/transparente



32026
32026WP ***Smart Fan***
Body shiny black/negro brillo
Blades transparent/transparente



32027
32027WP ***Smart Fan***
Body matt black/negro mate
Blades transparent/transparente



32028
32028WP ***Smart Fan***
Body matt black/negro mate
Blades walnut/nogal



32029
32029WP ***Smart Fan***
Body shiny red/rojo brillo
Blades transparent/transparente



32030
32030WP ***Smart Fan***
Body matt black/negro mate
Blades matt black/negro mate



with light/con luz

SMD LED 17W 3000K 600lm CRI>80 Driver **Diff** Opal Glass/Cristal Opal

33382-9
33382WP-9 ***Smart Fan***
Body chrome/cromo
Blades transparent/transparente

32020-9
32020WP-9 ***Smart Fan***
Body shiny white/blanco brillo
Blades transparent/transparente

32025-9
32025WP-9 ***Smart Fan***
Body matt white/blanco mate
Blades transparent/transparente

32026-10
32026WP-10 ***Smart Fan***
Body shiny black/negro brillo
Blades transparent/transparente

32027-10
32027WP-10 ***Smart Fan***
Body matt black/negro mate
Blades transparent/transparente

32028-10
32028WP-10 ***Smart Fan***
Body matt black/negro mate
Blades walnut/nogal

32029-9
32029WP-9 ***Smart Fan***
Body shiny red/rojo brillo
Blades transparent/transparente

32030-10
32030WP-10 ***Smart Fan***
Body matt black/negro mate
Blades matt black/negro mate

*Light Kits also sold separately p.651/*Los kits de luz también se venden por separado p.651*

Body Steel+Glass/Acero+Cristal
Blades Polycarbonate/Policarbonato
W 3-6-9-13-22-32
RPM 51-77-103-129-155-185
Airflow 145,66 m3 min/5144 CFM
Voltage (V/Hz) 220-240/50-60
Voltage ***Smart Fan*** **(V/Hz)** 100-240/50-60



A	A1
450/17.7"	420/16.5"
B	**C**
-	ø160/6.3"
D	**E**
60/2.3"	ø130/5.1"
F	**G**
ø1280/50.4"	555/21.8"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



ETERFAN

— Conillas

ø128 CM | ø50 INCH | 13-17 M2 140-190 SQ.FT | DC MOTOR | SMART FAN OPTION | SUMMER WINTER | REMOTE CONTROL



33381
33381WP ***Smart Fan***
Body chrome/cromo
Blades transparent/transparente



32000
32000WP ***Smart Fan***
Body shiny white/blanco brillo
Blades transparent/transparente



32001
32001WP ***Smart Fan***
Body matt white/blanco mate
Blades transparent/transparente



32002
32002WP ***Smart Fan***
Body shiny black/negro brillo
Blades transparent/transparente



32003
32003WP ***Smart Fan***
Body matt black/negro mate
Blades transparent/transparente



32004
32004WP ***Smart Fan***
Body matt black/negro mate
Blades walnut/nogal



32005
32005WP ***Smart Fan***
Body shiny red/rojo brillo
Blades transparent/transparente



32006
32006WP ***Smart Fan***
Body matt black/negro mate
Blades matt black/negro mate



with light/con luz

SMD LED 17W 3000K 600lm CRI>80 Driver **Diff** Opal Glass/Cristal Opal

33381-9
33381WP-9 ***Smart Fan***
Body chrome/cromo
Blades transparent/transparente

32000-9
32000WP-9 ***Smart Fan***
Body shiny white/blanco brillo
Blades transparent/transparente

32001-9
32001WP-9 ***Smart Fan***
Body matt white/blanco mate
Blades transparent/transparente

32002-10
32002WP-10 ***Smart Fan***
Body shiny black/negro brillo
Blades transparent/transparente

32003-10
32003WP-10 ***Smart Fan***
Body matt black/negro mate
Blades transparent/transparente

32004-10
32004WP-10 ***Smart Fan***
Body matt black/negro mate
Blades walnut/nogal

32005-9
32005WP-9 ***Smart Fan***
Body shiny red/rojo brillo
Blades transparent/transparente

32006-10
32006WP-10 ***Smart Fan***
Body matt black/negro mate
Blades matt black/negro mate

*Light Kits also sold separately p.651/*Los kits de luz también se venden por separado p.651*

Body Steel+Glass/Acero+Cristal
Blades Polycarbonate/Policarbonato
W 3-6-9-13-22-32
RPM 51-77-103-129-155-185
Airflow145,66 m3 min/5144 CFM
Voltage (V/Hz) 220-240/50-60
Voltage ***Smart Fan*** **(V/Hz)** 100-240/50-60



A	A1
640/25,2"	630/24,8"
B	**C**
-	ø160/6,3"
D	**E**
60/2,3"	ø130/5,1"
F	**G**
ø1280/50,4"	555/21,8"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.

Thanks to **The Room Studio**



JUSTFAN
— Conillas

ø128 CM | ø50 INCH | 13-17 M2 140-190 SQ.FT | DC MOTOR | SMART FAN OPTION | SUMMER WINTER | REMOTE CONTROL | INCLINING ROOF



33394
33394WP ***Smart Fan***
Body chrome/cromo
Blades transparent/transparente



33395
33395WP ***Smart Fan***
Body black/negro
Blades walnut/nogal



33398
33398WP ***Smart Fan***
Body antique brass/oro envejecido
Blades walnut/nogal



33399
33399WP ***Smart Fan***
Body copper/cobre
Blades walnut/nogal



32100
32100WP ***Smart Fan***
Body matt black/negro mate
Blades matt black/negro mate



33417
33417WP ***Smart Fan***
Body antique brass/oro envejecido
Blades matt black/negro mate



33418
33418WP ***Smart Fan***
Body copper/cobre
Blades matt black/negro mate



with light/con luz

SMD LED 17W 3000K 600lm CRI>80 Driver ✔ **Diff** Opal Glass/Cristal Opal

33394-9
33394WP-9 ***Smart Fan***
Body chrome/cromo
Blades transparent/transparente

33395-10
33395WP-10 ***Smart Fan***
Body black/negro
Blades walnut/nogal

33398-10
33398WP-10 ***Smart Fan***
Body antique brass/oro envejecido
Blades walnut/nogal

33399-10
33399WP-10 ***Smart Fan***
Body copper/cobre
Blades walnut/nogal

32100-10
32100WP-10 ***Smart Fan***
Body matt black/negro mate
Blades matt black/negro mate

33417-10
33417WP-10 ***Smart Fan***
Body antique brass/oro envejecido
Blades matt black/negro mate

33418-10
33418WP-10 ***Smart Fan***
Body copper/cobre
Blades matt black/negro mate

*Light Kits also sold separately p.651/*Los kits de luz también se venden por separado p.651*

Body Steel/Acero
Blades Polycarbonate/ Policarbonato
W 4-6-9-13-22-32
RPM 51-77-103-129-155-185
Airflow 145,66 m3 min/5144 CFM
Voltage (V/Hz) 220-240/50-60
Voltage ***Smart Fan*** **(V/Hz)** 100-240/50-60
Downrods (3) ✔
100mm/3.9" | 200mm/7.8" | 450mm/17.7"



A	A1
640/25.2"	630/24.8"
B	**C**
180/7.05"	ø160/6.3"
D	**E**
60/2.3"	ø130/5.1"
F	**G**
ø1280/50.4"	555/21.8"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



DECOFAN

— Conillas

ø128 CM | ø50 INCH | 13-17 M2 140-190 SQ.FT | DC MOTOR | SMART FAN OPTION | SUMMER WINTER | REMOTE CONTROL



33394D
33394DWP ***Smart Fan***
Body chrome/cromo
Blades transparent/transparente



33395D
33395DWP ***Smart Fan***
Body black/negro
Blades walnut/nogal



33398D
33398DWP ***Smart Fan***
Body antique brass/oro envejecido
Blades walnut/nogal



33399D
33399DWP ***Smart Fan***
Body copper/cobre
Blades walnut/nogal



with light/con luz SMD LED 17W 3000K 600lm CRI>80 Driver **Diff** Opal Glass/Cristal Opal

33394D-9
33394DWP-9 ***Smart Fan***
Body chrome/cromo
Blades transparent/transparente

33395D-10
33395DWP-10 ***Smart Fan***
Body black/negro
Blades walnut/nogal

33398D-10
33398DWP-10 ***Smart Fan***
Body antique brass/oro envejecido
Blades walnut/nogal

33399D-10
33399DWP-10 ***Smart Fan***
Body copper/cobre
Blades walnut/nogal

*Light Kits also sold separately p.651/*Los kits de luz también se venden por separado p.651*

Body Steel+Glass/Acero+Cristal
Blades Polycarbonate/Policarbonato
W 3-6-9-13-22-32
RPM 51-77-103-129-155-185
Airflow 145,66 m3 min/5144 CFM
Voltage (V/Hz) 220-240/50-60
Voltage ***Smart Fan*** **(V/Hz)** 100-240/50-60



A	A1
450/17.7"	420/16.5"
B	**C**
-	ø160/6.3"
D	**E**
60/2.3"	ø130/5.1"
F	**G**
ø1280/50.4"	555/21.8"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



MINI TUBE

— Conillas

ø128 CM | ø50 INCH | 13-17 M2 140-190 SQ.FT | DC MOTOR | SMART FAN OPTION | SUMMER WINTER | REMOTE CONTROL



33393
33393WP ***Smart Fan***
Body chrome/cromo
Blades transparent/transparente



32038
32038WP ***Smart Fan***
Body shiny white/blanco brillo
Blades transparent/transparente



32039
32039WP ***Smart Fan***
Body matt white/blanco mate
Blades transparent/transparente



32040
32040WP ***Smart Fan***
Body shiny black/negro brillo
Blades transparent/transparente



32041
32041WP ***Smart Fan***
Body matt black/negro mate
Blades transparent/transparente



32042
32042WP ***Smart Fan***
Body matt black/negro mate
Blades walnut/nogal



32043
32043WP ***Smart Fan***
Body matt black/negro mate
Blades matt black/negro mate



with light/con luz

SMD LED 17W 3000K 600lm CRI>80 Driver ✔ **Diff** Opal Glass/Cristal Opal

33393-9
33393WP-9 ***Smart Fan***
Body chrome/cromo
Blades transparent/transparente

32038-9
32038WP-9 ***Smart Fan***
Body shiny white/blanco brillo
Blades transparent/transparente

32039-9
32039WP-9 ***Smart Fan***
Body matt white/blanco mate
Blades transparent/transparente

32040-10
32040WP-10 ***Smart Fan***
Body shiny black/negro brillo
Blades transparent/transparente

32041-10
32041WP-10 ***Smart Fan***
Body matt black/negro mate
Blades transparent/transparente

32042-10
32042WP-10 ***Smart Fan***
Body matt black/negro mate
Blades walnut/nogal

32043-10
32043WP-10 ***Smart Fan***
Body matt black/negro mate
Blades matt black/negro mate

*Light Kits also sold separately p.651/*Los kits de luz también se venden por separado p.651*

Body Steel+Glass/Acero+Cristal
Blades Polycarbonate/Policarbonato
W 3-6-9-13-22-32
RPM 51-77-103-129-155-185
Airflow 145,66 m3 min/5144 CFM
Voltage (V/Hz) 220-240/50-60
Voltage ***Smart Fan*** **(V/Hz)** 100-240/50-60



A	A1
290/11.4"	250/9.8"
B	**C**
-	ø160/6.3"
D	**E**
-	ø130/5.1"
F	**G**
ø1280/50.4"	430/16.9"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



Thanks to BSB

TUBE

— Conillas

ø128 CM | ø50 INCH | 13-17 M2 140-190 SQ.FT | DC MOTOR | SMART FAN OPTION | SUMMER WINTER | REMOTE CONTROL



33374
33374WP ***Smart Fan***
Body chrome/cromo
Blades transparent/transparente



32033
32033WP ***Smart Fan***
Body shiny white/blanco brillo
Blades transparent/transparente



32034
32034WP ***Smart Fan***
Body matt white/blanco mate
Blades transparent/transparente



32035
32035WP ***Smart Fan***
Body shiny black/negro brillo
Blades transparent/transparente



32036
32036WP ***Smart Fan***
Body matt black/negro mate
Blades transparent/transparente



32037
32037WP ***Smart Fan***
Body matt black/negro mate
Blades walnut/nogal



32060
32060WP ***Smart Fan***
Body matt black/negro mate
Blades matt black/negro mate



with light/con luz

SMD LED 17W 3000K 600lm CRI>80 Driver ✔ **Diff** Opal Glass/Cristal Opal

33374-9
33374WP-9 ***Smart Fan***
Body chrome/cromo
Blades transparent/transparente

32033-9
32033WP-9 ***Smart Fan***
Body shiny white/blanco brillo
Blades transparent/transparente

32034-9
32034WP-9 ***Smart Fan***
Body matt white/blanco mate
Blades transparent/transparente

32035-10
32035WP-10 ***Smart Fan***
Body shiny black/negro brillo
Blades transparent/transparente

32036-10
32036WP-10 ***Smart Fan***
Body matt black/negro mate
Blades transparent/transparente

32037-10
32037WP-10 ***Smart Fan***
Body matt black/negro mate
Blades walnut/nogal

32060-10
32060WP-10 ***Smart Fan***
Body matt black/negro mate
Blades matt black/negro mate

*Light Kits also sold separately p.651/*Los kits de luz también se venden por separado p.651*

Body Steel+Glass/Acero+Cristal
Blades Polycarbonate/Policarbonato
W 3-6-9-13-22-32
RPM 51-77-103-129-155-185
Airflow 145,66 m3 min/5144 CFM
Voltage (V/Hz) 220-240/50-60
Voltage ***Smart Fan*** **(V/Hz)** 100-240/50-60



A	A1
450/17.7"	420/16.5"
B	**C**
-	ø160/6.3"
D	**E**
-	ø130/5.1"
F	**G**
ø1280/50.4"	430/16.9"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



NASSAU

ø128 CM | ø50 INCH | 13-17 M2 140-190 SQ.FT | DC MOTOR | SMART FAN OPTION | SUMMER WINTER | REMOTE CONTROL | INCLINING ROOF



33478
33478WP ***Smart Fan***
Body brown/marrón
Blades brown/marrón



33487
33487WP ***Smart Fan***
Body white/blanco
Blades white/blanco

Optional downrod/Tijas opcionales



33479
brown/marrón



33488
white/blanco

Body Steel/Acero
Blades Plywood
W 4-6-10-16-24-37
RPM 50-87-125-162-199-237
Airflow 222,41 m3 min/7851 CFM
Voltage (V/Hz) 220-240/50-60
Voltage ***Smart Fan*** **(V/Hz)** 100-240/50-60



A	A1
400/15.7"	370/14.5"
B	**C**
170/6.69"	120/4.72"
D	**E**
60/2.36"	ø130/5.11"
F	**G**
ø1280/50.4"	575/22.6"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.

MOLOKAI

ø125 CM | ø49 INCH | 13-17 M2 140-190 SQ.FT | DC MOTOR | SUMMER WINTER | REMOTE CONTROL | INCLINING ROOF





33475
Body matt nickel/níquel mate
Blades dark walnut/nogal oscuro

with light/con luz

LED SMD 18W 3000K 1200lm
CRI>80 Driver ✔



33475-17
dark brown/marrón oscuro

*Light Kits also sold separately p.651/*Los kits de luz también se venden por separado p.651*

Body Steel/Acero
Blades Plywood
W 3-5-8-13-21-31
RPM 50-76-102-128-155-180
Airflow 195,66 m3 min/6910 CFM
Voltage (V/Hz) 220-240/50-60
Optional downrod p. 636



A	A1
335/13.1"	300/11.8"
B	**C**
200/8.63"	150/5.90"
D	**E**
65/2.51"	ø140/5.51"
F	**G**
ø1250/42.9"	600/23.6"

PANAY

ø122 CM | ø48 INCH | 13-17 M2 140-190 SQ.FT | REMOTE CONTROL | INCLINING ROOF





33607
Body white/blanco
Blades white+maple/blanco+arce



33608
Body matt nickel/níquel mate
Blades matt nickel+mahogany/ níquel mate+caoba

Body Steel/Acero
Blades MDF
W 14-30-58
RPM 95-150-200
Airflow 116,2 m3 min/4103 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636

2 E14 MAX 8W LED ⊗ **[17461]**
Diff Opal Glass/Cristal Opal



A	A1
280/11"	180/7.1"
B	C
150/5.9"	210/8.24"
D	E
65/2.51"	ø130/5.1"
F	G
ø1220/48"	495/19.5"



YAKARTA

ø121 CM | ø47 INCH | 13-17 M2 140-190 SQ.FT | SUMMER WINTER | INCLINING ROOF | DIRECT CEILING MOUNTING | CONTROLLED BY CHAINS





33711
Body antique brass/oro envejecido
Blades dark oak+bleached oak/roble oscuro+roble emblanquecido





33712
Body white/blanco
Blades white+maple/blanco+arce





33713
Body brown/marrón
Blades mahogany+ dark walnut/caoba+nogal oscuro



with light/con luz 3 E27 MAX 15W LED ⊗ **[17463]**

33711-11
Body antique brass/oro envejecido
Blades dark oak+bleached oak/ roble oscuro+roble emblanquecido

33712-12
Body white/blanco
Blades white+maple/blanco+arce

33713-13
Body brown/marrón
Blades mahogany+ dark walnut/ caoba+nogal oscuro

*Light Kits also sold separately p.651/*Los kits de luz también se venden por separado p.651*

Body Steel/Acero
Blades Plywood
W 14-23-51
RPM 115-150-205
Airflow 94,57 m3 min/3340 CFM
Voltage (V/Hz) 220-240/50
Remote control [33929/33937] ⊗
Optional downrod p. 636



A	A1
350/13.7"	300/11.8"
B	**C**
130/5.11"	-
D	**E**
60/2.35"	ø130/5.1"
F	**G**
ø1210/47.6"	465/18.3"

ECO INDUS

ø120 CM	ø47 INCH	13-17 M2 140-190 SQ.FT	WALL CONTROL	INCLINING ROOF	EASY INSTALL



33005
Body white/blanco
Blades white/blanco

P.534
L



P.627
S



Body Steel/Acero
Blades Steel/Acero
W 16-26-68
RPM 150-225-322
Airflow 189,47 m3 min/6691 CFM
Voltage (V/Hz) 220-240/50
Remote control [33929/33937] ⊗



A	A1
320/12.6"	270/10.6"
B	**C**
160/6.29"	190/7.5"
D	**E**
60/2.35"	ø130/5.1"
F	**G**
ø1200/47.2"	485/19.1"

How to install the wall control? Visit faro.es / *Visita faro.es para la instalación del regulador de pared*

NEW

FRASER

ø120 CM | ø47 INCH | 13-17 M2 140-190 SQ.FT | DC MOTOR | SMART FAN OPTION | SUMMER WINTER | WITH PROGRAMMER



33756
33756WP *Smart Fan
Body matt white/blanco mate
Blades matt white/blanco mate

Body Steel/Acero
Blades ABS
With timer/Con temporizador 1-4-8hr
W 5-8-11-16-22-32
RPM 103-126-145-166-182-209
Airflow 211,9 m3 min/7484 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan **(V/Hz)** 100-240/50-60
Optional downrod p. 636

LED 16W 3000K
850lm CRI>80
Driver ✔
Diff
Opal glass/
Cristal opal



A	A1
320/12.6"	230/9"
B	C
190/7.5"	155/6.1"
D	E
-	150/5.9"
F	G
ø1200/47.2"	530/20.8"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



MINI ICARIA

ø107 CM | ø42 INCH | < 13 M2 < 140 SQ.FT | SUMMER WINTER | REMOTE CONTROL | INCLINING ROOF



33695
Body antique brass/oro envejecido
Blades brown+oak/marrón+roble





33696
Body matt nickel/níquel mate
Blades transparent/transparentes



33697
Body rust brown/marrón rústico
Blades mahogany+oak/caoba+roble





33698
Body white/blanco
Blades white+maple/blanco+arce





33699
Body matt nickel/níquel mate
Blades grey+maple/gris+arce



P.579
L



Body Steel/Acero
Blades MDF
W 16-24-35
RPM 135-175-210
Airflow 101,09 m3 min/3568 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636

2 E14 MAX 8W LED ⊗ **[17461]**
Diff Opal Glass/Cristal Opal



A	A1
405/15.9"	270/10.6"
B	**C**
280/11"	160/6.3"
D	**E**
60/2.35"	ø130/5.1"
F	**G**
ø1070/42"	425/16.7"

FEROE

ø107 CM | ø42 INCH | < 13 M2 < 140 SQ.FT | REMOTE CONTROL | INCLINING ROOF



33600
Body white/blanco
Blades white+maple/blanco+arce



Body Steel/Acero
Blades MDF
W10-21-41
RPM 80-145-180
Airflow 64,16 m3 min/2265,7 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636

2 E14 MAX 8W LED
[17461]
Diff Opal glass/
Cristal opal



A	A1
320/12.6"	210/8.2"
B	C
160/6.3"	200/7.9"
D	E
60/2.3"	ø130/5.1"
F	G
ø1070/42.1"	420/16.5"

MINI MALLORCA

ø107 CM | ø42 INCH | < 13 M2 < 140 SQ.FT | REMOTE CONTROL | INCLINING ROOF





33603
Body shiny white/blanco brillo
Blades white+maple/blanco+arce



33604
Body matt nickel/níquel mate
Blades grey+black/gris+negro



33605
Body dark brown/marrón oscuro
Blades dark brown+reddish cherry/ marrón oscuro+cerezo rojizo

P.581
L



Body Steel/Acero
Blades MDF
W 10-21-41
RPM 80-145-180
Airflow
64,16 m3 min/2265 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636



A	AI
235/9.3"	200/7.9"
B	C
90/3.5"	ø220/8.6"
D	E
60/2.3"	ø130/5.11"
F	G
ø1070/42.1"	420/16.5"



Thanks to BSB

MINI LANTAU

ø107 CM | ø42 INCH | < 13 M2 < 140 SQ.FT | SUMMER WINTER | REMOTE CONTROL | INCLINING ROOF



33508
Body matt nickel/níquel mate
Blades walnut/nogal



33509
Body matt nickel/níquel mate
Blades pine/pino



33517
Body black/negro
Blades walnut/nogal

P.521 XL
P.553 L





Body Steel/Acero
Blades Wood/Madera
W13-26-55
RPM 105-150-210
Airflow 143,2 m3 min/5055 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636



A	A I
340/13.38"	300/11.81"
B	**C**
110/4.33"	150/5.90"
D	**E**
65/2.56"	150/5.9"
F	**G**
1070/42.12"	460/18.11"

LISBOA

ø107 CM	ø42 INCH	< 13 M2 < 140 SQ.FT	SUMMER WINTER	INCLINING ROOF	DIRECT CEILING MOUNTING	CONTROLLED BY CHAINS



33102
Body dark brown/marrón oscuro
Blades mahogany+dark walnut/caoba+nogal oscuro



Body Steel/Acero
Blades MDF
W 27-35-47
RPM 130-185-235
Airflow 99,96 m3 min/3530 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636
Remote control [33929/33937] ⊗

3 E27 MAX 15W LED ⊗
[17462]
Diff Translucent Glass/
Cristal Translúcido



A	A I
460/18.1"	240/9.4"
B	**C**
220/8.63"	300/11.8"
D	**E**
60/2.35"	ø130/5.1"
F	**G**
ø1070/42.1"	420/16.5"

KOMODO

ø106 CM | ø42 INCH | < 13 M2 < 140 SQ.FT | SUMMER WINTER | INCLINING ROOF | CONTROLLED BY CHAINS



33723
Body matt black/negro mate
Blades black+walnut/negro+nogal



Body Steel/Acero
Blades Plywood
W 15-24-46
RPM 146-182-256
Airflow 88,89m3 min/3138,52 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636
Remote control [33929/33937] ⊗

2 E14 MAX 8W LED ⊗ **[17461]**
Diff Steel+glass/Acero+cristal



A	A I
370/14.56"	220/8.66"
B	**C**
200/7.87"	225/8.85"
D	**E**
60/2.36"	130/5.12"
F	**G**
1070/42.04"	450/17.71"

FACTORY

ø106 CM | ø42 INCH | < 13 M2 < 140 SQ.FT | SUMMER WINTER | INCLINING ROOF | CONTROLLED BY CHAINS



33611
Body aluminium/aluminio
Blades grey+black/gris+negro



Body Steel/Acero
Blades MDF
W 20-29-42
RPM 80-140-190
Airflow 109 m3 min/3849,6 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636
Remote control [33929/33937] ⊗



A	A1
300/11.8"	157/6.88"
B	**C**
160/6.29"	170/6.69"
D	**E**
60/2.35"	ø130/5.1"
F	**G**
ø1060/41.7"	420/16.5"

EASY

ø105 CM | ø41 INCH | < 13 M2 < 140 SQ.FT | SUMMER WINTER | WITH PROGRAMMER | INCLINING ROOF | EASY INSTALL





33415
Body white/blanco
Blades white/blanco



33416
Body grey/gris
Blades grey/gris

Body Steel/Acero
Blades ABS
With timer/Con temporizador 1-3-6-9hr
W11-23-68
RPM 105-185-285
Airflow159,76 m3 min/5642 CFM
Voltage (V/Hz) 220-240/50

2 E27 MAX 15W
LED ⊗ **[17463]**
Diff Opal glass/
Cristal opal



A	A1
460/18.1"	320/12.6"
B	**C**
100/3.93"	210/8.24"
D	**E**
75/2.91"	ø140/5.5"
F	**G**
ø1050/41.3"	420/16.6"

OBOE

ø105 CM | ø41 INCH | < 13 M2 < 140 SQ.FT | SUMMER WINTER | REMOTE CONTROL | INCLINING ROOF



33610
Body shiny white/blanco brillo
Blades white+maple/blanco+arce



Body Steel/Acero
Blades MDF
W 8-22-38
RPM 85-140-180
Airflow 64,16 m3 min/3849,6 CFM
Voltage (V/Hz) 220-240/50



A	A1
360/14.17"	270/10.6"
B	**C**
220/8.63"	160/6.3"
D	**E**
60/2.35"	ø130/5.1"
F	**G**
ø1050/41.34"	420/16.5"

CEBU

ø102 CM | ø40 INCH | < 13 M2 < 140 SQ.FT | SUMMER WINTER | REMOTE CONTROL | INCLINING ROOF



33606
Body shiny white/blanco brillo
Blades white+maple/blanco+arce



Body Steel/Acero
Blades MDF
W 8-22-38
RPM 84-140-180
Airflow109 m3 min/3849,6 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636

2 E14 MAX 8W LED
[17461]
Diff Opal glass/
Cristal opal



A	A1
410/16.1"	270/10.6"
B	**C**
300/11.8"	180/7.05"
D	**E**
60/2.35"	ø140/5.51"
F	**G**
ø1020/40.2"	420/16.5"

MINI UFO

ø101 CM | ø40 INCH | < 13 M2 < 140 SQ.FT | SUMMER WINTER | REMOTE CONTROL





33454
Body white/blanco
Blades white+maple/blanco+arce



33455
Body matt nickel/níquel mate
Blades grey+maple/gris+arce

Body Steel/Acero
Blades MDF
W 8-18-42
RPM 90-150-200
Airflow106,92 m3 min/3776 CFM
Voltage (V/Hz) 220-240/50

2 E27 MAX 15W
LED ⊗ **[17463]**
Diff Opal glass/
Cristal opal



A	A1
370/14.6"	245/9.6"
B	**C**
260/10.2"	260/10.2"
D	**E**
120/4.71"	ø150/5.9"
F	**G**
ø1015/40"	384/15.1"

MINI INDUS

ø92 CM | ø36 INCH | < 13 M2 < 140 SQ.FT | WALL CONTROL | EASY INSTALL



Thanks to BSB

33011
Body white/blanco
Blades white/blanco

P.534
L



P.612
M



Body Steel/Acero
Blades Steel/Acero
W 10-13-17-22-43
RPM 183-225-272-299-330
Airflow 74,56 m3 min/2633 CFM
Voltage (V/Hz) 220-240/50



A	A1
483/19"	440/17.3"
B	**C**
160/6.29"	ø120/4.71"
D	**E**
120/4.71"	ø145/5.7"
F	**G**
ø920/36.2"	320/12.6"

How to install the wall control? Visit faro.es / *Visita faro.es para la instalación del regulador de pared*

CHICAGO

ø91 CM | ø36 INCH | < 13 M2 < 140 SQ.FT | REMOTE CONTROL | INCLINING ROOF



33703
Body black/negro
Blades walnut/nogal

Body Steel/Acero
Blades MDF
W 15-26-49
RPM 136-192-225
Airflow 96,71 m3 min/3414 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636

E27 MAX 15W LED ⊗ **[17463]**



A	A1
475/18.7"	295/11.6"
B	**C**
295/11.41"	140/5.51"
D	**E**
50/1.96"	ø150/5.9
F	**G**
ø915/36"	380/14.96"

MEDITERRÁNEO

ø81 CM	ø32 INCH	< 13 M2 < 140 SQ.FT	SUMMER WINTER	CONTROLLED BY CHAINS





33704
Body white/blanco
Blades white+maple/blanco+arce



33706
Body matt nickel/níquel mate
Blades maple+ mahogany/ arce+caoba

Body Steel/Acero
Blades MDF
W 14-23-47
RPM 198-232-280
Airflow 85,38 m3 min/3014 CFM
Voltage (V/Hz) 220-240/50
Remote control [33929/33937] ⊗

E14 MAX 8W LED ⊗ **[17461]**
Diff Opal glass/Cristal opal



A	A1
385/15.2"	290/11.4"
B	**C**
260/10.2"	190/7.48"
D	**E**
110/4.3"	ø130/5.11"
F	**G**
ø815/32.1"	310/12.2"



JUSTFAN
— Conillas

ø81 CM | ø31 INCH | < 13 M2 < 140 SQ.FT | DC MOTOR | SMART FAN OPTION | SUMMER WINTER | REMOTE CONTROL | INCLINING ROOF



33426
33426WP *Smart Fan*
Body chrome/cromo
Blades transparent/transparente



33425
33425WP *Smart Fan*
Body black/negro
Blades walnut/nogal



33428
33428WP *Smart Fan*
Body antique brass/oro envejecido
Blades walnut/nogal



33423
33423WP *Smart Fan*
Body copper/cobre
Blades walnut/nogal



33424
33424WP *Smart Fan*
Body matt black/negro mate
Blades matt black/negro mate



33429
33429WP *Smart Fan*
Body antique brass/oro envejecido
Blades matt black/negro mate



33427
33427WP *Smart Fan*
Body copper/cobre
Blades matt black/negro mate



with light/con luz

SMD LED 17W 3000K 600lm CRI>80 Driver ✔ **Diff** Opal Glass/Cristal Opal

33426-9
33426WP-9 *Smart Fan*
Body chrome/cromo
Blades transparent/transparente

33425-10
33425WP-10 *Smart Fan*
Body black/negro
Blades walnut/nogal

33428-10
33428WP-10 *Smart Fan*
Body antique brass/oro envejecido
Blades walnut/nogal

33423-10
33423WP-10 *Smart Fan*
Body copper/cobre
Blades walnut/nogal

33424-10
33424WP-10 *Smart Fan*
Body matt black/negro mate
Blades matt black/negro mate

33429-10
33429WP-10 *Smart Fan*
Body antique brass/oro envejecido
Blades matt black/negro mate

33427-10
33427WP-10 *Smart Fan*
Body copper/cobre
Blades matt black/negro mate

*Light Kits also sold separately p.651/*Los kits de luz también se venden por separado p.651*

Body Steel/Acero
Blades Polycarbonate/ Policarbonato
W 2.8-3.2-4-5-6.7-9
RPM 51-86-122-158-195-235
Airflow 121,69 m3 min/4296 CFM
Voltage (V/Hz) 220-240/50-60
Voltage *Smart Fan* **(V/Hz)** 100-240/50-60
Downrods (2) ✔
100mm/3.9" | 200mm/7.8"



A	A1
390/15.3"	630/24.8"
B	**C**
180/7.05"	ø160/6.3"
D	**E**
55/2.1"	ø130/5.1"
F	**G**
ø810/31.8"	358/14.1"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



PALAO

ø81 CM | ø31 INCH | < 13 M2 < 140 SQ.FT | SUMMER WINTER | INCLINING ROOF | DIRECT CEILING MOUNTING | CONTROLLED BY CHAINS



33179
Body white/blanco
Blades multicolour/multicolor



33180
Body white/blanco
Blades white/blanco



33183
Body matt nickel/níquel mate
Blades maple/arce



33185
Body dark brown/marrón oscuro
Blades mahogany/caoba



33186
Body grey/gris
Blades grey/gris

Body Steel/Acero
Blades MDF
W 24-28-37
RPM 127-192-241
Airflow 92,37 m3 min/3262 CFM
Voltage (V/Hz) 220-240/50
Optional downrod p. 636
Remote control [33929/33937] ⊗

E14 MAX 8W LED ⊗ **[17461]**
Diff Opal glass/Cristal opal



A	A I
390/15.3"	260/10.2"
B	C
190/7.5"	170/6.9"
D	E
60/2.35"	ø130/5.1"
F	G
ø810/31.8"	350/13.7"



A	A I
250/9.8"	160/6.3"
B	C
190/7.5"	170/6.9"
D	E
60/2.35"	ø130/5.1"
F	G
ø810/31.8"	350/13.7"

VEDRA

ø46 CM	ø18 INCH	< 13 M2 < 140 SQ.FT	WALL CONTROL	INCLINING ROOF



33450
Body antique brass/oro envejecido
Blades walnut/nogal

Body Aluminium/Aluminio
Blades MDF
Adjustable/Regulable 90º
W 19-22-34-37
RPM 327-369-495-515
Airflow 58,11 m3 min/2052 CFM
Voltage (V/Hz) 220-240/50
Remote control [33929/33937] ⊗



A	A I
540/21.2"	450/17.7"
B	**C**
-	-
D	**E**
60/2.35"	ø145/5.7"
F	**G**
ø460/18.1"	200/17.9"

How to install the wall control? Visit faro.es / *Visita faro.es para la instalación del regulador de pared*

KEIKI

ø43 CM	ø17 INCH	< 13 M2 < 140 SQ.FT	SUMMER WINTER	WALL CONTROL	INCLINING ROOF





33715
Body brown/marrón
Blades brown/marrón



33720
Body white/blanco
Blades white/blanco

Body Steel/Acero
Blades Plywood
Ceiling & Wall/Apto para techo y pared
Adjustable/Regulable 45º/20º
W 10-19-28
RPM 380-640-890
Airflow 38,61 m3 min/ 1363 CFM
Voltage (V/Hz) 220-240/50



A	A I
505/19.9"	440/17.3"
B	**C**
-	-
D	**E**
55/2.1"	ø150/5.11"
F	**G**
ø430/16.9"	150/5.90"

How to install the wall control? Visit faro.es / *Visita faro.es para la instalación del regulador de pared*

OPTIONAL DOWNROD	COLOR	MATERIAL	SIZE
33904	white/blanco	Steel/Acero	300mm/11,8in
33959	grey/gris	Steel/Acero	300mm/11,8in
33960	old gold/oro envejecido	Steel/Acero	300mm/11,8in
33962	brown/marrón	Steel/Acero	300mm/11,8in
33965	satin nickel/níquel satinado	Steel/Acero	300mm/11,8in
33944	white/blanco	Steel/Acero	400mm/15,7in
33948	matt nickel/níquel mate	Steel/Acero	400mm/15,7in
33954	white/blanco	Steel/Acero	500mm/19,7in
33957	old gold/oro envejecido	Steel/Acero	500mm/19,7in
33958	chrome/cromo	Steel/Acero	500mm/19,7in
33964	brown/marrón	Steel/Acero	500mm/19,7in
33971	satin nickel/níquel satinado	Steel/Acero	500mm/19,7in

OPTIONAL DOWNRODS ONLY FOR/ TIJAS OPCIONALES PARA MODELOS VULCANO, TONIC, CENTURY			
3R432	matt nickel/níquel mate	Steel/Acero	1780mm/70,1in
3R433	white/blanco	Steel/Acero	2000mm/78,7in
3R434	brown/marrón	Steel/Acero	2000mm/78,7in

REMOTE CONTROLS	BATTERY	FREQUENCY	MATERIAL	INFO	
33929	1x9V ⊗	50/60Hz	PVC	-	
33937	4xAAA ⊗	50/60Hz	**Body** PVC	◯	

AC WALL CONTROL 3 SPEEDS					
33928			ABS	-	

*The wall control is not compatible with the remote control at same time / El regulador de pared no se puede usar al mismo tiempo que el mando a distáncia

DC WALL CONTROL 6 SPEEDS *Compatible with/con: GOTLAND/RODAS/HYDRA/SAMOS/POROS					
33974			-	-	

CHAIN				SIZE	
33907	-	-	-	300mm/11,8in	

Optional accesories

Accesorios opcionales


GUADALUPE
lampOn



Smart Bulb

Control your light with tuya app

ANDROID APP ON Google play

Available on the iPhone App Store

All luminaires that can be controlled with our Smart Bulb
are identified with **Smart 17498**
*Todos las luminarias que permiten ser controladas con nuestra bombilla inteligente están identificadas con **Smart 17498***

It works with WiFi / *Funciona con WiFi*

Compatible with / Compatible con
Alexa, Google assistant & Siri



On/Off | Grouping | Scenes | Animation | Gallery | Intensity | Calendar | Timer | Sunrise &Sunset

Multiple features / *Múltiples funcionalidades*

A60	Ref	Socket	K	lm	CRI	I.E.E.	P	Beam	Dimm	V	Hz	Hrs.	Caract.	Size
	17498	E27	2700	806	≥80	A++	7W	360°	APP	220-240	50/60	25.000	Filament	ø60/2,3” 102/4,5”

LED Module	Ref	Socket	K	lm	CRI	I.E.E.	P	Beam	Dimm	DC Current	Hrs.	*Driver not incl.
	18030	—	2700	930	90	—	12W	12°	✓	350 mA	50.000	98310114C / 98310320
	18031	—	2700	1140	90	—	12W	36°	✓	350 mA	50.000	98310114C / 98310320
	18032	—	3000	1040	90	—	12W	12°	✓	350 mA	50.000	98310114C / 98310320
	18033	—	3000	1140	90	—	12W	36°	✓	350 mA	50.000	98310114C / 98310320
	18034	—	4000	1040	90	—	12W	12°	✓	350 mA	50.000	98310114C / 98310320
	18035	—	4000	1140	90	—	12W	36°	✓	350 mA	50.000	98310114C / 98310320

*Suitable for/Apto para FRESH/WET/RADÓN/ARGÓN/NEÓN/GAS *Drivers information on pages 488-491 / Información de Drivers en páginas 488-491

GU10	Ref	Socket	K	lm	CRI	I.E.E.	P	Beam	Dimm	V	Hz	Hrs.	Caract.	Size
	17328	GU10	2700	600	80	A+	7W	120°	—	220-240	50	25.000	—	ø50/1,9” 55/2,3”
	17329	GU10	4000	650	80	A+	7W	120°	—	220-240	50	25.000	—	ø50/1,9” 55/2,3”
	17330	GU10	3000	540	80	A+	7W	38°	—	220-240	50	25.000	Glass	ø53/1,9” 53/2,1”
	17309	GU10	3000	500	>90	A+	7W	40°	—	220-240	50/60	25.000	—	ø50/1,9” 54/2,1”
	17316	GU10	2700	450	80	A+	8W	38°	—	100-240	50/60	25.000	—	ø50/1,9” 50/1,9”
	17317	GU10	4000	480	80	A+	8W	38°	—	220-240	50/60	25.000	—	ø50/1,9” 50/1,9”
	17320	GU10	2700	500	80	A+	8W	60°	—	100-240	50/60	25.000	—	ø50/1,9” 50/1,9”
	17321	GU10	4000	520	80	A+	8W	60°	—	100-240	50/60	25.000	—	ø50/1,9” 50/1,9”
	17318	GU10	2700	450	80	A+	8W	38°	✓	100-240	50/60	25.000	—	ø50/1,9” 54/2,1”
	17319	GU10	4000	480	80	A+	8W	38°	✓	220-240	50/60	25.000	—	ø50/1,9” 54/2,1”
	17324	GU10	2700	500	80	A+	8W	60°	—	100-240	50/60	25.000	—	ø50/1,9” 54/2,1”
	17325	GU10	4000	520	80	A+	8W	60°	—	100-240	50/60	25.000	—	ø50/1,9” 50/1,9”
	17331	GU10	2700	500	80	A+	8W	60°	✓	220-240	50/60	25.000	—	ø50/1,9” 54/2,1”
	17332	GU10	4000	520	80	A+	8W	60°	✓	220-240	50/60	25.000	—	ø50/1,9” 54/2,1”
G45														
	17472	E27	—	30	—	A+	1W	360°	—	220-240	50/60	25.000	Coloured glass	ø45/1,7” 66/2,6”
	17473	E27	—	30	—	A+	1W	360°	—	220-240	50/60	25.000	Coloured glass	ø45/1,7” 66/2,6”
	17474	E27	—	30	—	A+	1W	360°	—	220-240	50/60	25.000	Coloured glass	ø45/1,7” 66/2,6”
	17475	E27	—	30	—	A+	1W	360°	—	220-240	50/60	25.000	Coloured glass	ø45/1,7” 66/2,6”

C35	Ref	Socket	K	lm	CRI	I.E.E.	P	Beam	Dimm	V	Hz	Hrs.	Caract.	Size
	17460	E14	2700	450	80	A++	4W	360°	–	220-240	50/60	25.000	Matt glass	ø35/1,3” 100/4”
G45														
	17461	E14	2700	450	80	A++	4W	360°	–	220-240	50/60	25.000	Matt glass	ø45/1,7” 78/3,1”
	17462	E27	2700	450	80	A++	4W	360°	–	220-240	50/60	25.000	Matt glass	ø45/1,7” 70/2,7”
T45														
	17437	E27	3000	550	80	A++	5W	360°	–	220-240	50/60	25.000	Matt glass	ø45/1,7” 72/2,7”
A60														
	17463	E27	2700	800	80	A++	7W	360°	–	220-240	50/60	25.000	Matt glass	ø60/2,3” 102/4”
	17484	E27	4000	830	80	A++	7W	360°	–	220-240	50/60	25.000	Matt glass	ø60/2,3” 102/4”
	17485	E27	2700	900	80	A++	8W	360°	✓	220-240	50/60	25.000	Matt glass	ø60/2,3” 102/4”
	17486	E27	4000	950	80	A++	8W	360°	✓	220-240	50/60	25.000	Matt glass	ø60/2,3” 102/4”
	17063	E27	2700	640	80	A+	8W	270°	–	220-240	50/60	25.000	Polycar-bonate	ø60/2,3” 110/4,3”
	17064	E27	5000	680	80	A+	8W	270°	–	220-240	50/60	25.000	Polycar-bonate	ø60/2,3” 110/4,3”
	17067	E27	2700	810	80	A+	10W	270°	✓	220-240	50/60	25.000	Polycar-bonate	ø60/2,3” 120/4,7”
G95														
	17464	E27	2700	800	80	A++	6W	360°	–	220-240	50/60	25.000	Matt glass	ø95/3,7” 138/5,4”
	17482	E27	2700	900	80	A++	8W	360°	✓	220-240	50/60	25.000	Matt glass	ø95/3,7” 130/5,1”
	17483	E27	4000	950	80	A++	8W	360°	✓	220-240	50/60	25.000	Matt glass	ø95/3,7” 130/5,1”
G120														
	17478	E27	2700	1600	80	A+	19W	270°	–	220-240	50/60	25.000	Polycar-bonate	ø120/4,7” 155/6,1”
	17479	E27	2700	1600	80	A+	19W	270°	✓	220-240	50/60	25.000	Polycar-bonate	ø120/4,7” 155/6,1”
G125														
	17465	E27	2700	800	80	A++	6W	360°	–	220-240	50/60	25.000	Matt glass	ø125/4,9” 175/6,8”
G45														
	17417	E27	2700	220	80	A++	2W	360°	–	220-240	50/60	25.000	Filament	ø45/1,7” 70/2,7”
A60														
	17420	E27	2700	470	80	A++	4W	360°	–	220-240	50/60	25.000	Filament	ø60/2,3” 105/4,7”
ST64														
	17422	E27	2700	470	80	A++	4W	360°	–	220-240	50/60	25.000	Filament	ø64/2,5” 146/5,7”
G95														
	17415	E27	2700	470	80	A++	4W	360°	–	220-240	50/60	25.000	Filament	ø95/3,7” 138/5,4”
G125														
	17423	E27	2700	460	80	A++	4W	360°	–	220-240	50/60	25.000	Filament	ø125/4,9” 175/6,8”

T30	Ref	Socket	K	lm	CRI	I.E.E.	P	Beam	Dimm	V	Hz	Hrs.	Caract.	Size
	17445	E27	2700	550	80	A+	6W	360°	—	220-240	50/60	25.000	Filament Amber	ø28/1,1” 300/11,8”
C35														
	17427	E14	2200	200	—	A++	2W	360°	—	220-240	50/60	25.000	Filament Amber	ø36/1,4” 100/3,9”
G45														
	17413	E14	2200	200	—	A++	2W	360°	—	220-240	50/60	25.000	Filament Amber	ø45/1,7” 78/3,1”
	17414	E27	2200	200	—	A++	2W	360°	—	220-240	50/60	25.000	Filament Amber	ø45/1,7” 70/2,7”
	17493	E27	2200	300	—	A+	4W	360°	✓	220-240	50/60	25.000	Filament Amber	ø45/1,7” 70/2,7”
A60														
	17426	E27	2200	400	—	A++	4W	360°	—	220-240	50/60	25.000	Filament Amber	ø56/2,2” 102/4”
	17432	E27	2200	400	—	A+	5W	360°	✓	220-240	50/60	25.000	Filament Amber	ø56/2,2” 102/4”
ST64														
	17428	E27	2200	400	—	A++	4W	360°	—	220-240	50/60	25.000	Filament Amber	ø64/2,5” 146/5,7”
	17433	E27	2200	400	—	A+	5W	360°	✓	220-240	50/60	25.000	Filament Amber	ø64/2,5” 146/5,7”
SP64														
	17409	E27	2000	250	—	A	5W	360°	—	220-240	50/60	25.000	Filament Amber	ø64/2,5” 146/5,7”
G95														
	17429	E27	2200	400	—	A++	4W	360°	—	220-240	50/60	25.000	Filament Amber	ø95/3,7” 138/5,3”
G125														
	17434	E27	2200	400	—	A+	5W	360°	✓	220-240	50/60	25.000	Filament Amber	ø125/4,9” 175/6,8”
	17425	E27	2200	400	—	A++	4W	360°	—	220-240	50/60	25.000	Filament Amber	ø125/4,9” 175/6,8”
A160														
	17447	E27	2000	280	—	A+	5W	360°	✓	220-240	50/60	25.000	Filament Amber	ø160/6,3” 300/11,8”
BT180														
	17449	E27	2000	400	—	A+	8W	360°	✓	220-240	50/60	25.000	Filament Amber	ø160/6,3” 390/15,3”
G200														
	17448	E27	2000	280	—	A+	5W	360°	✓	220-240	50/60	25.000	Filament Amber	ø200/7,8” 300/11,8”
A60														
	17496	E27	2700	470	80	A++	4W	360°	—	220-240	50/60	25.000	Gold	ø60/2.3” 102/4”
G95														
	17271	E27	2700	400	80	A++	4W	180°	—	220-240	50/60	25.000	Mirror	ø95/3,7” 128/5”
T26														
	17446	E14	2700	120	80	A++	1W	360°	—	220-240	50/60	25.000	LED	ø25/0,1” 58/2,3”

R7S	Ref	Socket	K	lm	CRI	I.E.E.	P	Beam	Dimm	V	Hz	Hrs.	Caract.	Size
	17497	JP117	2700	800	80	A++	8W	360°	—	220-240	50/60	25.000	LED	ø13,5/0,5” 118/4,6”
G4														
	17487	G4	3000	180	80	A++	1,6W	360°	—	12 AC	—	25.000	LED	ø10/0,4” 37/1,4”
	17494	G4	3000	90	80	A++	1,5W	360°	—	12 AC	50/60	25.000	LED	ø11/0,5” 33/1,3”
G9														
	17443	G9	2700	350	80	A++	3,5W	360°	—	220-240	50/60	25.000	—	ø15/0,6” 50/1,9”
	17444	G9	4000	350	80	A++	3,5W	360°	—	220-240	50/60	25.000	—	ø15/0,6” 50/1,9”
	17468	G9	2700	350	80	A++	3,5W	360°	✓	220-240	50/60	25.000	—	ø16/0,7” 50/1,9”
	17495	G9	3000	420	80	A++	3,5W	360°	—	220-240	50/60	25.000	—	ø13/0,5” 58/3,3”
	17466	G9	2700	500	80	A++	5W	360°	—	220-240	50/60	25.000	—	ø16/0,7” 60/2,3”
	17467	G9	4000	500	80	A++	5W	360°	—	220-240	50/60	25.000	—	ø16/0,7” 60/2,3”
PAR38														
	17399	E27	4000	400	—	A+	10W	60°	—	220-240	50/60	30.000	—	ø120/4,7” 134/5,2”
	17400	E27	4000	850	80	A+	10W	60°	—	220-240	50/60	30.000	—	ø120/4,7” 140/5,5”
	17398	E27	3000	810	80	A+	12W	23°	—	100-240	50/60	25.000	IP65	ø120/4,7” 134/5,2”
R63														
	17476	E27	2700	700	80	A+	8W	120°	—	220-240	50/60	25.000	LED	ø63/2,5” 102,5/4”
R80														
	17477	E27	2700	1050	80	A+	12W	120°	—	220-240	50/60	25.000	LED	ø80/3,1” 112/4,4”
JP118														
	17490	R7s	2700	1000	80	A+	12W	—	—	220-240	50/60	25.000	LED	ø23/0,9” 118/4,6”
	17491	R7s	4000	1050	80	A+	12W	—	—	220-240	50/60	25.000	LED	ø23/0,9” 118/4,6”
JP78														
	17488	R7s	2700	600	80	A+	7W	—	—	220-240	50/60	25.000	LED	ø23/0,9” 78/3,07”
	17489	R7s	4000	650	80	A+	7W	—	—	220-240	50/60	25.000	LED	ø23/0,9” 78/3,07”
	17499	R7s	2700	450	80	A++	4W	—	—	220-240	50/60	25.000	LED	ø14/0,5” 78/3,07”
GX53														
	17340	GX53	3000	470	80	A+	6W	—	—	220-240	50/60	25.000	LED	ø76/2,9” 26/1,2”

Items with special discount conditions
Artículos con condiciones especiales de descuento

LED Bulb GU5.3
PARATHOM MR16



	SOCKET	P	CRI		DIM	BEAM	FLUX	CCT	
97686227	GU5.3	8W	92	40000 h	✓	24°			
97686230	GU5.3	8W	92	40000 h	✓	24°			
97686327	GU5.3	8W	92	40000 h	✓	36°			
97686330	GU5.3	8W	92	40000 h	✓	36°			

LED bulb GU10
MASTER LED Spot MV



97685327	SOCKET GU10	5W	90	25000 h	✓	36°			
97685330	SOCKET GU10	5W	90	25000 h	✓	36°			
97264	SOCKET GU10	5W	90	25000 h	✓	60°			
97404	SOCKET GU10	5W	90	25000 h	✓	60°			
97273	SOCKET GU10	5.5W	97	40000 h	✓	36°			
97402	SOCKET GU10	5.5W	97	40000 h	✓	36°			

LED bulb GU10
PARATHOM GU10



97166	SOCKET GU10	6.9W	80	15000 h		36°			
97291	SOCKET GU10	6.9W	80	15000 h		36°			
97403	SOCKET GU10	6.9W	80	15000 h		60°			
97292	SOCKET GU10	6.9W	80	15000 h		60°			

QR111
PARATHOM QR111



97411	SOCKET G53	15W	90	40000 h	✓	24°			
97412	SOCKET G53	15W	90	40000 h	✓	24°			
97413	SOCKET G53	15W	90	40000 h	✓	40°			
97414	SOCKET G53	15W	90	40000 h	✓	40°			

PAR30
PARATHOM PAR30

97687127	E27	10W	90	25000 h	✓	36°			

SORAA

GU10		SOCKET	P	CRI	BEAM	FLUX	CCT	Compatible CCT Shifter	Compat. Linear Louver System	
	97691327	SOCKET GU10	7.5W	95	25°			✓	✓	
	97691127	SOCKET GU10	7.5W	95	10°			✓	✓	
	97691227	SOCKET GU10	7.5W	95	36°			✓	✓	
	97691330	SOCKET GU10	7.5W	95	25°			✓	✓	
	97691130	SOCKET GU10	7.5W	95	10°			✓	✓	
	97691230	SOCKET GU10	7.5W	95	36°			✓	✓	

MR16 - GU5.3										
	97690127	SOCKET GU5.3	7.5W	95	10°				✓	
	97690427	SOCKET GU5.3	7.5W	95	36°				✓	
	97690130	SOCKET GU5.3	7.5W	95	10°			✓	✓	
	97690430	SOCKET GU5.3	7.5W	95	36°			✓	✓	

SNAP System - MR16 & PAR 20		
	97691695	CCT Shifter SNAP Lens - 2” Color Filter, ½ CTO, 3000K to 2400K
	97691696	CCT Shifter SNAP Lens - 2” Color Filter, ¾ CTO, 3000K to 2200K
	97691697	SNAP Lens - 2” Linear Beam Spreader 10°x25°
	97691698	SNAP Lens - 2” Linear Beam Spreader 10°x36°
	97691701	SNAP Lens - 2” Beam Spreader 17°
	97691702	SNAP Lens - 2” Beam Spreader 25°
	97691703	SNAP Lens - 2” Beam Spreader 36°
	97691704	SNAP Lens - 2” Beam Spreader 60°
	97691699	SNAP Lens - 2” Louver 40°

QR111 - 12V		SOCKET	P	CRI	BEAM	FLUX	CCT	
	97692327	SOCKET G53	12.5W					
	97692427	SOCKET G53	12.5W					
	97692330	SOCKET G53	12.5W					
	97692430	SOCKET G53	12.5W					

SNAP System - Large Lamps		
	97692595	CCT Shifter SNAP Lens - 4” Color Filter, ½ CTO, 3000K to 2700K
	97692596	CCT Shifter SNAP Lens - 4” Color Filter, ¾ CTO, 3000K to 2200K
	97692597	SNAP Lens - 4” Linear Beam Spreader 10°x36°
	97692598	SNAP Lens - 4” Linear Beam Spreader 10°x60°
	97692601	SNAP Lens - 4” Beam Spreader 17°
	97692602	SNAP Lens - 4” Beam Spreader 25°
	97692603	SNAP Lens - 4” Beam Spreader 36°
	97692604	SNAP Lens - 4” Beam Spreader 60°
	97692599	SNAP Lens - 4” Louver 40°

		mA	P	V	units		
FOX 3W	**02101001 02101002**	350mA	3W	100/240V	1-4 units	on/off	**98310620**
				220/240V	2-3 units	triac	**98310110LC**
				220/240V	2-5 units	dali	**98310536**
				220/240V	2-5 units	casambi	**98310538**
FOX 5W	**02101001 02101002**	500mA	5W	100/240V	only 1 unit	on/off	**98310306**
				220/240V	2-4 units	triac	**98310321LC**
				220/240V	1-5 units	dali	**98310536**
				220/240V	1-5 units	casambi	**98310538**
FOX TRIMLESS 3W	**02101101 02101102**	350mA	3W	100/240V	1-4 units	on/off	**98310620**
				220/240V	2-3 units	triac	**98310110LC**
				220/240V	2-5 units	dali	**98310536**
				220/240V	2-5 units	casambi	**98310538**
FOX TRIMLESS 5W	**02101101 02101102**	500mA	5W	100/240V	only 1 unit	on/off	**98310306**
				220/240V	2-4 units	triac	**98310321LC**
				220/240V	1-5 units	dali	**98310536**
				220/240V	1-5 units	casambi	**98310538**
FOX ORIENTABLE 3W	**02101301 02101302**	350mA	3W	100/240V	1-4 units	on/off	**98310620**
				220/240V	2-3 units	triac	**98310110LC**
				220/240V	2-5 units	dali	**98310536**
				220/240V	2-5 units	casambi	**98310538**
FOX ORIENTABLE 5W	**02101301 02101302**	500mA	5W	100/240V	only 1 unit	on/off	**98310306**
				220/240V	2-4 units	triac	**98310321LC**
				220/240V	1-5 units	dali	**98310536**
				220/240V	1-5 units	casambi	**98310538**
FOX 7W	**02101501**	350mA	7W	100/240V	1-2 units	on/off	**98310620**
				220/240V	2 units	triac	**98310118LC**
				220/240V	2 units	dali	**98310536**
				220/240V	2 units	casambi	**98310538**
FOX 10W	**02101601**	500mA	10W	100/240V	1-2 units	on/off	**98310620**
				220/240V	2 units	triac	**98310321LC**
				220/240V	2 units	dali	**98310536**
				220/240V	2 units	casambi	**98310538**
AIM 3W	**02100401**	350mA	3W	100/240V	1-4 units	on/off	**98310620**
				220/240V	2-3 units	triac	**98310110LC**
				220/240V	3-6 units	dali	**98310536**
				220/240V	3-6 units	casambi	**98310538**
CLEAR 7W	**02100301**	350mA	7W	100/240V	1-2 units	on/off	**98310620**
				220/240V	2 units	triac	**98310118LC**
				220/240V	1-2 units	dali	**98310536**
				220/240V	1-2 units	casambi	**98310538**
BOW 3W	**02150101**	350mA	3W	100/240V	1-2 units	on/off	**98310620**
				220/240V	2 units	triac	**98310118LC**
				220/240V	2 units	dali	**98310536**
				220/240V	2 units	casambi	**98310538**
BOW 10W	**02150201**	350mA	10W	100/240V	1-2 units	on/off	**98310620**
				220/240V	2 units	triac	**98310321LC**
				220/240V	2 units	dali	**98310536**
				220/240V	2 units	casambi	**98310538**
BOW 18W	**02150301**	350mA	18W	100/240V	only 1 unit	on/off	**98310620**
				220/240V	only 1 unit	triac	**98310321LC**
				220/240V	only 1 unit	dali	**98310536**
				220/240V	only 1 unit	casambi	**98310538**
PLAS 1W	**63281 63282 63283 63490**	350mA	1W	100/240V	only 1 unit	on/off	**98310103**
				220/240V	2-3 units	triac	**98310110LC**
				220/240V	5-17 units	dali	**98310536**
				220/240V	5-17 units	casambi	**98310538**
SIGNAL 3W	**02100101**		3W	100/240V	1-2 units	on/off	**98310110**
				220/240V	2-3 units	triac	**98310110LC**
				220/240V	2-6 units	dali	**98310536**
				220/240V	2-6 units	casambi	**98310538**
WABI 10W	**43900**		10W	100/240V	only 1 unit	on/off	**98310510C**
				220/240V	only 1 unit	triac	**98310510C**
NORD 18W	**63290**		18W	100/240V	only 1 unit	on/off	**98310118LC**
				220/240V	only 1 unit	triac	**98310118LC**
TRAS 4W	**71701**	24V DC	4W	100/240V	only 1 unit	on/off	**98324015U**
TRAS 8W	**71702**	24V DC	8W	100/240V	1-2 units	on/off	**98324015U**
TRAS 25W	**71716/71717**	24V DC	25W	100/240V	1-2 units	on/off	**98324030**
DANG 3W	**70446**		3W	100/240V	1-2 units	on/off	**98324006**

		mA	P	V	units		
TROOP 2W	**43700** **43704**	700mA	2W	100/240V	1-3 units	on/off	**98310206E**
				220/240V	2-4 units	triac	**98310210**
				220/240V	4-16 units	dali	**98310536**
				220/240V	4-16 units	casambi	**98310538**
TROOP 3x2W	**43701** **43705**	700mA	3x2W	100/240V	only 1 unit	on/off	**98310206E**
				220/240V	2-3 units	triac	**98310220LC**
				220/240V	2-5 units	dali	**98310536**
				220/240V	2-5 units	casambi	**98310538**
TROOP 5x2W	**43702** **43706** **43710**	700mA	5x2W	100/240V	2 units	on/off	**98310230**
				220/240V	1 unit	triac	**98310210**
				220/240V	1-3units	dali	**98310536**
				220/240V	1-3units	casambi	**98310538**
TROOP 10x2W	**43703** **43707**	700mA	10x2W	100/240V	only 1 unit	on/off	**98310230**
				220/240V	only 1 unit	triac	**98310236C**
				220/240V	only 1 unit	dali	**98310536**
				220/240V	only 1 unit	casambi	**98310538**
CROC 9W	**43780**	350mA	9W	100/240V	1-2 units	on/off	**98310620**
				220/240V	1-2 units	triac	**98310321LC**
				220/240V	1-2 units	dali	**98310536**
				220/240V	1-2 units	casambi	**98310538**
CROC 13W	**43781**	350mA	13W	100/240V	only 1 unit	on/off	**98310321**
				220/240V	only 1 unit	triac	**98310321LC**
				220/240V	only 1 unit	dali	**98310536**
				220/240V	only 1 unit	casambi	**98310538**
CROC 19W	**43782**	350mA	19W	100/240V	only 1 unit	on/off	**98310321**
				220/240V	only 1 unit	triac	**98310321LC**
				220/240V	only 1 unit	dali	**98310536**
				220/240V	only 1 unit	casambi	**98310538**
NAIS ORIENTABLE 7W	**02111001** **02111002**		7W	100/240V	1-2 units	on/off	**98310620**
				220/240V	2 units	triac	**98310118LC**
				220/240V	1-2 units	dali	**98310536**
				220/240V	1-2 units	casambi	**98310538**
NAIS 7W	**02121001** **02121002**		7W	100/240V	1-2 units	on/off	**98310620**
				220/240V	2 units	triac	**98310118LC**
				220/240V	1-2 units	dali	**98310536**
				220/240V	1-2 units	casambi	**98310538**
GRUND 2W	**70726** **70730** **70733** **70735**	700mA	2W	100/240V	1-2 units	on/off	**98310206E**
				220/240V	2-4 units	triac	**98310210**
				220/240V	4-16 units	dali	**98310536**
				220/240V	4-16 units	casambi	**98310538**
GRUND 7W	**70728** **70731** **70734** **70736**	350mA	7W	100/240V	1-2 units	on/off	**98310620**
				220/240V	2 units	triac	**98310118LC**
				220/240V	2 units	dali	**98310536**
				220/240V	2 units	casambi	**98310538**
GRUND 13W	**70729** **70732**	350mA	13W	100/240V	1-2 units	on/off	**98310620**
				220/240V	only 1 unit	triac	**98310118LC**
				220/240V	only 1 unit	dali	**98310536**
				220/240V	only 1 unit	casambi	**98310538**
KANE 3W	**70660** **70661** **70662**	24V DC	3W	100/240V	1-2 units	on/off	**98324006**
				220/240V	1-3 units	triac	**98311315**
FALLS 6W	**71734** **71735**		6W	100/240V	1-2 units	on/off	**98324020U**
				220/240V	5-23 units	triac	**97397**
				220/240V	1-14 units	dali	**97308**
				220/240V	1-14 units	casambi	**98324599**
FALLS 12W	**71736** **71737**		12W	100/240V	only 1 unit	on/off	**98324020U**
				220/240V	2-14 units	triac	**97397**
				220/240V	1-6 units	dali	**97308**
				220/240V	1-6 units	casambi	**98324599**
FALLS ORIENTABLE 8W	**71730** **71731**		8W	100/240V	1-2 units	on/off	**98324020U**
				220/240V	5-23 units	triac	**97397**
				220/240V	1-11 units	dali	**97308**
				220/240V	1-11 units	casambi	**98324599**
FALLS ORIENTABLE 16W	**71732** **71733**		16W	100/240V	only 1 unit	on/off	**98324020U**
				220/240V	2-10 units	triac	**97397**
				220/240V	1-5 units	dali	**97308**
				220/240V	1-5 units	casambi	**98324599**
CROSBY 2W	**70453**		2W	100/240V	1-2 units	on/off	**98324006**

Shades / *Pantallas*

Wall lamp / *apliques*



2P0111

white/blanco



2P0112

beige/beige





2P0113

black/negro





2P0211

white/blanco





2P0212

beige/beige





2P0213

black/negro



2P0411

white/blanco





2P0412

beige/beige





2P0413

black/negro





2P0615

beige/beige





2P0616

yellow/amarillo





2P0617

green/verde





2P0311

white/blanco





2P0312

beige/beige





2P0313

black/negro





2P0710

rattan



Suspended lamp / *suspensiones*



2P0645

beige/beige





2P0646

yellow/amarillo





2P0647

green/verde





2P0710

rattan



2P0720

rattan

2P0730

rattan

2P0141

white/blanco

2P0142

beige/beige

2P0143

black/negro

Table lamp / *sobremesas*

2P0121

white/blanco





2P0122

beige/beige





2P0123

black/negro





2P0221

white/blanco





2P0222

beige/beige





2P0223

black/negro





2P0421

white/blanco





2P0422

beige/beige





2P0423

black/negro





2P0625

beige/beige





2P0626

yellow/amarillo





2P0627

green/verde





2P0311

white/blanco





2P0312

beige/beige





2P0313

black/negro





2P0720

rattan



Floor lamps / *luminarias de suelo*

2P0131

white/blanco





2P0132

beige/beige





2P0133

black/negro





2P0231

white/blanco



2P0232

beige/beige

2P0233

black/negro

2P0431

white/blanco

2P0432

beige/beige

2P0433

black/negro

2P0635

beige/beige

2P0636

yellow/amarillo

2P0637

green/verde

2P0730

rattan

Structures / *Estructuras*

ARTIS wall/*aplique*



68490 bronze/bronce

68491 chrome/cromo

ARTIS wall reader/*aplique con lector*



68492 bronze/bronce

68493 chrome/cromo

ARTIS wall extensible/*aplique extensible*



68494 bronze/bronce

68495 chrome/cromo

CONGA/MAMBO/SAMBA wall/*aplique*



64306 matt white/blanco mate

64307 matt black/negro mate

CONGA/MAMBO/SAMBA wall reader/*aplique con lector*



64308 matt white/blanco mate

64309 matt black/negro mate

CONGA/MAMBO/SAMBA suspended (turnbuckle)/*colgante (tensor)*



64314 matt black/negro mate

CONGA/MAMBO/SAMBA suspended/*colgante*

64315 matt black/negro mate

CONGA/MAMBO/SAMBA table (small)/*sobremesa (pequeña)*



64316 matt white/blanco mate

64317 matt black/negro mate

CONGA/MAMBO/SAMBA table/*sobremesa*



64310 matt white/blanco mate

64311 matt black/negro mate

CONGA/MAMBO/SAMBA floor/*suelo*



64312 matt white/blanco mate

64313 matt black/negro mate

ETERNA wall/*aplique*



24005 chrome/cromo

ETERNA wall reader/*aplique con lector*



24006 chrome/cromo (right)

24007 chrome/cromo (left)

ETERNA table/*sobremesa*



24008 chrome/cromo

FRAME wall/*aplique*



20170 matt nickel/níquel mate

20171 old gold/oro viejo

FRAME wall reader/*aplique con lector*



20172 matt nickel/níquel mate

20173 old gold/oro viejo

MONTREAL wall/*aplique*



24030 white/blanco

24031 chrome/cromo

MONTREAL wall reader/*aplique con lector*



24032 white/blanco

24033 chrome/cromo (left)

MONTREAL table/*sobremesa*



24034 white/blanco

24035 chrome/cromo

MONTREAL floor/*suelo*



24036 white/blanco

24037 chrome/cromo

REM wall/*aplique*



29680 matt nickel/níquel mate

29681 old gold/oro viejo

REM wall reader/*aplique con lector*



29682 matt nickel/níquel mate

29683 old gold/oro viejo

REM table/*sobremesa*



29684 matt nickel/níquel mate

29685 old gold/oro viejo

REM floor/*suelo*



29686 matt nickel/níquel mate

29687 old gold/oro viejo

RON wall/*aplique*



64400 dark grey/gris oscuro

Fan light kits / *kits de luz ventilación*

ALOHA



33714 dark brown/marrón oscuro

CIES



33513 white/blanco

GRID



33341K white/blanco

JUSTFAN/ETERFAN/DECOFAN/TUBE



33390 chrome/cromo

33391 black/negro

MOLOKAI



33476 matt nickel/níquel mate

NIAS



33472K matt nickel/níquel mate

PEMBA



33471K white/blanco

33491K grey/gris

33492K brown/marrón

TYPHOON



33483 white/blanco

33489K grey/gris

33490K brown/marrón

WINCHE



33484 black/negro **Indoor/Outoor IP44**

33486 grey/gris

YAKARTA



33714 dark brown/marrón oscuro

33716 white/blanco

33717 antique brass/oro envejecido

Recessed Drainage / *Drenaje empotrables*

EN	ES	FR	ITA
Placing sunken lighting in the ground All sunken lights are ready for installing in the ground or in cement. Always ensure that they are not placed in watercourses or depressions in the ground. Position the mounting box surrounded by the fastening material to ensure that it does not tip or fall over. There must be a layer of gravel below and around the mounting box for draining purposes (see drawing). Correct drainage should allow 5 litres of water to be absorbed within 8 minutes. The glass can reach high temperatures, so contact with people and objects should be avoided. We recommend that the outside of the apparatus be cleaned regularly to stop foreign materials from preventing the dissipation of heat which leads to changes in the components and a loss of watertightness. Follow the installation and assembly instructions and maintenance recommendations very carefully.	Colocación del empotrable en el terreno Todos los empotrables están previstos para una instalación en tierra o en cemento. Evite siempre colocarlo en vaguadas o depresiones del terreno. Coloque la caja de empotrar rodeada de material de sujeción para evitar que se incline o se hunda. Por debajo y alrededor de la caja de empotrar debe existir una capa de grava para drenaje (ver dibujo). Un drenaje correcto debe permitir la absorción de 5 litros de agua en 8 minutos. El cristal puede alcanzar temperaturas elevadas por lo tanto evite el contacto con personas o cosas. Es aconsejable limpiar frecuentemente el exterior del aparato para evitar asi que materiales extraños impidan la disipación del calor con la consiguiente alteración de los componentes y pérdida de estanqueidad. Siga detenidamente las instrucciones de instalación y montaje así como las recomendaciones de mantenimiento.	Installation de l'encastrable sur le terrain Tous les luminaires encastrables sont prévus pour une installation dans la terre ou le ciment. Évitez toujours de les installer dans des lignes de creux ou des dépressions du terrain. Installer le boîtier d'encastrement avec ses supports afin d'éviter qu'il ne soit incliné ni trop enfoncé. Sous le boîtier d'encastrement et autour de celui-ci, il doit y avoir une couche de gravier pour le drainage (voir dessin). Un drainage correct doit permettre l'absorption de 5 litres d'eau en 8 minutes. Le verre peut atteindre des températures élevées, évitez par conséquent tout contact avec les personnes ou des objets. Il est conseillé de nettoyer fréquemment l'extérieur de l'appareil, afin d'éviter que des corps étrangers n'empêchent la dissipation de la chaleur puis l'altération des composants et la perte d'étanchéité. Suivez attentivement les instructions d'installation et de montage, ainsi que les recommandations de maintenance.	Collocazione dell´incasso nel terreno Tutti gli incassi sono pensati per la collocazione in terra o cemento. Evitare sempre di installarli in zone umide o depressioni del cemento. Installare sempre l´incasso circondato da materiale d`appoggio, per evitare che si inclini o affondi. Sotto ed intorno all´incasso deve sempre esserci sabbia drenante (disegno). Un drenaggio efficace deve permettere l´assorbimento di 5 litri d´acqua in 8 minuti. Il vetro puo' raggiungere temperature elevate, per tanto evitare il contatto con persone o cose. Si consiglia di pulire frequentemente l' esterno degli apparati per evitare che corpi estranei impidano la dissipazione del calore con conseguente alterazione dei componente e perdita delle stagnezza. Seguire attentamente le indicazioni di installazione e montaggio, cosi come le norme di manutenzione.
Condensation To minimise possible condensation inside the device, turn it on for 1 hour without the protective glass, closing it immediately once this time has elapsed.	Condensación Para minimizar la posible condensación de vapor de agua dentro del aparato, debe hacerse funcionar durante 1 hora sin el cristal de protección, transcurrido ese periodo de tiempo, cierrelo immediatamente.	Condensation Pour minimiser les risques de condensation de la vapeur d'eau intérieur de l'appareil doit être exploité pendant une heure sans le verre de protection, après cette période temps, fermer immédiatement.	Condensazione Per evitare la possibile condensazione di vapore acqueo all' interno dell' apparato, deve porsi in funzione durante una ora senza il cristallo di protezione e poi procedere alla chiusura immediatamente.
BEACONS To ensure the proper convervations of beacons we recommend theri installation on a plinth, never directly onto the ground or lawn.	BALIZAS Para una correcta conservación de las balizas, recomendamos su aplicación sobre una pilastra a un nivel superior, y nunca sobre tierras o césped.	BALISES Pour un bon maintenance de balises, nous recommandons son application sur un pilier à un niveau supérieur, et jamais sur terre ou sur l'herbe.	PALETTI Per una corretta conservazione dei paletti raccomandiamo la sua applicazione su di una base ad un livello piu alto, mai su terra o erba.
⚠ In order to validate the warranty the external connection must have always the protection index (IP) with an equal or a superior value of the ip shown on the lamp.	⚠ Para poder hacer uso de la garantia es imprescindible que la conexión externa sea de un indice de protección (IP) igual o superior a la luminaria adquirida.	⚠ Pour que la garantie soit valable, il est indispensable que la connexion externe soit d'un indice de proteccion (IP) égal ou supérieur à celui du luminaire acheté.	⚠ Per poter usufruire della garanzia é imprescindibile che la connessione esterna sia di un indice di protezione (IP) uguale o superiore a quello indicado sulla lampada acquistata.

Placing sunken lighting in the ground
Colocación del empotrable en el terreno
Installation de l'encastrable sur le terrain
Installazione dell' incaso nel terreno



Minimum drainage measures
Medidas mínimas de drenaje
Mesures de drainage minimum
Misure minime di drenaggio



Stainless Steel / *Acero inoxidable*

EN	ES	FR	ITA
Cleaning and maintenance of stainless steel It is advisable to follow the recommendations listed below for the correct maintenance and upkeep of all products manufactured from stainless steel In industrial or coastal areas localized corrosion can be caused by the accumulation of contaminants carried by the air. By using a cloth or duster will insure the elimination of these contaminants. In the case dirt which is more difficult to remove, it is recommended the use of a cleaner which includes phosphoric acid, ensuring that a scrubber or soft nylon brush is used, never use a steel scrubber. It is recommendable to clean stainless steel every 6 to 12 months for average dirt and every 3 months for more severe cases. Especially in the following atmospheric conditions - Marine atmospheres. - Atmospheres which contain a lot of industrial contaminants. - Atmospheric and traffic pollution.	Limpieza y mantenimiento del acero inoxidable Le aconsejamos que siga las siguientes recomendaciones para la conservación y mantenimiento de todos aquellos artículos fabricados en acero inoxidable. En zonas industriales o costeras se pueden producir corrosiones localizadas por acumula-ciones de contaminantes llevados por el aire, asegúrese que se eliminan dichos contaminantes utilizando un paño húmedo o una gamuza. En caso de suciedad más difícil le recomendamos que utilice un limpiador que incluya ácido fosfórico siempre con el uso de estropajos o cepillos suaves de nylon, nunca usar estropajos de acero. La frecuencia de limpieza que le recomendamos para una suciedad moderada es de 6-12 meses y de 3 meses cuando es más abundantes. Especial-mente en ambientes que recojan las siguientes condiciones: - Atmósferas marinas. - Ambientes cargados de contaminantes industriales., - Suciedad atmosférica y del tráfico.	Nettoyage et entretien de l'acier inoxydable Nous vous conseillons de suivre les suggestions pour la conservation et entretien de tous les articles fabriqués en acier inoxydable. Dans les zones industrielles ou proches au littoral, il peut s'y produire des corrosions localisées par l'accumulation de contaminants apportés par l'air, assurez-vous que ces contaminants puissent s'éliminer avec un torchon humide o une peau de chamois. En cas de saleté plus difficile, nous vous conseillons d'utiliser un nettoyant à base d'acide phosphorique, toujours à utiliser avec des tampons à récurer ou des brosses douces en nylon, ne jamais utiliser de tampons à récurer en acier. La fréquence de nettoyage que nous vous conseillons pour une saleté modérée est de 6 à 12 mois et de 3 mois quand celle-ci est plus abondante. Surtout dans les ambiances avec les conditions suivantes: - Atmosphères marines. - Ambiances chargées de contaminants industriels. - Saleté atmosphérique et de circulation.	Pulizia e manutenzione dell' acciaio inossidabile Consigliamo di seguire le raccomandazioni per la conservazione e manutenzione di tutti quei prodotti fabbricati in acciaio inossidabile. In zone industriali o costiere si possono produrre corrosioni localizzate a causa dei contaminanti presenti nell'aria ; suddette corrosioni si possono eliminare utilizando un panno umido o di camoscio. In caso di sporcizia piu' difficile raccomandiamo l' utilizzo di acido fosforico come prodotto di pulizia e manutenzione (utilizando spugnette, panni soffici o spazzole di naylon). La frequenza raccomandata é : 6-12 mesi per una sporcizia moderata, 3 mesi per le piu' difficili. Ambienti critici: - Atmosfera marina - Ambienti carichi di contaminanti industriali - Atmosfere cittadine con elevato índice di traffico.

EN

The first digit (IP x...) indicates the protection from solid objects.
0 Non protected.
1 Protected against solid objects bigger than 50 mm.
2 Protected against solid objects bigger than 12 mm.
3 Protected against solid objects bigger than 2,5 mm.
4 Protected against solid objects bigger than 1 mm.
5 Dust protected.
6 Dust tight.

The second digit (IP ...y) indicates protection from moisture.
0 Non protected.
1 Protected against dripping water.
2 Protected against dripping water when tilted up to 15°.
3 Protected against spraying water.
4 Protected against splashing water.
5 Protected against water jets.
6 Protected against heavy seas.
7 Protected against the effects of immersion.
8 Protected against submersion.

ES

La primera cifra (IP x...) indica la protección del aparato contra la penetración de cuerpos sólidos.
0 No protegido
1 Protegido contra la penetración de cuerpos sólidos con Ø ≥ 50 mm
2 Protegido contra la penetración de cuerpos sólidos con Ø ≥ 12 mm
3 Protegido contra la penetración de cuerpos sólidos con Ø ≥ 2,5 mm
4 Protegido contra la penetración de cuerpos sólidos con Ø ≥ 1 mm
5 Protegido contra el polvo
6 Totalmente protegido contra el polvo

La segunda cifra (IP ...y) indica la protección del aparato contra la lluvia.
0 No protegido
1 Protegido contra la caída vertical de gotas de agua
2 Protegido contra la lluvia con un ángulo máx de 15º sobre la vertical
3 Protegido contra la lluvia con un ángulo máx de 60º sobre la vertical
4 Protegido contra salpicaduras y protección del agua
5 Protegido contra chorros de agua
6 Protegido contra potentes chorros de agua
7 Protegido contra inundaciones temporales.
8 Protegido contra inmersiones prolongadas

FR

Le premier chiffre (IP x...) indique le degre de protection des parties contre les corps solides.
0 Pas de protection.
1 Protection contre corps de diamètre supérieur à 50 mm.
2 Protection contre corps de diamètre supérieur à 12 mm.
3 Protection contre corps de diamètre supérieur à 2,5 mm.
4 Protection contre corps de diamètre supérieur à 1 mm.
5 Protection contre dépôts de poussière.
6 Protection contre toute infiltration de poussière.

Le deuxieme chiffre (IP ...y) indique le degre de protection contre l'eau.
0 Pas de protection.
1 Protection contre chute verticale de gouttes d'eau.
2 Protection contre chute de gouttes d'eau jusqu'à 15° de la verticale.
3 Protection contre pluie de 0° à 60° de la verticale et ruissellement.
4 Protection contre projections d'eau de toutes les directions.
5 Protection contre jets d'eau de toutes les directions.
6 Protection contre jets d'eau de forte pression et paquets de mer.
7 Protection contre immersion à moins d'un metre de profondeur.
8 Protection contre immersion permanente à plus d'un mètre de profondeur.

ITA

La prima cifra (IP x...) indica la protezione del sistema contro l'ingresso di corpi solidi.
0 Non protetto
1 Protetto contro l'ingresso di corpi solidi con Ø ≥ 50 mm.
2 Protetto contro l'ingresso di corpi solidi con Ø ≥ 12 mm.
3 Protetto contro l'ingresso di corpi solidi con Ø ≥ 2,5 mm.
4 Protetto contro l'ingresso di corpi solidi con Ø ≥ 1 mm.
5 Protetto contro la polvere.
6 Totalmente protetto contro la polvere.

La seconda cifra (IP ...y) indica la protezione del sistema contro la pioggia.
0 Non protetto
1 Protetto contro la caduta verticale di gocce d'acqua.
2 Protetto contro la pioggia con angolo max. di 15° sulla verticale.
3 Protetto contro la pioggia con angolo max. di 60° sulla verticale.
4 Protetto contro gli spruzzi e l'ingresso di acqua.
5 Protetto contro i getti d'acqua.
6 Protetto contro i getti potenti d'acqua.
7 Protetto contro inondazioni temporanee.
8 Protetto contro le immersioni prolungate.

PT

O primeiro digito (IP x...) indica o grau de protecção contra corpos solidos.
0 Sem protecção.
1 Protegido contra a penetração de corpos solidos com 0 > 50 mm.
2 Protegido contra a penetração de corpos solidos com 0 > 12 mm.
3 Protegido contra a penetração de corpos solidos com 0 > 2,5 mm.
4 Protegido contra a penetração de corpos solidos com 0 > 1 mm.
5 Protegido contra o pó.
6 Totalmente protegido contra o pó.

O segundo digito (IP ...y) indica o grau de proteccao contra po e chuva.
0 Sem protecção.
1 Protegido contra a queda vertical de gotas de água.
2 Protegido contra água en forma de chuva con un angulo max. de 15°.
3 Protegido contra água en forma de chuva con un angulo max. de 60°.
4 Protegido contra projecgoes de água.
5 Protegido contra jactos de água en todas as direcções.
6 Protegido contra potentes jactos de agua.
7 Protegido contra a imersáo temporária.
8 Protegido contra a imersáo prolongada.

GER

Die erste Ziffer (IP x...) gibt den Schutz des Apparats gegen das Eindringen von festen Körpern an.
0 Nicht geschützt.
1 Geschützt gegen das Eindringen von festen Körpern mit Ø ≥ 50 mm.
2 Geschützt gegen das Eindringen von festen Körpern mit Ø ≥ 12 mm.
3 Geschützt gegen das Eindringen von festen Körpern mit Ø ≥ 2,5 mm.
4 Geschützt gegen das Eindringen von festen Körpern mit Ø ≥ 1 mm.
5 Geschützt gegen Staub.
6 Vollkommen gegen Staub geschützt.

Die zweite Ziffer (IP ...y) gibt den Schutz des Apparats gegen Regen an.
0 Nicht geschützt.
1 Geschützt gegen vertikal fallende Wassertropfen.
2 Geschützt gegen Regenfall mit einem Winkel von max.15° über die alemanSenkrechte.
3 Geschützt gegen Regenfall mit einem Winkel von max. 60° über die Senkrechte.
4 Geschützt gegen Spritzer und Schutz gegen Wasser.
5 Geschützt gegen Wasserschauer.
6 Geschützt gegen starke Wasserschauer.
7 Geschützt gegen zeitweilige Überschwemmungen.
8 Geschützt bei länger anhaltendem Eintauchen.

NL

Het eerste cijfer (IP x...) geeft de beschermingsgraad weer van het apparaat tegen het binnendringen van vaste elementen.
0 Biedt geen bescherming
1 Biedt bescherming tegen het binnendringen van vaste elementen met Ø ≥ 50 mm.
2 Biedt bescherming tegen het binnendringen van vaste elementen met Ø ≥ 12 mm.
3 Biedt bescherming tegen het binnendringen van vaste elementen met Ø ≥ 2,5 mm.
4 Biedt bescherming tegen het binnendringen van vaste elementen met Ø ≥ 1 mm.
5 Biedt bescherming tegen stof.
6 Biedt volledige bescherming tegen stof.

Het tweede cijfer (IP ...y) geeft de beschermingsgraad van het apparaat tegen de regen weer.
0 Biedt geen bescherming
1 Biedt bescherming tegen het verticaal neerkomen van waterdruppels.
2 Biedt bescherming tegen regen met een max. hoek van 15° over verticaal.
3 Biedt bescherming tegen regen met een max. hoek van 60° over verticaal.
4 Biedt bescherming tegen spetters en tegen water.
5 Biedt bescherming tegen waterstralen.
6 Biedt bescherming tegen krachtige waterstralen.
7 Biedt bescherming tegen tijdelijke overstromingen.
8 Biedt bescherming tegen langdurige onderdompelingen.

GRK

Το πρώτο νούμερο (IP x...) υποδεικνύει την προστασία της συσκευής κατά της διείσδυσης στερεών αντικειμένων.
0 Χωρίς προστασία
1 Με προστασία κατά της διείσδυσης στερεών αντικειμένων διαμέτρου Ø ≥ 50 mm
2 Με προστασία κατά της διείσδυσης στερεών αντικειμένων διαμέτρου Ø ≥ 12 mm
3 Με προστασία κατά της διείσδυσης στερεών αντικειμένων διαμέτρου Ø ≥ 2,5 mm
4 Με προστασία κατά της διείσδυσης στερεών αντικειμένων διαμέτρου Ø ≥ 1 mm
5 Με προστασία κατά της σκόνης
6 Με πλήρη προστασία κατά της σκόνης

Το δεύτερο νούμερο (IP ...y) υποδεικνύει την προστασία της συσκευής κατά της βροχής.
0 Χωρίς προστασία
1 Με προστασία κατά της κάθετης πτώσης σταγόνων νερού
2 Με προστασία κατά της βροχής με μέγιστη γωνία 15º επί καθέτου
4 Με προστασία κατά των πιτσιλισμάτων και προστασία νερού
5 Με προστασία κατά της ροής νερού
6 Με προστασία κατά της έντονης ροής νερού
7 Με προστασία κατά των παροδικών πλημμυρών
8 Με προστασία κατά της μακρόχρονης βύθισης

RUS

Первая цифра (IP x...) указывает на защиту прибора от проникновения твердых тел.
0 Не защищен
1 Защищен от проникновения твердых тел Ø ≥ 50 мм
2 Защищен от проникновения твердых тел Ø ≥ 12 мм
3 Защищен от проникновения твердых тел Ø ≥ 2,5 мм
4 Защищен от проникновения твердых тел Ø ≥ 1 мм
5 Защищен от пыли
6 Полностью защищен от пыли

Вторая цифра (IP ...y) указывает на защиту прибора от воды.
0 Не защищен
1 Защищен от попадания вертикальных капель воды
2 Защищен от дождевых струй под углом до 15º по вертикали
4 Защищен от брызг и попадания воды
5 Защищен от потоков воды
6 Защищен от сильных потоков воды
7 Защищен от проникновения воды при временном затоплении
8 Защищен от проникновения воды при длительном погружении.

CZ

První číslice (IP x...) označuje stupeň ochrany přístroje proti průniku pevných částic.
0 Nechráněno
1 Chráněno proti průniku pevných částic s Ø ≥ 50 mm
2 Chráněno proti průniku pevných částic s Ø ≥ 12 mm
3 Chráněno proti průniku pevných částic s Ø ≥ 2,5 mm
4 Chráněno proti průniku pevných částic s Ø ≥ 1 mm
5 Chráněno proti prachu
6 Kompletně chráněno proti prachu

Druhá číslice (IP ...y) označuje ochranu proti vnikání vlhkosti.
0 Bez ochrany.
1 Ochrana před svisle kapající vodou.
2 Ochrana před vodou kapající se sklonem do 15°.
3 Ochrana před vodou dopadající se sklonem 60° (dešti).
4 Ochrana před stříkající vodou.
5 Ochrana před tryskající vodou (tlakovou vodou).
6 Ochrana před intenzivně tryskající vodou.
7 Ochrana při dočasném ponoření.
8 Ochrana při trvalém ponoření.

BL

Първата цифра (IP x...) означава защита на уреда от попадане на твърди тела.
0 Без защита
1 Защита от попадане на твърди тела с Ø ≥ 50 mm
2 Защита от попадане на твърди тела с Ø ≥ 12 mm
3 Защита от попадане на твърди тела с Ø ≥ 2,5 mm
4 Защита от попадане на твърди тела с Ø ≥ 1 mm
5 ащита от прах
6 Изцяло защитен от прах

Втората цифра (IP ...y) указва нивото на защита от влага.
0 не е защитен
1 защитен от капеща вода
2 защитен от капеща вода под наклон до 15º
3 защитен от пръски вода
4 защитен от пръскаща вода
5 защитен от водна струя
6 защитен срещу обилни валежи
7 защитен от ефекта на потапяне
8 защитен при потапяне във вода

PL

Pierwsza cyfra (IP x...) oznacza zabezpieczenie urządzenia przed wnikaniem ciał stałych.
0 Niezabezpieczono
1 Zabezpieczono przed wnikaniem ciał stałych za pomocą Ø ≥ 50 mm
2 Zabezpieczono przed wnikaniem ciał stałych za pomocą Ø ≥ 12 mm
3 Zabezpieczono przed wnikaniem ciał stałych za pomocą Ø ≥ 2,5 mm
4 Zabezpieczono przed wnikaniem ciał stałych za pomocą Ø ≥ 1 mm
5 Zabezpieczono przed pyłem
6 Całkowicie zabezpieczono przed pyłem

Druga z cyfr kodu (IP ...y) oznacza stopień ochrony przed wilgocią.
0 brak ochrony
1 chronione przed kroplami wody (kapiącymi pionowo)
2 ochrona przed kroplami wody padającymi pod kątem 15º z każdej strony
3 ochrona przed natryskującą wodą
4 ochrona przed rozbryzgującą się wodą
5 ochrona przed strumieniami wody
6 ochrona przed dużymi strumieniami wody
7 ochrona przed zanurzeniem krótkotrwałym w wodzie
8 ochrona przed całkowitym zalaniem wodą (zanurze niem ciągłym)

Symbology / *Simbología*

	EN	ES	FR	ITA	PT	GER
	Has a protective earth Class I protection	Con toma de tierra Aisla. clase I	Avec prise de terre Catégorie de protection I	Con messa a terra Isola. tipo I	Com ligação terra Isolamento clase I	Mit Erdung Isolierung der Klasse I
	Reinforced or double insulation (class II protection)	Aislamiento clase II	Isolement de protection (classe de protection II)	Isolamento tipo II	Isolamento (clase II)	Isolierung der Klasse II
III	Low voltage protection (class III protection)	Aislamiento clase III	Très basse tension de protection (classe protec. III)	Isolamento tipo III	Isolamento (clase III)	Isolierung der Klasse III (fur montage auf)
MT	Cable	Cable	Câble	Cavo	Cabo	Kabel
kg	Weight	Peso	Poids	Peso	Peso	Gewicht
x2	Switch / Double Switch	Interruptor / Doble Interruptor	Interrupteur / Double Interrupteur	Interruttore / Doppio Interruttore	Interruptor / Doble Interruptor	Schalter / Doppelter Schalter
T	Special transformer	Transformador especial	Transformateur spécial	Trasformatore Speciale	Transformador especial	Spezieller transformator
	USB Charger	Cargador USB	Chargeur USB	Caricatore USB	Carregador USB	USB-Ladegerät
	Cut out	Agujero para empotrar	Trou d'encastrement	Foro per incasso	Furo para encastrar	Bohrloch zum Einbauen
	Maximum thickness for luminaire anchoring point	Espesor máximo para punto de anclaje de luminarias	Épaisseur maximale du point d'ancrage du luminaire	Spessore massimo per il punto di ancoraggio dell'apparecchio	Espessura máxima para o ponto de ancoragem da luminária	Maximale Stärke für Leuchtenbefestigungspunkt
	AdjusTABLE	OrienTABLE	OrienTABLE	Regolabile	Ajustável	Verstellbar
DIM	Dimmable	Dimable	Réglable	Regolabile	Regulável	Dimmbar
	Spike	Espiga	Pointe	Spuntone	Espigão	Spitze
	Resistance in kg	Resistencia en kg	Résistance en kg	Resistenza in kg	Resistência em kg	Widerstand in kg
IK08	Shock resistance	Resistencia a los golpes	Résistance au choc	Resistenza agli urti	Resistência ao choque	Stoßfestigkeit
	Maintenance steel	Acero de mantenimiento	Acier d'entretien	Acciaio di manutenzione	Manutenção de aço	Wartungsstahl
	Light up / down / up and down	Luz arriba / abajo / arriba y bajo	Lumière de haut / vers les bas / de haut en bas	Luce su / giù / su e giù	Luz para cima / baixo / cima e para baixo	Licht auf / nach unten / auf und ab
60º	Beam angle	Grados apertura	Grades halo lumineux	Gradi di luce	Notas luz	Light grade
	Remote control	Mando a distancia	Télécommande	Doppia Intensità	Comando à distancia	Vernbedienung
	RECESSED box	Caja empotrar	Boîte encastrée	Incasso box	Recesso box	Einbaugehäuse
RPM	Revolutions per minute	Revoluciones por minuto	Tours/minute	Giri al minuto	Voltas/minuto	Undrehungen pro Minute
W	Consumptiom in W, according to the speed of the motor	Consumo en W, según velocidad del motor	Consommation en W, selon la vitesse du moteur	Consumo in W secondo la velocita del motore	Consumo en W, de accordo com a velocidade do motor	Stromverbrauch in W
IPXY	Ingress Protection Marking against dust (X) and water (Y)	Grado de protección ante el polvo (X) y líquidos (Y)	Indice de protection contre la poussière (X) et l'eau (Y)	Protezione dall'ingresso Marcatura contro polvere (X) e acqua (Y)	Proteção de entrada Marcação contra poeira (X) e água (Y)	Schutz gegen Eindringen von Staub (X) und Wasser (Y)
PIR	Passive Infrared sensor (PIR)	Detector de movimineto pasivo (PIR)	Capteur infrarouge passif (PIR)	SENSORE PASSIVO A INFRAROSSI (PIR)	Sensor infravermelho passivo (PIR)	Passiver Infrarot-Sensor (PIR)
	Day / night sensor	Sensor día/noche	Capteur jour / nuit	Sensore giorno / notte	Sensor dia / noite	Tag- / Nachtsensor
	With light / Without light / With and without light	Con luz / Sin luz / Con y sin luz	Avec la lumière / Sans lumière / Avec et sans lumière	Con luce / senza luce / Con e senza luce	Com luz / Sem luz / Com e sem luz	Mit Licht / Ohne Licht / Mit und ohne Licht
850 °C	Compliance of incandescent wire regulatory	Cumplimiento de la normativa incandescente de alambre.	Conformité de la réglementation des câbles à incandescence	Conformità del regolamento sui fili ad incandescenza	Conformidade de regulagem de fio incandescente	Einhaltung der Vorschriften für Glühdraht
L, C	Leading & Trailing-edge dimming	Regulación con regulador de corte al inicio y/o al final de fase	Gradation avant et arrière	Dimmer iniziale e finale	Regulação de inclinação e tração	Vorder- & Hinterkantendimmen
SE LV						

NL	GRK	RUS	CZ	BL	PL
Met aardleiding Isolatie klasse I	Με γείωση Μόνωση κλάσης I	С контактом заземления Изоляция класс I	S uzemněním Izolace třídy I	Със заземяване Изолация клас I	Z uziemieniem Izolacja klasy I
Isolatie klasse II	Μόνωση κλάσης II	Изоляция класс II	Izolace třídy II	Изолация клас II	Izolacja klasy II
Isolatie klasse III	Μόνωση κλάσης III	Изоляция класс III	Izolace třídy IIi	Изолация клас IIi	Izolacja klasy IIi
Kabel	Καλώδιο	Кабель	Kabel	Кабел	Kabel
Gewicht	βάρος	вес	Hmotnost	тегло	Waga
Schakelaar / Dubbele Schakelaar	Διακόπτης Διπλός / Διακόπτης	Выключатель / Двойной Выключатель	Vypínač / Dvojitý Vypínač	Прекъсвач / Двоен Прекъсвач	Wyłącznik / Podwójny Wyłącznik
Speciale transformator	Ειδικός Μετασχηματιστής	Специальный Трансформатор	Speciální Transformátor	Специален Трансформатор	Specjalny Transformator
Usb oplader	Φορτιστής USB	USB-зарядное устройство	Nabíječka USB	USB зарядно устройство	Ładowarka USB
Gat om in te bouwen	Οπή για εντοίχιση	Отверстие для встраивания	Otvor k vložení	Монтажен отвор	Otwór do mocowania
Maximale dikte voor armatuurverankeringspunt	Μέγιστο πάχος για το σημείο αγκύρωσης του φωτιστικού	Максимальная толщина для точки крепления светильника	Maximální tloušťka kotevního bodu svítidla	Максимална дебелина на точката на закрепване на осветителното тяло	Maksymalna grubość dla punktu kotwienia oprawy
Verstelbare	Ρυθμιζόμενο	Регулируемый	Nastavitelný	Регулируеми	Orientacja
Dimbaar	Ροοστάτη	Затемняемый	Stmívatelné	Димиране	Ściemniania
Aar	Ακίδα	колос	Špice	шип	Kolec
Weerstand in kg	Αντίσταση σε kg	Сопротивление в кг	Odolnost v kg	Съпротивление в кг	Odporność w kg
Schokbestendig	Αντοχή σε κραδασμούς	Ударопрочность	Odolnost proti nárazu	Устойчивост на удар	Odporność na uderzenia
Onderhoud staal	Συντήρηση χάλυβα	Стальная сталь	Údržba oceli	Поддържаща стомана	Konserwacja stali
Lichte omhoog / omlaag / boven en beneden	Φως εγγραφη / κάτω / εγγραφη και κάτω	Свет вверх / вниз / вверх и вниз	Osvětlit / dolů / nahoru a dolů	Лайт нагоре / надолу / нагоре и надолу	Zapalać się / w dół / w górę iw dół
Licht rangen	φως βαθμών	Светлые сорта	Světlo třídy	Светлинни марки	Lekkie klasy
Dubbele intensiteit	Τηλεχειριστήριο	Дистанционное Управление	Dálkové Ovládání	Дистанционно Управление	Zdalne Sterowanie
RECESSED box	Χωνευτα κουτι	Монтажная коробка	RECESSED box	За вграждане box	Puszka
Omwentelingen per minuut	Στροφές ανά λεπτό	Обороты в минуту	Otáčky za minutu	Обороти в минута	Obroty na minutę
Verbruik in W	Κατανάλωση σε βατ, σύμφωνα με την ταχύτητα του μοτέρ	Потребление в Вт, в зависимости от скорости мотора	Spotřeba ve W, dle rychlosti motoru	Spotřeba ve W, dle rychlosti motoru	Zużycie energii w W, w zależności od prędkości silnika
Ingress Protection Markering tegen stof (X) en water (Y)	Προστασία εισχώρησης Σήμανση σκόνης (X) και νερού (Y)	Защита от взлома Маркировка против пыли (X) и воды (Y)	Ochrana proti přehřátí Označení proti prachu (X) a vodě (Y)	Защитна защита срещу прах (X) и вода (Y)	Oznaczenie ochrony przed pyłem (X) i wodą (Y)
Passieve infraroodsensor (PIR)	Παθητικός αισθητήρας υπερύθρων (PIR)	Пассивный инфракрасный датчик (PIR)	Pasivní infračervený snímač (PIR)	Пасивен инфрачервен датчик (PIR)	Pasywny czujnik podc-zerwieni (PIR)
Dag / nacht-sensor	Αισθητήρας ημέρας / νύχτας	Датчик день / ночь	Denní / noční snímač	Дневен / нощен сензор	Czujnik dzień / noc
Met licht / Zonder licht / Met en zonder licht	Με φως / Χωρίς φως / Με και χωρίς φως	С подсветкой / Без света / С подсветкой и без света	Se světlem / bez světla / S nebo bez světla	Със светлина / без светлина / С и без светлина	Ze światłem / bez światła / Z światłem i bez niego
Naleving van regelgeving voor gloeilampen	Συμμόρφωση της ρύθμισης συρμάτων πυρακτώσεως	Соблюдение регламентации ламп накаливания	Dodržování předpisů o žárovkách	Съответствие на нормативната уредба с нажежаема жичка	Zgodność z normami dotyc-zącymi żarówek
Voor- en achterrand dimmen	Καμπύλη οδηγού και τελειώματος	Ведущее и заднее диммирование	Přední a koncové stmívání	Водещо и затъмняващо затъмнение	Przyciemnianie wiodące i końcowe

Materials / *Materiales*

EN	ES	FR	ITA	PT	GER
ABS	ABS	ABS	ABS	ABS	ABS
Acrylic	Acrílico	Acrylique	Acrilico	Acrílico	Acryl
Aluminium	Aluminio	Aluminium	Alluminio	Alumínio	Aluminium
Beige Ribbon Shade	Tela encintada	Tissu adhésif	Tessuto registrato	Tecido gravado	Geklebte Gewebe
Bubble Glass	Cristal Burbuja	Verre bullé	Vetro bolla	Vidro bolha	Blasenglas
Brass	Latón	Laiton	Ottone	Latão	Messing
Die Cast Aluminium	Aluminio Inyectado	Fonte d'aluminium	Ghisa alluminio	Alumínio fundido	Aluminiumguss
Fiber Glass	Fibra de Vidrio	Fibre De Verre	Fibra Di Vetro	Fibra De Vidro	Fiberglas
Glass	Cristal	Verre	Vetro	Virdo	Glas
Leather	Piel	Peau	Pelle	Pele	Haut
Linen	Lino	Lin	Biancheria	Roupa de cama	Leinen
Marble	Mármol	Marbre	Marmo	Mármore	Marble
Opal Acrylic	Acrílico Opal	Acrylique opale	Acrilico opale	Opal acrílico	Opalacryl
Opal Glass	Cristal Opal	Verre opale	Vetro opalino	Vidro opal	Opalglas
Opal PMMA	PMMA Opal	PMMA opale	PMMA opale	PMMA opal	Opal PMMA
Opal Polycarbonate	Policarbonato Opal	Polycarbonate opale	Policar-bonato opale	Policar-bonato opal	Opal polycarbonat
Opal PVC	PVC Opal	PVC opale	PVC opale	PVC opal	Opal PVC
Papyrus	Papiro	Papyrus	Papiro	Papiro	Papyrusses
Parchment	Pergamino	Parchemin	Pergamena	Pergaminho	Pergament
PEMD	PEMD	PEMD	PEMD	PEMD	PEMD
PET Polyethylene Terephthalate	PET Polietileno tereftalato	PET Polyéthylène téréphtalate	PET polietilene tereftalato	PET tereftalato de polietileno	PET Polyethylenterephthalat
Plaster	Yeso	Gypse	Gesso	Gesso	Gips
PMMA	PMMA	PMMA	PMMA	PMMA	PMMA
Polycarbonate	Policarbonato	Polycarbonate	Policarbonato	Policarbonato	Polycarbonal
Polyethylene	Polietileno	Polyéthylène	Polietilene	Polietileno	Polyethylen
Polymer	Polímero	Polymères	Polimero	Polímero	Polymer
Polypropylene	Polipropileno	Polyéthylène	Polietilene	Polietileno	Polyethylen
PVC	PVC	PVC	PVC	PVC	PVC
Rattan	Ratán	Rotin	Malacca	Rattan	Rattan
Resine	Resina	Résine	Resina	Resina	Harz
Rustic Glass	Cristal Rústico	Verre rustique	Vetro rustico	Vidro rústico	Rustikale Glass
Silicone	Silicona	Silicone	Silicone	Silicone	Silicon
Stainless Steel	Acero Inoxidable	Acier inoxydable	Acciaio inossi.	Aço inoxidável	Edelstahl Rostfreier
Steel	Acero	Acier	Acciaio	Aço	Stahl
Teflon	Teflón	Teflon	Teflon	Teflon	Teflon
Textile	Téxtil	Textile	Tessile	Têxtil	Textile
Translucent Glass	Cristal Translúcido	Verre translucide	Vetro traslucido	Vidro translúcido	Translucent Glas
Translucent Polycarbonate	Policarbonato Translúcido	Polycarbonate translucide	Policar-bonato transl.	Policar-bonato transl.	Translucent polycarbonat
Transparent Glass	Cristal Transparente	Verre transparent	Vetro trasparente	Vidro transpa.	Transparentem Glas
Transparent PMMA	PMMA Transparente	PMMA transparent	PMMA trasparente	PMMA transpa.	Transparentem PMMA
Wood	Madera	Bois	Legno	Madeira	Holz
Zinc	Zinc	Zinc	Zinco	Zinco	Zink

NL	GRK	RUS	CZ	BL	PL
ABS	ABS	ABS	ABS	ABS	ABS
Acryl	Ακρυλικό	Акриловый	Akryl	Акрил	Akrylowy
Aluminium	Αλουμίνιο	Алюминий	Hliník	Алуминий	Aluminium
Getapete stof	Μαγνητοσκοπημένο ύφασμα	Ткань	Páskové tkaniny	Лепени тъкани	Taśma tekstylna
Bubble glas	Υαλί φούσκα	Рузырь стекло	Bublina sklo	балон стъкло	Szklane bańki
messing	Ορείχαλκος	латунь	Mosaz	месинг	Mosiądz
Gegoten aluminium	Χυτό αλουμίνιο	Ритого алюминия	Z litého hliníku	Рят алуминий	Odlew aluminiowy
Glasvezel	Πολυεστερικεσ	Стекловолокно	Laminát	Фибростъкло	Włókno Szklane
Glas	Υαλί	Стекло	Sklo	Стъкло	Szkło
Huid	Δέρμα	кожа	Kůže	кожа	Skóra
Linnen	Λευκά είδη	белье	Linen	бельо	Pościel
Marmeren	Μαρμαρα	Мрамор	Mramorová	Мрамор	Marmur
Opaal acrylaat	Opal ακρυλικό	Опалового акрила	Opálový akrylát	Опал акрил	Opal akryl
Opaal glas	Opal γυαλί	Матовое стекло	Opálové sklo	Млечно стъкло	Szkło mleczne
Opaal PMMA	Opal PMMA	PMMA акриловые	Opal PMMA	Опал PMMA	Mlecznego PMMA
Opaal polycarbonnat	Opal πολυάνθρακας	Опал поликарбонат	Opal polykarbonát	Опал поликарбонат	Mlecznego Poliwęglan
Opaal PVC	Opal PVC	Опал PVC	Opal PVC	Опал PVC	PVC Poliwęglan
Papyrus	Πάπυροσ	Папирус	Papyrus	Papyrus	Papyrus
Perkament	Περγαμηνή	Пергамент	Pergamen	Пергамент	Pergamin
PEMD	PEMD	Пемд	PEMD	PEMD	PEMD
PET Polyethyleentereftalaat	Τερεφθαλικό πολυαιθυλένιο PET	ПЭТ Полиэтилентерефталат	PET polyethylentereftalát	PET полиетилен терефталат	PET Politereftalan etylenu
Gips	Γύψος	Гипс	Sádrovec	Гипс	Gips
PMMA	PMMA	PMMA	PMMA	PMMA	PMMA
Polycarbonaat	Πολυκαρβονικά	Поликарбонат	Polykarbonát	Поликарбонат	Poliwęglan
Polyethyleen	Πολυαιθυλένιο	полиэтилен	Polyethylen	полиетилен	Polietylen
Polymeer	Πολυμερές	Полимер	Polymer	Полимер	Polimer
Polyethyleen	Πολυαιθυλένιο	Полиэтилен	Polyethylen	Полиетилен	Polietylen
PVC	PVC	PVC	PVC	PVC	PVC
Rotan	Rattan	ротанг	Ratan	ратан	Rattan
Hars	Ρητινουχο	Смола	Pryskyřice	Смола	Żywica
Rustieke Glass	ρουστίκ Γυαλί	Сельский стекла	Rustikální sklo	Рустик стъкло	Rustic Szkło
Silicone	Σιλικονη	Силикон	Silikonová	Силикон	Silikon
Roestvrij staal	Ανοξείδωτο χάλυβα	нержавеющая сталь	Nerez	неръждаема стомана	Stali nierdzewnej
Staal	χάλυβας	сталь	Ocel	Стомана	Stal
Teflon	Τεφλόν	Тефлон	Teflon	Тефлоново	Teflon
Textiel	Υφάσματα	Текстильный	Textilní	Текстилен	Włókienniczy
Doorschijnend glas	Διαφανές γυαλί	Прозрачные стекла	Translucent стъкло	Průhledné sklo	Przezroczyste szkło
Doorschijnend polycarbo.	Διαφανές πολυάνθρακας	Прозрачные поликарбонат	Translucent polykarbonát	Průhledné поликарбонат	Przezroczyste Poliwęglan
Transparant glas	Διαφανές γυαλί	Ррозрачное стекло	Průhledné sklo	Ррозрачно стъкло	Przezroczystego szkła
Transparant PMMA	Διαφανές PMMA	Ррозрачное PMMA	Průhledné PMMA	Ррозрачно PMMA	Przezroczystego PMMA
Hout	Ξύλο	Дерево	Dřevo	Дърво	Drewno
Zink	Ψευδάργυρος	Цинк	Zinek	Цинк	Cynk

General information / *Información general*

EN

The technical information detailed in our catalogue can be modified in order to improve the features or design of our products.
Faro Barcelona keeps the right to cancel or modify any model without prior notice and without any cause for complaints.
The conditions, technical characteristics and prices of the products that appear in this catalogue are the effective ones in the date of impression of the catalogue except for typographical error and are subject to possible changes.
The catalogue prices are public prices.
RATES DO NOT INCLUDE VAT.
Price list not valid for Italy and Switzerland.
Returned goods shall only be accepted, after prior notice being given to LOREFAR, on the grounds of being defective and never on the basis of broken glass or missing parts. In such cases, please contact us so that we can send you the required parts as a matter of urgency.
Exchanges or returns of goods in good condition will not be accepted. In the event of express acceptance by LOREFAR, a 20% charge shall be incurred, on receipt and checking, for depreciation and classification of the goods.

ES

La información referente a nuestros productos puede ser modificada con el fin de mejorar las características técnicas o de diseño.
Faro Barcelona se reserva el derecho de anular o modificar cualquier modelo sin previo aviso y sin que sea motivo de reclamaciones.
Las condiciones, características y precios de los productos que aparecen en este catálogo son los vigentes en la fecha de impresión del catálogo salvo error tipográfico y están sujetos a posibles modificaciones.
Los precios mostrados son precios de venta al público (PVP).
IVA NO INCLUIDO EN TARIFA
Tarifa no válida para Italia y Suiza.
Previa comunicación a Lorefar sólo se aceptará la mercancía devuelta por defectuosa, nunca por cristales rotos o falta de algún componente. En estos casos rogamos se pongan en contacto con nosotros para enviarles urgentemente las piezas requeridas.
No se admitirán cambios ni devoluciones de mercancía en buen estado. En caso de aceptación explícita por parte de Lorefar, a su recepción y comprobación se emitirá un cargo del 20% en concepto de depreciación y clasificación de la mercancía.

FR

L'information qui se réfère à nos produits peut être modifiée afin d'améliorer les caractéristiques technique ou de design.
Faro Barcelona se réserve le droit d'annuler ou de modifier n'importe quel modèle sans préavis et sans que cela soit motif de réclamations.
Les conditions, caractéristiques et prix des produits qui apparaissent dans ce catalogue sont celles en vigueur à la date d'impression du catalogue sauf erreur typographique et sont susceptible d'être modifiées ultérieurement.
Les prix du catalogue son les prix de vente public .
IVA NON COMPRISE DANS LE TARIF.
Liste de prix pas valable pour l'Italie et la Suisse.
Seule sera acceptée en retour la marchandise défectueuse, et ce après communication à LOREFAR. LOREFAR n'acceptera jamais de retour pour du verre brisé ou pour l'absence d'un composant quelconque. Dans ces derniers cas, nous vous prions de vous mettre en contact avec nous afin que nous vous fassions parvenir dans les plus brefs délais les pièces nécessaires. La marchandise en bon état ne sera ni reprise ni échangée. En cas d'acceptation explicite de sa part, LOREFAR retiendra 20% au titre de la dépréciation et de la classification du produit.

ITA

La informazione che si riferisce ai nostri articoli puó essere soggetta a modifiche con il fine du migliorare le caratteristiche, tecniche o di desgin, dei nostri prodotti. Faro Barcelona si reserva il diritto di annullare o modificare qualsiasi modello senza previo avviso e senza che sia motivo di reclami.
Le condizioni, caratteristiche e prezzi dei prodotti che compaiono in questo catalogo sono quelli vigenti alla data della stampa del catalogo ad eccezione di errori tipografici e sono soggetti a possibili modificazioni.
I prezzi indicati sono prezzi di vendita al pubblico.
IVA NON INCLUSA IN LISTINO.
Il listino non è valido per l'Italia e la Svizzera.
LOREFAR accetta previa comunicazione, solo la merce restituita perché difettosa; in nessun caso accetterà la merce restituita per presenza di verti rotti o per mancanza di qualche componente. In questi casi vi preghiamo di contattarci per potervi mandare al più presto i pezzi richiesti.
Non si effettuano cambi né si ammettono restituzioni di merci in buono stato. In caso di accettazione esplicita da parte di LOREFAR, al momento del ricevimento e della verifica della merce si emetterà un addebito del 20% a titolo di deprezzamento e classificazione.

PT

A informação referente aos nossos produtos pode ser modificada com o fim de melhorar as características técnicas ou de desenho.
A Faro Barcelona reserva-se o direito de anular ou modificar qualquer modelo sem aviso prévio e sem que seja motivo de reclamações.
As condições, características e preços dos produtos que aparecem neste catálogo são os vigentes na data de impressão do catálogo salvo erro tipográfico e estão sujeitos a possíveis modificações. Os preços mostrados são preços de venda ao público (PVP).
IVA NÃO INCLUÍDO NA LISTA DE PREÇOS
Lista de preços não é válido para a Itália e Suíça.
Mediante comunicação prévia à Lorefar, apenas se aceitará a mercadoria devolvida por defeito, nunca por vidros partidos ou falta de algum componente. Nestes casos pedimos que entrem em contacto connosco para lhes enviarmos urgentemente as peças requeridas.
Não serão admitidas alterações nem devoluções de mercadoria em bom estado. Em caso de aceitação explícita por parte da Lorefar, na sua recepção e comprovação emitir-se-á um débito de 20% a título de depreciação e classificação da mercadoria.

GER

Die Information über unsere Produkte kann im Zusammenhang mit den Verbesserungen ihrer technischen Eigenschaften und ihres Designs jederzeit geändert werden.
Faro Barcelona behält sich das Recht vor, seine Modelle jederzeit und ohne vorherige Ankündigung vom Markt zu nehmen, ohne dass sich daraus ein Anrecht auf Beschwerden ableiten könnte.
Die Bedingungen, Eigenschaften und Preise der Produkte in diesem Katalog gelten zum Datum der Drucklegung des Katalogs vorbehaltlich Druckfehler und können jederzeit geändert werden. Diese Preise gelten für den Direktverkauf an den Kunden.
DIE MEHRWERTSTEUER IST NICHT IN DEN PREISEN EINGESCHLOSSEN
Preisliste gilt nicht für Italien und die Schweiz.
Nach vorheriger Kommunikation kann Lorefar die Rücklieferung von schadhafter Ware akzeptieren, jedoch niemals wegen beschädigten Glasteilen oder fehlenden Komponenten. In letzteren Fällen setzen Sie sich bitte zwecks schneller Zusendung der notwendigen Teile in Verbindung.
Wir tauschen keine Waren in gutem Zustand um oder nehmen sie zurück. Bei ausdrücklicher Annahme durch Lorefar nach Erhalt und Überprüfung stellen wir Ihnen 20% des Preises für Wertverminderung und Handhabung der Ware in Rechnung.

NL

De informatie over onze producten kan gewijzigd worden met als doel de technische eigenschappen of het design te verbeteren.
Faro Barcelona behoudt zich het recht voor onaangekondigd modellen te schrappen of te wijzigen en zonder dat dit aanleiding tot een klacht vormt.
De voorwaarden, eigenschappen en prijzen van de producten in deze catalogus zijn geldig op het moment van druk van de catalogus tenzij sprake is van een drukfout. Zij zijn onderhevig aan mogelijke wijzigingen. De getoonde prijzen betreffen verkoopprijzen.
Btw NIET BIJ DE PRIJS INBEGREPEN
Tairfa niet geldig voor Italië en Zwitserland.
Lorefar aanvaardt uitlsuitend defecte teruggezonden goederen nadat zij hierover van tevoren op de hoogte is gesteld. Dit geldt niet voor gebroken glas of het ontbreken van onderdelen. In deze gevallen wordt u verzocht met ons contact op te nemen zodat wij u zo snel mogelijk de gewenste onderdelen kunnen toezenden.
Ruilen of terugsturen van goederen in correcte staat is niet toegestaan. In geval van uitdrukkelijke aanvaarding door Lorefar wordt bij ontvangst en controle een heffing van 20% voor waardevermindering en classificatie van de goederen toegepast.

GRK

Οι πληροφορίες σχετικά με τα προϊόντα μας ενδέχεται να τροποποιηθούν με στόχο τη βελτίωση των τεχνικών χαρακτηριστικών ή του σχεδίου.
Η Faro Barcelona διατηρεί το δικαίωμα ακύρωσης ή τροποποίησης οποιουδήποτε μοντέλου χωρίς προηγούμενη προειδοποίηση και χωρίς αυτό να αποτελεί αιτία απαίτησης επιστροφής χρημάτων.
Οι όροι, τα χαρακτηριστικά και οι τιμές των προϊόντων που παρουσιάζονται σε αυτόν τον κατάλογο είναι αυτά που ισχύουν κατά την ημερομηνία της εκτύπωσης του καταλόγου, εκτός τυπογραφικών λαθών, και υπόκεινται σε αλλαγές. Οι τιμές που εμφανίζονται είναι τιμές λιανικής.
Ο ΦΠΑ ΔΕΝ ΣΥΜΠΕΡΙΛΑΜΒΑΝΕΤΑΙ ΣΤΗΝ ΤΙΜΗ
Μετά από συνεννόηση με τη Lorefar, γίνονται αποδεκτές επιστροφές μόνο αν πρόκειται για ελαττωματικά εμπορεύματα και όχι για θραύση κρυστάλλων ή απουσία κάποιου στοιχείου. Στις περιπτώσεις αυτές, παρακαλούμε να έρθετε σε επαφή μαζί μας για να σας στείλουμε επειγόντως τα απαιτούμενα μέρη.

RUS

Информация относящаяся к нашей продукции может быть модифицирована с целью улучшить технические или внешние характеристики.
Faro Barcelona сохраняет за собой право аннулировать или модифицировать любую модель без предупреждения и без того что это послужит причиной для жалоб.
Δεν γίνονται αποδεκτές αλλαγές ή επιστροφές για εμπορεύματα σε καλή κατάσταση. Σε περίπτωση ρητής αποδοχής εκ μέρους της Lorefar, κατά την παραλαβή και τον έλεγχό τους θα πραγματοποιηθεί χρέωση 20% για έξοδα απόσβεσης και ταξινόμησης των εμπορευμάτων.
Условия, характеристики и цены на изделия, указанные в данном каталоге, действительны на дату его выпуска, за исключением опечаток в каталоге, и могут быть изменены. В каталоге указаны розничные цены.
БЕЗ УЧЕТА НДС
В соответствии с правилами, компания Lorefar принимает возврат изделий только при наличии дефектов, но ни в коем случае не при разбитии стекла или отсутствии какой-либо детали. В таком случае, пожалуйста, свяжитесь с нами, чтобы мы отправили вам необходимые детали. Товар в рабочем состоянии не подлежит обмену или возврату. В случае подтверждения компанией Lorefar наличия дефектов, после возврата и проверки, начисляется 20% стоимости с учетом амортизации и классификации товаров.

CZ

Technické informace uvedené v katalogu mohou být modifikovány za účelem zdokonalování vlastností svítidel nebo jejich designu.
Producent Faro Barcelona si vyhrazuje právo konstrukčních změn nabízených modelů bez předcházejícího oznámení a tato skutečnost nemůže být předmětem jakékoliv stížnosti či reklamace.
Podmínky, technické specifikace a ceny produktů uvedené v katalogu jsou platné ke dni vydání katalogu. Producent si vyhrazuje právo konstrukčních změn nabízených modelů, pokud tyto nepovedou k zásadním změnám charakteru výrobků. Informace z tohoto katalogu postrádají platnosti v den vydání katalogu nového.
VŠECHNY CENY JSOU UVEDENY BEZ DPH.,
Zboží může být vráceno pouze po předchozím souhlasu od sPOLEčnosti PAXI, na základě poruchy nebo vady ovšem nikdy na základě poškozeného skla nebo chybějícího dílu. V takových případech nás, prosím, kontaktujte, abychom
Vám mohli požadované části svítidel urgentně zaslat. Výměny nebo vracení zboží v dobrém technickém stavu je nepřijatelné.

BL

Техническата информация, представена в нашият каталог , може да бъде променяна с цел да подобри представянето или дизайна на продуктите.
Фаро Барселона си запазва правото да отменя или променя всеки модел без предварително осведомяване и без това да се счита причина за оплаквания.
Условията, техническите характеристики и цените на продуктите показани в този каталог са ефективни към датата на отпечатването на каталога, с изключение на грешки при отпечатване и са обект на възможни промени.
Цените в каталога са публичните цени.
ЦЕНИТЕ НЕ ВКЛЮЧВАТ ДДС.
Връщане на закупена стока ще да бъдат приета единствено след писмено осведомяване на ЛОРЕФАР на основание дефекти и в никакъв случай на основание счупено стъкло или липсващи части. В такива случаи моля свържете те с нас, за да ви изпратим липсващите части по спешност.
Размяна или връщане на стока в добро състояние няма да бъде извършвана. В случай на спешно приемане от ЛОРЕФАР 20 % такса ще бъде наложена за приемане и проверка, за обезценяване и класификация на продуктите.

PL

Informacje techniczne wyszczególnione w naszym katalogu mogą być modyfikowane w celu poprawienia właściwości lub wzornictwa produktów.
Faro Barcelona ma prawo do anulowania i modyfikowania każdego z modeli bez uprzedniego infomowania i nie przyjmuje skarg z tego tytułu.
Warunki, opis techniczny oraz ceny artykułów , które pojawiają się w katalogu są aktualne do czasu przedruku katalogu za wyjątkiem pomyłek w druku, które podlegają ewentualnej zmianie. Ceny w katalogu są cenami publicznymi.
CENY NIE ZAWIERAJĄ STAWKI VAT.
Ewentualne zwroty mogą być zaakceptowane po uprzedniej zgodzie przez Lorefar na podstawie stwierdzenia , że są wadliwe, nigdy nie przyjmowane są zwroty artykułów, z powodu stłuczenia szkła czy brakujących części, w tym przypadku prosimy o kontakt w celu wysłania potrzebnych części w trybie natychmiastowym.
Wymiany lub zwroty artykułów w dobrym stanie nie będą zaakceptowane. W przypadku wyraźnej akceptacji przez Lorefar, 20% opłaty może być poniesione na otrzymanie i sprawdzenie, w celu sklasyfikowania uszkodzenia artykułu.

Our commitment / *Nuestro compromiso*

EN

Faro Barcelona Technical Laboratory
Faro Barcelona has extended the capacity of its Quality Control Department by equipping its laboratory with machinery that can conduct the following tests:
- IP Tests.
- Incandescent thread.
- Electric shocks.
- Thermal and mechanical resistance.
- Impacts.
- Consumption and power factors.

Thanks to these advances, Faro Barcelona has raised the bar regarding the thoroughness of its tests and ensures that European regulations and standards are complied with fully.

Faro collaborates on improvements to the environment
With its commitment to efficient light bulbs and its contribution to energy saving and the campaign against global warming.
In Faro catalogues, next to the standard-use light bulb given for each item, you will see the recommended bulb, highlighted by this symbol: [LED ref.]

ES

Laboratorio técnico propio de faro Barcelona
Faro Barcelona ha ampliado la capacidad de su Departamento de Control de Calidad, dotando su laboratorio de una maquinaria capaz de hacer los siguientes ensayos:
- Pruebas de IP.
- Hilo incandescente.
- Choques eléctricos.
- Resistencia térmica y mecánica.
- Choques de impacto.
- Consumos y factores de potencia.

Gracias a estos avances, Faro Barcelona eleva el nivel de rigurosidad en sus ensayos y garantiza el estricto cumplimiento de las normativas y estándares europeos.

Faro colabora en la mejora del medio ambiente
Apostando por las bombillas eficientes y contribuyendo con el ahorro energético y la lucha contra el calentamiento global.
En los catálogos Faro podrá encontrar junto a la bombilla de uso standard de cada artículo cual es la bombilla que recomendamos y lo diferenciamos con este símbolo: [LED ref.]

FR

Laboratoire technique appartenant à faro Barcelona
Faro Barcelona a élargi la capacité de son Département de contrôle qualité, en dotant son laboratoire de machines capables de procéder aux essais suivants:
- Essais d'IP
- Fil incandescent.
- Chocs électriques.
- Résistance thermique et mécanique.
- Chocs d'impact.
- Consommations et facteurs de puissance.

Grâce à ces avancées, Faro Barcelona élève le niveau de rigueur de ses essais et garantit le strict respect des réglementations et normes européennes.

Faro participe à l'amélioration de l'environnement
En misant sur des ampoules efficaces, en contribuant aux économies d'énergie et en participant à la lutte contre le réchauffement de la planète.
Dans les catalogues Faro, vous trouverez, à côté de l'ampoule standard utilisée pour chaque article, l'ampoule recommandée et identifiée parce symbole: [LED réf.]

ITA

Laboratorio tecnico proprio di faro Barcelona
Faro Barcellona ha ampliato la capacità del suo Dipartimento di Controllo della Qualità, dotando il suo laboratorio di macchinari in grado di realizzare i seguenti test:
- Prove di IP.
- Filo incandescente.
- Scariche elettriche.
- Resistenza termica e meccanica.
- Test di impatto.
- Consumi e fattori di potenza.

Grazie a questi progressi, Faro Barcelona alza il livello di rigorosità nei suoi test e garantisce il rigido rispetti delle normative e degli standard europei.

Faro collabora al miglioramento dell'ambiente
Scommettendo sulle lampadine efficienti e contribuendo al risparmio energetico e alla lotta contro il riscaldamento globale.
Nei cataloghi Faro potrete trovare, assieme alla lampadina d'uso standard di ogni articolo, la lampadina di basso consumo consigliata e che si distingue con questo simbolo: [LED rif.]

PT

Laboratório técnico próprio da faro Barcelona
A Faro Barcelona ampliou a capacidade do seu Departamento de Controlo de Qualidade. dotando o seu laboratório de uma maquinaria capaz de fazer os seguintes ensaios:
- Testes de IP.
- Fio incandescente.
- Choques eléctricos.
- Resistência térmica e mecânica.
- Choques de impacto.
- Consumos e factores de potência.

Graças a estes avanços. a Faro Barcelona eleva o nível de rigor nos seus ensaios e garante o estrito cumprimento das normas e padrões europeus.

A Faro colabora na melhoria do meio ambiente
Apostando nas lâmpadas eficientes e contribuindo para a poupança energética e para a luta contra o aquecimento global.
Nos catálogos Faro poderá encontrar. junto à lâmpada de uso padrão de cada artigo. a lâmpada recomendada e que se diferencia com este símbolo: [LED ref.]

GER

Eigenes technisches Labor von faro Barcelona
Faro Barcelona hat die Leistungsfähigkeit seiner Qualitätssicherungsabteilung durch die Ausstattung seines Labors mit Einrichtungen für folgende Tests erweitert.
- IP-Tests.
- Thermische und mechanische
- Elektroschocks Widerstandskraft
- Mechanische Stöße
- Verbrauchs- und Leistungsaspekte
- Glühfäden

Dank dieser Erweiterungen kann Faro Barcelona jetzt seine Produktprüfungen noch wesentlich rigoroser durchführen und eine strikte Erfüllung der europäischen Normen und Standards garantieren.

Faro bemüht sich ständig um den Umweltschutz
Daher verwenden wir immer mehr effi- ziente Leuchtmittel und tragen damit zum Einsparen von Energie und zum Kampf gegen die Klimaerwärmung bei.
In den Katalogen von Faro finden Sie neben den Standard-Leuchtmitteln für die einzelnen Artikel auch jeweils passende Sparbirnen. die mit folgendem Symbol gekennzeichnet sind: [LED ref.]

NL

Eigen technisch laboratorium van faro Barcelona
Faro Barcelona heeft de capaciteit van haar Afdeling Kwaliteitscontrole uitgebreid met een laboratorium waarin de volgende testen kunnen worden uitgevoerd:
- Testen van de IP-code
- Gloeidraad.
- Elektrische schokken.
- Thermische en mechanische weerstand.
- Schok door impact.
- Verbruik en vermogensfactoren.

Dankzij deze vooruitgang is er bij Faro Barcelona sprake van een hoger striktheidniveau tijdens het testen en garandeert een strikte naleving van de Europese normen en standaards.

Faro werkt mee aan de verbetering van het milieu
Middels het gebruik van efficiënte lampen. Zo draagt zij bij aan de energiebesparing en aan de strijd tegen de opwarming van de aarde.
In de catalogi van Faro treft u naast de lamp voor standaardgebruik van ieder artikel de aanbevolen lamp met laag verbruik aan die met dit symbool wordt onderscheiden: [LED ref.]

GRK

Faro Barcelona Technical Laboratory
Η Faro Barcelona έχει διευρύνει τις δυνατότητες του Τμήματος Ελέγχου Ποιότητας. εξοπλίζοντας το εργαστήριό της με μηχανήματα που πραγματοποιούν τα εξής τεστ:
- Τεστ IP
- Νήμα πυρακτώσεως.
- Ηλεκτροπληξία.
- Θερμική και μηχανική αντοχή.
- Κρούση.
- Κατανάλωση και παράγοντες ισχύος.

Χάρη σε αυτές τις εξελίξεις. η Faro Barcelona αυξάνει το επίπεδο αυστηρότητας στις δοκιμές της και εξασφαλίζει την απόλυτη τήρηση των ευρωπαϊκών κανονισμών και προτύπων.

Η Faro συμβάλλει στη βελτίωση του περιβάλλοντος
χρησιμοποιώντας αποδοτικούς λαμπτήρες και συμβάλλοντας στην εξοικονόμηση ενέργειας και την καταπολέμηση της υπερθέρμανσης του πλανήτη.
Στους καταλόγους της Faro μπορείτε να βρείτε. μαζί με τον συμβατικό λαμπτήρα για κάθε προϊόν. τον συνιστώμενο λαμπτήρα χαμηλής κατανάλωσης που διακρίνεται με αυτό το σύμβολο: [LED αναφ.]

RUS

Собственная техническая лаборатория компании faro Barcelona
Потенциал Отдела контроля качества компании Faro Barcelona увеличился благодаря появлению в лаборатории оборудования. с помощью которого можно проводить следующие испытания:
- Тестирование IP
- Механическое и
- Поражение электрическим током.
тепловое сопротивление
- Воздействие от столкновения
- Потребление и
- Спираль накаливания. коэффициент мощности.

Благодаря этому компания Faro Barcelona предъявляет все более жесткие требования к проведению исследований и обеспечивает строгое соответствие европейским стандартам и нормам.

Faro заботится об окружающей среде делая ставку на эффективные электрические лампы. позволяющие экономить энергию и бороться с глобальным потеплением.
В каталогах Faro можно найти как стандартные лампы различных типоразмеров. так и рекомендуемые энергосберегающие лампы. отмеченные специальным символом: [LED ссы.]

CZ

Собственная техническая лаборатория компании faro Barcelona
Потенциал Отдела контроля качества компании Faro Barcelona увеличился благодаря появлению в лаборатории оборудования. с помощью которого можно проводить следующие испытания:
- Тестирование IP
- Механическое и
- Поражение электрическим током.
тепловое сопротивление
- Воздействие от столкновения
- Потребление и
- Спираль накаливания. коэффициент мощности.

Благодаря этому компания Faro Barcelona предъявляет все более жесткие требования к проведению исследований и обеспечивает строгое соответствие европейским стандартам и нормам.

Používáním efektivních žárovek přispívá firma Faro
Ke zlepšení životního prostředí. úspoře elektrické energie a boji proti globálnímu oteplování.
V katalozích Faro naleznete vedle standardní žárovky vhodné pro jednotlivé zboží i doporučenou žárovku s nízkou spotřebou. která je označena tímto symbolem: [LED ref.]

BL

Собствена техническа лаборатория на faro Barcelona
Faro Barcelona разшири капацитета на своя Отдел за контрол на качеството. като обзаведе лабораториите си с оборудване за осъществяване на следните изпитвания:
- Изпитвания за степен на защита (IP)
- Термична и механична
- Токови удари.Устойчивост.
- Удари в твърд предмет
- Консумирана мощност
- Нажежена жичка. и коефициент на мощността.

По този начин Faro Barcelona повишава точността на изпитванията и гарантира стриктно спазване на европейските.

Faro съдейства за подобряване на околната среда
чрез използване на енергоспестяващи крушки. с което дава своя принос в борбата с глобалното затопляне.
В каталозите на Faro всеки продукт може да се използва както със стандартна. така и с енергоспестяваща крушка. която е препоръчителна и е означена със следния символ: [LED спра.]

PL

Laboratorium techniczne należące do faro Barcelona
Firma Faro Barcelona rozszerzyła zakres kompetencji swojego Działu Kontroli Jakości. wyposażając laboratorium w urządzenia wykonujące następujące testy:
- Próby IP
- Włókno żarzenia.
- Porażenia prądem.
- Wytrzymałość termiczna i mechaniczna.
- Wstrząsy
- Zużycie i czynniki mocy.

Dzięki tym procedurom firma Faro Barcelona zaostrzyła poziom testów. gwarantując bezwzględne przestrzeganie norm i standardów europejskich.

Firma Faro chroni środowisko
Stawiając na wydajne żarówki i oszczędność energii. przyczyniając się tym samym do walki z globalnym ociepleniem.
Oprócz informacji o standardowych żarówkach. katalogi Faro zawierają zalecenia dotyczące żarówek energooszczędnych wyróżnione tym symbolem: [LED odni.]

Ref	Pag.
01000	147
01001	147
01003	185
01004	185
01005	185
01006	185
01007	42
01009	152
01014	152
01015	36
01016	36
01017	36
01025	42
01026	152
01027	152
01040	200
01041	200
01045	149
01046	48
01205	201
01206	201
01207	201
01208	201
01997001	126
01997002	126
02100101	240
02100301	234
02100401	234
02100501	235
02100502	235
02100503	235
02100601	235
02100602	235
02100603	235
02100701	235
02100702	235
02100801	236
02100901	234
02101001	233
02101002	233
02101101	233
02101102	233
02101301	233
02101302	233
02101401	235
02101402	235
02101501	233
02101601	233
02111001	230
02111002	230
02121001	230
02121002	230
02150101	238
02150201	238
02150301	238
02200501	235
02200502	235
02200503	235
02300101	234
02400101	235
02400102	235
03020402	236
03030101	236
03030102	236
03030103	236
03030201	236
03030202	236
17063	641
17064	641
17067	641
17271	642
17309	640
17316	640
17317	640
17318	640
17319	640
17320	640
17321	640
17324	640
17325	640
17328	640
17329	640
17330	640
17331	640
17332	640
17340	643
17398	643
17399	643
17400	643
17409	642
17413	642
17414	642
17415	641
17417	641
17420	641
17422	641
17423	641
17425	642
17426	642
17427	642
17428	642
17429	642
17432	642
17433	642
17434	642
17437	641
17443	643
17444	643
17445	642
17446	642
17447	642
17448	642
17449	642
17460	641
17461	641
17462	641
17463	641
17464	641
17465	641
17466	643
17467	643
17468	643
17472	640
17473	640
17474	640
17475	640
17476	643
17477	643
17478	641
17479	641
17482	641
17483	641
17484	641
17485	641
17486	641
17487	643
17488	643
17489	643
17490	643
17491	643
17492	641
17493	642
17494	643
17495	643
17496	642
17497	642
17498	639
17499	643
18030	640
18031	640
18032	640
18033	640
18034	640
18035	640
20021	170
20022	170
20023	170
20024	170
20025	77
20026	77
20029	77
20030	77
20031-80	148
20031-81	148
20031-88	166
20032-80	148
20032-81	148
20032-88	166
20033-80	38
20033-81	38
20034-80	38
20034-81	38
20034-88	73
20045	196
20046	98
20046-3L	88
20046-5L	88
20046-7L	88
20047	98
20048	98
20049	196
20050	98
20050-3L	88
20050-5L	88
20050-7L	88
20051	98
20060	153
20061	153
20062	153
20065	140
20066	140
20094	128
20095	128
20099	108
20100	112
20101	122
20101DA	122
20102	122
20102DA	122
20103	122
20103DA	122
20104	122
20104DA	122
20107	120
20108	120
20109	120
20110	120
20116	118
20117	118
20118	118
20119	118
20120	118
20121	118
20122	118
20123	118
20124	118
20125	118
20126	118
20127	118
20128	118
20129	118
20130	118
20131	118
20160	93
20160-3L	88
20160-5L	88
20160-7L	88
20161	93
20161-3L	88
20161-5L	88
20161-7L	88
20164-95	57

Ref	Pag.
20164-96	57
20165-95	145
20165-96	145
20166-95	93
20166-96	93
20167	144
20168	144
20170	650
20170-01	164
20170-02	164
20170-03	164
20171	650
20171-01	164
20171-02	164
20171-03	164
20172	650
20172-01	164
20172-02	164
20172-03	164
20173	650
20173-01	164
20173-02	164
20173-03	164
20300-92	157
20301-93	157
20301-94	157
20302-92	157
20303-93	157
20303-94	157
20304-82	66
20305-83	66
20305-84	66
20306-85	67
20307-86	67
20307-87	67
20308-89	113
20309-90	113
20309-91	113
20330	150
20331	150
20332	150
24005	650
24005-10	163
24005-11	163
24005-12	163
24006	650
24006-10	163
24006-11	163
24006-12	163
24007	650
24007-10	163
24007-11	163
24007-12	163
24008	650
24008-13	45
24008-14	45
24008-15	45
24015	178
24016	178
24020-31	59
24020-32	59
24023-33	59
24023-34	59
24030	650
24030-01	156
24030-02	156
24031	650
24031-01	156
24031-02	156
24031-03	156
24032	650
24032-01	156
24032-02	156
24033	650
24033-01	156
24033-02	156
24033-03	156
24034	650
24034-04	64
24034-05	64
24035	650
24035-04	64
24035-05	64
24035-06	64
24036	650
24036-07	65
24036-08	65
24037	650
24037-07	65
24037-08	65
24037-09	65
24500	92
24501	92
24502	146
24503	146
24504	92
24505	92
24521	49
24522	49
24523	34
24524	34
24527	149
24528	149
28209	108
28209-1L	109
28209-2L	109
28209-3L	109
28209-4L	109
28209-5L	109
28210	108
28210-1L	109
28210-2L	109
28210-3L	109
28210-4L	109
28210-5L	109
28211	43
28212	43
28370	41
28371	41
28373	109
28374	109
28375	108
28375-1L	109
28375-2L	109
28375-3L	109
28375-4L	109
28375-5L	109
28376	108
28376-1L	109
28376-2L	109
28376-3L	109
28376-4L	109
28376-5L	109
28378	43
28379	43
28380	44
28382	44
28383	44
28385	44
28386	35
28387	40
28388	40
28393	125
28394	125
28398	99
28399	99
28401	45
28413	175
28414	175
28415	175
29039	220
29040	220
29041	220
29042	220
29043	220
29044	220
29045	244
29047	56
29048	56
29049	56
29050	56
29306	196
29307	72
29309	124
29310	196
29311	72
29312	72
29313	124
29326	173
29327	173
29328	173
29329	173
29330	173
29331	173
29332	76
29333	76
29335	76
29336	76
29340	176
29341	176
29395	155
29396	155
29397	111
29398	53
29399	52
29468	99
29565	155
29566	155
29567	111
29568	53
29569	52
29680	650
29680-19	165
29680-20	165
29680-21	165
29681	650
29681-19	165
29681-20	165
29681-21	165
29682	650
29682-19	165
29682-20	165
29682-21	165
29683	650
29683-19	165
29683-20	165
29683-21	165
29684	650
29684-04	68
29684-05	68
29684-06	68
29685	650
29685-04	68
29685-05	68
29685-06	68
29686	650
29686-07	69
29686-08	69
29686-09	69
29687	650
29687-07	69
29687-08	69
29687-09	69
29690	143
29691	86
29692D	50
29693D	51
29694	91
29695	143
29696	86
29697	50
29698	51

Ref	Pag.
29699	91
29764	80
29844	154
29845	154
29846	54
29847	54
29848	110
29849	110
29864	124
29865	124
29866	74
29867	74
29868	74
29869	74
29871	244
29872	244
29873	220
29874	220
29875	220
29876	220
29877	132
29878	132
29879	132
29880	132
29881	55
29882	55
29883	55
29884	55
29886	104
29887	104
29888	202
29889	202
29890	202
29891	202
29894	104
29895	104
29896	244
29897	220
29898	55
29899	55
29935	173
29936	173
29937	75
29938	75
29940	171
29941	171
29942	78
29943	78
29944	125
29945	171
29946	171
29947	78
29948	78
29950	173
29951	173
29952	173
29953	173
29954	75
29955	75
29958	75
29959	75
29974	170
29975	170
29976	170
29977	170
29978	71
29979	71
29980	172
29981	172
29982	172
29983	172
29984	71
29985	71
29986	126
29987	126
29988	126
29989	126
29991	168
29992	168
29993	168
29995	166
29996	166
29997	73
29998	73
2P0111	648
2P0112	648
2P0113	648
2P0121	648
2P0122	648
2P0123	648
2P0131	648
2P0132	648
2P0133	648
2P0141	648
2P0142	648
2P0143	648
2P0211	648
2P0212	648
2P0213	648
2P0221	648
2P0222	648
2P0223	648
2P0231	648
2P0232	648
2P0233	648
2P0311	648
2P0312	648
2P0313	648
2P0411	648
2P0412	648
2P0413	648
2P0421	648
2P0422	648
2P0423	648
2P0431	648
2P0432	648
2P0433	648
2P0615	648
2P0616	648
2P0617	648
2P0625	648
2P0626	648
2P0627	648
2P0635	648
2P0636	648
2P0637	648
2P0645	648
2P0646	648
2P0647	648
2P0710	648
2P0720	648
2P0730	648
2P0740	648
32000	597
32000-9	597
32000WP	597
32000WP-9	597
32001	597
32001-9	597
32001WP	597
32001WP-9	597
32002	597
32002-10	597
32002WP	597
32002WP-10	597
32003	597
32003-10	597
32003WP	597
32003WP-10	597
32004	597
32004-10	597
32004WP	597
32004WP-10	597
32005	597
32005-9	597
32005WP	597
32005WP-9	597
32006	597
32006-10	597
32006WP	597
32006WP-10	597
32020	595
32020-9	595
32020WP	595
32020WP-9	595
32025	595
32025-9	595
32025WP	595
32025WP-9	595
32026	595
32026-10	595
32026WP	595
32026WP-10	595
32027	595
32027-10	595
32027WP	595
32027WP-10	595
32028	595
32028-10	595
32028WP	595
32028WP-10	595
32029	595
32029-9	595
32029WP	595
32029WP-9	595
32030	595
32030-10	595
32030WP	595
32030WP-10	595
32033	605
32033-9	605
32033WP	605
32033WP-9	605
32034	605
32034-9	605
32034WP	605
32034WP-9	605
32035	605
32035-10	605
32035WP	605
32035WP-10	605
32036	605
32036-10	605
32036WP	605
32036WP-10	605
32037	605
32037-10	605
32037WP	605
32037WP-10	605
32038	603
32038-9	603
32038WP	603
32038WP-9	603
32039	603
32039-9	603
32039WP	603
32039WP-9	603
32040	603
32040-10	603
32040WP	603
32040WP-10	603
32041	603
32041-10	603
32041WP	603
32041WP-10	603
32042	603
32042-10	603
32042WP	603
32042WP-10	603
32043	603
32043-10	603
32043WP	603

Ref	Pag.
32043WP-10	603
32060	605
32060-10	605
32060WP	605
32060WP-10	605
32100	599
32100-10	599
32100WP	599
32100WP-10	599
33001	534
33002	534
33005	612
33011	627
33019	584
33102	620
33110	535
33111	535
33179	633
33180	633
33183	633
33185	633
33186	633
33274	583
33284	580
33287	580
33288	580
33292	581
33314	577
33341	555
33341-2	555
33341K	651
33341WP	555
33341WP-2	555
33345	555
33345-2	555
33345WP	555
33345WP-2	555
33346	569
33346WP	569
33349	515
33350	581
33351	581
33352	582
33352B	582
33363	519
33370	553
33372	570
33373	553
33374	605
33374-9	605
33374WP	605
33374WP-9	605
33381	597
33381-9	597
33381WP	597
33381WP-9	597
33382	595
33382-9	595
33382WP	595
33382WP-9	595
33384	573
33385	573
33386	573
33390	651
33391	651
33393	603
33393-9	603
33393WP	603
33393WP-9	603
33394	599
33394-9	599
33394D	601
33394D-9	601
33394DWP	601
33394DWP-9	601
33394WP	599
33394WP-9	599
33395	599
33395-10	599
33395D	601
33395D-10	601
33395DWP	601
33395DWP-10	601
33395WP	601
33395WP-10	601
33396	565
33397	561
33398	599
33398-10	599
33398D	601
33398D-10	601
33398DWP	601
33398DWP-10	601
33398WP	601
33398WP-10	601
33399	599
33399-10	599
33399D-10	601
33399D	601
33399DWP	601
33399DWP-10	601
33399WP	601
33399WP-10	601
33415	623
33416	623
33417	599
33417-10	599
33417WP	599
33417WP-10	599
33418	599
33418-10	599
33418WP	599
33418WP-10	599
33423	631
33423-10	631
33423WP	631
33423WP-10	631
33424	631
33424-10	631
33424WP	631
33424WP-10	631
33425	631
33425-10	631
33425WP	631
33425WP-10	631
33426	631
33426-9	631
33426WP	631
33426WP-9	631
33427	631
33427-10	631
33427WP	631
33427WP-10	631
33428	631
33428-10	631
33428WP	631
33428WP-10	631
33429	631
33429-10	631
33429WP	631
33429WP-10	631
33430	517
33430WP	517
33432	517
33432WP	517
33446	543
33446WP	543
33447	543
33447WP	543
33450	634
33451	593
33451WP	593
33454	626
33455	626
33460	559
33461	511
33462	511
33463	521
33464	521
33465	511
33466	523
33470	571
33471K	651
33471N	575
33471N-3	575
33472K	651
33472N	576
33472N-6	576
33475	608
33475-17	608
33476	651
33478	607
33478WP	607
33479	607
33480	589
33480-14	589
33480WP	589
33480WP-14	589
33481	591
33481-7	591
33481WP	591
33481WP-7	591
33482	591
33482-8	591
33482WP	591
33482WP-8	591
33483	651
33484	651
33486	651
33487	607
33487WP	607
33488	607
33489	589
33489-15	589
33489K	651
33489WP	589
33489WP-15	589
33490	589
33490-16	589
33490K	651
33490WP	589
33490WP-16	589
33491	575
33491-4	575
33491K	651
33492	575
33492-5	575
33492K	651
33494	509
33494WP	509
33495	509
33495WP	509
33496	505
33504	521
33505	521
33506	533
33507	533
33508	619
33509	619
33511	531
33511WP	531
33512	513
33512-1	513
33512WP	513
33512WP-1	513
33513	651
33514	587
33514WP	587
33516	553
33517	619
33518	553
33519	531

Ref	Pag.
33519WP	531
33522	549
33522WP	549
33523	549
33523WP	549
33524	551
33524WP	551
33548	537
33548WP	537
33549	528
33549WP	528
33552	529
33552WP	529
33553	525
33553WP	525
33554	525
33554WP	525
33600	616
33603	617
33604	617
33605	617
33606	625
33607	609
33608	609
33610	624
33611	622
33695	615
33696	615
33697	615
33698	615
33699	615
33700	579
33701	579
33702	579
33703	628
33704	629
33705	579
33706	629
33710	585
33710-13	585
33711	611
33711-11	611
33712	611
33712-12	611
33713	611
33713-13	611
33714	651
33715	635
33716	651
33717	651
33718	527
33719	527
33720	635
33721	557
33721WP	557
33722	557
33722WP	557
33723	621
33724	563
33724WP	563
33725	539
33726	539
33727	527
33728	527
33729	545
33729WP	545
33750	567
33751	567
33752	586
33753	586
33756	613
33756WP	613
33770	568
33770WP	568
33780	536
33780WP	536
33782	542
33802	547
33802WP	547
33803	546
33803WP	546
33804	544
33804WP	544
33904	636
33907	636
33928	636
33929	636
33937	636
33944	636
33948	636
33954	636
33957	636
33958	636
33959	636
33960	636
33962	636
33964	636
33965	636
33971	636
33974	636
34000	511
34001	511
34002	511
34003	523
34004	523
34005	523
34006	511
34007	511
34008	511
34009	511
34010	511
34011	511
34100	541
34100WP	541
34150	507
34151	509
34200	507
34200WP	507
34250	503
40062	199
40070	198
40076	209
40077	139
40078	107
40085	208
40086	208
40087	208
40090	142
40091	142
40092	142
40101	245
40110	228
40111	228
40112	228
40113	228
40114	228
40115	228
40116	228
40117	228
40118	228
40119	228
40120	228
40121	228
40122	229
40123	229
40124	229
40125	229
40126	229
40127	229
40135	189
40136	189
40550	222
40551	222
40552	222
40553	222
40554	222
40555	222
40556	222
40557	222
40559	222
40562	244
40563	244
40660	216
40661	216
40662	216
40663	216
40664	216
40665	216
40666	216
40667	216
40994	178
40996	178
41019	178
41020	178
41023	180
41025N	180
41026	180
41028	180
41029	180
41030	180
41031	180
41032	180
42919	232
42921	230
42926	239
42927	239
42928	239
42929	239
42930	239
42931	239
43056	236
43057	236
43059	236
43065	236
43396	230
43397	230
43398	230
43399	231
43400	231
43401	231
43402	231
43403	231
43404	231
43405	231
43406	230
43407	230
43408	230
43409	231
43410	231
43411	231
43412	231
43413	231
43500	221
43501	221
43502	221
43520	223
43521	223
43522	223
43523	223
43524	223
43525	223
43526	223
43527	223
43528	223
43529	133
43530	133
43531	133
43532	133
43533	133
43534	133
43535	245
43536	245

Ref	Pag.
43700	226
43701	226
43702	226
43703	226
43704	227
43705	227
43706	227
43707	227
43710	226
43720	242
43721	242
43722	218
43723	218
43724	242
43725	242
43726	218
43727	218
43728	219
43729	219
43730	219
43731	219
43732	219
43740	219
43741	219
43742	219
43743	219
43744	219
43745	219
43746	136
43747	136
43748	202
43749	202
43750	202
43751	202
43752	232
43753	232
43754	100
43755	100
43756	100
43757	242
43758	136
43759	202
43760	202
43761	232
43762	218
43780	238
43781	238
43782	238
43900	232
46060	241
50121	198
50122	198
51129	179
51133	179
51134	179
51135	179
51908	46
51909	46
51910	46
51916	46
51917	46
52057	46
52058	46
52059	180
52061	180
52064	46
52065	46
52071	47
53414	46
53415	46
57210	58
57211	58
57212	58
57213	58
57214	58
57215	58
57400	47
57401	47
57402	199
57403	199
60000	198
60004	106
60005	197
61080	207
61081	207
61082	207
61083	207
61084	207
61085	207
61086	207
61087	207
61088	207
62099	168
62100	168
62104	187
62105	191
62108	191
62111	187
62114	187
62115	177
62116	186
62117	186
62118	187
62120	187
62121	187
62122	186
62123	186
62124	186
62125	186
62126	187
62128	187
62129	187
62130	190
62131	190
62132	131
62133	131
62134	131
62135	131
62136	97
62137	97
62138	97
62139	97
62140	131
62141	131
62142	131
62143	131
62144	131
62145	131
62146	131
62147	131
62150	195
62151	195
62152	195
62153	195
62154	195
62155	195
62156	40
62157	40
62161	184
62162	184
62163	184
62164	184
62168	40
62169	40
62170	194
62171	194
62172	194
62300	194
62301	194
62302	194
62303	194
62350	183
62351	183
62352	183
62353	183
62355	188
62360	182
62361	182
62703	181
62704	181
62705	176
62706	176
62707	177
62708	177
62709	177
62710	177
62711	177
62800	102
62801	102
62802	102
62802-3L	88
62802-5L	88
62802-7L	88
62803	102
62803-3L	88
62803-5L	88
62803-7L	88
62804	102
62804-3L	88
62804-5L	88
62804-7L	88
62805	102
62805-3L	88
62805-5L	88
62805-7L	88
62806	102
62807	199
62809	197
62810	197
62819	203
62820	203
62821	203
62822	203
62965	139
62966	139
62968	138
62969	138
62980	139
62981	139
62983	138
62986	207
62987	207
62988	176
63008	211
63009	211
63038	210
63124	135
63125	135
63146	215
63148	210
63156	207
63167	194
63173	204
63174	204
63175	204
63176	204
63177	204
63178	204
63184	206
63199	203
63225	206
63268	134
63269	134
63270	134
63271	134
63272	134
63273	134
63274	134
63275	134
63276	134
63277	134
63278	205

Ref	Pag.
63279	205
63281	241
63282	241
63283	241
63284	205
63285	205
63286	240
63290	240
63291	139
63311	206
63312	206
63313	224
63316	214
63317	214
63318	214
63319	214
63320	210
63321	210
63322	210
63323	210
63393	137
63394	137
63395	137
63397	138
63398	138
63399	139
63403	138
63404	138
63405	138
63408	137
63410	137
63480	206
63481	240
63490	241
63500	215
63501	215
63502	215
63503	210
63504	209
63505	209
63507	212
63508	212
63509	212
63510	208
63512	212
63513	212
63514	212
63600	213
63601	213
63602	213
63603	213
63604	213
63605	213
64026	191
64027	142
64028	142
64030	189
64096	130
64097	130
64098	94
64099	94
64128	100
64128-3L	88
64128-5L	88
64128-7L	88
64133	100
64133-3L	88
64133-5L	88
64133-7L	88
64135-3L	88
64135-5L	88
64135-7L	88
64137	100
64137-3L	88
64137-5L	88
64137-7L	88
64159	103
64160	103
64162	103
64168	179
64169	179
64170	97
64172	97
64174	127
64182	95
64183	95
64184	95
64185	95
64186	95
64187	95
64188	139
64198	135
64199	135
64200	135
64201	135
64202	245
64203	245
64204	135
64205	135
64206	135
64207	135
64210	245
64211	245
64212	245
64213	245
64214	245
64215	245
64219	203
64222	103
64223	103
64224	103
64231	126
64232	126
64250	95
64251	95
64300	174
64301	174
64302	169
64303	169
64304	169
64305	169
64306	650
64306-01	160
64306-02	160
64306-35	161
64306-36	161
64306-37	161
64307	650
64307-03	160
64307-35	161
64307-36	161
64307-37	161
64307-47	158
64307-61	159
64308	650
64308-01	160
64308-02	160
64308-35	161
64308-36	161
64308-37	161
64309	650
64309-03	160
64309-35	161
64309-36	161
64309-37	161
64309-47	158
64309-61	159
64310	650
64310-04	62
64310-05	62
64310-38	63
64310-39	63
64310-40	63
64311	650
64311-06	62
64311-38	63
64311-39	63
64311-40	63
64311-48	60
64312	650
64312-07	62
64312-08	62
64312-41	63
64312-42	63
64312-43	63
64313	650
64313-09	62
64313-41	63
64313-42	63
64313-43	63
64313-49	61
64314	650
64314-44	116
64314-44-3L	125
64314-44-5L	125
64314-44-7L	125
64314-45	116
64314-45-3L	125
64314-45-5L	125
64314-45-7L	125
64314-46	116
64314-46-3L	125
64314-46-5L	125
64314-46-7L	125
64314-47	115
64314-47-3L	125
64314-47-5L	125
64314-47-7L	125
64314-48	115
64314-48-3L	125
64314-48-5L	125
64314-48-7L	125
64314-49	115
64314-49-3L	125
64314-49-5L	125
64314-49-7L	125
64314-54	117
64314-54-3L	125
64314-54-5L	125
64314-54-7L	125
64314-55	117
64314-55-3L	125
64314-55-5L	125
64314-55-7L	125
64314-56	117
64314-56-3L	124
64314-56-5L	124
64314-56-7L	124
64315	650
64315-44	116
64315-45	116
64315-46	116
64315-47	115
64315-48	115
64315-49	115
64315-54	117
64315-55	117
64315-56	117
64316	650
64316-01	62
64316-02	62
64316-35	63
64316-36	63
64316-37	63
64317	650
64317-03	62
64317-35	63
64317-36	63
64317-37	63
64317-47	60
64318	178
64319	178

Ref	Pag.
64320	104
64321	104
64322	174
64323	174
64400	650
64400-10	167
64400-11	167
64400-12	167
64500	96
64501	96
65071	100
65080	100
65080-3L	88
65080-5L	88
65080-7L	88
65081	101
65082	101
65133	199
65134	100
65137	135
66191	196
66204	107
66205	107
66403	192
66404	192
66405	192
66406	192
66407	192
66408	192
66409	192
66410	192
66411	193
66412	193
66413	193
66414	193
66415	193
66416	193
68138	198
68139	106
68145	100
68145-3L	125
68145-5L	125
68145-7L	125
68146	100
68146-3L	125
68146-5L	125
68146-7L	125
68153	106
68283	127
68284	127
68298	136
68317	136
68323	136
68334	47
68417	82
68418	82
68420	176
68423	45
68461	99
68462	80
68463	80
68488	70
68489	70
68490	650
68490-01	162
68490-02	162
68490-03	162
68491	650
68491-01	162
68491-02	162
68491-03	162
68492	650
68492-01	162
68492-02	162
68492-03	162
68493	650
68493-01	162
68493-02	162
68493-03	162
68494	650
68494-01	162
68494-02	162
68494-03	162
68495	650
68495-01	162
68495-02	162
68495-03	162
68496	177
68497	177
68498	177
68499	177
68500	79
68501	79
68502	79
68503	79
68504	174
68505	174
68506	174
68507	174
68530	82
68531	82
68532	174
68533	127
68544	176
68545	83
68546	83
68547	83
68548	127
68549	127
68561	106
68562	106
68563	106
68564	106
68569	106
68591-1L	84
68591-3L	125
68591-5L	125
68591-7L	125
68592-1L	84
68592-3L	125
68592-5L	125
68592-7L	125
68593-1L	84
68593-3L	125
68593-5L	125
68593-7L	125
68594-1L	84
68594-3L	125
68594-5L	125
68594-7L	125
68595-1L	84
68595-3L	125
68595-5L	125
68595-7L	125
68596-1L	84
68596-3L	125
68596-5L	125
68596-7L	125
68597-1L	84
68597-3L	125
68597-5L	125
68597-7L	125
68602	126
68604-44	127
68604-45	127
68604-46	127
68604-47	127
68604-48	127
68604-49	127
68604-54	127
68604-55	127
68604-56	127
68604-62	127
68604-63	127
68604-64	127
68604-65	127
68604-66	127
68604-67	127
68604-68	127
70025	321
70035	318
70036	318
70037	318
70038	318
70134	372
70135	372
70140	323
70146	375
70147	375
70148	375
70151	326
70154	375
70155	375
70156	323
70157	323
70158	326
70159	326
70160	322
70161	322
70162	373
70163	373
70164	373
70165	373
70226	324
70227	324
70245	325
70246	325
70260	322
70261	323
70262	354
70263	354
70264	361
70265	370
70266	370
70267	361
70268	361
70269	362
70270	362
70271	375
70272	373
70273	373
70274	373
70275	373
70276	373
70277	373
70278	373
70279	373
70280	373
70281	373
70283	362
70284	362
70285	367
70286	367
70287	367
70290	334
70291	334
70292	280
70293	280
70302	379
70303	379
70304	379
70305	379
70306	379
70307	379
70308	379
70309	379
70310	379
70395	370
70396	370
70397	370
70398	370
70399	370

Ref	Pag.
70402	374
70403	374
70404	362
70405	360
70406	360
70407	323
70408	366
70409	366
70446	370
70449	381
70450	374
70451	374
70453	376
70455	381
70458N	376
70459N	376
70462N	377
70469	326
70498	263
70499	263
70501	368
70508	368
70525	322
70546	367
70547	367
70564	367
70566N	365
70567N	365
70573	352
70573B	352
70575	332
70576	306
70579	357
70581	323
70582	364
70583	364
70586	380
70587	380
70588	380
70589	380
70591	381
70592N	380
70593N	380
70634	361
70637	362
70638	375
70644	359
70645	359
70646	359
70647	359
70655	368
70656	368
70657	369
70658	369
70659	369
70660	377
70661	377
70662	377
70663	352
70664	352
70665	350
70666	350
70667	352
70668	352
70682	350
70683	350
70686	362
70687	362
70689	350
70690	332
70696	352
70697	352
70714	353
70715	350
70720	351
70722	332
70726	376
70728	376
70729	376
70730	376
70731	376
70732	376
70733	377
70734	377
70735	377
70736	377
70749	364
70753	304
70754	304
70755	304
70756	304
70761	296
70766	342
70767	296
70768	296
70771	301
70772	301
70773	351
70774	311
70775	258
70776	258
70777	258
70780	345
70781	345
70782	307
70783	307
70784	262
70785	311
70786	260
70799	332
70802	361
70806	332
70811	361
70812	361
70813	361
70821	332
70823	350
70824	366
70825	366
70826	366
70827	350
70828	361
70829	351
70830	365
70831	365
70832	365
70833	374
70834	374
70887	352
70888	360
70899	359
70900	374
70901	374
70906	369
70907	369
70908	369
70909	369
70910	369
70911	369
70912	322
70913	326
70914	261
70992	348
70993	306
70996	348
70997	349
70998	349
70999	349
71049	360
71052	360
71064	360
71095	322
71106	330
71108	330
71110	347
71116	317
71117	317
71118	317
71128	347
71129	347
71138	330
71139	331
71140	347
71141	347
71142	331
71143	331
71194	364
71195	364
71196	364
71198	304
71199	304
71206	302
71207	302
71208	302
71209	312
71212	355
71213	303
71214	303
71215	355
71216	298
71217	298
71222	356
71223	356
71224	290
71225	290
71242	282
71243	282
71244	282
71253	286
71254	286
71256	286
71257	286
71272	354
71273	354
71274	350
71276	359
71277	359
71278	364
71279	337
71282	337
71285	338
71286	292
71287	292
71295	343
71296	343
71297	343
71299	295
71300	295
71301	295
71303	351
71304	351
71305	351
71306	351
71308	359
71309	359
71352	309
71353	365
71362L	357
71363	365
71366	365
71367	365
71372	332
71374	332
71383	321
71388	365
71389	321
71390	321
71424	346
71480	372
71481	372
71482	372
71483	381

Ref	Pag.
71489N	381
71490	372
71491	372
71495	381
71496N	380
71497N	380
71498N	380
71499N	380
71516	354
71517	354
71519	357
71528	321
71536	339
71537	339
71546	320
71547	320
71548	320
71549	320
71556	285
71562	285
71563	285
71564	285
71565	263
71569-01	250
71569-04	250
71569-05	250
71569-06	250
71569-07	250
71569-08	250
71575-01	250
71575-04	250
71575-05	250
71575-06	250
71575-07	250
71575P-01	254
71575P-03	254
71575P-04	254
71575P-05	254
71575P-06	254
71575P-07	254
71576-01	250
71576-04	250
71576P-03	254
71576P-04	254
71579-02	256
71579C-03	256
71579C-04	256
71579C-05	256
71579C-06	256
71579C-07	256
71579C-08	256
71579H-03	256
71579H-04	256
71579H-05	256
71579H-06	256
71579H-07	256
71579H-08	256
71584-01	252
71584-02	252
71584-03	252
71584-04	252
71584-05	252
71584-06	252
71584-07	252
71584-08	252
71606	346
71607	346
71613	327
71701	378
71702	378
71703	378
71716	378
71717	378
71730	382
71731	382
71732	382
71733	382
71734	383
71735	383
71736	383
71737	383
71900	358
71901	358
71902	358
71903	358
71904	358
71905	358
71906	358
71907	358
71908	358
71909	358
71910	358
71911	358
71912	310
71913	310
71914	261
72000	353
72001	353
72002	353
72010	353
72011	353
72092	372
72093	372
72094	372
72095	372
72269	359
72272	354
72280	353
72281	353
72298	309
72310	301
72311	308
72312	308
72330	366
73100	327
73111	327
73150	327
73440	299
73450	299
73460	299
73695	345
73696	331
74139	338
74141	289
74142	289
74155	288
74156	288
74261	347
74400	362
74401	354
74407	363
74408	363
74411	309
74419	366
74422	284
74423	284
74424	284
74427C-01	330
74427C-02	330
74427C-03	330
74427C-04	330
74432A-01	344
74432A-02	344
74432A-03	344
74432A-04	344
74433S-01	299
74433S-02	300
74433S-03	300
74433S-04	300
74434B-01	299
74434B-02	300
74434B-03	300
74434B-04	300
74435F2-02	314
74435F2-03	315
74435F2-04	314
74436F3-02	314
74436F3-03	315
74436F3-04	315
74440	346
74441	294
74442	294
74444E	312
74450	354
74451	305
74452	305
74453	342
74454	262
74455	365
74465	32
74997	299
74998	345
75000	345
750000	266
750000C	266
750000D	266
750001	266
750001C	266
750001D	266
750002	266
750002C	266
750002D	266
75001	299
750010	266
750010C	266
750010D	266
750011	266
750011C	266
750011D	266
750012	266
750012C	266
750012D	266
75002	330
750020	266
750020C	266
750020D	266
750021	266
750021C	266
750021D	266
750022	266
750022C	266
750022D	266
75003	299
750100	266
750100C	266
750100D	266
750101	266
750101C	266
750101D	266
750102	266
750102C	266
750102D	266
750110	266
750110C	266
750110D	266
750111	266
750111C	266
750111D	266
750112	266
750112C	266
750112D	266
750120	266
750120C	266
750120D	266
750121	266
750121C	266
750121D	266
750122	266
750122C	266
750122D	266
750200	268
750200C	268

Ref	Pag.
750200D	268
750201	268
750201C	268
750201D	268
750202	268
750202C	268
750202D	268
750210	268
750210C	268
750210D	268
750211	268
750211C	268
750211D	268
750212	268
750212C	268
750212D	268
750220	268
750220C	268
750220D	268
750221	268
750221C	268
750221D	268
750222	268
750222C	268
750222D	268
750300	268
750300C	268
750300D	268
750301	268
750301C	268
750301D	268
750302	268
750302C	268
750302D	268
750310	268
750310C	268
750310D	268
750311	268
750311C	268
750311D	268
750312	268
750312C	268
750312D	268
750320	268
750320C	268
750320D	268
750321	268
750321C	268
750321D	268
750322	268
750322C	268
750322D	268
751000	274
751000C	274
751000D	274
751001	274
751001C	274
751001D	274
751002	274
751002C	274
751002D	274
751010	274
751010C	274
751010D	274
751011	274
751011C	274
751011D	274
751012	274
751012C	274
751012D	274
751020	274
751020C	274
751020D	274
751021	274
751021C	274
751021D	274
751022	274
751022C	274
751022D	274
751100	274
751100C	274
751100D	274
751101	274
751101C	274
751101D	274
751102	274
751102C	274
751102D	274
751110	274
751110C	274
751110D	274
751111	274
751111C	274
751111D	274
751112	274
751112C	274
751112D	274
751120	274
751120C	274
751120D	274
751121	274
751121C	274
751121D	274
751122	274
751122C	274
751122D	274
751200	276
751200C	276
751200D	276
751201	276
751201C	276
751201D	276
751202	276
751202C	276
751202D	276
751210	276
751210C	276
751210D	276
751211	276
751211C	276
751211D	276
751212	276
751212C	276
751212D	276
751220	276
751220C	276
751220D	276
751221	276
751221C	276
751221D	276
751222	276
751222C	276
751222D	276
751300	276
751300C	276
751300D	276
751301	276
751301C	276
751301D	276
751302	276
751302C	276
751302D	276
751310	276
751310C	276
751310D	276
751311	276
751311C	276
751311D	276
751312	276
751312C	276
751312D	276
751320	276
751320C	276
751320D	276
751321	276
751321C	276
751321D	276
751322	276
751322C	276
751322D	276
75500	363
75501	363
75502	363
75503	363
75519	305
75520	305
75521	301
75522	297
75523	297
75524	316
75529	340
75531	291
75532	312
75533	340
75536	340
75537	293
75538	293
75540	355
75541	291
75600	297
75601	297
75602	316
75603	296
75604	296
75605	298
75606	298
75607	316
75608	261
75700	342
75701	342
75750	341
75751	341
75753	328
75754	328
75755	341
75800	327
75801	327

Aday 359
Agra
Bollard/Baliza 304
Post/Sobremuro 304
Aim 234
Aina 123
Art 96
Balder 326
Banker 47
Baobab 46
Bast 280
Bel 180
Beret
Bollard/Baliza 297
Pole/Farola 316
Berni
Table/Sobremesa 76
Floor/Suelo 76
Surface/Superficie 173
Bic 137
Black 80
Blind 361
Bliss 45
Block
Post/Sobremuro 289
Bollard/Baliza 289
Surface/Superficie 338
Blome 168
Blub's
Bollard/Baliza 300
Post/Sobremuro 300
Suspended/Suspensión 330
Surface/Superficie 344
Board 200
Boc 177
Boken 180
Bonn 352
Borda 349
Bow 238
Bracket 354
Bronx 364
Brow 366
Bruc 361
Brume
Ceiling/Techo 139
Surface/Superficie 209
Brot 286
Bu-Oh!
Post/Sobremuro 303
Bollard/Baliza 303
Pole/Farola 312
Surface/Superficie 355
Cabo 349
Cadaqués 282
Cage 260
Canon 365
Cast 288
Cat 285
Cebu 625
Cela 353
Celia 198
Century 525
Ceres 346
Chandra 309
Charlotte 102
Cheras 204
Chicago 628
Cies 513
Claire 98
Clara 96
Clauss 354
Clear 234
Cloe 138
Cobo 362
Coco 216
Cocos 537
Cocotte 91
Conga
Table/Sobremesa 62
Floor/Suelo 62
Suspended/Suspensión 113
Surface/Superficie 160
Conik 203
Copper 593
Corb 189
Corso 583
Cosmos 99
Cotton 192
Cove 206
Cráter 95
Croc 238
Crosby 376
Cuba 582
Curtis Asimetric 377
Dado 346
Dakron 332
Dallas 203
Dang 370
Danka 99
Danubio 213
Dart 373
Das
Bollard/Baliza 305
Post/Sobremuro 305
Datna
Bollard/Baliza 294
Post/Sobremuro 294
Pole/Farola 312
Surface/Superficie 346
Decofan 601
Derby 353
Disc 561
Diula 207
Doka 210
Dolme
Suspended/Suspensión 90
Ceiling/Techo 130
Domino 224
Doro 358
Dragma 357
Drak 366
Drum 59
Eaco 204
Easy 623
Ebba 232
Eco Indus 612
Edel 381
Edge 215
Ele 366
Elsa 205
Eres 191
Esca 372
Essential 176
Estay 353
Estoril
Suspended/Suspensión 331
Surface/Superficie 347
Eterfan 597
Eterna
Table/Sobremesa 45
Surface/Superficie 163
Factory 622
Falcon 236
Falls 382
Fedon 353
Feroe 616
Filter 374
Flin 178
Flow 320
Foc
Spike/Estaca 326
Projector/Proyector 323
Fold 169
Fonovia 116
Foro 138
Fox 233
Frame 164
Fraser 613
Fred 352
Fresh 235
Frol 372
Fuji 32
Fusta 121
Future 354
Gala 209
Galo 370
Garten-1 327
Garten-4 327
Gas 231
Geiser 379
Gina
Bollard/Baliza 309
Surface/Superficie 365
Gingko 236
Giza
Post/Sobremuro 296
Surface/Superficie 342
Gotland 543
Goz 332
Grada 369
Grant 368
Grid 555
Gron 372
Grop
Bollard/Baliza 297
Pole/Farola 316
Grow 302
Gru 46
Grund 376
Guadalupe

Surface/Superficie 148
Table/Sobremesa 38
Floor/Suelo 38
Guest
Floor/Suelo 48
Surface/Superficie 148
Guiza 364
Half 339
Halita 96
Han 147
Handy 175
Hanna 174
Haru 135
Hikari 350
Homs 194
Honey
Suspended/Suspensión 331
Surface/Superficie 345
Horus 375
Hoshi
Portable/Portátil 35
Table/Sobremesa 40
Hotel
Table/Sobremesa 78
Floor/Suelo 78
Suspended/Suspensión 121
Surface/Superficie 171
Hudson 197
Hyde 228
Hydra 539
Ibiza 580
Icaria 579
Ice 559
Indo 215
Indus 534
Iris 137
Islot 547
Ito 47
Izaro 587
Janet 135
Jellyfish
Portable/Portátil 34
Table/Sobremesa 49
Floor/Suelo 49
Joy 142
Juliet 180
Justfan XL 517
Justfan M 599
Justfan S 631
Kala 364
Kale 181
Kamen 206
Kane 377
Kao 139
Karl 323
Kasp 261
Kauai 507
Kaula 360
Keenan 367
Keiki 635
Kera 194
Kerala
Portable/Portátil 262
Surface/Superficie 342
Kew 323
Khios 503
Klamp
Bollard/Baliza 309
Surface/Superficie 363
Klee 140
Koi 230
Kombo 84
Komodo 621
Kubick 350
Lace 361
Lacre 361
Lago 210
Lako 358
Lama 533
Lang 98
Lantau XL 521
Lantau L 553
Lao
Table/Sobremesa 56
Floor/Suelo 56
Spot/Foco 220
Track/Carril 244
Laos 210
Lass 211
Le Petit 184
Le Vita
Table/Sobremesa 50
Floor/Suelo 51
Suspended/Suspensión 86
Surface/Superficie 143
Lead 181
Led -18 380
Led-18 380
Lena
Table/Sobremesa 46
Surface/Superficie 180
Leser 180
Leyte 536
Liana 102
Linda
Table/Sobremesa 72
Floor/Suelo 72
Suspended/Suspensión 120
Surface/Superficie 196
Ling 361
Link
Table/Sobremesa 55
Floor/Suelo 55
Ceiling/Techo 132
Spot/Foco 220
Track/Carril 244
Lio 381
Liria 207
Lisboa 620
Lise
Suspended/Suspensión 100
Surface/Superficie 202
Liso 372
List 198
Lit 322
Liz 96
Loa 197
Log 361
Logar 298
Logos 139
Loke 178
Lombok 584
Loop
Table/Sobremesa 52
Floor/Suelo 52
Suspended/Suspensión 107
Surface/Superficie 155
Loth 367
Lotus
Bollard/Baliza 290
Surface/Superficie 356
Lou 98
Luan 239
Lula 44
Luna 206
Lupe
Table/Sobremesa 73
Floor/Suelo 73
Surface/Superficie 166
Lur 350
Luzon 567
Magma 95
Magos 150
Magritte 207
Mallorca 581
Malvinas 535
Mambo
Table/Sobremesa 60
Floor/Suelo 61
Suspended/Suspensión 110
Surface/Superficie 159
Manhattan 505
Margot 102
Marina
Suspended/Suspensión 102
Surface/Superficie 197
Marlin
Suspended/Suspensión 96
Surface/Superficie 199
Mask 336
Mauren 306
Mediterráneo 629
Mega 137
Meno 542
Mila 301
Milos 541
Mine
Table/Sobremesa 43
Suspended/Suspensión 104
Mini Carter 374
Mini Eterfan 595
Mini Icaria 615
Mini Indus 627
Mini Lantau 619
Mini Mallorca 617
Mini Racing 374
Mini Tube 603
Mini Ufo 626
Miniproject 321
Mistu

Bollard/Baliza 300
Pole/Farola 314
Post/Sobremuro 300
Suspended/Suspensión 330
Surface/Superficie 344

Mitic
Table/Sobremesa 82
Floor/Suelo 82
Surface/Superficie 176

Moist 234
Mol 351
Molokai 608

Moma
Table/Sobremesa 79
Floor/Suelo 79
Surface/Superficie 174

Montreal
Table/Sobremesa 64
Floor/Suelo 64
Surface/Superficie 156

Mood 153

Moon
Bollard/Baliza 299
Post/Sobremuro 299
Suspended/Suspensión 330
Surface/Superficie 344

Morea 531
Mou 98
Móvil 236
Moy 142

Muffin
Bollard/Baliza 300
Pole/Farola 314
Post/Sobremuro 300
Suspended/Suspensión 330
Surface/Superficie 344

Muga 296
Must 369
Mute 118
Nahir 348
Nairobi 365
Nais 230

Nala
Post/Sobremuro 301
Surface/Superficie 351

Nanda 298
Naos 92
Nase 370
Nash 203
Nassau 607
Nat 375
Natron 352
Natsu 135

Náutica
Pole/Farola 317
Suspended/Suspensión 330
Surface/Superficie 347

Navi 240
Naya 304
Negus 352
Neón 231
Neu 240
Nias 576
Nidia 45
Nido 102

Niko
Table/Sobremesa 42
Surface/Superficie 152

Nilo 214
Nisos 519
Nit 185
Noboru 306
Noon 188
Noray 349
Nord 240

Nudos
Suspended/Suspensión 102
Surface/Superficie 198

Nuu 557
Oboe 624
Oki 322
Oko 322
Olaf 205
Olan 362
Olot 332
Onze 296

Ora
Suspended/Suspensión 100
Surface/Superficie 202

Orleans
Ceiling/Techo 133
Spot/Foco 223
Track/Carril 245

Orwell 342
Oslo 205
Otto 46
Oval 359
Ovo 191
Palao 633
Palk 571
Pals 334
Pam 99
Panay 609
Papua 80
Path 368
Pauline 108
Pemba 575
Pepper 179
Perla 208
Petra 199
Phill 108
Piccola 325
Pill 366
Pivot 351
Pixie 178
Plas 241
Plat 96
Plaza 316

Plim
Bollard/Baliza 295
Surface/Superficie 343

Plom
Spike/Estaca 326
Projector/Proyector 322

Plot 245
Pluma 93
Pol 351
Polaris 569
Polea 563
Pomo 351
Poros 551
Pote 135
Press 183
Proa 362
Project 321
Pure 149
Quart 357
Radón 230
Ram 245
Ras 199
Rel 135
Relax 210

Rem
Table/Sobremesa 68
Floor/Suelo 68
Surface/Superficie 165

Remake 198

Retro
Suspended/Suspensión 94
Surface/Superficie 196

Ring
Spot/Foco 222
Track/Carril 244
Rob 177
Roda 176
Rodas 549
Ron 167
Room 170
Rose 97

Rush
Post/Sobremuro 264
Bollard/Baliza 264
Pole/Farola 268

Saba
Table/Sobremesa 83
Floor/Suelo 83
Suspended/Suspensión 123
Surface/Superficie 176

Sabana 168
Sabi 100
Sac 196
Sahara 176

Saigon
Floor/Suelo 250
Portable/Portátil 252
Portable/Portátil 285
Spike/Estaca 254
Suspended/Suspensión 256

Saigon-In 114
Salt 381

Samba
Table/Sobremesa 63
Floor/Suelo 63
Suspended/Suspensión 112
Surface/Superficie 161

Sami 180
Samos 545
Saona 546
Saura 311
Savoy

Table/Sobremesa 66
Floor/Suelo 66
Suspended/Suspensión 109
Surface/Superficie 157

Screen
Bollard/Baliza 272
Pole/Farola 276
Bollard/Baliza 272

Scuba
Suspended/Suspensión 328
Surface/Superficie 341

Sedna 375

Sera 194

Sete 301

Seth-28 324

Seth-60 324

Seven
Suspended/Suspensión 123
Ceiling/Techo 136

Shadow 308

Shelby
Bollard/Baliza 293
Post/Sobremuro 293
Surface/Superficie 340

Show 322

Side
Suspended/Suspensión 93
Ceiling/Techo 131

Signal 240

Sioux 568

Slim
Suspended/Suspensión 88
Surface/Superficie 146

Slot 318

Smile 190

Snap
Surface/Superficie 199
Table/Sobremesa 47

Snow 205

Sobek 326

Soleil 311

Son 239

Soun 374

Spark 373

Spy-1 307

Stan
Suspended/Suspensión 100
Ceiling/Techo 136
Surface/Superficie 202
Spot/Foco 218
Spot/Foco 219
Recessed/Empotrable 232
Track/Carril 242

Stand-Up 58

Steps 363

Sticker
Bollard/Baliza 291
Surface/Superficie 355

Stone 221

Stood
Table/Sobremesa 54
Floor/Suelo 54
Suspended/Suspensión 106
Surface/Superficie 154

Store 374

Stripe 372

Studio 179

Suau 187

Suma 364

Sun 350

Sunset 362

Surat 301

Suria-12 380

Suria-24 380

Suria-3 380

Sven 134

Sweet
Table/Sobremesa 75
Floor/Suelo 75
Surface/Superficie 173

Tabarca 586

Tacana 360

Tacos 360

Taima 365

Take Away 36

Takua 359

Tamashi 351

Tami 332

Tane 359

Taro 381

Tasa 332

Task 260

Tecno-1 381

Tecno-6 381

Tecto 134

Ted 239

Tejo 352

Ten
Table/Sobremesa 40
Surface/Superficie 195

Tender 128

Tera 206

Terma 211

Thana
Table/Sobremesa 82
Floor/Suelo 82
Suspended/Suspensión 123
Surface/Superficie 174

Thon 362

Tila 182

Tilos 523

Timon 348

Timor 570

Tinia 365

Tira 174

Toc
Floor/Suelo 258
Portable/Portátil 258
Surface/Superficie 345

Tod 239

Tola 138

Toluca 360

Tom 350

Tom XI 350

Toni 321

Tonic 529

Tono 327

Tonsay 573

Toran 323

Tou 201

Tram
Bollard/Baliza 291
Pole/Farola 312
Surface/Superficie 340

Tras 378

Tree
Table/Sobremesa 74
Floor/Suelo 74
Suspended/Suspensión 120

Troop 226

Tube 605

Twist
Post/Sobremuro 292
Bollard/Baliza 292
Surface/Superficie 338

Typhoon 589

Uve 370

Vanu 577

Vedra 634

Verno 299

Versus 284

Vesper
Table/Sobremesa 71
Floor/Suelo 71
Suspended/Suspensión 122
Surface/Superficie 172

Vic 323

View 357

Voila 263

Volga 212

Volta
Table/Sobremesa 77
Floor/Suelo 77
Surface/Superficie 170

Vuk 139

Vulcano 528

Wabi 232

Wally 347

Well 189

West
Wet 236

Whizz 359
Floor/Suelo 57
Suspended/Suspensión 89
Surface/Superficie 145

Wilma
Bollard/Baliza 299
Post/Sobremuro 299
Suspended/Suspensión 330
Surface/Superficie 345

Winch
Suspended/Suspensión 103
Fan/Ventilador 565

Winche 591

Wood 365

Yakarta 611

Yen 332

Zon 139

The path has already begun, it is a conscious road and there is no turning back. Changing times, unprecedented disruption and sustainability.
Step by step we innovate through our designs, products and solutions to contribute to a better world for all.

www.faro.es