



2022  
**OUTDOOR LIGHTING**  
European Warehouse Portfolio

LUTEC

ECW Portfolio

OUTDOOR LIGHTING 2022

**LUTEC China Head Office**  
CN8, Far-East Industry Park,  
Yuyao, Zhejiang, China  
+86-574-62760832  
info@lutech.net

**LUTEC Europe Regional Office**  
Herentalsebaan 425  
2160 Wommelgem, Belgium  
+32 3 284 51 62  
info@lutech-europe.com

**LUTEC in Germany**  
**Austria - Switzerland**  
**ECO-LIGHT Leuchten GmbH**  
+49-228-9691090  
sales@eco-light.biz

**LUTEC in France**  
Prof & Wholesale channel  
**LUTEC France S.A.S**  
+33-04-75602598  
commande@lutech-france.fr

DIY & Specialist channel  
**COREP SAS**  
+33-05-56 49 96 00  
contact@corep.com

**LUTEC in Iberia**  
Prof & Specialist channel Spain  
**Silumin S.L.**  
+34 93 892 40 51  
silumin@silumin.es

Prof & Specialist channel Portugal  
**Duarte Neves LDA**  
+351 219 668 100  
info@duarteneves.pt

DIY & Garden channel  
Spain & Portugal  
**LUTEC Lighting Iberia S.L.**  
+34 670 85 45 57  
administracion@lutechiberia.com

**LUTEC in Hungary-Slovenia-Croatia**  
**Czech-Slovakia**  
**LUTEC Lighting Kft**  
+36 30 897 8494  
Info@lutech.hu

**LUTEC in Poland**  
**DELIGHTING Polska**  
+48 61 4367 481  
kontakt@delighting.pl

**LUTEC in Belgium - The Netherlands**  
**WEBRANDS Benelux**  
+32 3 369 26 16  
info@webbrands.eu

**LUTEC in Italy**  
**Lightec Srl.**  
+39 031 3551342  
info@lightecsrl.com

**LUTEC in Greece - Cyprus**  
**Samba - Eliezer**  
+30 2104820946  
info@samba-eliezer.gr

**LUTEC in United Kingdom - Ireland**  
**LUTEC UK Ltd**  
+44 (0) 1992 760870  
sales@lutechuk.com

**LUTEC in Denmark**  
**LUTEC Scandinavia A/S**  
+45 31 63 16 11  
Sales@lutech-scandinavia.com

**LUTEC in Ukraine**  
**Eurotrade**  
+38 044 496 74 83  
sales@eurotrade.net.ua

**LUTEC in Russia**  
**Oasis Light**  
+7 499 5501529  
agata-v@rambler.ru

**LUTEC in Israel**  
**Nisko Group LTD.**  
+972-72-2400636  
info@niskoelec.com

**LUTEC in United States - Canada**  
**LUTEC USA LLC**  
+(704) 980 4135  
shelley.greenberg@lutech.net

**LUTEC in Iraq**  
**Al-Riyad Group Co. Ltd.**  
+964 782 2222033  
info@alriyad.iq

**LUTEC in South Korea**  
**Belko Co., Ltd**  
+82 2 465 0603  
belko@belko.co.kr

**LUTEC in Chile**  
**Manufacturas Eléctricas ByP Ltda.**  
+56 228 769 400  
online@byp.cl

**China Central Warehouse in**  
**Yuyao**

**European Central Warehouse**  
**Bornem- Belgium**

www.lutech.com



CONNECTED BY LIGHTING

22

OUTDOOR LIGHTING



Hello,  
nice to meet you  
we are

**LUTEC**

CONNECTED BY LIGHTING

## one LUTEC, one **lighting** world

We believe outdoor lighting is a unique category with a vast number of specific requirements and challenges. Our aim is to provide creative solutions, innovative designs using quality materials and products.

**At LUTEC we truly focus and comprehensively embrace exterior lighting.**

Our categories include Architectural designs with creative forms of illumination. Functional products, combining tough materials with stylish appeal, Decorative products ranging from period classics to ultra modern shapes. Solar lighting that incorporates the latest trends alongside unique technologies, all to support the ever changing climates around the World

LUTEC now leads the market in connected exterior lighting, with products to enhance the appearance of any exterior, flexible mood lighting, colour changing, dimming and scene setting all controlled via our Apps or remote controls, compatible with tier one Wi - Fi and Bluetooth platforms.

One world, different faces, different segments developed with the same concern of quality and efficiency.

**discover what's new**



# LUTEC SOLAR



## Finally solar lighting is becoming smart!

LUTEC is introducing a breakthrough concept in garden lighting, giving a complete answer to all your uncertainties.

### No electricity consumption - No electric wiring

100% green renewable solar energy. Hassle free and super-fast installation, avoid a costly electric wiring installation in your garden or around your house.

### Splendid light - Versatile fixtures

Wall lights, Flood Lights, Bollard & Spike lights, featuring high lumen light outputs. Enhanced by LUTEC connect dynamic CCT & RGB colour technology.

### Convenient, comfortable & personal

Open the LUTEC connect App, take full control and discover the full smart lighting experience. You can create and program the perfect outdoor atmosphere for every occasion. All night long!



# LUTEC new camera-lights: everything under **control!**

As market initiator, LUTEC is proud to present the 3th generation of the connected camera light range, replacing in full the first 2 generations.

## Brilliant Lights & Superb Recordings

All-round range of decorative and functional camera light fixtures, powered for impressive lighting. High-definition video recording during day time and at night.

## Fast connection and Stable streaming

Thanks to the combination of Bluetooth MESH and WIFI technologies: Quick and convenient start-up process. Secure and solid Audio and Video streaming to your smart phone or tablet, wherever you are.

## Warm Welcome - Safe Home

With the LUTEC connect App, you can control all parameters and adjust all possible settings to assure a personal and comfortable environment for your family and your visitors in and around your home.



+



always **connected** with your home





## there's a new tradition

Cottage flair around your house. LUTEC further extends their successful Tradition series with retrofit solutions.

### Compact and Medium Lanterns

The new traditional series SHIVA, ZAGO, PINE & WEST featuring small coach lanterns solutions and more outspoken medium size models.

### Range extensions

We've added some extra versions to the popular families : KELSEY & FIA. The new pendant, pedestal and 3 light big post models can be used to complete your light plans.

### Vintage style LED filament bulbs

You can apply the newest decorative filament LED bulbs, these lamps are now available in all forms & shades. The connected and tuneable models will facilitate the full control, displaying your personal desire.

A warm amber glow will turn your garden into a cosy and charming surrounding.





# just what I needed

LUTEC is introducing a number of new outdoor items, each of them having some extra characteristics, resulting in a 100% answer to consumers wants and needs for their outdoor lighting installations.

## **LUTEC connect Hub, expanding the connected experience**

The MAINS bollard socket light, with integrated Cloud access box, facilitates away-from-home control for all the devices in your LUTEC connect network.

## **Up & Down lights revisited**

RIDGE and BRUND wall lights, evergreen designs with an actual touch. Suitable for GU10 retrofit spot lights. The ideal solution to create distinctive light patterns around your house.

## **Extreme Climate Proof**


VIDAR and RAN models with a hot galvanised body are perfectly suitable for installation at coastal areas. They come with a 15 years anti-corrosion guaranty.

## **Convenient tuneable lights**

The elegant, flat ceiling light SWEEP comes with an integrated manual switch to select the desired colour temperature. Warm White or Cool White.

## **Matching designs**

The new DOBLO-long wall light, allows you to combine a similar design, available in a Solar version and in an Electrified version.



## outdoor lighting



connected light



architectural



tradition

our **7** activity  
segments



security



solar



functional



accessory





**make your  
outdoor life  
smarter**

**connected light**

## portable



## wall



## spike



## bollard




## accessory



make your  
outdoor life  
smarter

LUTEC  
connect



Control & Adjust your lights  
From your bedroom to your garden



## CCT+RGB whites & colors




## Splendid light

### The way it was meant to be seen

The ambiance of light should fill your home as purely and genuinely as possible. Enhanced by LUTEC Connect dynamic CCT & RGB colour tuning technology. It's about freedom without compromise.

## CCT adjustable whites



## the No Worry Technology



We offer an accessible, simple and reliable solution. No need to be a "geek" to install or use LUTEC connect.

- ☒ **Easy to set**  
In 5 minutes, your account is created and you can use your first light
- ☒ **All the main functions without Internet access\***  
Thanks to Bluetooth Mesh, it will work without limitation
- ☒ **Fast & stable Bluetooth connection**  
You can rely on this technology, it's simple so it's efficient at any time
- ☒ **Up to 100 lights connected**  
No limitation, plug in as many lights you need  
No network saturation
- ☒ **Indoor & outdoor control**  
Bluetooth MESH allows connection of indoor and outdoor lights.
- ☒ **Range up to 50 meters**  
Stay in your sofa peacefully, and control all the lights
- ☒ **Safe and trustful**  
No Cloud, no risk, all your personal data will be safe
- ☒ **Home family friendly solution**  
The app could be shared to tell all family and a remote control is always near by
- ☒ **Connected or not connected, it's your choice**  
All LUTEC connect products work perfectly even if you don't install the app !



# the LUTEC connect app

For a full smart lighting experience




CCT settings




RGB settings



Scenes



Group control



Easy to pair



Step by step pairing process



Light and accessories



Voice Control Compatible



With additional Access Box

one app does it all !



## the smart remote control

With Double Integrated function

Simplicity is our promise, as nothing beats the convenience of remote control  
Full functionality without Internet access  
No Router & No Wifi required



Point & Play  
in the room

Infra Red individual control

ON/OFF  
Tunable White  
Dimming  
Colours  
Scenes


Night Light  
Work light  
Party  
Fire  
Forest  
Ocean  
Romantic



REMOTE  
9702315361

Control every light  
Inside or outside the house

Bluetooth Group control



You can add as many smart lighting devices as you want to one of the 3 groups (A-B-C).  
I/O push button switches on-off all the lights of the same group.

## why Bluetooth Mesh ?

Full scalability towards all your indoor and outdoor living spaces

Bluetooth technology, the global standard for wireless connectivity, now supports mesh networking

Easy & stable connection  
Long range indoor & outdoor  
Connect up to 100 devices



## expand the experience

Add the WiFi LUTEC Connect Access Box to the Bluetooth mesh eco-system. Allows the connection of the Bluetooth mesh ecosystem with your Wifi router at home



The complete LUTEC Connect lighting portfolio is Voice Control Compatible



Hey Google, turn on the light!



Alexa, change the light in blue!



Via Cloud access you can control all the devices in your LUTEC Connect lighting network from anywhere out of home.



visit the dedicated website


to support and inspire our consumers in their experience

[www.lutec-connect.world](http://www.lutec-connect.world)

**LUTEC**  
connect





### touch control



### app control



### charging



\* Dimming

Ajustable whites

2700 K 6500 K

RGB

Activity lights



Night Reading Relaxing Party



Fire Ocean Forest Romance

# noma

## portable

NOMA is a modular, spheric light which can be used at any desired place indoor & outdoor. Create diverse coloured light scenes by means of App, Touch or Remote control. The starter kit comes with 2 light modules and a charger station (incl. USB cable). Multiple extension possible with the NOMA+ additional module.




smart lighting technology



White

8506201331

CLASS III  
IP44  
2xLED 2.3W  
1200mAh  
2x3.7V Li-ion battery  
2x150 Lumen  
Synthetics



8506204331

CLASS III  
IP44  
LED 2.3W  
1200mAh  
3.7V Li-ion battery  
150 Lumen  
Synthetics







\* **Dimming**

**Ajustable whites**

2700 K 6500 K

**RGB**

**Activity lights**

Night  
 Reading  
 Relaxing  
 Party

Fire  
 Ocean  
 Forest  
 Romance

# pepper

## portable


PEPPER is a modern, design award winning portable table lamp which is suitable both indoors and outdoors. It can be positioned, moved as desired and the brightness can be adjusted. The battery is easy to charge via the USB connector and included charging cable. PEPPER invites you to lift it up and take it wherever you want. Take it on a picnic or create cozy lighting in your living room. PEPPER is made of hard plastic and is durable against wind and water.


|   |              |     |
|---|--------------|-----|
| 1 | 200lm(2700K) | 3H  |
| 2 | 200lm(4500K) | 3H  |
| 3 | 15lm(2700K)  | 48H |
| 4 |              | 7H  |
| 5 |              | OFF |



White **8500102331**

CLASS III  
IP54  
LED 4.5W  
2200mAh 3.7V Li-ion battery  
200 Lumen  
Synthetics





# mini leto

## spike & wall

Give your garden extra atmosphere with this MINI LETO outdoor garden lighting. The integrated connected LED module will not only feature warm white or bright white light but any color you want. Two way installation possible.




smart lighting technology





Dark Grey

6602903424

CLASS II  
IP65  
LED 8W  
400 Lumen  
Die Cast Aluminium







# cuba

## wall

Rectangular, modern & versatile outdoor wall light with integrated connected LED module suitable for vertical and horizontal mounting. The light head with double diffuser can be rotated over 90°. Also available with motion sensor.





### smart lighting technology



Dark Grey

**5193810118**

CLASS I  
IP54  
LED 15W  
1000 Lumen  
Die Cast Aluminium





# dropsi

wall

Make your garden an inviting place with this contemporary DROPSI wall lamp. The movable spotlight head consists of a double diffuser that will accentuate your outdoor space and, in combination with the connected LED module, will create a very nice immersive effect.





smart lighting technology



Dark Grey

5010901118

CLASS I  
IP44  
LED 8.6W  
690 Lumen  
Die Cast Aluminium







# dropa

## wall & bollard

The DROPA outdoor wall & bollard light in anthracite grey with integrated connected LED module is made of durable aluminium. The design consists of a double diffuser, one transparent and one opal, that will diffuse in a 360° radius for optimal illumination of paths and other outdoor areas.




### smart lighting technology



Dark Grey


**5000501118**

CLASS II  
IP44  
LED 9.5W  
500 Lumen  
Die Cast Aluminium



**7200501118**

CLASS I  
IP44  
LED 9.5W  
500 Lumen  
Die Cast Aluminium



### \* Dimming



### Ajustable whites



### Activity lights



Night



Reading



Relaxing



Party



Fire



Ocean



Forest




Romance





► “Also available in non connected version” see page 99/101



# qubo

## wall & bollard

QUBO dark grey wall & bollard light diffuse a stunning homogenous connected light. Ideal for general lighting in your garden or terrace.




smart lighting technology



Dark Grey

**5193004118**

CLASS I  
IP54  
LED 16W  
1000 Lumen  
Die Cast Aluminium




**7193003118**

CLASS I  
IP54  
LED 16W  
1000 Lumen  
Die Cast Aluminium











\* **Dimming** 

**Adjustable whites**

2700 K  6500 K

 Night  Reading  Relaxing

# kira

## wall & bollard

The KIRA outdoor connected LED wall & bollard light featuring a bended and frameless diffusor. Distributes a homogenous white light to illuminate walls, pathways and other open spaces around your home.




### smart lighting technology




Dark Grey

**5288909118**

CLASS I  
IP54  
LED 19W  
1200 Lumen  
Die Cast Aluminium  




**7288906118**


CLASS I  
IP54  
LED 19W  
1200 Lumen  
Die Cast Aluminium  








► “Also available in non connected version”see page 139



# gemini

## Wall Up & Down

Minimalistic die-cast wall light with a light output of 900 lumen, the light beam will cover the full surface in the two directions. This elegant 'brick' light in dark grey ensures a perfect light beam thanks to the connected LED module.




smart lighting technology



Dark Grey


**5189120118**

CLASS I  
IP54  
LED 17W  
900 Lumen  
Die Cast Aluminium





### touch control



Light on/off

### app control



### timer function



# main

## bollard

The MAINS bollard socket light, with integrated Cloud access box, facilitates away-from-home control for all the devices in your LUTEC connect network. Convenient full control with the LUTEC connect App including Timer function. Or basic touch control with light on/off button. Comes with two side-earth sockets. Total power supply up to 3500W.



### smart lighting technology



Matt Black

7202201012

CLASS I  
IP44  
LED 11W  
750 Lumen  
16A - Max. 3500W  
Die Cast Aluminium







light up  
your garden  
in **style**

architectural

## wall



**NEW**  
**CONROY**  
5107001118 / P55



**CUBA**  
5193811118 / P57



**CUBA**  
5193801118 / P59



**CUBA**  
5193801012 / P59



**CUBA**  
5193808118 / P59



**CUBA**  
5193803118 / P63



**CUBA**  
5193803012 / P63



**CUBA**  
5193814118 / P63



**FELE**  
5196301118 / P67



**EKLIPS**  
5199001118 / P69



**CYRA**  
5198101118 / P71



**CYRA**  
5198101012 / P71



**CYRA**  
5198102118 / P71



**CYRA**  
5198104118 / P73



**CYRA**  
5198104012 / P73



**MINI LEDSPOT**  
5614401118 / P75



**TRUMPET**  
5626001118 / P77



**TRUMPET**  
5626101125 / P77



**EXPLORER**  
6609202118 / P79



**PANO**  
5289001118 / P81



**NEW**  
**POLO**  
5205701118 / P83



**NEW**  
**POLO**  
5205702118 / P83



**MERIDIAN**  
5616302118 / P85



**MERIDIAN**  
5616304118 / P85



**GHOST**  
5188003118 / P89



**ALICE**  
5194301118 / P91



**APOLLO**  
5188801118 / P93



**KIRA**  
5288902118 / P95



**KIRA**  
5288903118 / P95



**QUBO**  
5195401118 / P97



**QUBO**  
5193001118 / P99



**QUBO**  
5193002118 / P99



**CRUZ**  
5199201118 / P103



**DOBLO**  
5197002125 / P105




**DOBLO**  
5105001125 / P107



**DOBLO**  
5105002125 / P107



**DOBLO**  
5105003125 / P109



**NEW**  
**DOBLO**  
5107401125 / P109



**ADALYN**  
5193602118 / P111



**BATI**  
5188601125 / P113



**BATI**  
5188602125 / P113



**BOX CUBE**  
5184601118 / P117



**NEW**  
**FULTON**  
5207601012 / P119



**CITY**  
5183601118 / P121



**URBAN**  
5196501118 / P123



**URBAN**  
5196504118 / P123



**LOTUS**  
5193201118 / P125



**GEMINI BEAMS**  
5104005118 / P127



**GEMINI BEAMS**  
5104003012 / P127



**NEW**  
**GEMINI BEAMS**  
5104003032 / P127



**NEW**  
**GEMINI BEAMS**  
5104006012 / P129



**GEMINI XF**  
5104001118 / P131



**GEMINI XF**  
5104002012 / P131



**GEMINI XF**  
5104004001 / P131



**GEMINI**  
5189114118 / P135



**GEMINI**  
5189125012 / P135



**GEMINI**  
5189102118 / P137



**GEMINI**  
5189113118 / P137



**GEMINI**  
5189102032 / P137



**GEMINI**  
5189103118 / P137



**NEW**  
**GEMINI**  
5189135118 / P137



**GEMINI**  
5189101118 / P139



**GEMINI**  
5189112118 / P139



**GEMINI**  
5189112012 / P139



**GEMINI**  
5189104118 / P141



**BONN**  
6330401118 / P143



**BONN**  
6330402001 / P143



**FANCY**  
5102501001 / P145



**MAYA**  
5198302001 / P147



**MAYA**  
5198401001 / P147



**NEW**  
**RAN**  
5011701461 / P149



**NEW**  
**VIDAR**  
51011602461 / P151



**LEO**  
5192701118 / P153



**LEO**  
5192701335 / P153



**LEO**  
5192701330 / P153



**NEW**  
**LEO**  
5192702335 / P153



**NEW**  
**BRUND**  
5206701012 / P155



**NEW**  
**RIDGE**  
5107101118 / P157



**FOCUS**  
5604021001 / P159



**FOCUS**  
5604011118 / P161



**FOCUS**  
5604011112 / P161



**FOCUS**  
5604011118 / P161



**NEW**  
**FOCUS**  
5604023118 / P163



**NEW**  
**FOCUS**  
5604023012 / P163



**NEW**  
**FOCUS**  
5604023112 / P163



**FOCUS**  
5605013118 / P167



**BULLO**  
6383001012 / P169



**BULLO**  
6383001445 / P169



**NEW**  
**HELENA**  
6402105012 / P181



**HELENA**  
6402101118 / P181



**NEW**  
**HELENA**  
5191605012 / P185



**HELENA**  
5191601118 / P185



**HELENA**  
5191602118 / P185

## wall & ceiling



**FOCUS**  
6304201118 / P165



**ROLA**  
6382201118 / P171



**ROLA**  
6382201012 / P171



**UBLO**  
6348102112 / P173



**UBLO**  
6348101112 / P173



**TITAN**  
6336201118 / P175



**NEW**  
**SWEEP**  
6303401118 / P177



**SEINE**  
6338201118 / P179



**HELENA**  
5102101118 / P183

## spike



**EXPLORER**  
6609201118 / P79

## bollard



**NEW**  
**CONROY**  
7207001118 / P55



**CUBA**  
7193801118 / P61



**CUBA**  
7193803118 / P61



**CUBA**  
7193802118 / P65



**CUBA**  
7193802012 / P65



**CUBA**  
7193805118 / P65



**FELE**  
7196301118 / P67



**CYRA**  
7198101118 / P73



**CYRA**  
7198101012 / P73



**MINI LEDSPOT**  
7214603118 / P75



**PANO**  
7289001118 / P81



**NEW**  
**POLO**  
7105701118 / P83



**MERIDIAN**  
7216412118 / P87



**KIRA**  
7288902118 / P95



**QUBO**  
7193001118 / P101



**QUBO**  
7193004118 / P101



**CRUZ**  
7199201118 / P103



**BATI**  
7188601125 / P115



**NEW**  
**FULTON**  
7207601012 / P119



**GEMINI XF**  
7104001118 / P133



**GEMINI XF**  
7104002012 / P133



**FOCUS**  
7204803118 / P165



**MAINS**  
9702201012 / P187




**MAINS**  
9702202012 / P187



**MAINS**  
9702203012 / P187






# conroy

## wall & bollard

What makes the CONROY wall & bollard light very multifunctional is its rotatable light components. You can shine these up or down and play with the light.



The lamp comes with an integrated LED, which shines warm white light of 3000K.



Dark Grey



**5107001118**


CLASS I  
IP44  
LED 17.8W  
1300 Lumen  
Die Cast Aluminium



**7207001118**

CLASS I  
IP44  
LED 17.8W  
1300 Lumen  
Die Cast Aluminium





# cuba

## wall




Modern & versatile outdoor wall light with integrated LED module. The light head with double diffuser can be rotated over 90° and is equipped with a motion sensor and powerful lightbeam of more than 1000 lumen.




Dark Grey

**5193811118**

CLASS I  
IP54  
LED 14W  
1000 Lumen  
Die Cast Aluminium







reddot design award  
winner 2019



# cuba

## wall



Modern & versatile wall lights suitable for vertical and horizontal mounting. The 2 light heads can be rotated over 350°, resulting in up – down or side light effects. Available with a warm white and daylight white integrated LED module.



Matt Black  
Dark Grey



**5193801012**  
**5193801118**

CLASS I  
IP54  
LED 12.2Wx2  
1000 Lumen  
Die Cast Aluminium




**5193808118**

CLASS I  
IP54  
LED 12.2Wx2  
1000 Lumen  
Die Cast Aluminium





reddot design award  
winner 2019



# cuba

## bollard



This modern outdoor bollard is your best friend and companion. With its 75cm the CUBA bollard leads you along the darkest paths. And that's not all, it's available with a warm white and daylight white integrated LED module. Both versions will create an excellent atmosphere.



Dark Grey


**7193801118**

CLASS I  
IP54  
LED 12.2Wx2  
900 Lumen  
Die Cast Aluminium



**7193803118**

CLASS I  
IP54  
LED 12.2Wx2  
900 Lumen  
Die Cast Aluminium







# cuba

## wall

CUBA, design award winning LED light, now available in a one head version with warm light or daylight integrated LED module. Resulting in a compact solution providing the same superb lighting effects and orientation flexibility.





Matt Black

Dark Grey

**5193803012**




**5193803118**


CLASS I  
IP54  
LED 12.2W  
500 Lumen  
Die Cast Aluminium



**5193814118**

CLASS I  
IP54  
LED 12.2W  
500 Lumen  
Die Cast Aluminium





# cuba

## bollard

Our award-winning bollard version of the CUBA features one orientable head. This model is also available with an integrated side earth socket.



BLACK edition

Matt Black  
Dark Grey


7193802012

7193802118

7193805118


CLASS I  
IP54  
LED 12.2W  
500 Lumen  
Die Cast Aluminium

3000K



CLASS I  
IP54  
LED 12.2W  
500 Lumen  
16A - Max. 3500W  
Die Cast Aluminium

3000K








# Fele

## wall & bollard


Wall & bollard light FELE brings outdoor lighting with an architectural value, including rotatable head. FELE wall light fits perfectly at your front door, the head can give an up or down powerful lightbeam. A combination of technical excellence and tasteful design.




Dark Grey

**5196301118**


CLASS I  
IP54  
LED 13.5W  
1000 Lumen  
Die Cast Aluminium


 3000K




**7196301118**

CLASS I  
IP54  
LED 13.5W  
1000 Lumen  
Die Cast Aluminium

 3000K





# eklips

wall


Multi purpose LED Outdoor wall light with two half-moon shape diffusers. You can turn these two lighthoods over an angle of 90°, creating a combination of an Up & Down light, a wall washer or a frontal light effect.



Dark Grey

**5199001118**

CLASS I  
IP54  
LED 13W  
1000 Lumen  
Aluminium+Synthetics







# cyra

## wall



Tubular wall light with a combination of anthracite grey aluminium body and opal white diffuser. The two moveable heads offer you a 350° rotation possibility resulting in a nice glow on your external wall or a frontal diffuse lightbeam. Comes also in a motion sensor version.



Matt Black  
Dark Grey




**5198101012**  
**5198101118**

CLASS I  
IP54  
LED 16.1W  
950 Lumen  
Die Cast Aluminium



**5198102118**

CLASS I  
IP54  
LED 16.5W  
1000 Lumen  
Die Cast Aluminium





# cyra

## wall & bollard


Tubular outdoor LED light with a combination of anthracite grey or mat black body and opal white diffuser. The moveable heads offer you a 350° rotation possibility resulting in a nice glow on your external wall or frontal diffuse lightbeam. Now also available in a compact one head version as a wall or bollard light.



Matt Black  
Dark Grey


**5198104012**  
**5198104118**

CLASS I  
IP54  
LED 8.2W  
500 Lumen  
Die Cast Aluminium  
3000K



**7198101012**  
**7198101118**

CLASS I  
IP54  
LED 8.2W  
500 Lumen  
Die Cast Aluminium  
3000K







# mini ledspot

wall


The light heads can rotate 320° and will give you a perfect solution as a spotlight or wall washer. It will create the desired ambiance.



Dark Grey


**5614401118**

CLASS I  
IP65  
LED 8.5W  
605 Lumen  
Die Cast Aluminium



**7214603118**

CLASS I  
IP65  
LED 8.5W  
605 Lumen  
Die Cast Aluminium






# trumpet

## wall


Accentuate your outdoor places with this powerful LED wall light with moveable spotlight. Now also available in small version with a light output of 600 lumen.



Dark Grey


**562600118**

CLASS I  
IP54  
LED 9.5W  
900 Lumen  
Die Cast Aluminium



**5626101125**

CLASS I  
IP54  
LED 6.7W  
600 Lumen  
Aluminium+Synthetics







# explorer

wall & spike


Elegant and compact spotlight orientable horizontally and vertically, featuring a warm white LED light beam. The separate spot-cap can be used to direct the light beam to avoid any glare. Available in wall version and spike version with wire and plug.



Dark Grey



**6609202118**

CLASS I  
IP54  
LED 5.9W  
380 Lumen  
Die Cast Aluminium




**6609201118**

CLASS I  
IP54  
LED 5.9W  
380 Lumen  
Die Cast Aluminium







# pano


## wall & bollard

An elegant LED Outdoor wall & Bollard light with an ultra flat , frameless diffuser. Comes with an integrated adjustable colour switch. You can tune the light colour from warm white to cool white in a very convenient way.




Dark Grey 5289001118

CLASS I  
IP54  
LED 17.5W  
1300 Lumen  
Die Cast Aluminium  
E  
3000K-5000K



7289001118

CLASS I  
IP54  
LED 17.5W  
1300 Lumen  
Die Cast Aluminium  
E  
3000K-5000K







# polo

## wall & bollard


A touch of modern simplicity and an enchanting light for your garden or patio. The POLO wall light & bollard made of aluminum offers a downward-facing, bright beam of warm-white LED light, making it ideal for lighting your outdoor spaces. The wall light model comes also with motion sensor, perfectly integrated in the luminaire base.



Dark Grey



**5205701118**

CLASS I  
IP54  
LED 15W  
1100 Lumen  
Die Cast Aluminium  
3000K




**5205702118**

CLASS I  
IP54  
LED 16.1W  
1100 Lumen  
Die Cast Aluminium  
3000K



**7105701118**

CLASS I  
IP54  
LED 15W  
1100 Lumen  
Die Cast Aluminium  
3000K





# meridian

## wall

Elegant combination of anthracite grey aluminium body and opal white polycarbonate diffuser. Small sized wall light gives a strong diffused light and a design statement in your garden. Now also available with an adjustable motion sensor, perfectly integrated in the luminaire base.




Dark Grey

**5616302118**

CLASS I  
IP54  
LED 16W  
1100 Lumen  
Die Cast Aluminium



3000K





**5616304118**

CLASS I  
IP54  
LED 16W  
1100 Lumen  
Die Cast Aluminium



3000K







# meridian

## bollard

Bollard at a perfect height which gives your pathway, terrace and garden the desired atmosphere at night without any glare.




Dark Grey

**7216412118**

CLASS I  
IP54  
LED 16W  
1100 Lumen  
Die Cast Aluminium

3000K





# ghost

## wall


Very sleek oval design which discretely gives an indirect light, resulting in a distinctive beam pattern.



Dark Grey

**5188003118**

CLASS I  
IP54  
LED 7.5W  
360 Lumen  
Die Cast Aluminium







# alice

## wall

The square light-strip creates a fascinating almost fluid effect. The house number sticker set makes the package complete.




+ 1 · A

Dark Grey

**5194301118**

CLASS I  
IP44  
LED 13.8W  
800 Lumen  
Die Cast Aluminium

3000K





# apollo

## wall

Wall light with an optimal light combination. The narrow light beam shows a visually striking effect and the front diffuser radiates a homogeneous warm white LED light without any shadow. Ideal companion next to your front door.





Dark Grey

**5188801118**

CLASS I  
IP54  
LED 14W  
800 Lumen  
Die Cast Aluminium



3000K








► "Also available in LUTEC<sup>connect</sup> version" see page 41



# kira

## wall & bollard


The KIRA outdoor LED wall & bollard light featuring a bended and frameless diffusor, distributes a homogenous white light (4000K) to illuminate walls, pathways and other open spaces around your home.



Dark Grey


**5288902118**

CLASS I  
IP54  
LED 17.3W  
1100 Lumen  
Die Cast Aluminium




**5288903118**


CLASS I  
IP54  
LED 18W  
1100 Lumen  
Die Cast Aluminium



**7288902118**

CLASS I  
IP54  
LED 17.3W  
1100 Lumen  
Die Cast Aluminium





# qubo

## wall

Modern small outdoor wall light creating a stunning atmosphere while making an architectural statement ideal for general lighting in your garden or on your terrace.




Dark Grey

**5195401118**

CLASS I  
IP54  
LED 9.5W  
650 Lumen  
Die Cast Aluminium



3000K







► "Also available in **LUTEC** version" see page 39  
connect



# qubo

## wall



Wall light creating a stunning atmosphere while making an architectural statement. Ideal for general lighting around your house, in your garden or on your terrace. Also available with fully adjustable PIR motion sensor.



Dark Grey




**5193001118**

CLASS I  
IP54  
LED 17.3W  
1100 Lumen  
Die Cast Aluminium



**5193002118**

CLASS I  
IP54  
LED 14W  
800 Lumen  
Die Cast Aluminium





► "Also available in **LUTEC connect** version" see page 39



# qubo

## wall


QUBO dark grey bollard diffuse a stunning homogenous light. Ideal for general lighting in your garden or terrace. This model is now also available with integrated PIR motion sensor



Dark Grey




**7193001118**

CLASS I  
IP54  
LED 17.3W  
1100 Lumen  
Die Cast Aluminium



**7193004118**

CLASS I  
IP54  
LED 17W  
1000 Lumen  
Die Cast Aluminium







# cruz

## wall & bollard



This dark grey cube-shaped exterior light with integrated LED is a real eye-catcher due to its modern design. The warm white light shines in all directions which give your outdoor environment a particularly beautiful appearance. Available as wall lamp and bollard.



Dark Grey




**5199201118**

CLASS I  
IP54  
LED 12.5W  
1000 Lumen  
Die Cast Aluminium



**7199201118**

CLASS I  
IP54  
LED 12.5W  
1000 Lumen  
Die Cast Aluminium



# doblo

## wall


This LED wall light in anthracite grey sits in a cubic holder made of durable die cast aluminium. The elegant design catches the eye and radiates powerful rays of warm white light that illuminate the wall.




Dark Grey

**5197002125**

CLASS I  
IP54  
LED 14.5W  
1100 Lumen  
Die Cast Aluminium

  
3000K







# doblo


## wall


This medium square DOBLO is available with 2 different kelvins, a warm white and a daylight white light. Both are anthracite grey wall lights and sit in a cubic holder made of durable die cast aluminium.




Dark Grey


**5105001125**

CLASS I  
IP54  
LED 19.1W  
1500 Lumen  
Die Cast Aluminium  
  
3000K



**5105002125**

CLASS I  
IP54  
LED 19.1W  
1500 Lumen  
Die Cast Aluminium  
  
4000K





# doblo

## wall



The DOBLO flat models, beside the square version, now also available in a long version suitable for horizontal or vertical mounting. The elegant design radiates a powerful cool white light of 2200 lumen.



Dark Grey


**5105003125**

CLASS I  
IP54  
LED 19.1W  
1500 Lumen  
Die Cast Aluminium



**5107401125**

CLASS I  
IP54  
LED 34W  
2200 Lumen  
Die Cast Aluminium







# adalyn

## wall



This compact wall light will turn your garden into an intimate place and welcomes you at home.  
Smooth radiation of warm white LED light.



Dark Grey

5193602118

CLASS I  
IP44  
LED 10.2W  
600 Lumen  
Die Cast Aluminium






# bati

## wall

Modern & stylish wall light with integrated LED light and optional PIR sensor. Ideal for your front door or garden walls.



Dark Grey


**5188601125**

CLASS I  
IP44  
LED 13W  
1100 Lumen  
Die Cast Aluminium



**5188602125**

CLASS I  
IP44  
LED 15W  
1100 Lumen  
Die Cast Aluminium







# bati

## bollard



Modern and stylish bollard with integrated LED light source. Ideal for your driveway or garden path in a multiple installation .



Dark Grey

**7188601125**

CLASS I  
IP44  
LED 13W  
1100 Lumen  
Die Cast Aluminium





suitable for smartbulb



# box cube

wall


Striking form fits in all your contemporary garden spaces. The opal impact proof diffuser offers the perfect homogeneous light without any shadows. Elegant construction with no screws on the surface. The E27 Edison fitting is suitable for all kind of retrofit bulbs.



Dark Grey

**5184601118**

CLASS I  
IP44  
E27 Max.60W  
Die Cast Aluminium







# Fulton

## wall


An evergreen concept catches the eye. FULTON wall & bollard series with retrofit solution feel right at home in your garden. The robust design with multiple bars attracts the attention in any outdoor space.



Matt Black


**5207601012**

CLASS I  
IP54  
E27 Max.40W  
Die Cast Aluminium



**7207601012**

CLASS I  
IP54  
E27 Max.40W  
Die Cast Aluminium



suitable for smartbulb





suitable for smartbulb



# city

## wall


Large size and robust wall light, fit to lighten large areas both in public or private places. The impact proof polycarbonate diffuser in combination with the sturdy die cast aluminum frame will make this fixture destruction proof.



Dark Grey

**5183601118**

CLASS I  
IP44  
E27 Max.60W  
Die Cast Aluminium







suitable for smartbulb



# urban

## wall

GU10 retrofit LED Outdoor dark grey wall light, suitable for the newest smart bulbs. The invisible lightbulb creates a subtle light effect on your external walls. The URBAN is available in two executions: with a ribbed aluminium reflector or with a white diffuser.



Dark Grey


**5196501118**

CLASS II  
IP54  
GU10 LED Max.7W  
Die Cast Aluminium



**5196504118**

CLASS II  
IP54  
GU10 LED Max.7W  
Die Cast Aluminium






# lotus

## wall

Captivating design with a beautiful up & down light effect. This elegant wall light is the perfect addition to your entry door.




Dark Grey

**5193201118**

CLASS I  
IP54  
LED 11W  
500 Lumen  
Die Cast Aluminium

3000K







# gemini beams

## wall

The GEMINI BEAMS Up & Down wall light comes with a new adjustable light beams option. The built-in mechanical ring with diafragma's can be adjusted to 4 different patterns. These will create beautiful light patterns on your exterior walls. Now also available in white.



Matt Black



**5104003012**

White




**5104003032**

Dark Grey **5104005118**

CLASS I  
IP54  
LED 10W  
400 Lumen  
Die Cast Aluminium



CLASS I  
IP54  
LED 10W  
400 Lumen  
Die Cast Aluminium





# gemini beams

wall

The GEMINI BEAMS Up & Down wall light comes with a new adjustable light beams option. The built-in mechanical ring with diafragma's can be adjusted to 4 different patterns. These will create beautiful light patterns on your exterior walls. New in the range is the matt black rounded version.




Matt Black

**5104006012**

CLASS I  
IP54  
LED 10W  
400 Lumen  
Die Cast Aluminium



3000K








# gemini xf



## wall

New member of the GEMINI family is the GEMINI XF, this extra Flat downlight version is very convenient for single or multiple installation. A powerful, white LED light of 800 lumens is emitted by this compact and flat wall light. Available in 3 different versions.





Dark Grey **5104001118** Matt Black **5104002012** S/S **5104004001**


CLASS I  
IP54  
LED 9.5W  
750 Lumen  
Die Cast Aluminium



CLASS I  
IP54  
LED 9.5W  
750 Lumen  
Die Cast Aluminium



CLASS I  
IP54  
LED 9.5W  
750 Lumen  
Stainless Steel





# gemini xf

## bollard

The bollard GEMINI XF is perfect to install along you garden paths as there is no sky pollution thanks to the one direction powerful light beam. XF stands for "EXTRA FLAT"




Dark Grey

**7104001118**



Matt Black

**7104002012**

CLASS I  
IP54  
LED 9.5W  
750 Lumen  
Die Cast Aluminium



CLASS I  
IP54  
LED 9.5W  
750 Lumen  
Die Cast Aluminium







# gemini

## wall

A small square version is new in our offer. Inside this mini cube a strong LED light engine (850 lumen) radiates a perfectly symmetrical up & down beam.




Dark Grey

5189114118



Matt Black

5189125012

CLASS I  
IP54  
LED 9W  
850 Lumen  
Die Cast Aluminium



CLASS I  
IP54  
LED 9W  
850 Lumen  
Die Cast Aluminium






# gemini

## wall

Minimalistic design but great light output. This elegant "brick" light in die-cast aluminum radiates a perfect bi-directional beam. Next to the actual finishes: dark grey, white and stainless steel, we introduce now a brand new version in an imitation wood look.




- Wood Look
- Dark Grey
- White
- S/S


- 5189135118**
- 5189102118**
- 5189102032**
- 5189103118**

- 5189113118**

CLASS I  
IP54  
LED 10.5W  
700 Lumen  
Die Cast Aluminium



CLASS I  
IP54  
LED 10.5W  
700 Lumen  
Die Cast Aluminium









► "Also available in **LUTEC connect** version" see page 43



# gemini

## wall

The medium version is very convenient for an installation on larger external wall or entrances. Thanks to the light output of 1230 lumen the light beam will cover the full surface in two directions. Available in warm white (3000K) and in daylight (4000K) execution.




Matt Black

Dark Grey

**5189101118**



CLASS I  
IP54  
LED 21W  
1230 Lumen  
Die Cast Aluminium



**518912012**

**518912118**

CLASS I  
IP54  
LED 21W  
1230 Lumen  
Die Cast Aluminium






# gemini

## wall



The large version in this family is very convenient for an installation at a certain height for larger external walls or entrances. Thanks to a light output of more than 3000 lumen, the light beam will cover the full surface in two directions.



Dark Grey

**5189104118**

CLASS I  
IP54  
LED 46W  
3300 Lumen  
Die Cast Aluminium







suitable for smartbulb



# bonn

## wall

This elegant anthracite or stainless steel wall light fits in perfectly with your contemporary outdoor surrounding. It creates a perfect bi-directional light effect on your walls. The small vertical window in the front adds to the character.

The traditional E27 fitting is suitable for energy saving bulbs but also for the latest LED retro-fit bulbs.




Dark Grey

**6330401118**


S/S

**6330402001**

CLASS I  
IP54  
E27 Max.60W  
Die Cast Aluminium



CLASS II  
IP44  
E27 Max.40W  
Stainless Steel





# Fancy

wall


FANCY stainless steel exterior wall lamp gives your wall a stylish and powerful look. The integrated LED module distributes the light up and down for a stunning effect on the entire wall. Resistant to all weather conditions thanks to the high quality materials. Horizontal & vertical mounting possible.




S/S

**5102501001**

CLASS I  
IP54  
LED 12.5W  
550 Lumen  
Stainless Steel

 3000K







# maya

## wall

This small Up & Down wall light in Aluminium with stainless steel cover has a timeless design and is slim and efficient. Rectangular version comes with motion sensor.





**InMotion**  
Security Sensor Light

S/S




### 5198302001

CLASS I  
IP44  
LED 14.5W  
1000 Lumen  
Stainless Steel



### 5198401001

CLASS I  
IP44  
LED 18.5W  
1200 Lumen  
Stainless Steel





# ran

## wall


RAN is an Extreme Climate Proof wall light with a hot galvanized body, perfectly suitable for installation at coastal areas. They come with a 15 years anti-corrosion guaranty. Offering a unique lighting experience from top, bottom and front view. Retrofit 2xGU10 solution, bulbs are not included.



Galvanised

**5011701461**

CLASS II  
IP54  
GU10 Max.2\*35W  
Metal



suitable for smartbulb








# vidar

## wall


VIDAR is an Extreme Climate Proof square wall light with a hot galvanized body, perfectly suitable for installation at coastal areas. They come with a 15 years anti-corrosion guaranty. Offering a unique lighting experience from top, bottom and front view. Retrofit E27 solution, bulb is not included.



Galvanised

**5011602461**

CLASS II  
IP54  
E27 Max.40W  
Metal



suitable for smartbulb





# leo

## wall

Magical wall light. The shiny silver coating makes it look like an invisible piece of lighting. Features a strong light beam up & down and a vertical light-strip in the front. The effect will be amplified in a multiple arrangement.




Chrome

**5192701118**

CLASS I  
IP54  
LED 14.5W  
750 Lumen  
Die Cast Aluminium  
Chrome coating



3000K



Matt Black **5192701330**

Dark Grey **5192701335**

CLASS I  
IP54  
LED 14.5W  
750 Lumen  
Die Cast Aluminium



3000K



**5192702335**

CLASS I  
IP54  
LED 14.5W  
750 Lumen  
Die Cast Aluminium



4000K







suitable for smartbulb



# brund

## wall

BRUND is a modern Up & Down wall light. The double asymmetric conic form stands for a tasteful addition to your garden or home. It comes with a double GU10 fitting, bulbs are not included.



**Matt Black**

**5206701012**

CLASS I  
IP44  
GU10 Max.2\*15W  
Die Cast Aluminium





suitable for smartbulb



# ridge

## wall


The RIDGE is a dark grey wall lamp with Up & Down light made of aluminum. The lamp is finished with opal diffusers which give a nice spread of light. The modern design is a tasteful addition to your garden or home. This lamp has two GU10 fittings.



Dark Grey

**5107101118**

CLASS I  
IP54  
GU10 Max.2\*25W  
Die Cast Aluminium





# Focus

## wall


Round shapes in premium stainless steel showing a soft & shiny appearance. The correct position of the GU10 bulb will guarantee the perfect light pattern for this wall washer.



S/S

**5604021001**

CLASS I  
IP44  
GU10 Max.2\*35W  
Stainless Steel



suitable for smartbulb





suitable for smartbulb



# Focus

## wall

Heavy duty die-cast aluminum versions available in anthracite color in combination with clear glass diffusers, giving a robust construction and a perfect light radiation both functional as decorative.




Silver Grey

**5604011112**

Dark Grey


**5604011118**

CLASS I  
IP44  
GU10 Max.2\*35W  
Die Cast Aluminium



**5604101118**

CLASS I  
IP44  
GU10 Max.35W  
Die Cast Aluminium







# Focus

## wall

FOCUS, Up & Down wall light, comes now in a Dusk to Dawn execution. The D2D sensor is perfectly integrated in the evergreen and original LUTEC design.



**Matt Black** 5604023012

**Silver Grey** 5604023112


**Dark Grey** 5604023118

CLASS I  
IP44  
GU10 Max.2\*35W  
Die Cast Aluminium

**Integrated  
Dusk to Dawn  
Sensor**



suitable for smartbulb





suitable for smartbulb



# Focus

wall


Cylindrical versions with the very typical single or double horizontal light glow. This range is equipped with a traditional GU10 fitting and are suitable for retrofit LED bulbs.



Dark Grey


**6304201118**

CLASS I  
IP44  
GU10 Max.35W  
Die Cast Aluminium



**7204803118**

CLASS I  
IP44  
GU10 Max.35W  
Die Cast Aluminium







# Focus

## wall

Square execution in die-cast aluminum, with an integrated LED engine comes in a downlight version and in an up & down light version.




Dark Grey

**5605013118**

CLASS I  
IP44  
LED 8.3W  
500 Lumen  
Die Cast Aluminium



4000K





# bullo

## wall

LED Outdoor aluminium wall & ceiling light, in a modern interpretation of the classic bullseye design. Radiates a homogenous and strong warm white light. Available in dark grey and rust brown colour.





Dark Grey

**6383001118**

Bronze

**6383001445**

CLASS I  
IP54  
LED 14.5W  
1100 Lumen  
Die Cast Aluminium







# rola

## wall & ceiling

The round ROLA outdoor wall lamp in dark grey and mat black colour with integrated LED and warm white light has a decorative frame in aluminum. An elegant wall & ceiling decoration that illuminates your outdoor spaces.





Matt Black

**6382201012**

Dark Grey

**6382201118**

CLASS I  
IP54  
LED 13W  
800 Lumen  
Die Cast Aluminium





# ublo

## wall & ceiling



Compact & elegant fixture producing a perfect uniform and homogenous warm white LED light without any shadow. Easy access to the connection part by removing click-on front plate.



Silver Grey



**6348102112**

CLASS I  
IP54  
LED 8W  
420 Lumen  
Die Cast Aluminium



**6348101112**

CLASS I  
IP54  
LED 16W  
950 Lumen  
Die Cast Aluminium







# titan

wall & ceiling

Medium sized wall & ceiling light with a decorative aluminium cover creating the desired effect for the location. With traditional Edison fitting, it is suitable for energy saving bulbs, up to 60W. Easy installation with a standard loop in loop out wiring option.




suitable for smartbulb



Dark Grey

**6336201118**

CLASS I  
IP54  
E27 Max.60W  
Die Cast Aluminium





# sweep

wall & ceiling


The SWEEP LED outdoor ceiling light with its powerful LEDs provides absolutely reliable, energy-efficient and glare-free lighting for outdoor applications. With its modern and simple design, it hardly stands out, but provides safe lighting in the evening and at night. Armed with an integrated manual switch to select the desired colour temperature. Warm White or Cool White.



Dark Grey

**6303401118**

CLASS I  
IP54  
LED 23,5W  
1600 Lumen  
Die Cast Aluminium

 3000K/4000K



3000K



4000K







suitable for smartbulb



# seine

wall & ceiling


Robust heavy duty die-cast aluminium fixture. This large model with two traditional E27 fittings, is suitable for different kind of retrofit bulbs offering a very powerful light output. The soft glowing light effect to the back creates a "floating" impression. Ideal for creating a safe atmosphere around your home at night.



Dark Grey

**6338201118**

CLASS I  
IP54  
E27 2\*20W CFL  
Die Cast Aluminium





# helena

## wall

Small orientation wall light with opal diffuser is very convenient for a built-on installation. Thickness of the luminaire is only 31mm. No more hassle to make a hole in your garden wall. Available in 2 different combinations: matt black /3000K and dark grey/4000K.





Matt Black

**6402105012**


Dark Grey

**6402101118**

CLASS I  
IP54  
LED 4.5W  
200 Lumen  
Die Cast Aluminium



CLASS I  
IP54  
LED 4.5W  
200 Lumen  
Die Cast Aluminium







# helena

## wall & ceiling



The outdoor Helena LED wall and ceiling light sits in a large and elegant die cast aluminum frame. This extra slim design will illuminate your outdoor space and give a strong & homogeneous light output. Can be combined with HELENA rectangular & square wall lights.



Dark Grey

**5102101118**

CLASS I  
IP54  
LED 21.5W  
1500 Lumen  
Die Cast Aluminium





# helena

## wall

Orientation wall light with opal diffuser or directed down light. Very convenient built-on installation. Thickness of the luminaire is not more than 30mm. No more hassle to make a hole in your garden walls.



Matt Black

5191605012

Dark Grey

5191601118

5191602118

CLASS I  
IP54  
LED 11W  
450 Lumen  
Die Cast Aluminium  
3000K



CLASS I  
IP54  
LED 11W  
450 Lumen  
Die Cast Aluminium  
4000K



CLASS I  
IP54  
LED 11W  
450 Lumen  
Die Cast Aluminium  
4000K







# mains

These dark grey outdoor power supply sockets in die cast aluminium are very easy to install and provide your entire garden with energy, so you can enjoy your outdoor space. Comes with side earth or pin earth version. Total power supply up to 3500W. Small bollard with one socket with side earth



Matt Black

**9702201012**

CLASS I  
IP54  
16A - Max.3500W  
Die Cast Aluminium




**9702202012**

CLASS I  
IP54  
16A - Max.3500W  
Die Cast Aluminium



**9702203012**

CLASS I  
IP54  
16A - Max.3500W  
Die Cast Aluminium







there's a  
new tradition

tradition



wall



NEW

**SHIVA**

5206501012 / P193



NEW

**ZAGO**

5294502012 / P195



**FIA**

5290903012 / P197



NEW

**WEST**

5207901012 / P199



NEW

**PINE**

5296602012 / P201



**FLAIR**

5288801012 / P203



**FLAIR**

5288802012 / P203



**FLAIR**

5288803012 / P205



**FLAIR**

5288804012 / P205



NEW

**FLAIR**

5288814012 / P205



**KELSEY**

5273701012 / P209



**KELSEY**

5273702012 / P209



**KELSEY**

5273601012 / P209



**KELSEY**

5273603012 / P209



**CATE**

5264201213 / P215



**UNITE**

5260201012 / P217



**UNITE**

5260101012 / P217



**UNITE**

5260103012 / P217

bollard



NEW

**FIA**

7290901012 / P197



NEW

**PINE**

5296601012 / P201



**KELSEY**

7273602012 / P211



**KELSEY**

7273604012 / P211



**FLAIR**

7288801012 / P207



**KELSEY**

7273601012 / P213



**KELSEY**

7273605012 / P213



**CATE**

7264210213 / P215



NEW

**FIA**

7290903012 / P197



NEW

**PINE**

7196603012 / P201



**KELSEY**

7273606012 / P213



**CATE**

7264230213 / P215

portable



**FLAIR**

6588801012 / P207

pendant



NEW

**KELSEY**

6273601012 / P211



# shiva

## wall

Elegant, stylish and yet contemporary. SHIVA is a wall light for outdoor spaces. Its rustic form with reference to the classical lantern goes hand in hand with a modern finish and a characteristic artisanal touch. Clear transparent glass.




 9705518000  
spare glass

**Matt Black**

**5206501012**

CLASS I  
IP44  
E27 Max.40W  
Die Cast Aluminium

suitable for smartbulb







# zago

## wall

Inspired by the old-fashioned carriage lamp model, this ZAGO outdoor lamp will create a warm and atmospheric atmosphere in your garden. Thanks to the black coating of the frame, it can handle any weather. Clear transparent glass.




9705516000  
9705517000  
spare glass

Matt Black

**5294502012**

CLASS I  
IP44  
E27 Max.40W  
Die Cast Aluminium

suitable for smartbulb





suitable for smartbulb



# Fia

wall & bollard

This classic lamp with a rustic shape and clear glass gives a refined touch to your outdoor spaces. Ideal in combination with newest "filament" retrofit E27 LED bulbs. The new small bollard and big 3-light lantern post makes the FIA family complete.




9705514000  
spare glass

Matt Black

**5290903012**

CLASS I  
IP44  
E27 Max.40W  
Die Cast Aluminium



**7290901012**

CLASS I  
IP44  
E27 Max.40W  
Die Cast Aluminium



**7290903012**

CLASS I  
IP44  
3\*E27 Max.40W  
Die Cast Aluminium







suitable for smartbulb



# west

## wall

WEST is a wall down lantern, perfectly matching with your front door or garden shed. Elegant combination of the matt black open frame and the clear cylindric glass. You can apply the newest E27 filament LED bulbs, now available in all forms & shades. (bulb not included)




 9788802000  
spare glass

**Matt Black**

**5207901012**

CLASS I  
IP44  
E27 Max.40W  
Die Cast Aluminium





suitable for smartbulb



# pine

## wall & bollard

The stylish outdoor light PINE, combines a rustic touch with contemporary shapes. This family for outdoor is pure elegance thanks to a mix of high-end aluminium with sleek lines and the shapes of the clear glass that protects the light bulb. This medium size lantern sits perfectly at your front door, alongside your terrace or can accentuate a façade.



Matt Black

**5296602012**

CLASS I  
IP44  
E27 Max.40W  
Die Cast Aluminium



**7196601012**

CLASS I  
IP44  
E27 Max.40W  
Die Cast Aluminium



**7196603012**

CLASS I  
IP44  
3\*E27 Max.40W  
Die Cast Aluminium







suitable for smartbulb



# Flair

## wall

The FLAIR lantern family in cottage style gives you the possibility to create a diverse lighting design in your garden & around your house in the same style. In combination with LED filament retrofit bulbs you will create a perfect cosy & safe atmosphere.




9788801000  
spare glass

**Matt Black**


**5288801012**

CLASS I  
IP44  
E27 Max.40W  
Die Cast Aluminium



**5288802012**

CLASS I  
IP44  
E27 Max.40W  
Die Cast Aluminium





suitable for smartbulb




# Flair

## small wall & double wall

These two wall lanterns will create extra possibilities to work out the desired luminares design around your home and beside your entry doors. Comes also with E27 fitting suitable for the newest filament LED bulbs.



9788801000  
square glass




9788802000  
square glass

Wood Look  
Matt Black


**5288814012**  
**5288803012**

CLASS I  
IP44  
E27 Max.40W  
Die Cast Aluminium



**5288804012**

CLASS I  
IP44  
2\*E27 Max.40W  
Die Cast Aluminium







suitable for smartbulb



# Flair

portable & bollard

The portable version, with an 1.5 meter outdoor wire and plug, will create a cosy atmosphere on your garden tables & terraces. The bollard makes the FLAIR family complete. Also these two executions are suitable for E27 filament LED retrofit bulbs.




9788801000  
spare glass

**Matt Black**


**6588801012**

CLASS I  
IP44  
E27 Max.40W  
Die Cast Aluminium



**7288801012**

CLASS I  
IP44  
E27 Max.40W  
Die Cast Aluminium





suitable for smartbulb



# kelsey

## wall

Give your outdoor spaces an intimate look and feel with this complete outdoor light family. While using the newest "filament" retrofit LED bulbs with your KELSEY wall lights, you will create a charming atmosphere on your outside walls. Available with 2 different types of glass, water glass and clear glass diffuser.




9705501000  
9705502000  
9705506000  
9705508000  
spare glass

9705503000  
9705508000  
spare glass

Matt Black  
Water Glass  
Matt Black  
Clear Glass


**5273701012**  
**5273702012**

CLASS I  
IP44  
E27 Max.40W  
Die Cast Aluminium



**5273601012**  
**5273603012**

CLASS I  
IP44  
E27 Max.40W  
Die Cast Aluminium







suitable for smartbulb



# kelsey

## bollard & Pendant

KELSEY pedestal and the new introduced pendant can be applied to complete your light plans and create a charming and warm atmosphere on your terrace or patio.



9705503000  
9705508000  
spare glass

Matt Black  
Water Glass  
Matt Black  
Clear Glass

**7273602012**

**7273604012**


CLASS I  
IP44  
E27 Max.40W  
Die Cast Aluminium



9705508000  
spare glass

**6273601012**

CLASS I  
IP44  
E27 Max.40W  
Die Cast Aluminium







suitable for smartbulb



# kelsey

## bollard

While using the newest "filament" retrofit LED bulbs with your KELSEY bollards, you will create a charming atmosphere along your garden paths. Available with 2 different types of glass, water glass and clear glass diffuser.



9705503000  
9705508000  
spare glass

Matt Black

Water Glass

**7273601012**

Matt Black

Clear Glass


**7273605012**

CLASS I  
IP44  
E27 Max.40W  
Die Cast Aluminium

9705508000  
spare glass

**7273606012**

CLASS I  
IP44  
3\*E27 Max.40W  
Die Cast Aluminium







# cate

## wall & bollard

This complete family with an authentic feel will turn your garden into a cozy & warm atmosphere, while using the newest "filament" LED bubs.

suitable for smartbulb




9705505000  
spare glass

Matt Black


**5264201213**

CLASS I  
IP44  
E27 Max.60W  
Die Cast Aluminium




**7264210213**

CLASS I  
IP44  
E27 Max.60W  
Die Cast Aluminium



**7264230213**

CLASS I  
IP44  
3\*E27 Max.60W  
Die Cast Aluminium







# unite

## wall

Complete collection, up & down lantern, pedestal and small post all in heavy duty die-cast aluminum and a transparent impact proof polycarbonate diffuser. The warm white light gives a cozy and traditional aspect.



Matt Black

**5260101012**

CLASS I  
IP44  
LED 8.6W  
330 Lumen  
Die Cast Aluminium



3000K




**5260103012**

CLASS I  
IP44  
LED 8.6W  
330 Lumen  
Die Cast Aluminium



3000K




**5260201012**

CLASS I  
IP44  
LED 8.6W  
330 Lumen  
Die Cast Aluminium



3000K





A close-up photograph of a solar panel. The panel has a dark, textured surface with a grid of fine lines. A row of bright, circular LED lights is visible along the right edge of the panel. The lighting is warm and focused on the LEDs.

**solar?!**  
**yes, please!**

solar

## smart solar



NEW

**TUDA**  
6935501330 / P227



NEW

**TUDA**  
6935502330 / P229



NEW

**FRAN**  
6941502330 / P233



NEW

**FADI**  
6939501330 / P235



NEW

**GINBO**  
6938405330 / P231



NEW

**KARLO**  
6935802012 / P237



## portable



**POPPY**  
6910802335 / P241



**TABLE CUBE**  
6908001337 / P243



**TABLE CUBE**  
6908001331 / P243



**TABLE CUBE**  
6908002337 / P245



**PADLIGHT**  
6907701331 / P247



**DRAGONFLY**  
6904101337 / P249



**DRAGONFLY**  
6904101331 / P249

## wall integrated panel



**MINI LEDSPOT**  
6914401000 / P251



NEW

**MOZE**  
6943101012 / P253



**TRY**  
6939101330 / P255



**ARROW**  
6910601335 / P257



**BRICK**  
6908501308 / P259



**BREAD**  
6901501000 / P261



**BUBBLE**  
6908701001 / P263



**TWILL**  
6908901335 / P265



**DISO**  
6906702335 / P267



**DOBLO**  
6940101125 / P269



NEW

**DOBLO**  
6943701125 / P271



NEW

**DOBLO**  
6943801125 / P273



NEW

**FLAIR**  
6988804012 / P275



**CURTIS**  
6934601118 / P277



**GHOST SOLAR**  
6901401337 / P281



**ZETA**  
6901101000 / P283



**POLE**  
9700308112 / P285



**TILLY**  
6901201000 / P287

## bollard integrated panel



**DISO**  
6906703335 / P267



**SOLSTEL**  
6907903001 / P279



**LONDON**  
6951301189 / P289

## Flood independent panel



**SUNSHINE**  
6925701345 / P291



**SUNSHINE**  
6925604345 / P291



**SUNSHINE**  
6925601345 / P293



**SUNSHINE**  
6901601000 / P295



# LUTEC SOLAR



## Finally solar lighting becoming smart!

solar



connected

- ✓ Energy Saving
- ✓ Easy installation  
no wires needed
- ✓ Higher lumen output
- ✓ Long life solar battery

- ✓ Easy to install,  
connect and control
- ✓ Fast & Stable bluetooth  
connection
- ✓ Lights are connected to each  
other via Bluetooth Mesh
- ✓ Range up to 50m
- ✓ Adjustable light settings
- ✓ Control by smart phone  
or motion sensor



### Control and adjust your SOLAR lights

Switch your lights on or off,  
dim your lights, change the  
temperature or the color  
according to your mood.




### High tech Low energy

Easy to control solar lights  
for better efficiency  
and comfort.



### Create Groups For more convenience

Control all your lights at once!  
Easy and fast set up, you can  
add or delete any light from  
the group.



### Manage the battery life

Check the battery level at any  
time. At low battery levels,  
switch easily from ON to PIR  
or OFF mode.



## Control and adjust your SOLAR lights

With the LUTEC connect App you can switch your lights On/Off, dim or change the color temperature easily.


The led color feature available in either the bollard or spike, allows you to create your own personalised garden atmosphere, designing your outdoor space in style with colors or dedicated scenes.



## Create Groups For more convenience

From first detection at your driveway or path create a group which allows all lights to illuminate

Create a group with the Solar connect light through the App. Thanks to Bluetooth MESH the lights can be easily linked and work simultaneously.



## High tech Low energy




Within the application you can select OFF-AUTO-ON mode. Selecting AUTO mode activates the movement sensor, which enables the light to come on only when someone is passing and increases battery life from a single charge.

From the sensor menu you can :



- Activate the detection from near to the sensor to further away
- Set Twilight mode from dusk to dawn
- Choose light reaction time from 10 seconds to 3 minutes
- Constant light : Additional option to set your light output at 20% and also duration after detection from 2 to 8 hours.

## Manage the battery life



This feature enables you to quickly check the battery level.

You can decide to increase or decrease the brightness or switch to AUTO mode or even Off, allowing full user control.



Visit our dedicated website which supports and inspires our consumers with their experience

[www.lutec-connect.world](http://www.lutec-connect.world)







\* **Dimming\*** 

**Adjustable whites**

2700 K  6500 K

\* **Instant full light**

\* Dimmable via the app and voice control



# tuda

## integrated panel

TUDA LED outdoor wall light is a highly efficient light source. It provides light 365 days a year because it is equipped with a highly efficient solar panel and a powerful rechargeable battery. This allows a completely powerless installation. The integrated sensor ensures that the light is automatically switched on when the PIR sensor detects an approaching person. Available with one or three adjustable heads.




**2W**  
**monocrystalline**



**Matt Black**

**6935501330**

CLASS III  
IP44  
LED 8.5W  
2\*2200mAh 3.7V Li-ion battery  
1000 Lumen  
Synthetics

 **Battery**  
Item nr:9759804000





\* **Dimming\*** 

**Adjustable whites**

2700 K  6500 K

\* **Instant full light**

\* Dimmable via the app and voice control



# tuda

## integrated panel

TUDA LED outdoor wall light is a highly efficient light source. It provides light 365 days a year because it is equipped with a highly efficient solar panel and a powerful rechargeable battery. This allows a completely powerless installation. The integrated sensor ensures that the light is automatically switched on when the PIR sensor detects an approaching person. Available with one or three adjustable heads.



2W  
monocrystalline




Matt Black


**6935502330**

CLASS III  
IP44  
LED 13W  
2\*2200mAh 3.7V Li-ion battery  
1500 Lumen  
Synthetics

Battery  
Item nr:9759804000







※ Instant full light  
\* Dimmable via the app, remote control or voice control

# ginbo

## wall & spike

The GINBO Solar lamp is good for the environment. This lamp works on solar energy! In addition, it has a modern look and fit every garden or balcony. Furthermore, it also gives exactly the light you want. Thanks to the free app you can adjust color and intensity and even save scenes. From the comfort of your own home!




Matt Black

**6938405330**

CLASS III  
IP44  
LED 7W  
2200mAh 3.7V Li-ion battery  
500 Lumen  
Synthetics

Battery  
Item nr:9759804000





\* **Dimming\*** 

**Adjustable whites**

2700 K  6500 K

\* **Instant full light**

\* Dimmable via the app and voice control



# Fran

## integrated panel

FRAN is a cordless, solar wall light in a modern and minimalist design. It is charged by sunlight during the day, and turns on automatically when detecting motion. The light is perfect for illuminating your main entrance, driveway or other areas with a lot of traffic. Easy installation with no cables needed. Thanks to the connected module you can light your outdoor space completely to your personal taste via the free app.




1.5W  
monocrystalline




Matt Black

**6941502330**

CLASS III  
IP44  
LED 9.7W  
2200mAh 3.7V Li-ion battery  
800 Lumen  
Synthetics

 **Battery**  
Item nr:9759804000







# Fadi

## integrated panel

Solar connected wall light FADI has a sleek and modern look. The wall lamp has a convenient sensor which will automatically turn on when it gets dark. Can be used as fence lighting or facade lighting. Thanks to the connected module you can light your outdoor space completely to your personal taste via the free app. During the day the lamp will charge itself by means of the solar panel, so that in the evening and at night you can enjoy the cozy warm white light in your garden.





1.5W  
monocrystalline

Matt Black

6939501330

CLASS III  
IP54  
LED 5W  
2200mAh 3.7V Li-ion battery  
800 Lumen  
Synthetics

Battery  
Item nr:9759804000



※ Instant full light  
\* Dimmable via the app and voice control







※ Dimming\* ☀

Tunable whites

2700 K 6500 K

RGB

※ Instant full light

\* Dimmable via the app, remote control or voice control



# karlo

## bollard & spike

The modern garden pathway light KARLO is a beautiful solar lamp that can be used wirelessly anywhere outdoors. The garden path light gets its energy from the solar panel at the head of the fixture. The integrated LEDs shines and reliably illuminate the path. Thanks to the integrated motion detector, light is always available when a person approaches the luminaire. In this way, dark paths from the garage to the house can be illuminated effectively and safely.



1W  
monocrystalline




Matt Black

6935802012

CLASS III  
IP44  
LED 6.8W  
2200mAh 3.7V Li-ion battery  
500 Lumen  
Synthetics

Battery  
Item nr:9759804000





# complete lighting solution: green & convenient

  
**Solar Energy,**  
no electricity consumption

  
No electrical wiring,  
no connection to the mains

  
**Powerful LED Light**

  
**Full comfort**  
Autonomy all night long

  
Clever & multiple  
control options

  
**Easy and fast installation**


  
**Portable**

  
**Integrated solar panel**

  
**Separate Solar panel**




## nice to know


  
DAY  
Solar Energy Battery Energy


  
NIGHT  
Battery Energy Light Output


Longer light or more powerful light




 High efficiency monocrystalline  
or polycrystalline solarpanel

 LED module with strong light output:  
100 lumen up to 500 lumen


 Li-ion rechargeable battery included


 Integrated dusk to dawn sensor,  
automatic switch to light-on during night


 Weatherproof materials and finishing

## how to choose


 **solar panel**  
**Integrated**  
Compact, no extra wiring


 **Separate**  
Higher solar energy capacity


 **orientation of solar panel**  
**Fixed**  
The luminaire should be placed in  
the most optimal position; south  
orientation


 **Adjustable**  
The panel can be oriented in the most  
efficient position; south orientation  
(tilt angle 35° in summer - 65° in  
winter)


 **orientation of LED light**  
**Fixed**  
Diffuse light - Up & down light

 **Adjustable**  
Directional spotlight

 **clever control**  
**PIR motion sensor**  
Smart use of the available solar energy  
Always light when somebody is passing

 **High-Medium-Low switch**  
Personalized choice to come to ideal  
combination of light output and  
autonomy


 **DIM**  
The Light stays in low brightness all  
night and turns to high brightness when  
it detects motion.



# poppy

## portable post

All in one Solar lighting solution. Trendy & convenient design. Listen to your favourite music on your terrace or in your garden during a lovely summer night.



|   |           |     |
|---|-----------|-----|
| 1 | max 500lm | 12h |
| 2 | 200lm     | 16h |
| 3 | 50lm      | 24h |
| 4 |           | oPP |



6W  
monocrystalline


Dark Grey

**6910802335**

CLASS III  
IP54  
LED 8W  
1\*4400mAh 3.7V  
Li-ion battery  
500 Lumen  
Synthetics

3000K

Battery  
Item nr:9759805000  
Ø380







# table cube

portable

Handy & movable outdoor solar table light. The 3 step dimmer will always give you the right atmosphere in combination with a sufficient autonomy. With the touch dimmer you can dim the white light.



|   |       |     |
|---|-------|-----|
| 1 | 100lm | 4h  |
| 2 | 40lm  | 10h |
| 3 | 10lm  | 40h |
| 4 |       | oFF |

1W  
polycrystalline

Silver

**6908001337**


White

**6908001331**

CLASS III  
IP44  
LED 1W  
1\*1200mAh 3.7V Li-ion battery  
100 Lumen  
Synthetics

3000K

Battery  
Item nr:9759806000





# table cube

portable

Bring Solar light in every corner of your garden.  
Bollard easily adjustable to full & medium height.  
Ground spike included. Comes with a 3 step dimmer.



|   |       |     |                 |
|---|-------|-----|-----------------|
| 1 | 100lm | 4h  | 1W              |
| 2 | 40lm  | 10h | polycrystalline |
| 3 | 10lm  | 40h |                 |
| 4 |       | oFF |                 |


Silver

**6908002337**

CLASS III  
IP44  
LED 1W  
1\*1200mAh 3.7V Li-ion battery  
100 Lumen  
Synthetics

3000K

Battery  
Item nr:9759806000







# padlight

portable

Compact portable solar light. The ideal companion for your outdoor journeys. Versatile with multiple positions.

Can be placed on a surface, hooked or suspended.

The light panel radiates a very uniform light without any shadow. A 3-step dimmer with the possibility to optimise the light output & autonomy according to your needs. The USB cable (excluded) allows also to charge via an electrical network. Recharge your mobile phone.



|   |       |     |
|---|-------|-----|
| 1 | 200lm | 3h  |
| 2 | 80lm  | 9h  |
| 3 | 20lm  | 36h |
| 4 |       | oFF |

1.4W  
monocrystalline



White

**6907701331**

CLASS III  
IP44  
LED 2.4W  
1\*2500mAh 3.7V Li-ion battery  
200 Lumen  
Synthetics

4000K





# dragonfly

portable

In the "open" position this portable solar lamp will accumulate sufficient solar energy during the daytime or alternatively be charged through a built-in USB connector and included cable. In closed position it will give an inviting light when it is dark. Comes with 3 step dimmer. Available in white and silver colours.



|   |       |     |
|---|-------|-----|
| 1 | 120lm | 4h  |
| 2 | 50lm  | 10h |
| 3 | 10lm  | 40h |
| 4 |       | off |

2\*0.8W  
polycrystalline



Silver

**6904101337**


White

**6904101331**

CLASS III  
IP54  
LED 1.2W  
1\*2200mAh 3.7V Li-ion battery  
120 Lumen  
Synthetics

4000K

Battery  
Item nr:9759804000







# mini ledspot

## integrated panel

Wall light with integrated solar panel, single head spot light version. This will assure you an optimal solar efficiency. The bright LED spotlight can be orientated in all directions. The three step dimmer offers you the choice between bright and long-lasting light.



|   |       |     |                 |
|---|-------|-----|-----------------|
| 1 | 100lm | 6h  | 1.4W            |
| 2 | 50lm  | 10h | monocrystalline |
| 3 | 30lm  | 21h |                 |
| 4 |       | off |                 |


Silver

**6914401000**

CLASS III  
IP44  
LED 1W  
1\*2200mAh 3.7V Li-ion battery  
100 Lumen  
Synthetics

4000K

Battery  
Item nr: 9759804000





# moze

## integrated panel

A sleek design, the MOZE outdoor solar wall lighting is not only functional, but also a treat for the eye - during the day and in the evening. The built-in motion sensor assures you a welcoming light. The integrated LED makes it ideal for illuminating a path, but also to create the right mood on your terrace.



|   |         |      |                 |
|---|---------|------|-----------------|
| 1 | 75times | AUTO | 1.5W            |
| 2 | 75times | DIM  | polycrystalline |
| 3 | 10H     | on   |                 |
| 4 |         | oPP  |                 |


Matt Black

**6943101012**

CLASS III  
IP44  
LED 8W  
1\*1500mAh 3.7V Li-ion battery  
1000 Lumen  
Synthetics

4000K

Battery  
Item nr:9759808000







# try

## integrated panel

This outdoor SOLAR with integrated solar panels combines a simple functional design with a high user-friendliness. This Try wall light works without a power connection: you can easily install it in your garden or as mood lighting next to your front door. Thanks to the built-in motion sensor, it lights up automatically. An extra feature of this new design is the dim switch.



|   |          |      |
|---|----------|------|
| 1 | 100times | AUTO |
| 2 | 100times | DIM  |
| 3 | 10H      | on   |
| 4 |          | off  |

0.8W  
monocrystalline


Matt Black

**6939101330**

CLASS III  
IP54  
LED 8W  
1\*1500mAh 3.7V Li-ion battery  
500 Lumen  
Synthetics

5000K

Battery  
Item nr: 9759808000





# arrow

## integrated panel

Very compact Solar wall light. The small size and light weight assures an easy mounting on the smallest surfaces. Sensor-switched and executed with an inclined solar panel for a better sunlight capture.



1W  
polycrystalline

|   |          |     |
|---|----------|-----|
| 1 | 160times | on  |
| 2 |          | oFF |


Dark Grey

**6910601335**

CLASS III  
IP44  
LED 2.3W  
1\*1200mAh 3.7V Li-ion battery  
180 Lumen  
Synthetics

5000K

Battery  
Item nr:9759806000







# brick

## integrated panel

Minimalistic design, easy installation on all different surfaces. Elegant built-in motion sensor with wide angle and large reach will capture every movement. Time & Light sensitivity regulation possible with levers at the inside.



|   |          |      |
|---|----------|------|
| 1 | 120times | AUTO |
| 2 | 2h       | on   |
| 3 |          | oFF  |



1.5W  
polycrystalline


S/S

**6908501308**

CLASS III  
IP44  
LED 2W  
1\*2200mAh 3.7V Li-ion battery  
150 Lumen  
Synthetics

4000K

Battery  
Item nr:9759804000





Silver

# bread

## integrated panel

Compact and easy to install solar wall light.  
Fits perfectly to many different outdoor styles.  
The built-in motion sensor assures you a welcoming  
light throughout the night.



|   |          |      |
|---|----------|------|
| 1 | 160times | AUTO |
| 2 | 4h       | on   |
| 3 |          | oFF  |


1W  
polycrystalline

**6901501000**

CLASS III  
IP44  
LED 1.2W  
1\*2200mAh 3.7V Li-ion battery  
100 Lumen  
Synthetics

4000K

Battery  
Item nr:9759804000







# bubble

## integrated panel

The solar LED wall light DOBLO extracts its energy from the sun and therefore generates no electricity costs. The elegant design radiates powerful rays of white light that illuminate the wall. An extra feature of this new design is the dim switch.



|   |          |      |
|---|----------|------|
| 1 | 190times | AUTO |
| 2 | 3h       | on   |
| 3 |          | oFF  |

1.5W  
polycrystalline

S/S

**6908701001**

CLASS III  
IP44  
LED 2.3W  
1\*2200mAh 3.7V Li-ion battery  
200 Lumen  
Synthetics



Battery  
Item nr:9759804000






# twill

## integrated panel

Up & Down light feature, now also available in Solar version. Nice two direction & wide light beam on your wall. The integrated Solar panel is fully part of the design and completely out of view. Featuring a wide angle motion sensor.



|   |          |      |
|---|----------|------|
| 1 | 120times | AUTO |
| 2 | 27h      | on   |
| 3 |          | oPP  |

1.5W  
polycrystalline


Dark Grey

**6908901335**

CLASS III  
IP54  
LED 2.2W  
1\*1200mAh 3.7V Li-ion battery  
200 Lumen  
Synthetics



Battery  
Item nr:9759806000







# diso

## integrated panel

Solar panel is perfectly integrated in the ingenious design. Ready to capture the full sunlight. Moveable head will orientate the light beam to the desired spot. The wall version comes with a PIR motion sensor which assures you a power full light any time someone is passing. Bollard version mountable with screws or with included ground spike.



1.5W  
polycrystalline



|   |          |      |
|---|----------|------|
| 1 | 130times | AUTO |
| 2 | 2h       | on   |
| 3 |          | oPF  |

|   |       |     |
|---|-------|-----|
| 1 | 200lm | 2h  |
| 2 | 100lm | 5h  |
| 3 |       | oPF |

Dark Grey

**6906702335**

CLASS III  
IP44  
LED 2W  
1\*2200mAh 3.7V  
Li-ion battery  
200 Lumen  
Synthetics



Battery  
Item nr:9759804000




**6906703335**

CLASS III  
IP44  
LED 2W  
1\*2200mAh 3.7V  
Li-ion battery  
200 Lumen  
Synthetics



Battery  
Item nr:9759804000





# doblo

## integrated panel

The solar LED wall light DOBLO extracts its energy from the sun and therefore generates no electricity costs. The elegant design radiates powerful rays of white light that illuminate the wall. An extra feature of this new design is the dim switch.



|   |          |      |
|---|----------|------|
| 1 | 100times | AUTO |
| 2 | 100times | DIM  |
| 3 | 10H      | on   |
| 4 |          | oFF  |

1W  
monocrystalline


Dark Grey

**6940101125**

CLASS III  
IP54  
LED 7.5W  
1\*1500mAh 3.7V Li-ion battery  
500 Lumen  
Synthetics

4000K

Battery  
Item nr:9759808000







# doblo

## integrated panel

The solar LED wall light DOBLO extracts its energy from the sun and therefore generates no electricity costs. The modern design radiates powerful rays of white light that illuminate the wall. An extra feature of this new design is the dim switch. Available in two different sizes.



|   |          |      |                 |
|---|----------|------|-----------------|
| 1 | 100times | AUTO | 1.5W            |
| 2 | 100times | DIM  | monocrystalline |
| 3 | 10H      | on   |                 |
| 4 |          | oPP  |                 |


Dark Grey

**6943701125**

CLASS III  
IP44  
LED 12W  
1\*1500mAh 3.7V Li-ion battery  
1000 Lumen  
Synthetics



Battery  
Item nr:9759808000





# doblo

## integrated panel

Despite its modest shape, the LED outdoor wall light DOBLO appears to be extremely practical. A solar panel on the luminaire generates electricity from sunlight, which is stored in a rechargeable battery. You can choose between four settings. The LEDs are installed behind the rectangular diffuser and emit universal white light in all directions.



|   |         |      |                 |
|---|---------|------|-----------------|
| 1 | 60times | AUTO | 3W              |
| 2 | 60times | DIM  | monocrystalline |
| 3 | 10H     | on   |                 |
| 4 |         | oFF  |                 |


Dark Grey

**6943801125**

CLASS III  
IP54  
LED 16.5W  
2\*1500mAh 3.7V Li-ion battery  
1800 Lumen  
Synthetics



Battery  
Item nr:9759808000







# Flair

## integrated panel

This FLAIR is a solar wall lamp in a classic design. It is charged by sunlight during the day, and turns on automatically when detecting motion. The light is perfect for illuminating your main entrance, driveway or other areas with a lot of traffic. Easy installation, no cables needed.



|   |          |      |
|---|----------|------|
| 1 | 100times | AUTO |
| 2 | 100times | DIM  |
| 3 | 15H      | on   |
| 4 |          | off  |

1W  
monocrystalline

Matt Black


**6988804012**

CLASS III  
IP44  
E27 LED 2W  
1\*1500mAh 3.7V Li-ion battery  
200 Lumen  
Synthetics

2700K



Battery  
Item nr:9759808000





Dark Grey

# curtis

## integrated panel

LED Solar wall light, with an opal diffuser and square aluminium frame.

The integrated PIR motion sensor will capture all movement and assures a powerful warm white light when somebody is passing throughout the night.



|   |          |      |
|---|----------|------|
| 1 | 140times | AUTO |
| 2 | 5.5h     | on   |
| 3 |          | oPP  |


1W  
polycrystalline

**6934601118**

CLASS III  
IP54  
LED 3W  
1\*1200mAh 3.7V Li-ion battery  
300 Lumen  
Synthetics

3000K

Battery  
Item nr:9759806000







# solstel

## integrated panel

Solar bollard with an opal diffuser, gives a powerful and diffused light throughout the night thanks to the motion sensor option. Easy to mount with screws or with a ground spike (included)



1W  
monocrystalline


S/S

**6907903001**

CLASS III  
IP44  
LED 2.3W  
1\*1200mAh 3.7V  
Li-ion battery  
150 Lumen  
Stainless steel

4000K

Battery  
Item nr:9759806000





# ghost solar

## integrated panel

Sleek and elegant design.  
This wall washer with integrated solar panel and wide angle PIR motion sensor offers you a strong light when needed.



|   |         |      |
|---|---------|------|
| 1 | 80times | AUTO |
| 2 | 2h      | on   |
| 3 |         | oPP  |

1.5W  
polycrystalline


Silver

**6901401337**

CLASS III  
IP44  
LED 2.4W  
1\*2200mAh 3.7V Li-ion battery  
260 Lumen  
Synthetics

4000K

Battery  
Item nr:9759804000







# zeta

## integrated panel

This wall light offers you the complete freedom to orientate the solar panel and the light panel in the optimum direction. In combination with the PIR motion sensors it will give a strong light to any outdoor space.



|   |          |      |
|---|----------|------|
| 1 | 120times | AUTO |
| 2 | 2h       | on   |
| 3 |          | oFF  |




1.5W  
polycrystalline

Silver

**6901101000**

CLASS III  
IP44  
LED 2.4W  
3\*1800mAh 1.2V Ni-MH AA battery  
200 Lumen  
Synthetics

4000K





# pole

## integrated panel

The solar wall lights BREAD & ZETA can be mounted easily and without any tools on an independent post, creating a perfect bollard solution. The post can be screwed on a solid surface or put into the ground thanks to the included spike. The post contains 3 tubes giving the option to vary the height up to 1 meter.



Silver Grey

**9700308112**

Color silver (si)  
for  
6901101000  
6901301337  
6901501000







# tilly

## integrated panel

A slim, futuristic design. The sleek adjustable spot heads can be orientated under the solar panel surface, giving multiple directions and powerful light beams. In combination with the subtle and centrally positioned PIR sensor, it will detect any movement throughout the night and will illuminate any foreseen or unforeseen guest.



|   |          |      |
|---|----------|------|
| 1 | 120times | AUTO |
| 2 | 2h       | on   |
| 3 |          | oFF  |

3.5W  
polycrystalline


Silver

**6901201000**

CLASS III  
IP44  
LED 4W  
1\*2200mAh 7.4V Li-ion battery  
420 Lumen  
Die Cast Aluminium

4000K

Battery  
Item nr:9759802000





# london

## integrated panel

Classic 6 side lantern powered with Solar energy. The almost invisible Solar panel at the roof of the lantern has a large capacity, with an autonomy of more than 10 hours during night time. Comes with 3 retrofit filament bulbs, creating a warm & gentle light. The die-cast aluminium post can be mounted on a paved surface thanks to the included metal mounting bracket. For unpaved surfaces, you can use the special spike, available as an accessory.



| Estimated Light Run Time for Different Seasons |                        |                        |                        |
|--|------------------------|------------------------|------------------------|
|  | Winter                 | Spring                 | Summer                 |
|  | (101W/m <sup>2</sup> ) | (332W/m <sup>2</sup> ) | (603W/m <sup>2</sup> ) |
| 300 lumen                                      | 03h40                  | 08h00                  | 10h00                  |

Actual run time may vary depending on your specific location

Matt Black

**6951301189**

CLASS III  
IP44  
LED 6W E12/incl.  
1\*2200mAh 7.4V  
Li-ion battery  
300 Lumen  
Die Cast Aluminium  
3000K




Battery  
Item nr: 9759801000



**9700359330**

Synthetics




**9700357000**

LED 2W  
250 Lumen







Wiring system




Dark Grey

**6925701345**

CLASS III  
IP54  
LED 7W  
1\*1500mAh 3.7V Li-ion battery  
500 Lumen  
Synthetics

Battery  
Item nr:9759808000

5000K




**6925604345**

CLASS III  
IP54  
LED 11W  
1\*1500mAh 3.7V Li-ion battery  
800 Lumen  
Synthetics

Battery  
Item nr:9759808000

5000K



# sunshine

## independent panel

This SUNSHINE wall light offers a complete security light installation without any wiring to the electricity network. The separate adjustable solar panel with its 5 m cable can be positioned on the optimum spot to capture sunlight all day long. Comes with an PIR motion sensor. The movable spot head gives a very powerful lightbeam.



1 max 100times AUTO  
2 10h on  
3 oFF



2 W  
Polycrystalline  
(5 meter cable)



1 max 75times AUTO  
2 10h on  
3 oFF



Dark Grey

**6925601345**

CLASS III  
IP44  
LED 7.5W  
1\*2200mAh 3.7V  
Li-ion battery  
500 Lumen  
Synthetics

5000K

Battery  
Item nr:9759804000




1 240times 30S



1.4W monocrystalline

Wiring system



# sunshine


## independent panel

Elegant & powerful flood light offers a complete solution wherever there's no electrical power connection available. Ideal for illuminating your courtyards & driveways. The separate moveable solar panel comes with a 5 meter connection cable and can be positioned on the best spot to capture sunlight. Featuring an adjustable (time & distance) PIR motion sensor.





Wiring system



# sunshine

## independent panel

This wall light offers a complete security light installation without any wiring to the electricity network. The separate adjustable solar panel with its 5 m cable can be positioned on the optimum spot to capture sunlight all day long. Comes with an adjustable (time & distance) PIR motion sensor. The movable spot head will give more than 350 lumen.





6901601000

Silver

CLASS III  
IP44  
LED 3.2W  
1\*2200mAh 3.7V  
Li-ion battery  
360 Lumen  
Synthetics

4000K

Battery  
Item nr:9759803000



|   |          |     |
|---|----------|-----|
| 1 | 120times | on  |
| 2 |          | off |



1.5W polycrystalline  
( 5 meter cable)



security for  
your **comFort**

security



## connected camera



## wall



## flood



## sensor





# LUTEC

## SECURITY

### always connected with your home

As market initiator LUTEC is proud to present the 3th generation of the connected camera light range, replacing in full the first 2 generations.

This new range has been developed based on learnings and consumer insights and by applying the gains and innovations of the fast evolving connected camera technology.

This has resulted in a versatile range of decorative and functional camera light fixtures, ready to install or to make a swift replacement of your actual outdoor luminaires.



# LUTEC SECURITY



## LUTEC outdoor camera light everything is under control

|       |           |   |           |
|-------|-----------|---|-----------|
| light | camera    | + | connected |
| audio | detection |   |           |

- ✓ Powered for lighting
- ✓ High definition camera
- ✓ Adjustable motion Sensor
- ✓ See, talk and dialogue
- ✓ Easy to install, connect and control
- ✓ Create groups with other lights
- ✓ Voice control ready
- ✓ Recieve notifications



### Recieve an alert when someone approaches your home




Get live notifications via your smartphone when someone approaches your door

### Keep an eye on your house anytime, anywhere



Enable you to take a picture or record a video from wherever you are.




### Listen and talk live with your visitors



Talk with your delivery person, you will never miss your expected parcel

## Thanks to Bluetooth MESH

- Quick and easy to find the device and start the configuration process immediately
- Actively send feedback of a problem during the network configuration
- Create groups with your camera light and trigger other LUTEC connect lights on



## Thanks to WiFi



Be notified and exchange with people away from home.

Keep in touch with home, images are accessible 24 hours a day from your smartphone, including

Voice control ready  
Works with LUTEC access box sold separately.



## Powered For lighting

- Switch your lights on or off
- Dim your lights
- Change the color temperature



## Camera high definition

- High-definition video recording at night
- H265-video file size is halved
- Video playback and transmission speed are doubled
- Alert sensitivity: High, Medium, Low




## Adjustable motion Sensor

- Detection reach from near to far distance
- Twilight settings from dark to dusk
- Light time reaction from 10 seconds till 3 minutes
- Constant light: Set your light output at 20% during all night



## Secure storage

- SD card Already installed in the product
- Ready to use
- Storage capacity 16 GB



## See, talk and dialogue

Listen and speak to visitors from wherever you are.  
Trigger the siren straight from your app when there is an intruder.  
Start continuous recording to get view of the whole event



LUTEC  
connect




Visit our dedicated website  
which supports and inspires  
our consumers  
with their experience



[www.lutec-connect.world](http://www.lutec-connect.world)





# Flair

wall


Member of the FLAIR traditional lantern series, this smart security camera light will keep an eye on your home. Features an integrated camera, speaker, micro and motion sensor all controllable in one App. Suitable for LED filament bulbs, not included.





Matt Black

**5288811012**

CLASS I  
IP44  
E27 Max.40W  
Die Cast Aluminium





\* **Instant full light**  
 \* Dimmable via the app and voice control

# cuba

## wall

Extension of the design award winning CUBA series, this smart security camera light will keep an eye on your home. Features an integrated camera, speaker, micro and motion sensor all controllable in one App. Multiple orientation possibilities of the light-head, camera and motion sensor.




Dark Grey

**5193812118**

CLASS I  
 IP44  
 LED 17.3W  
 1000 Lumen  
 Die Cast Aluminium







\* Instant full light

\* Dimmable via the app and voice control

# pollux

wall

Compact and elegant aluminium wall light. The tubular design makes a good fit at your front or back door. Features an integrated camera, speaker, micro and motion sensor all controllable in one App.




Dark Grey

**5196004118**

CLASS I  
IP44  
LED 18.8W  
1200 Lumen  
Die Cast Aluminium





\* **Dimming\*** 



**Adjustable whites**

2700 K  6500 K

\* **Instant full light**

\* Dimmable via the app and voice control



# elara

## wall

Tubular stainless steel wall light with a familiar design for entry-door application. This lamp has a perfect finish and appropriate combination of the used materials. The integrated LED connected module will give you all the freedom to control your light on your smart devices. Camera, Speaker, Microphone & PIR motion sensor are fully integrated in the fixture. Also available in dark grey.



S/S

**5267106001**

Dark Grey

**5267106118**


CLASS II  
IP44  
LED 17.5W  
1300 Lumen  
Stainless Steel



CLASS II  
IP44  
LED 17.5W  
1300 Lumen  
Die Cast Aluminium







# draco

## wall



Double head projector with integrated connected LED module & multiple orientation possibilities. It gives you full flexibility to cover the desired area. Comes with light, audio, video and detection all controllable in one App.




Matt Black

**7622220012**

CLASS I  
IP44  
LED 19W  
1200 Lumen  
Die Cast Aluminium





\* **Dimming\*** 



**Adjustable whites**

2700 K 6500 K

\* **Instant full light**

\* Dimmable via the app and voice control



# libra

## wall & ceiling



Double head projector in the LUTEC connected camera range. The two "wings" feature a diffusor surface without edges, resulting in a perfectly homogeneous light beam. The automatic plug-in connection allows a simple & easy installation. The multiple orientation possibilities will give you full flexibility to cover the desired area.



White

**7632406053**

CLASS I  
IP44  
LED 36W  
3400 Lumen  
Synthetics







## security for your **comFort**

LUTEC presents the InMotion concept offering a complete range of Security Sensor Lights.


The range is featuring, besides the powerful flood lights with one or two heads, a number of very elegant designs which make a perfect match with the architecture of your house. The 2 stand-alone PIR sensors with multiple controls make the range complete.

## Passive infrared (PIR) motion sensor

### How does it work?

A PIR sensor detects changes in the amount of infrared radiation and converts this changes into a switch-on signal.

When a person makes a movement within the detection reach, the sensor will detect a difference in infrared radiation in between the person's body and the environment.



### Comfortable detection area

The detection area is a combination of the reach in distance and angle. An adjustable sensor can be tilted and/or turned and gives you full freedom.

### Your personal settings

#### Time setting

As from the moment the sensor detects a movement the light stay on from 10 seconds upon 8 minutes according your preference.

#### Twilight setting

The environment brightness can be adjusted according your selection from night (10 lux) to daylight. In this way the light will switch into the "ON" position according the selected outside light level and not during the day.

#### Distance setting

You can limit the detection distance in accordance with the desired detection area. In this way you can avoid a movement detection outside your private grounds.

### For your convenience

#### Dusk to dawn

Automatic light on switching as soon it's dark outside

#### Ambient Light

Light stays on all night long in a gentle ambient light, after movement detection the light switches on a powerful light beam.

#### Double sensor

Assures you a full detection not only frontal but also underneath the luminaire close to the wall.

#### Test mode

You can define the perfect detection area during installation in daylight situation




### How to choose?


Check in a few steps which InMotion Security Sensor Light suits the best for your home situation.



### BASED ON SENSOR DETECTION REACH



### BASED ON LUMINAIRE CHARACTERISTICS







# maya

## wall

This compact Up & Down wall light with wide beam in aluminium with stainless steel cover has a timeless design. Discrete position of the black adjustable PIR motion sensor, makes it almost invisible.




S/S

**5198401001**

CLASS I  
IP44  
LED 18.5W  
1200 Lumen  
Stainless Steel

3000K





# Farell

## wall

Robust yet elegant stainless steel wall light, big surface diffuse warm white light radiation. Comes with performant motion sensor with a large detection reach and multiple control possibilities.



S/S

**5194802001**

CLASS II  
IP44  
LED 14.3W  
850 Lumen  
Stainless Steel



3000K







# qubo

## wall

With this wall light it is always pleasant to come home. Thanks to the performant integrated motion sensor, the visitors to your home will be detected from a distance and light will automatically switch on.



Dark Grey

**5193002118**

CLASS I  
IP54  
LED 14W  
800 Lumen  
Die Cast Aluminum



3000K





# leda

## wall

Tubular stainless steel wall light in the InMotion range contains a horizontal and vertically adjustable motion sensor. Thanks to the integrated sensor the light will automatically illuminates as soon as you get closer.




S/S

**5267103001**


CLASS II  
IP44  
LED 15.5W  
1400 Lumen  
Stainless Steel



3000K







# cyra

## wall

Tubular wall light with a combination of anthracite grey aluminium body and opal white diffuser. The two moveable heads offer you a 350° rotation possibility resulting in a nice glow on your external wall or a frontal diffuse lightbeam. Comes with a black, almost invisible motion sensor.





Dark Grey

**5198102118**

CLASS I  
IP54  
LED 16.5W  
1000 Lumen  
Die Cast Aluminum



3000K





# sunshine

## wall


Elegant & powerful flood light, ideal for illuminating larger areas as your courtyards & driveways. The rectangular head can be directed over 2 axes. Comes with a high quality and fully adjustable PIR motion sensor with a detection reach up to 18 meter. Now also available in compact version - 800 lumen.



Dark Grey


**7625601345**

CLASS II  
IP54  
LED 15.4W  
1100 Lumen  
Synthetics




**7625701345**

CLASS II  
IP44  
LED 12.5W  
800 Lumen  
Synthetics







\* Instant full light  
\* Dimmable via the app and voice control



# artica

wall


Modern sensor 2 heads floodlight with high-quality design, ideal for illuminating large areas around buildings thanks to its high light output. An IR sensor with 180° registration angle and a range of up to 18m are fully integrated. Pleasant and powerful light thanks to the high-quality LED panel. The integrated LED connected module will give you all the freedom to control your light on your smart devices.



White

**7635605331**

CLASS II  
IP44  
LED 14.5W  
1200 Lumen  
Synthetics






White

**7632201053**

CLASS I  
IP54  
LED 13W  
1200 Lumen  
Synthetics



Quick install



# arc

## wall & ceiling

Elegant double head projector with fully adjustable motion sensor. The two "wings", feature a diffuser surface without edges, resulting in a perfectly homogeneous light beam. The multiple orientation possibility gives you full flexibility to cover the desired area.







# peri

## wall & ceiling

The new version of security floodlight has a very powerful LED with a double adjustable motion sensor. Front sensor has a detection range up to 20 meters, the sensor covering the area under the floodlight detects movement close to the wall. The PERI series is easy to install and no tools are needed, comes in a single and double headed spot and is suitable for wall and ceiling mounting thanks to the rotating base.




White

**7629401331**

CLASS I  
IP54  
LED 30.9W  
3200 Lumen  
Aluminium+Synthetics

IP  54  
5000K



Quick install



Automatic Plug-in





# shrimp


wall & ceiling

Elegant yet powerful security floodlight with typical "bike lamp" design. This new upgraded versions, with and without adjustable motion sensor, feature an increased light-output up to 1700 lumen. The SHRIMP II is a double insulated, electrical appliance.





**Matt Black 7622221012**

CLASS I  
IP54  
LED 23.5W  
1700 Lumen  
Die Cast Aluminum




**7622222012**

CLASS I  
IP54  
LED 23.5W  
1700 Lumen  
Die Cast Aluminum



**7622104330**

CLASS II  
IP54  
LED 12W  
1250 Lumen  
Synthetics







# sphere

## sensor


Stand alone passive infrared motion sensor.  
Compact orientable version with detection  
range up to 12 meter and detection  
angle of 180°.



Matt Black

**9701601330**

CLASS II  
IP44  
MAX 1100W  
Synthetics





# torus

## sensor


Stand alone double and adjustable motion sensor. The frontal sensor has a detection range of up to 21 metres & 270°. The second sensor covering the area underneath detects any movement close to the wall.



Matt Black

**9701501330**

CLASS I  
IP44  
MAX 1000W  
Synthetics







where function  
meets **form**

functional

recessed  
ground



**BERLIN**  
7700511012 / P351



**NEW**  
**CYDOPS**  
7704216012 / P353



**NEW**  
**CYDOPS**  
7704223012 / P353



**ARCTIC**  
7701301012 / P355






# berlin

## recessed ground

Round stainless recessed ground spots creating a nice effect to guide you along your driveway, pathway or terrace. Compact in size yet solid in construction, you can drive over it with a car.




Car can drive over



**7700511012**

CLASS I  
IP67 & IP65  
GU10 35W  
Stainless Steel







# cydops


## recessed ground

This outdoor CYDOPS spotlight is both a practical and decorative addition to your garden, driveway or patio. The lamp is made of aluminium and has an IP67 protection rating, making it suitable for outdoor use. This garden spotlight has low power consumption. Available in different versions.




### 7704216012

CLASS I  
IP67 & IP65  
LED 6.8W  
580 Lumen  
Stainless Steel



### 7704223012

CLASS I  
IP67 & IP65  
LED 6.8W  
580 Lumen  
Stainless Steel







# arctic

## recessed ground

Robust, powerful yet compact recessed LED ground spot with a limited build-in depth. This spot can be inclined up to an angle of 40°. Pick out ornaments, trees and bushes in your garden with a stunning light effect.




**7701301012**

CLASS I  
IP67 & IP65  
LED 13.7W  
550 Lumen  
Die Cast Aluminum



4000K



**control**  
**at the tip of**  
**your fingers**

**accessory**





## LUTEC connect



**REMOTE CONTROL**  
9702315361/ P361



**ACCESS BOX**  
9704401361/ P362



**SMART SWITCH**  
9706201361/ P363



**DAWNY**  
9760002330/ P365

## LUTEC solar



**BATTERY PACK**  
9759801000/ P366



**BATTERY PACK**  
9759803000/ P366



**BATTERY PACK**  
9759804000/ P366



**BATTERY PACK**  
9759802000/ P367



**BATTERY PACK**  
9759805000/ P367



**BATTERY PACK**  
9759806000/ P367



**BATTERY PACK**  
9759808000/ P367



## Point & Play in the room Infra Red individual control




## Control every light Inside or outside the house Bluetooth Group control



You can add as many smart lighting devices as you want to one of the 3 groups (A-B-C).

I/O push button switches on-off all the lights of the same group.



# remote

## accessories

A 2-in-1 remote control that allows you to switch the power off from the top half by pointing to change the intensity of the light, the color changing temperature, and access the colors or even multiple varied scenes. From its lower part, you can turn a group of lamps on or off from anywhere in the house.




## smart lighting technology



9702315361

● WHITE

Infra Red individual control  
Plastic





## expand the experience

Add the WiFi LUTEC Connect Access Box to the Bluetooth mesh eco-system.

Allows the connection of the Bluetooth mesh ecosystem with your Wifi router at home.


The complete LUTEC Connect lighting portfolio is Voice Control Compatible



Hey Google,  
turn on the light!



Alexa, change  
the light in blue!




Via Cloud access you can control all the devices in your LUTEC Connect lighting network from anywhere out of home.

## access box

### accessories

Small in size, it can be easily installed. Even if this accessory is not essential for the proper functioning of the complete system, it is however necessary to access certain functionalities such as voice control but also the programming of one or more lamps over time or according to a particular condition such as the weather.




### smart lighting technology



9704401361

● WHITE

gateway  
Plastic



Long press for  
10s to reset

Click to  
turn the light  
on/off

Double click to  
switch mode

Rotate to  
change  
the brightness

Press and rotate  
to change the  
color temperature

### Function Buttons A/B/C



1. Long press to add the device to the group
2. Short press to activate and control group devices
3. Double click to delete the device after restarted

## smart switch

### accessories

Very ingenious, this accessory can be easily attached thanks to its 3M self-adhesive system. No need to connect to the electrical network, it allows you to switch on and off with a single click or to vary the intensity and temperature of the lamps in a room or in a zone defined in the application. 3 zones are possible A, B, C allowing a wide coverage, for example the lamps of the room where the switch is installed, the exterior lighting or a complete zone such as a ground or a complete floor.




### smart lighting technology





9706201361

● WHITE

Smart switch  
Plastic





Easy & fast pairing with LUTEC  
**connect app**



Install the LUTEC access box,  
essential to make this motion  
sensor linkable to any other LUTEC  
**connect** light.



Adjust in the LUTEC  
**connect app**,  
Time, Twilight and Distance  
settings



Create a group and combine  
your **LUTEC connect** luminaires  
with DAWNY.

# dawny

## accessories

Automatically control your outdoor  
lights with DAWNY outdoor & indoor  
motion sensor. Place the wireless, battery -  
powered detector anywhere and trigger your  
lights at any movement .  
Versatile mounting options: Ceiling, Wall and  
Corner.




## smart lighting technology



**9760002330**

○ **BLACK**



CLASS III  
IP44  
2 x 1.5 V 1300mAh NiMH AA battery  
Sensor  
Plastic













|                   |                     |   |   |
|-------------------|---------------------|---|---|
| <b>9759801000</b> |                     |  | 6951301189 LONDON  |
| Type              | Li-ion rechargeable |   |   |
| Voltage           | 7.4V                |   |   |
| Capacity          | 2200mAh             |   |   |
| Connection        | 1mm round           |   |   |










|                   |                     |   |  |
|-------------------|---------------------|---|--|
| <b>9759802000</b> |                     |  | 6901201000 TILLY  |
| Type              | Li-ion rechargeable |   |  |
| Voltage           | 7.4V                |   |  |
| Capacity          | 2200mAh             |   |  |
| Connection        | SM flat             |   |  |

|                   |                     |   |   |
|-------------------|---------------------|---|---|
| <b>9759803000</b> |                     |  | 6901601000 SUNSHINE  |
| Type              | Li-ion rechargeable |   |   |
| Voltage           | 3.7V                |   |   |
| Capacity          | 2200mAh             |   |   |
| Connection        | 1mm round           |   |   |

|                   |                     |   |  |
|-------------------|---------------------|---|--|
| <b>9759805000</b> |                     |  | 6910802335 POPPY  |
| Type              | Li-ion rechargeable |   |  |
| Voltage           | 3.7V                |   |  |
| Capacity          | 4400mAh             |   |  |
| Connection        | SM flat             |   |  |

|   |                         |   |   |   |
|---|-------------------------|---|---|---|
| <b>9759804000</b>   |                         |  | 6935501330 TUDA   |  |
| Type Li-ion rechargeable<br>Voltage 3.7V<br>Capacity 2200mAh<br>Connection NA | 6935502330 TUDA         |   |    |   |
|   | 6938405330 GINBO        |   |    |   |
|   | 6941502330 FRAN         |   |    |   |
|   | 6939501330 FADI         |   |    |   |
|   | 6935802012 KARLO        |   |    |   |
|   | 6904101337 DRAGONFLY    |   |    |   |
|   | 6904101331 DRAGONFLY    |   |   |   |
|   | 6914401000 MINI LEDSPOT |   |  |   |
|   | 6908501308 BRICK        |   |  |   |
|   | 6901501000 BREAD        |   |  |   |
|   | 6908701001 BUBBLE       |   |  |   |
|   | 6906702335 DISO         |   |  |   |
|   | 6906703335 DISO         |   |  |   |
|   | 6901401337 GHOST SOLAR  |   |  |   |
|   | 6925601345 SUNSHINE     |   |  |   |

|   |                       |   |   |   |
|---|-----------------------|---|---|---|
| <b>9759806000</b>   |                       |  | 6908001337 TABLE CUBE   |  |
| Type Li-ion rechargeable<br>Voltage 3.7V<br>Capacity 1200mAh<br>Connection NA | 6908001331 TABLE CUBE |   |  |   |
|   | 6908002337 TABLE CUBE |   |  |   |
|   | 6910601335 ARROW      |   |  |   |
|   | 6908901335 TWILL      |   |  |   |
|   | 6934601118 CURTIS     |   |  |   |
|   | 6907903001 SOLSTEL    |   |  |   |

|   |                     |   |   |   |
|---|---------------------|---|---|---|
| <b>9759808000</b>   |                     |  | 6943101012 MOZE   |  |
| Type Li-ion rechargeable<br>Voltage 3.7V<br>Capacity 1500mAh<br>Connection NA | 6939101330 TRY      |   |  |   |
|   | 6940101125 DOBLO    |   |  |   |
|   | 6943701125 DOBLO    |   |  |   |
|   | 6943801125 DOBLO    |   |  |   |
|   | 6988804012 FLAIR    |   |  |   |
|   | 6925701345 SUNSHINE |   |  |   |
|   | 6925604345 SUNSHINE |   |  |   |

# introducing our company

## 50 years of experience

### The beginnings of a lighting company


Originally set up as a national aluminium die-cast factory, we gained our first experience of outdoor lighting by producing bulkhead lights & classical garden lanterns. Our quality standards have always met international standards and the first export shipment was made in 1996. The new factory in Yuyao became operational in 2001, concentrating on modern garden & professional lighting resulting from a booming international demand. From 2009 a close collaboration with the Design(Pool) had two objectives; to create a stronger offer for the ODM market and to develop a platform for our own brand of lighting. LUTEC was launched in 2010, focusing on architectural LED lighting and the introduction Solar Energy Products. The success of the company resulted in the opening of a second production facility in 2012, fully devoted to future developments in design and new technologies.



Whilst it is true, LUTEC is a young brand, it is built on a strong manufacturing background ( 40 years of experience) and a solid reputation of technological expertise. Manufacturing involves imagination and efficiency.

### Why we decided to establish a brand?

The brand gives us a needed visibility. The brand allows us to anticipate the market, to make our own choices related to trends and to make developments such as we perceive them through our partners in different countries. Connected by lighting underlines our intention to develop products in accordance with the final consumers, through all our network and distribution channels. Having become a major player in the lighting field, our main objective is to consolidate our offer through creativity, our designs evolve and involve the highest level of quality and services.



### Nowadays Lighting is both essential and magic.

The challenge of lighting market is to create products which are a balance between the shape, impact and attractiveness however, they must also provide real functional values. The LED revolution has completely changed the game, giving many new opportunities. Added to this we must not only continue to offer the latest technical innovations but also anticipate and provoke them, especially with solar energy and smart lighting controls. To serve our objectives, we have continued to expand our international network and organisation: with new central warehouses in Belgium and China, establishing partners in many new countries allowing us to continue building our corporate identity and providing our partners with unique product support and marketing.

### Future is already here Support the users

Today we are all surrounded by the interactive and connected World. For many reasons it is evident that the lighting market must also embrace this new internet age. The need to control our lighting, at will, from afar and to suit our environment is a must have feature. Temperature, color, dimming, activity sensors and timing controls are the norm. Programmable solutions for energy saving, interactivity between multiple light points or installations are becoming standard. Security options with camera vision, live video and recording are no longer a futuristic dream as LUTEC products can perform all of the above.

# welcome to the lutec center

## connected by lighting

The LUTEC centre is in our HQ in Yuyao and located on our production site, it is an International meeting venue where new concepts, innovation & strategies are studied then created and shared, with our partners.



We provide an expert platform in design, sales and services. We have the will to show and experiment different approaches creating choices for the short or medium terms. Staying close to our customers, which by extension also means the final consumers, allows the right design solutions to be found. Our team is trained to be proactive and reactive. The key to realise a win-win product is to always explore the possibilities, look outside the box to find the best solution.



In our view innovation is always closely linked to a right level of realization.



## design & engineering

design, engineering & manufacturing, all interactive.

One of the main decision we have taken in the LUTEC organisation is to break down the walls between of each department to improve product strategy. This brings a culture of flowing communication between the services where everybody has a positive role to play in all projects. It works because we consider that we are all concerned in the success of a product.



We all know development is complex with many obstacles to overcome however by working together helps our team to aim for the perfect solution as smoothly as possible. Knowledge is shared at all levels. Creativity, marketing, engineering, production, and sales are all one, this method improves time to market significantly.



## warehousing & transport

global logistic footprint assuring availability & proximity.



Unlike many manufacturers in this sector, LUTEC keep significant levels of completed stock which is packaged and ready to ship. This is in addition to our stock process flow, feeding our satellite distribution centres in Europe and elsewhere around the World. Our aim is to reduce the lead time wherever possible on key products.

### CCW

China Central  
Warehouse  
Yuyao - China

### ECW

European Central  
Warehouse  
Bornem - Belgium

Since 2014, the European Central Warehouse is fully operational. This warehouse located in Belgium, centrally situated in Europe with an average lead time of 7 days for most shipments within Europe, LUTEC products are always within reasonable reach.

We offer different transport options: direct shipment, cross docking or pick-up, in co-operation with each territory. The ECW product portfolio now contains 350 sku's.

Now, we've also the possibility to assure different value adding trade marketing services in the ECW.



# LUTEC quality



As a global supplier, our products are fully compliant with all relevant technical & quality requirements of the different regions in the world.



All LUTEC LED products benefit from a 5-years functional warranty. For the SOLAR range we apply a standard 2-years operational warranty.

Subject to conditions, please see our website.  
[www.lutec.com/warranty](http://www.lutec.com/warranty)



## Integrated LED Light-engines

In the majority of our ranges we use dedicated LED light engines. The LUTEC in-house engineering/production departments only use primary component suppliers, constantly improving the performance of the total LED product, resulting in a higher lumen/watt ratio as well as increasing levels of lumen/monetary ratio.

**Low Energy Cost:** LUTEC products offer at least an 80% saving compared to traditional sources  
**Long Lifetime:** up to 20.000 hours

LUTEC LED-light engines featuring the most appropriate characteristics in order to give the best result for all your outdoor applications.

- Lumen Maintenance: 100% LM-80 test report
- Color deviation: 100% under 5-step MacAdam ellipse
- ERP compliant

The LED driver is the heart of the LED module and is the main influencer of the life-time. LUTEC develops these drivers to the specification of the product for best performance. The production of the SMD's used in the LUTEC-drivers is done in-house in our approved SMT assembly lines. All drivers are compliant to all relevant standard and regulations. UL-GS-EMC-FCC-ERP.




# new ERP regulations 2021

## New EU regulation

As from September 2021 the new EU regulation concerning Energy Efficiency for Lighting products replaces the previous EU-regulation no 874/2012.

It involves New Energy Labelling regulations (EU) 2019/2015 and New Ecodesign requirements for light sources. (EU) 2019/2020.

Overall objective of this updated regulation is to protect environment, improve durability of lighting products and strengthen consumer protection.



## LUTEC Outdoor Portfolio


All LUTEC outdoor luminaires within the scope of the new EU-regulation have been updated and tested in 2021 in order to become fully compliant to the new regulations. This has resulted to the attribution of a new classification with Energy Efficiency Classes in between A & G.

## "Containing Products" Classification

The complete range of LUTEC luminaires has been classified as Containing Products with a removable and non-replaceable LED-module. AS a result we have tested the separate Lighting LED-Module as the Light Source and so the new Energy Efficiency Class is related to the LED-Module and not to the complete luminaire as such.



NON-REPLACEABLE LIGHT SOURCE



## LED Module - Energy Efficiency Class

In order to make it clear that the test results are related to the LED Module, a specific EEL label was created with a "M" (Module) indication behind the item nr.

This EEL label can't be shown on the packaging of the complete Outdoor Luminaire. In the Instruction Manual we indicated the Energy Class of the concerned light Source (= LED Module)

## EPREL Database

Consumers can access the database by scanning the QR code featured on the new energy labels. The EPREL database offers detailed information of all registered LUTEC products.

## Available information on [www.lutec.com](http://www.lutec.com)


On our LUTEC website all related information is available for consultation and easy download of specific documents:

- Energy Label
- Instruction Manual
- Product Information sheet (with test results)
- Light Source Remove instructions



## Catalogue info

On each product page in this catalogue we've mentioned the Energy Efficiency Class of the concerned LED Module, with a letter symbol.






# sustainable & environmental vision



LUTEC constantly strives to reduce the environmental impact. It's our intention to become step by step a carbon neutral company, embracing sustainable choices.

## Durable Products

- LUTEC outdoor luminaires are made from durable materials, fully weatherproof, to last for many years.
- Thanks to the evergreen designs most of our customers will enjoy the LUTEC outdoor lights for many years around their homes, terraces and gardens.



## Sustainable Resources

- We're using high density die-cast aluminium, durable synthetics glass, paper and carton as main materials in our LUTEC luminaires.
- These materials can be recycled in a convenient and economic way. This in existing recycle centres all over the served markets.




## Sustainable Functions & Features

- LED Lights : consume 80% less energy vs traditional light sources
- SENSOR Lights : consume energy only when you need the light
- CONNECTED Lights : smart use & control of the lights, results in energy saving up to 90%

## SOLAR Lights : 100 % green energy

- Focus on development of efficient and smart Solar luminaires
- High light output in relation with required autonomy
- Last year, more than 400 thousand homes were equipped with a new LUTEC Solar light.

**LUTEC**  
SOLAR



## Sustainable Product Development

- Use of LED integrated light modules resulting in an overall longer life cycle of the luminaire, thanks to optimal heat management.
- Use of retrofit solutions, giving consumers the possibility to change the light bulbs in the LUTEC luminaires into more advanced and energy saving versions in the future.
- Research and Development of replaceable LED engines as fully demountable components leading to a truly cradle to cradle approach.



## Zero-Plastic Packaging

- LUTEC has started the complete ban of plastic bags in their consumer packaging as from mid 2021. This means that for all new luminaires put on the markets in 2022, we use only carton and paper.
- By the end of 2022, 60% of all unit-boxes shipped out from our factory will be plastic bags free.



## Responsible Production & Operations

- On the roofs of UTEC Ningbo production facilities in China we've installed recently high efficiency solar panels.
- This with a total solar panel surface of 6000m<sup>2</sup> resulting in a green energy capacity of 48.630kWh saving 30% of our annual energy consumption.



# materials & finishes

LUTEC exterior products are produced using high quality materials and finishes with excellent weather protection properties as well as mechanical strength to ensure a long lifetime.

Heavy duty die-cast Aluminum (ADC 12) with a thickness of 2mm, is in most cases the preferred material, our process ensure no air holes. The LUTEC In-house fully automatic powder-coating & water painting installation provides excellent protection against corrosion.

LUTEC benefits from an in-house tooling workshop for both aluminum and synthetic components. This facility provides us with high quality production especially where premium Stainless Steel is used, typically in ground recessed spotlights using grade 304 & 316 steel. For the wall & bollards: 201 & 202 is utilised with an electrophoretic paint, resulting in an additional layer of protection.

Different kind of durable synthetics, depending on the application and form factors. For the fixtures: in most cases ABS, this is a strong, light-weighted material and can be used under low and high outdoor temperatures. For the diffusers: the impact proof and very resistant PC (polycarbonate) is used in opal or transparent version. Also clear glass, tempered glass and opal or clear PMMA (plexi-glass) are common in our designs.



## IP rating table

| Protection against solids                            | Protection against liquids                            |
|--|---|
| 0 Not Protected                                      | 0 Not Protected                                       |
| 1 Protected against Solid Objects greater than 50mm  | 1 Protected against Dripping Water                    |
| 2 Protected against Solid Objects greater than 12mm  | 2 Protected against Dripping Water when tilted to 15° |
| 3 Protected against Solid Objects greater than 2.5mm | 3 Protected against Spraying Water                    |
| 4 Protected against Solid Objects greater than 1mm   | 4 Protected against Splashing Water                   |
| 5 Dust Protected                                     | 5 Protected against Water Jets                        |
| 6 Dust Tight   | 6 Protected against Heavy Seas                        |
|  | 7 Protected against the effects of Immersion          |
|  | 8 Protected against Submersion                        |

The LUTEC Outdoor fixture comply to the International standards concerning Ingress Protection. All articles have a minimum IP44 rate. For some specific applications (Ex. in ground recessed spots) the protection rate goes up to IP67.

## Color Indication

- Dark Grey
- Matt Black
- Silver Grey
- Bronze
- S/S
- Chrome
- Galvanised
- Wood-Look
- White
- Matt Rust





# mounting, installation & maintenance

## Instruction Manual



LUTEC pays a lot of attention to a user friendly and effective yet simple instructions, we strive to find time saving methods of installation using uniquely designed interfaces where possible. Every LUTEC Outdoor fixture has a clear instruction manual in the unit box and this manual can also be downloaded from our website. Clear explanations in 8 European languages.



## Service network



Our service network is available on global level through our LUTEC Partners. Contact details: [www.lutec.com/services/global-network](http://www.lutec.com/services/global-network)





# LUTEC brand identity packaging

The LUTEC corporate identity has been revamped in line with our evolving brand values. New trade support tools and POS have been created to support our products and our customers providing an integrated selling solution, all of which adds value and distinguishes the LUTEC offer from our competitors.




Recently we introduced the fully refreshed packaging, being applied to our complete portfolio. We believe the new look of the new packaging is fresh, vivid and in tune with our style of products. The product is always the hero with an inspiring photography. The refreshed LUTEC logo is visible from all sides of the packaging which together with the green banner this will further improve the brand recognition.

As from this year, the LUTEC SOLAR and LUTEC SECURITY unit-box graphics are launched in the market for the newly introduced LUTEC connect Solar and LUTEC connect Camera ranges. By means of a distinctive colour indication, Orange for Solar & Red for Security, the consumers will easily recognize the difference with the standard LUTEC outdoor ranges.

# LUTEC brand identity rich content

We're constantly creating new communication materials to support and improve the presentation of LUTEC products, allowing ease of selection. All support materials are accessible through our refreshed website [www.lutec.com](http://www.lutec.com). Where you can find the LUTEC database with all kind of "rich content": product photos, Lifestyle photo's, Tutorials, Inspirational video's, Flash-Intro video's, Unpacking experiences, etc.

All support materials may be used for numerous marketing initiatives such as driving traffic to your own landing pages on your websites via social media. Content can be created in a convenient and attractive way resulting dynamic information and content to inform and inspire the customers about the LUTEC products.



## ***Index : as per NEW ITEM NO.***

| NEW ITEM   | NAME            | PAGE | NEW ITEM   | NAME   | PAGE | NEW ITEM   | NAME   | PAGE | NEW ITEM   | NAME           | PAGE |
|------------|-----------------|------|------------|--------|------|------------|--------|------|------------|----------------|------|
| 5000501118 | DROPA           | 37   | 5189113118 | GEMINI | 137  | 5196501118 | URBAN  | 123  | 5288802012 | FLAIR          | 203  |
| 5010901118 | DROPSI          | 35   | 5189114118 | GEMINI | 135  | 5196504118 | URBAN  | 123  | 5288803012 | FLAIR          | 205  |
| 5011602461 | VIDAR           | 151  | 5189120118 | GEMINI | 43   | 5197002125 | DOBLO  | 105  | 5288804012 | FLAIR          | 205  |
| 5011701461 | RAN             | 149  | 5189125012 | GEMINI | 135  | 5198101012 | CYRA   | 71   | 5288811012 | FLAIR          | 307  |
| 5102101118 | HELENA          | 183  | 5189135118 | GEMINI | 137  | 5198101118 | CYRA   | 71   | 5288814012 | FLAIR          | 205  |
| 5102501001 | FANCY           | 145  | 5191601118 | HELENA | 185  | 5198102118 | CYRA   | 71   | 5288902118 | KIRA           | 95   |
| 5104001118 | GEMINI XF       | 131  | 5191602118 | HELENA | 185  | 5198102118 | CYRA   | 331  | 5288903118 | KIRA           | 95   |
| 5104002012 | GEMINI XF       | 131  | 5191605012 | HELENA | 185  | 5198104012 | CYRA   | 73   | 5288909118 | KIRA           | 41   |
| 5104003012 | GEMINI BEAM 127 |      | 5192701118 | LEO    | 153  | 5198104118 | CYRA   | 73   | 5289001118 | PANO           | 81   |
| 5104003032 | GEMINI BEAM 127 |      | 5192701330 | LEO    | 153  | 5198302001 | MAYA   | 147  | 5290903012 | FIA            | 197  |
| 5104004001 | GEMINI XF       | 131  | 5192701335 | LEO    | 153  | 5198401001 | MAYA   | 147  | 5294502012 | ZAGO           | 195  |
| 5104005118 | GEMINI BEAM 127 |      | 5192702335 | LEO    | 153  | 5198401001 | MAYA   | 323  | 5296602012 | PINE           | 201  |
| 5104006012 | GEMINI BEAM 129 |      | 5193001118 | QUBO   | 99   | 5199001118 | EKLIPS | 69   | 5604011112 | FOCUS          | 161  |
| 5105001125 | DOBLO           | 107  | 5193002118 | QUBO   | 99   | 5199201118 | CRUZ   | 103  | 5604011118 | FOCUS          | 161  |
| 5105002125 | DOBLO           | 107  | 5193002118 | QUBO   | 327  | 5205701118 | POLO   | 83   | 5604021001 | FOCUS          | 159  |
| 5105003125 | DOBLO           | 109  | 5193004118 | QUBO   | 39   | 5205702118 | POLO   | 83   | 5604023012 | FOCUS          | 163  |
| 5107001118 | CONROY          | 55   | 5193201118 | LOTUS  | 125  | 5206501012 | SHIVA  | 193  | 5604023112 | FOCUS          | 163  |
| 5107101118 | RIDGE           | 157  | 5193602118 | ADALYN | 111  | 5206701012 | BRUND  | 155  | 5604023118 | FOCUS          | 163  |
| 5107401125 | DOBLO           | 109  | 5193801012 | CUBA   | 59   | 5207601012 | FULTON | 119  | 5604101118 | FOCUS          | 161  |
| 5183601118 | CITY            | 121  | 5193801118 | CUBA   | 59   | 5207901012 | WEST   | 199  | 5605013118 | FOCUS          | 167  |
| 5184601118 | BOX CUBE        | 117  | 5193803012 | CUBA   | 63   | 5260101012 | UNITE  | 217  | 5614401118 | MINI LEDSPOT75 |      |
| 5188003118 | GHOST           | 89   | 5193803118 | CUBA   | 63   | 5260103012 | UNITE  | 217  | 5616302118 | MERIDIAN       | 85   |
| 5188601125 | BATI            | 113  | 5193808118 | CUBA   | 59   | 5260201012 | UNITE  | 217  | 5616304118 | MERIDIAN       | 85   |
| 5188602125 | BATI            | 113  | 5193810118 | CUBA   | 33   | 5264201213 | CATE   | 215  | 5626001118 | TRUMPET        | 77   |
| 5188801118 | APOLLO          | 93   | 5193811118 | CUBA   | 57   | 5267103001 | LEDA   | 329  | 5626101125 | TRUMPET        | 77   |
| 5189101118 | GEMINI          | 139  | 5193812118 | CUBA   | 309  | 5267106001 | ELARA  | 313  | 6273601012 | KELSEY         | 211  |
| 5189102032 | GEMINI          | 137  | 5193814118 | CUBA   | 63   | 5267106118 | ELARA  | 313  | 6303401118 | SWEEP          | 177  |
| 5189102118 | GEMINI          | 137  | 5194301118 | ALICE  | 91   | 5273601012 | KELSEY | 209  | 6304201118 | FOCUS          | 165  |
| 5189103118 | GEMINI          | 137  | 5194802001 | FARELL | 325  | 5273603012 | KELSEY | 209  | 6330401118 | BONN           | 143  |
| 5189104118 | GEMINI          | 141  | 5195401118 | QUBO   | 97   | 5273701012 | KELSEY | 209  | 6330402001 | BONN           | 143  |
| 5189112012 | GEMINI          | 139  | 5196004118 | POLLUX | 311  | 5273702012 | KELSEY | 209  | 6336201118 | TITAN          | 175  |
| 5189112118 | GEMINI          | 139  | 5196301118 | FELE   | 67   | 5288801012 | FLAIR  | 203  | 6338201118 | SEINE          | 179  |



## ***Index : as per NEW ITEM NO.***

| NEW ITEM   | NAME         | PAGE | NEW ITEM   | NAME      | PAGE | NEW ITEM   | NAME         | PAGE | NEW ITEM   | NAME           | PAGE |
|------------|--------------|------|------------|-----------|------|------------|--------------|------|------------|----------------|------|
| 6348101112 | UBLO         | 173  | 6925601345 | SUNSHINE  | 293  | 7198101012 | CYRA         | 73   | 7635605331 | ARTICA         | 335  |
| 6348102112 | UBLO         | 173  | 6925604345 | SUNSHINE  | 291  | 7198101118 | CYRA         | 73   | 7700511012 | BERLIN         | 351  |
| 6382201012 | ROLA         | 171  | 6925701345 | SUNSHINE  | 291  | 7199201118 | CRUZ         | 103  | 7701301012 | ARCTIC         | 355  |
| 6382201118 | ROLA         | 171  | 6934601118 | CURTIS    | 277  | 7200501118 | DROPA        | 37   | 7704216012 | CYDOPS         | 353  |
| 6383001118 | BULLO        | 169  | 6935501330 | TUDA      | 227  | 7202201012 | MAINS        | 45   | 7704223012 | CYDOPS         | 353  |
| 6383001445 | BULLO        | 169  | 6935502330 | TUDA      | 229  | 7204803118 | FOCUS        | 165  | 8500102331 | PEPPER         | 29   |
| 6402101118 | HELENA       | 181  | 6935802012 | KARLO     | 237  | 7207001118 | CONROY       | 55   | 8506201331 | NOMA           | 27   |
| 6402105012 | HELENA       | 181  | 6938405330 | GINBO     | 235  | 7207601012 | FULTON       | 119  | 9700308112 | POLE           | 285  |
| 6588801012 | FLAIR        | 207  | 6939101330 | TRY       | 255  | 7214603118 | MINI LEDSPOT | 75   | 9700357000 | LONDON         | 289  |
| 6602903424 | MINI LETO    | 31   | 6939501330 | FADI      | 233  | 7216412118 | MERIDIAN     | 87   | 9700359330 | LONDON         | 289  |
| 6609201118 | EXPLORER     | 79   | 6940101125 | DOBLO     | 269  | 7264210213 | CATE         | 215  | 9701501330 | TORUS          | 345  |
| 6609202118 | EXPLORER     | 79   | 6941502330 | FRAN      | 231  | 7264230213 | CATE         | 215  | 9701601330 | SPHERE         | 343  |
| 6901101000 | ZETA         | 283  | 6943101012 | MOZE      | 253  | 7273601012 | KELSEY       | 213  | 9702201012 | MAINS          | 187  |
| 6901201000 | TILLY        | 287  | 6943701125 | DOBLO     | 271  | 7273602012 | KELSEY       | 211  | 9702202012 | MAINS          | 187  |
| 6901401337 | GHOST SOLAR  | 281  | 6943801125 | DOBLO     | 273  | 7273604012 | KELSEY       | 211  | 9702203012 | MAINS          | 187  |
| 6901501000 | BREAD        | 261  | 6951301189 | LONDON    | 289  | 7273605012 | KELSEY       | 213  | 9702315361 | REMOTE CONTROL | 361  |
| 6901601000 | SUNSHINE     | 295  | 6988804012 | FLAIR     | 275  | 7273606012 | KELSEY       | 213  | 9704401361 | ACCESS BOX     | 362  |
| 6904101331 | DRAGONFLY    | 249  | 7104001118 | GEMINI XF | 133  | 7288801012 | FLAIR        | 207  | 9706201361 | SMART SWITCH   | 363  |
| 6904101337 | DRAGONFLY    | 249  | 7104002012 | GEMINI XF | 133  | 7288902118 | KIRA         | 95   | 9759801000 | BATTERY PACK   | 366  |
| 6906702335 | DISO         | 267  | 7105701118 | POLO      | 83   | 7288906118 | KIRA         | 41   | 9759802000 | BATTERY PACK   | 366  |
| 6906703335 | DISO         | 267  | 7188601125 | BATI      | 115  | 7289001118 | PANO         | 81   | 9759803000 | BATTERY PACK   | 366  |
| 6907701331 | PADLIGHT     | 247  | 7193001118 | QUBO      | 101  | 7290901012 | FIA          | 197  | 9759804000 | BATTERY PACK   | 366  |
| 6907903001 | SOLSTEL      | 279  | 7193003118 | QUBO      | 39   | 7290903012 | FIA          | 197  | 9759805000 | BATTERY PACK   | 367  |
| 6908001331 | TABLE CUBE   | 243  | 7193004118 | QUBO      | 101  | 7622104330 | SHRIMP II    | 341  | 9759806000 | BATTERY PACK   | 367  |
| 6908001337 | TABLE CUBE   | 243  | 7193801118 | CUBA      | 61   | 7622220012 | DRACO        | 315  | 9759808000 | BATTERY PACK   | 367  |
| 6908002337 | TABLE CUBE   | 245  | 7193802012 | CUBA      | 65   | 7622221012 | SHRIMP       | 341  |            |                |      |
| 6908501308 | BRICK        | 259  | 7193802118 | CUBA      | 65   | 7622222012 | SHRIMP       | 341  |            |                |      |
| 6908701001 | BUBBLE       | 263  | 7193803118 | CUBA      | 61   | 7625601345 | SUNSHINE     | 333  |            |                |      |
| 6908901335 | TWILL        | 265  | 7193805118 | CUBA      | 65   | 7625701345 | SUNSHINE     | 333  |            |                |      |
| 6910601335 | ARROW        | 257  | 7196301118 | FELE      | 67   | 7629401331 | PERI         | 339  |            |                |      |
| 6910802335 | POPPY        | 241  | 7196601012 | PINE      | 201  | 7632201053 | ARC          | 337  |            |                |      |
| 6914401000 | MINI LEDSPOT | 251  | 7196603012 | PINE      | 201  | 7632406053 | LIBRA        | 317  |            |                |      |

## Index : as per SERIES NAME

| NAME                | NEW ITEM   | PAGE | NAME          | NEW ITEM   | PAGE | NAME             | NEW ITEM   | PAGE | NAME             | NEW ITEM   | PAGE |
|---------------------|------------|------|---------------|------------|------|------------------|------------|------|------------------|------------|------|
| <b>ACCESS BOX</b>   | 9704401361 | 362  | <b>CONROY</b> | 5107001118 | 55   | <b>DOBLO</b>     | 5107401125 | 109  | <b>FLAIR</b>     | 5288814012 | 205  |
| <b>ADALYN</b>       | 5193602118 | 111  | <b>CONROY</b> | 7207001118 | 55   | <b>DOBLO</b>     | 5105001125 | 107  | <b>FLAIR</b>     | 6588801012 | 207  |
| <b>ALICE</b>        | 5194301118 | 91   | <b>CRUZ</b>   | 5199201118 | 103  | <b>DOBLO</b>     | 5105002125 | 107  | <b>FLAIR</b>     | 6988804012 | 275  |
| <b>APOLLO</b>       | 5188801118 | 93   | <b>CRUZ</b>   | 7199201118 | 103  | <b>DOBLO</b>     | 5105003125 | 109  | <b>FLAIR</b>     | 7288801012 | 207  |
| <b>ARC</b>          | 7632201053 | 337  | <b>CUBA</b>   | 5193801012 | 59   | <b>DOBLO</b>     | 5197002125 | 105  | <b>FOCUS</b>     | 5604011112 | 161  |
| <b>ARCTIC</b>       | 7701301012 | 355  | <b>CUBA</b>   | 5193801118 | 59   | <b>DOBLO</b>     | 6940101125 | 269  | <b>FOCUS</b>     | 5604011118 | 161  |
| <b>ARROW</b>        | 6910601335 | 257  | <b>CUBA</b>   | 5193803012 | 63   | <b>DOBLO</b>     | 6943701125 | 271  | <b>FOCUS</b>     | 5604021001 | 159  |
| <b>ARTICA</b>       | 7635605331 | 335  | <b>CUBA</b>   | 5193803118 | 63   | <b>DOBLO</b>     | 6943801125 | 273  | <b>FOCUS</b>     | 5604023012 | 163  |
| <b>BATI</b>         | 5188601125 | 113  | <b>CUBA</b>   | 5193808118 | 59   | <b>DRACO</b>     | 7622220012 | 315  | <b>FOCUS</b>     | 5604023112 | 163  |
| <b>BATI</b>         | 5188602125 | 113  | <b>CUBA</b>   | 5193810118 | 33   | <b>DRAGONFLY</b> | 6904101331 | 249  | <b>FOCUS</b>     | 5604023118 | 163  |
| <b>BATI</b>         | 7188601125 | 115  | <b>CUBA</b>   | 5193811118 | 57   | <b>DRAGONFLY</b> | 6904101337 | 249  | <b>FOCUS</b>     | 5604101118 | 161  |
| <b>BATTERY PACK</b> | 9759801000 | 366  | <b>CUBA</b>   | 5193812118 | 309  | <b>DROPA</b>     | 5000501118 | 37   | <b>FOCUS</b>     | 5605013118 | 167  |
| <b>BATTERY PACK</b> | 9759802000 | 366  | <b>CUBA</b>   | 5193814118 | 63   | <b>DROPA</b>     | 7200501118 | 37   | <b>FOCUS</b>     | 6304201118 | 165  |
| <b>BATTERY PACK</b> | 9759803000 | 366  | <b>CUBA</b>   | 7193801118 | 61   | <b>DROPSI</b>    | 5010901118 | 35   | <b>FOCUS</b>     | 7204803118 | 165  |
| <b>BATTERY PACK</b> | 9759804000 | 366  | <b>CUBA</b>   | 7193802012 | 65   | <b>EKLIPS</b>    | 5199001118 | 69   | <b>FRAN</b>      | 6941502330 | 231  |
| <b>BATTERY PACK</b> | 9759805000 | 367  | <b>CUBA</b>   | 7193802118 | 65   | <b>ELARA</b>     | 5267106001 | 313  | <b>FULTON</b>    | 5207601012 | 119  |
| <b>BATTERY PACK</b> | 9759806000 | 367  | <b>CUBA</b>   | 7193803118 | 61   | <b>ELARA</b>     | 5267106118 | 313  | <b>FULTON</b>    | 7207601012 | 119  |
| <b>BATTERY PACK</b> | 9759808000 | 367  | <b>CUBA</b>   | 7193805118 | 65   | <b>EXPLORER</b>  | 6609202118 | 79   | <b>GEMINI</b>    | 5189101118 | 139  |
| <b>BERLIN</b>       | 7700511012 | 351  | <b>CURTIS</b> | 6934601118 | 277  | <b>EXPLORER</b>  | 6609201118 | 79   | <b>GEMINI</b>    | 5189102032 | 137  |
| <b>BONN</b>         | 6330401118 | 143  | <b>CYDOPS</b> | 7704216012 | 353  | <b>FADI</b>      | 6939501330 | 233  | <b>GEMINI</b>    | 5189102118 | 137  |
| <b>BONN</b>         | 6330402001 | 143  | <b>CYDOPS</b> | 7704223012 | 353  | <b>FANCY</b>     | 5102501001 | 145  | <b>GEMINI</b>    | 5189103118 | 137  |
| <b>BOX CUBE</b>     | 5184601118 | 117  | <b>CYRA</b>   | 5198101012 | 71   | <b>FARELL</b>    | 5194802001 | 325  | <b>GEMINI</b>    | 5189104118 | 141  |
| <b>BREAD</b>        | 6901501000 | 261  | <b>CYRA</b>   | 5198101118 | 71   | <b>FELE</b>      | 5196301118 | 67   | <b>GEMINI</b>    | 5189112012 | 139  |
| <b>BRICK</b>        | 6908501308 | 259  | <b>CYRA</b>   | 5198102118 | 71   | <b>FELE</b>      | 7196301118 | 67   | <b>GEMINI</b>    | 5189112118 | 139  |
| <b>BRUND</b>        | 5206701012 | 155  | <b>CYRA</b>   | 5198102118 | 331  | <b>FIA</b>       | 5290903012 | 197  | <b>GEMINI</b>    | 5189113118 | 137  |
| <b>BUBBLE</b>       | 6908701001 | 263  | <b>CYRA</b>   | 5198104012 | 73   | <b>FIA</b>       | 7290901012 | 197  | <b>GEMINI</b>    | 5189114118 | 135  |
| <b>BULLO</b>        | 6383001118 | 169  | <b>CYRA</b>   | 5198104118 | 73   | <b>FIA</b>       | 7290903012 | 197  | <b>GEMINI</b>    | 5189125012 | 135  |
| <b>BULLO</b>        | 6383001445 | 169  | <b>CYRA</b>   | 7198101012 | 73   | <b>FLAIR</b>     | 5288801012 | 203  | <b>GEMINI</b>    | 5189135118 | 137  |
| <b>CATE</b>         | 5264201213 | 215  | <b>CYRA</b>   | 7198101118 | 73   | <b>FLAIR</b>     | 5288802012 | 203  | <b>GEMINI</b>    | 5189120118 | 43   |
| <b>CATE</b>         | 7264210213 | 215  | <b>DAWNY</b>  | 9760002330 | 365  | <b>FLAIR</b>     | 5288803012 | 205  | <b>GEMINI XF</b> | 5104001118 | 131  |
| <b>CATE</b>         | 7264230213 | 215  | <b>DISO</b>   | 6906702335 | 267  | <b>FLAIR</b>     | 5288804012 | 205  | <b>GEMINI XF</b> | 5104002012 | 131  |
| <b>CITY</b>         | 5183601118 | 121  | <b>DISO</b>   | 6906703335 | 267  | <b>FLAIR</b>     | 5288811012 | 307  | <b>GEMINI XF</b> | 5104004001 | 131  |



## ***Index : as per SERIES NAME***

| NAME               | NEW ITEM   | PAGE | NAME                | NEW ITEM   | PAGE | NAME                  | NEW ITEM   | PAGE | NAME              | NEW ITEM   | PAGE |
|--------------------|------------|------|---------------------|------------|------|-----------------------|------------|------|-------------------|------------|------|
| <b>GEMINI XF</b>   | 7104001118 | 133  | <b>LEO</b>          | 5192701118 | 153  | <b>PINE</b>           | 7196603012 | 201  | <b>SUNSHINE</b>   | 7625701345 | 333  |
| <b>GEMINI XF</b>   | 7104002012 | 133  | <b>LEO</b>          | 5192701330 | 153  | <b>POLE</b>           | 9700308112 | 285  | <b>SUNSHINE</b>   | 6925601345 | 293  |
| <b>GEMINI BEAM</b> | 5104003012 | 127  | <b>LEO</b>          | 5192701335 | 153  | <b>POLLUX</b>         | 5196004118 | 311  | <b>SWEEP</b>      | 6303401118 | 177  |
| <b>GEMINI BEAM</b> | 5104003032 | 127  | <b>LEO</b>          | 5192702335 | 153  | <b>POLO</b>           | 5205701118 | 83   | <b>TABLE CUBE</b> | 6908001331 | 243  |
| <b>GEMINI BEAM</b> | 5104005118 | 127  | <b>LIBRA</b>        | 7632406053 | 317  | <b>POLO</b>           | 5205702118 | 83   | <b>TABLE CUBE</b> | 6908001337 | 243  |
| <b>GEMINI BEAM</b> | 5104006012 | 129  | <b>LONDON</b>       | 6951301189 | 289  | <b>POLO</b>           | 7105701118 | 83   | <b>TABLE CUBE</b> | 6908002337 | 245  |
| <b>GHOST</b>       | 5188003118 | 89   | <b>LONDON</b>       | 9700357000 | 289  | <b>POPPY</b>          | 6910802335 | 241  | <b>TILLY</b>      | 6901201000 | 287  |
| <b>GHOST SOLAR</b> | 6901401337 | 281  | <b>LONDON</b>       | 9700359330 | 289  | <b>QUBO</b>           | 5193001118 | 99   | <b>TITAN</b>      | 6336201118 | 175  |
| <b>GINBO</b>       | 6938405330 | 235  | <b>LOTUS</b>        | 5193201118 | 125  | <b>QUBO</b>           | 5193002118 | 99   | <b>TORUS</b>      | 9701501330 | 345  |
| <b>HELENA</b>      | 5102101118 | 183  | <b>MAINS</b>        | 7202201012 | 45   | <b>QUBO</b>           | 5193002118 | 327  | <b>TRUMPET</b>    | 5626001118 | 77   |
| <b>HELENA</b>      | 5191601118 | 185  | <b>MAINS</b>        | 9702201012 | 187  | <b>QUBO</b>           | 5193004118 | 39   | <b>TRUMPET</b>    | 5626101125 | 77   |
| <b>HELENA</b>      | 5191602118 | 185  | <b>MAINS</b>        | 9702202012 | 187  | <b>QUBO</b>           | 5195401118 | 97   | <b>TRY</b>        | 6939101330 | 255  |
| <b>HELENA</b>      | 5191605012 | 185  | <b>MAINS</b>        | 9702203012 | 187  | <b>QUBO</b>           | 7193001118 | 101  | <b>TUDA</b>       | 6935501330 | 227  |
| <b>HELENA</b>      | 6402101118 | 181  | <b>MAYA</b>         | 5198302001 | 147  | <b>QUBO</b>           | 7193003118 | 39   | <b>TUDA</b>       | 6935502330 | 229  |
| <b>HELENA</b>      | 6402105012 | 181  | <b>MAYA</b>         | 5198401001 | 147  | <b>QUBO</b>           | 7193004118 | 101  | <b>TWILL</b>      | 6908901335 | 265  |
| <b>KARLO</b>       | 6935802012 | 237  | <b>MAYA</b>         | 5198401001 | 323  | <b>RAN</b>            | 5011701461 | 149  | <b>UBLO</b>       | 6348101112 | 173  |
| <b>KELSEY</b>      | 5273601012 | 209  | <b>MERIDIAN</b>     | 5616302118 | 85   | <b>REMOTE CONTROL</b> | 9702315361 | 361  | <b>UBLO</b>       | 6348102112 | 173  |
| <b>KELSEY</b>      | 5273603012 | 209  | <b>MERIDIAN</b>     | 5616304118 | 85   | <b>RIDGE</b>          | 5107101118 | 157  | <b>UNITE</b>      | 5260101012 | 217  |
| <b>KELSEY</b>      | 5273701012 | 209  | <b>MERIDIAN</b>     | 7216412118 | 87   | <b>ROLA</b>           | 6382201012 | 171  | <b>UNITE</b>      | 5260103012 | 217  |
| <b>KELSEY</b>      | 5273702012 | 209  | <b>MINI LEDSPOT</b> | 5614401118 | 75   | <b>ROLA</b>           | 6382201118 | 171  | <b>UNITE</b>      | 5260201012 | 217  |
| <b>KELSEY</b>      | 6273601012 | 211  | <b>MINI LEDSPOT</b> | 6914401000 | 251  | <b>SEINE</b>          | 6338201118 | 179  | <b>URBAN</b>      | 5196501118 | 123  |
| <b>KELSEY</b>      | 7273601012 | 213  | <b>MINI LEDSPOT</b> | 7214603118 | 75   | <b>SHIVA</b>          | 5206501012 | 193  | <b>URBAN</b>      | 5196504118 | 123  |
| <b>KELSEY</b>      | 7273602012 | 211  | <b>MINI LETO</b>    | 6602903424 | 31   | <b>SHRIMP</b>         | 7622221012 | 341  | <b>VIDAR</b>      | 5011602461 | 151  |
| <b>KELSEY</b>      | 7273604012 | 211  | <b>MOZE</b>         | 6943101012 | 253  | <b>SHRIMP</b>         | 7622222012 | 341  | <b>WEST</b>       | 5207901012 | 199  |
| <b>KELSEY</b>      | 7273605012 | 213  | <b>NOMA</b>         | 8506201331 | 27   | <b>SHRIMP II</b>      | 7622104330 | 341  | <b>ZAGO</b>       | 5294502012 | 195  |
| <b>KELSEY</b>      | 7273606012 | 213  | <b>PADLIGHT</b>     | 6907701331 | 247  | <b>SMART SWITCH</b>   | 9706201361 | 363  | <b>ZETA</b>       | 6901101000 | 283  |
| <b>KIRA</b>        | 5288902118 | 95   | <b>PANO</b>         | 5289001118 | 81   | <b>SOLSTEL</b>        | 6907903001 | 279  |                   |            |      |
| <b>KIRA</b>        | 5288903118 | 95   | <b>PANO</b>         | 7289001118 | 81   | <b>SPHERE</b>         | 9701601330 | 343  |                   |            |      |
| <b>KIRA</b>        | 5288909118 | 41   | <b>PEPPER</b>       | 8500102331 | 29   | <b>SUNSHINE</b>       | 6901601000 | 295  |                   |            |      |
| <b>KIRA</b>        | 7288902118 | 95   | <b>PERI</b>         | 7629401331 | 339  | <b>SUNSHINE</b>       | 6925604345 | 291  |                   |            |      |
| <b>KIRA</b>        | 7288906118 | 41   | <b>PINE</b>         | 5296602012 | 201  | <b>SUNSHINE</b>       | 6925701345 | 291  |                   |            |      |
| <b>LEDA</b>        | 5267103001 | 329  | <b>PINE</b>         | 7196601012 | 201  | <b>SUNSHINE</b>       | 7625601345 | 333  |                   |            |      |

[illegible]