NOVA LUCE
info@novaluce.com
www.novaluce.com


NOVA LUCE

20 | 21

OUTDOOR
CATALOGUE




008 | FLOOR & WALL


084 | WALL


134 | CEILING



148 | STEP LIGHTS

176 | SPIKES


184 | WALL WASHERS


168 | PORTABLE

THINGS TO LOOK FOR


8


8


10


12



14


16


18


20


21


22


24


26


28


31


34


35


36


38


40


40


42


44


46


48


50


50


52


52


54


56



58


60


62


66


68


70



70


72


72


76



78



80



84


86


86


88


88


90


92


94


96



96


98


98


100


102


104


105



106


107


109


110


112


114


116


118


120


122


123


125


126


128



130


134



136


138



140


144


148


150


151


153


154


157



159



160


162


164


168


172


176



178


180


181


184


186


188


189

FLOOR & WALL

IP65







SURF
9176101



Anthracite Die-Casting Aluminium
LED 10 Watt 493Lm 3000K
CRI>80 200-240 Volt 50Hz
Beam Angle 108° **IP65**
L: 18 W: 18 H: 23 cm



SURF
9176102



Anthracite Die-Casting Aluminium
LED 10 Watt 493Lm 3000K
CRI>80 200-240 Volt 50Hz
Beam Angle 108° **IP65**
L: 18 W: 18 H: 80 cm







PAX
9756800



Black Aluminium
LED 9 Watt 715Lm 3000K
CRI>80 100-240 Volt
Beam Angle 108° **IP54**
L: 13.5 W: 12 H: 80 cm




PAX
9756500



Black Aluminium
LED 9 Watt 715Lm 3000K
CRI>80 100-240 Volt
Beam Angle 108° **IP54**
L: 13.5 W: 12 H: 50 cm










BALI
9922510

Dimmable



Anthracite Die-Casting Aluminium
LED 2 Watt 310Lm 3000K
CRI>80 200-240 Volt
Beam Angle 108° **IP65**
Solar / USB Wire / Switch On/Off
L: 18 W: 18 H: 51 cm



BALI
9922360

Dimmable



Anthracite Die-Casting Aluminium
LED 2 Watt 310Lm 3000K
CRI>80 200-240 Volt
Beam Angle 108° **IP65**
Solar / USB Wire / Switch On/Off
L: 18 W: 18 H: 36 cm

SOLAR

USB CHARGER



IP65 **PORTABLE**








FIGI
9923500

Dimmable



Anthracite Die-Casting
Aluminium
LED 2 Watt 215Lm 3000K
CRI>80 200-240 Volt
Beam Angle 108° **IP65**
Touch Lamp / Battery / USB Wire
L: 14.5 W: 14.5 H: 50 cm



FIGI
9922350

Dimmable



Anthracite Die-Casting
Aluminium
LED 2 Watt 215Lm 3000K
CRI>80 200-240 Volt
Beam Angle 108° **IP65**
Touch Lamp / Battery / USB Wire
L: 14.5 W: 14.5 H: 35 cm

IP65 **PORTABLE**



USB CHARGER











SOLAR SENSOR

LOVETO
9120621

Dimmable



Anthracite Die-Casting
Aluminium & Acrylic Diffuser
LED 1.5 Watt 152Lm 3000K
CRI>80 200-240 Volt
Beam Angle 125° **IP65**
Solar / Switch On/Off
L: 14.5 W: 16.2 H: 24 cm







SOLAR SENSOR

LOVETO
9120622

Dimmable



Anthracite Die-Casting
Aluminium & Acrylic Diffuser
LED 1.5 Watt 152Lm 3000K
CRI>80 200-240 Volt
Beam Angle 125° **IP65**
Solar / Switch On/Off
L: 14.5 W: 14.5 H: 50 cm

IP65 **PORTABLE**




DYN
9190101

Dimmable

Anthracite Die-Casting
Aluminium & Acrylic Diffuser
LED 1.5 Watt 152Lm 3000K
CRI>80 200-240 Volt
Beam Angle 110° **IP65**
Solar / Switch On/Off
L: 16 W: 11.5 H: 6 cm







SOLAR SENSOR

IP65









SOLAR SENSOR

BAY
9120711

Dimmable

Anthracite Die-Casting Aluminium
Clear Glass & Acrylic Diffuser
LED 1.5 Watt 152Lm 3000K
CRI>80 200-240 Volt
Beam Angle 87° **IP65**
Solar / Switch On/Off
L: 12.6 W: 8.3 H: 25.2 cm







AGOSTO
9207615

Black Die-Casting
Aluminium & Acrylic Diffuser
LED 6 Watt 420Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam Angle 120° **IP54**
D: 11 W: 11 cm



AGOSTO
9207616

Black Die-Casting
Aluminium & Acrylic Diffuser
LED 6 Watt 420Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam Angle 120° **IP54**
L: 11 W: 11 H: 11 cm



AGOSTO
9277151

Black Die-Casting
Aluminium & Acrylic Diffuser
LED 6 Watt 420Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam Angle 120° **IP54**
D: 11 H: 50 cm



IP54







MAX
9026001



Dark Gray ABS &
Clear & White Acrylic
LED 12 Watt 630Lm
3000K 200-240 Volt
Beam Angle 120° **IP65**
L: 16 W: 10 H: 16 cm



MAX
9026002



Dark Gray ABS
Clear & White Acrylic
LED 12 Watt 630Lm
3000K 200-240 Volt
Beam Angle 120° **IP65**
D: 16 W: 10 H: 16 cm

IP65








RAMO
9291701



Dark Gray Aluminium
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt **IP65**
Bulb Excluded
D: 8 W: 20 H: 14.6 cm




RAMO
9291702




Dark Gray Aluminium
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt **IP65**
Bulb Excluded
D: 8 W: 14.6 H: 60 cm

IP65





RAMO
9291703



Dark Gray Aluminium
Glass Diffuser
LED GU10 2x7 Watt
220-240 Volt **IP65**
Bulb Excluded
D: 8 W: 21 H: 60 cm





IP54

Rotating



FOCUS
9207912



Black Aluminium
Glass Diffuser
LED GU10 1x7 Watt
100-240 Volt IP54
Bulb Excluded
D: 6.8 W: 11.5 H: 9.5 cm

Rotating



FOCUS
9279111



Black Aluminium
Glass Diffuser
LED GU10 1x7 Watt
100-240 Volt IP54
Bulb Excluded
D: 6.8 W: 13.8 H: 27 cm





Rotating

FOCUS
9279112




Black Aluminium
Glass Diffuser
LED GU10 1x7 Watt
100-240 Volt IP54
Bulb Excluded
D: 6.8 W: 13.8 H: 55 cm





DEVORA
822642



Dark Gray Die-Casting
Aluminium & Glass Diffuser
LED 8 Watt 195Lm 3000K
CRI>80 220-240 Volt 50Hz
IP54
D: 11 H: 65 cm





DEVORA
826423



Dark Gray Die-Casting
Aluminium & Glass Diffuser
LED 8 Watt 195Lm 3000K
CRI>80 220-240 Volt 50Hz
IP54
D: 11 H: 22 cm


IP54








IP54



SUITE
9207167



Dark Gray Aluminium & Acrylic
LED 12 Watt 480Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam 140° IP54
D: 18 H: 60 cm




SUITE
9207168



Black Aluminium & Acrylic
LED 12 Watt 480Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam 140° IP54
D: 18 H: 60 cm

IP54





SUITE
859439



White Aluminium & Acrylic
LED 10 Watt 485Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam 140° IP54
D: 15 W: 5 cm



SUITE
9297191



Black Aluminium & Acrylic
LED 10 Watt 485Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam 140° IP54
D: 15 W: 5 cm




SUITE
859438



Dark Gray Aluminium & Acrylic
LED 10 Watt 485Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam 140° IP54
D: 15 W: 5 cm



IP65



Rotating
& Adjustable



FEND
9271431



Black Aluminium & Glass
LED 5 Watt 378Lm 3000K
CRI>80 100-240 Volt
Beam Angle 21° **IP65**
D: 5 W: 7 H: 12 cm

Rotating
& Adjustable



FEND
9271491



Black Aluminium & Glass
LED 10 Watt 742Lm 3000K
CRI>80 100-240 Volt
Beam Angle 24° **IP65**
D: 6.5 W: 9 H: 15 cm

Rotating
& Adjustable



FEND
9271433



Black Aluminium & Glass
LED 5 Watt 378Lm 3000K
CRI>80 100-240 Volt
Beam Angle 21° **IP65**
D: 5 W: 9 H: 64 cm

Rotating
& Adjustable



FEND
9971451



Black Aluminium & Glass
LED 5 Watt 378Lm 3000K
CRI>80 100-240 Volt
Beam Angle 21° **IP65**
D: 5 W: 7 H: 12 cm

Rotating
& Adjustable




FEND
9971452



Black Aluminium & Glass
LED 10 Watt 742Lm 3000K
CRI>80 100-240 Volt
Beam Angle 24° **IP65**
D: 6.5 W: 9 H: 15 cm



IP65






POSEN
9131201



Anthracite Die-Casting
Aluminium & Acrylic Diffuser
LED 10 Watt 744Lm 3000K
CRI>80 200-240 Volt
Beam Angle 113° **IP65**
L: 18 W: 19 H: 5 cm



POSEN
9131202



Anthracite Die-Casting
Aluminium & Acrylic Diffuser
LED 10 Watt 744Lm 3000K
CRI>80 200-240 Volt
Beam Angle 113° **IP65**
L: 18 W: 19 H: 65 cm









IP54



ENZI
9936101

Dark Gray Aluminium
Acrylic Diffuser
LED 17 Watt 1050Lm 3000K
CRI>80 100-240 Volt
Beam Angle 180° **IP54**
D: 18 W: 18 H: 7 cm



ENZI
9936102

Dark Gray Aluminium
Acrylic Diffuser
LED 17 Watt 1050Lm 3000K
CRI>80 100-240 Volt
Beam Angle 180° **IP54**
D: 18 W: 18 H: 80 cm





IP54



NED
9104022

Dark Gray Aluminium
Glass Diffuser
LED 6 Watt 480Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 38° **IP54**
L: 15 W: 6 H: 50 cm







NED
9104021

Dark Gray Aluminium
Glass Diffuser
LED 2x6 Watt 960Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 2x38° **IP54**
2 Sides Light
L: 28 W: 19 H: 6 cm







IP54



Rotating

VOLVER
9195062



Black Die-Casting Aluminium
Acrylic Diffuser
LED 6 Watt 480Lm 3000K
CRI>80 220-240 Volt
Beam Angle 150° IP54
L: 20 W: 11 H: 6 cm



Rotating



VOLVER
9195061



Black Die-Casting Aluminium
Acrylic Diffuser
LED 6 Watt 480Lm 3000K
CRI>80 220-240 Volt
Beam Angle 150° IP54
L: 20 W: 6 H: 80 cm



Rotating






TWIN
713121

Dark Gray Aluminium
Acrylic Diffuser
LED 2x5 Watt 600Lm 3000K
CRI>80 220-240 Volt 50Hz
Rotation 0-90° **IP54**
L: 20 W: 10 H: 60 cm

Rotating






TWIN
713122


Dark Gray Aluminium
Acrylic Diffuser
LED 2x5 Watt 600Lm 3000K
CRI>80 220-240 Volt 50Hz
Rotation 0-90° **IP54**
L: 20 W: 10 H: 10 cm

IP54





IP54





BLISS
819502



Dark Gray Aluminium
Acrylic Diffuser
LED 7 Watt 560Lm
CRI>80 220-240 Volt 50Hz
Beam Angle 56° IP54 3000K
AC Driver Included
L: 15 W: 6 H: 16 cm



BLISS
819503



Dark Gray Aluminium
Acrylic Diffuser
LED 7 Watt 560Lm
CRI>80 220-240 Volt 50Hz
Beam Angle 56° IP54 3000K
AC Driver Included
L: 15 W: 6 H: 50 cm







APOLLO
713411


Dark Gray Aluminium
Acrylic Diffuser
LED 6 Watt 300Lm 3000K
CRI>80 110-265 Volt 50Hz
Beam Angle 120° **IP54**
L: 9 W: 15 H: 4.5 cm







APOLLO
713311

Dark Gray Aluminium
Acrylic Diffuser
LED 6 Watt 300 Lm 3000K
CRI>80 110-265 Volt 50Hz
Beam Angle 120° **IP54**
L: 9 W: 15 H: 80 cm



IP54








IP54



[ACQUA]
713313



Dark Gray Aluminium
Acrylic Diffuser
LED 6 Watt 360Lm 3000K
CRI>80 110-265 Volt 50Hz
Beam Angle 38°IP54
L: 12 W: 5 H: 80 cm



[ACQUA]
713312



Dark Gray Aluminium
Acrylic Diffuser
LED 6 Watt 360Lm 3000K
CRI>80 110-265 Volt 50Hz
Beam Angle 38°IP54
L: 12 W: 18 H: 5 cm





PARK
711024

Aluminium Dark Gray
Acrylic Diffuser
LED 6 Watt 350Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 120° **IP54**
IC Driver Included
L: 9 W: 14.5 H: 18 cm





PARK
713124

Aluminium Dark Gray
Acrylic Diffuser
LED 2x6 Watt 700Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 120° **IP54**
IC Driver Included
L: 12.5 W: 22 H: 80 cm



IP54





PARK
713123

Aluminium Dark Gray
Acrylic Diffuser
LED 6 Watt 350Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 120° **IP54**
IC Driver Included
L: 12.5 W: 12 H: 80 cm









LOCK
813104




Aluminium Dark Gray
White & Clear Acrylic Diffuser
LED 12 Watt 960Lm
CRI>80 220-240 Volt 50Hz
Beam 45° **IP54** 3000K or 4000K
AC Driver Included
L: 13.5 W: 13.5 H: 50 cm

LOCK
813101



Aluminium Dark Gray
White & Clear Acrylic Diffuser
LED 12 Watt 960Lm
CRI>80 220-240 Volt 50Hz
Beam 45° **IP54** 3000K or 4000K
AC Driver Included
L: 13.5 W: 16 H: 20 cm

IP54



IP65






ROCK
9905025




Sandy Black Aluminium
Silver Aluminium & Clear Acrylic
LED 10 Watt 760Lm 3000K
CRI>80 220-240 Volt
Beam Angle 120° **IP65**
D: 9 H: 43 cm




ROCK
9905024



Sandy Black Aluminium
Silver Aluminium & Clear Acrylic
LED 10 Watt 760Lm 3000K
CRI>80 220-240 Volt
Beam Angle 120° **IP65**
D: 9 H: 83 cm





IP65







NOTEN
9905023



Sandy Black Aluminium
Clear & White Acrylic
LED 10 Watt 780Lm 3000K
CRI>80 220-240 Volt
Beam Angle 120° IP65
D: 9 H: 20 cm




NOTEN
9905022



Sandy Black Aluminium
Clear & White Acrylic
LED 10 Watt 780Lm 3000K
CRI>80 220-240 Volt
Beam Angle 120° IP65
D: 9 H: 40 cm



NOTEN
9905021



Sandy Black Aluminium
Clear & White Acrylic
LED 10 Watt 780Lm 3000K
CRI>80 220-240 Volt
Beam Angle 120° IP65
D: 9 H: 80 cm






PYRO
9209211



Dark Gray Aluminium
White Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 10 W: 13 H: 21 cm



PYRO
9209212



Dark Gray Aluminium
White Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 10 H: 60 cm

IP54







STICK
713412



Dark Gray Aluminium
White Acrylic
LED E27 1x12 Watt
220-240 Volt **IP54**
Bulb Excluded
L: 7.6 W: 11 H: 17 cm



STICK
71371102



Dark Gray Aluminium
White Acrylic
LED E27 1x12 Watt
220-240 Volt **IP54**
Bulb Excluded
L: 7.6 W: 7.6 H: 25 cm





STICK
71371101



Dark Gray Aluminium
White Acrylic
LED E27 1x12 Watt
220-240 Volt **IP54**
Bulb Excluded
L: 7.6 W: 7.6 H: 80 cm



IP65





LOEVE
9193101



Anthracite Die-Casting
Aluminium & Clear Acrylic
LED E27 1x12 Watt
220-240 Volt **IP65**
Bulb Excluded
L: 14.5 W: 21.5 H: 27.6 cm





LOEVE
9193102



Anthracite Die-Casting
Aluminium & Clear Acrylic
LED E27 1x12 Watt
220-240 Volt **IP65**
Bulb Excluded
L: 14.5 W: 14.5 H: 22 cm





SORREN
9197701



Anthracite Die-Casting
Aluminium & Clear Glass
LED E27 1x12 Watt
220-240 Volt **IP65**
Bulb Excluded
L: 8.6 W: 9 H: 25.8 cm




SORREN
9197702



Anthracite Die-Casting
Aluminium & Clear Glass
LED E27 2x12 Watt
220-240 Volt **IP65**
Bulb Excluded
L: 22 W: 8.7 H: 22 cm


IP65







ZEST
870026



Black Die-Casting Aluminium
Clear Glass
LED E27 1x12 Watt
220-240 Volt **IP54**
Bulb Excluded
L: 18 W: 17 H: 28 cm



ZEST
870045



Black Die-Casting Aluminium
Clear Glass
LED E27 1x12 Watt
220-240 Volt **IP54**
Bulb Excluded
L: 20 W: 20 H: 29 cm

IP54







IP54



ISIDORA
870426



Black Die-Casting Aluminium
Clear Glass
LED E27 1x12 Watt
220-240 Volt **IP54**
Bulb Excluded
D: 25 W: 27 H: 40 cm



ISIDORA
870445

Black Die-Casting Aluminium
Clear Glass
LED E27 1x12 Watt
220-240 Volt **IP54**
Bulb Excluded
D: 22 H: 95 cm







CASTRO
9762161



Gray Sandstone & Acrylic
LED E27 1x12 Watt
Bulb Excluded
100-240 Volt **IP65**
L: 16 W: 16 H: 16 cm



CASTRO
9762162



White Sandstone & Acrylic
LED E27 1x12 Watt
Bulb Excluded
100-240 Volt **IP65**
L: 16 W: 16 H: 16 cm





CASTRO
9739351



Gray Sandstone & Acrylic
LED E27 1x12 Watt
Bulb Excluded
100-240 Volt **IP65**
L: 20 W: 20 H: 35 cm



CASTRO
9739352



White Sandstone & Acrylic
LED E27 1x12 Watt
Bulb Excluded
100-240 Volt **IP65**
L: 20 W: 20 H: 35 cm

IP65









GRANTE
9790021



Gray Concrete & Aluminium
LED 1x5 Watt 365Lm 3000K
220-240 Volt 50Hz IP65
L: 12 W: 12 H: 53 cm



GRANTE
9790022



Gray Concrete & Aluminium
LED GU10 2x10 Watt IP65
100-240 Volt Bulb Excluded
L: 20 W: 12 H: 60 cm

IP65









FOX
9470582



White Sandstone
Glass Diffuser
LED GU10 1x7 Watt **IP65**
100-240 Volt Bulb Excluded
D: 14 H: 16 cm



FOX
9470581



Dark Gray Sandstone
Glass Diffuser
LED GU10 1x7 Watt **IP65**
100-240 Volt Bulb Excluded
D: 14 H: 16 cm

IP65





WALL



IP54



IP54



IP65



VEIRO
9104835

Anthracite Die-Casting
Aluminium & Clear Glass
LED 6 Watt 440Lm 3000K
CRI>80 200-240 Volt
Light Up & Down
Beam Angle 40° IP65
L: 9 W: 9.3 H: 20.5 cm

MILEY
9202261



Sandy White Aluminium & Glass
LED 6 Watt 397Lm 3000K
CRI>80 200-240 Volt IP54
Light Up & Down
L: 7.4 W: 7.4 H: 13.6 cm



MILEY
9202262

Sandy Black Aluminium
Clear Glass
LED 6 Watt 397Lm 3000K IP54
CRI>80 200-240 Volt
Light Up & Down
L: 7.4 W: 7.4 H: 13.6 cm



MILEY
9202131



Sandy White Aluminium & Glass
LED 3 Watt 304Lm 3000K
CRI>80 200-240 Volt IP54
Light Down
L: 8 W: 4 H: 12 cm



IP54


Adjustable



AGILE
833426



Dark Gray Die-Casting Aluminium
LED 13 Watt 480Lm 3000K
CRI>80 220-240 Volt 50Hz
Adjustable Beam Max 120° IP54
D: 15 W: 11.7 H: 15 cm





IP65


Rotating



BRIN
9160101



Anthracite Die-Casting Aluminium
Clear Glass
LED 10 Watt 298Lm 3000K
CRI>80 200-240 Volt
Beam Angle 101° IP65
L: 14 W: 14.5 H: 3.5 cm





Rotating



GRAVITY
810067

Dark Gray Die-Casting Aluminium
Acrylic Diffuser
LED 12 Watt 660Lm 3000K
CRI>80 220-240 Volt 50Hz
Rotation IP54
D: 14 W: 4.8 H: 14 cm




Rotating



PIER
810066

Dark Gray Die-Casting Aluminium
Acrylic Diffuser
LED 12 Watt 660Lm 3000K
CRI>80 220-240 Volt 50Hz
Rotation IP54
L: 14 W: 4.8 H: 14 cm







IP54







IP54



Adjustable
Beam Angle

11.2
11.2

COMO
747406

Sandy White Aluminium
LED 2x3 Watt 510Lm 3000K
CRI>80 220-240 Volt 50Hz
Adjustable Beam 0-90° **IP54**
L: 11.2 W: 11.2 H: 11.2 cm



Adjustable
Beam Angle

11.2
11.2

COMO
847406

Antique Brown Aluminium
LED 2x3 Watt 510Lm 3000K
CRI>80 220-240 Volt 50Hz
Adjustable Beam 0-90° **IP54**
L: 11.2 W: 11.2 H: 11.2 cm



Adjustable
Beam Angle

11.2
11.2

COMO
847408

Black Aluminium
LED 2x3 Watt 510Lm 3000K
CRI>80 220-240 Volt 50Hz
Adjustable Beam 0-90° **IP54**
L: 11.2 W: 11.2 H: 11.2 cm




Adjustable
Beam Angle

11.2
11.2

COMO
847407

Dark Gray Aluminium
LED 2x3 Watt 510Lm 3000K
CRI>80 220-240 Volt 50Hz
Adjustable Beam 0-90° **IP54**
L: 11.2 W: 11.2 H: 11.2 cm









IP54



ZARI
9226217

Sandy White Aluminium & Glass
Cree LED 2x2 Watt 285Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam Angle 2x38° **IP54**
L: 5.5 W: 6.5 H: 6.5 cm
Light in 2 directions



ZARI
9226216

Sandy Black Aluminium & Glass
Cree LED 2x2 Watt 285Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam Angle 2x38° **IP54**
L: 5.5 W: 6.5 H: 6.5 cm
Light in 2 directions



ZARI
9226215

Sandy White Aluminium & Glass
Osram LED 4x1 Watt 265Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam Angle 4x38° **IP54**
L: 5.5 W: 6.5 H: 6.5 cm
Light in 4 directions






ZARI
9226214

Sandy Black Aluminium & Glass
Osram LED 4x1 Watt 265Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam Angle 4x38° **IP54**
L: 5.5 W: 6.5 H: 6.5 cm
Light in 4 directions





IP54



COMO
726217

Sandy White Aluminium & Glass
LED 2x5 Watt 560Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 2x51° **IP54**
D: 11 W: 8.5 cm
Light in 2 directions





COMO
852436

Sandy White Aluminium & Glass
LED 4x1 Watt 265Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 4x51° **IP54**
D: 11 W: 8.5 cm
Light in 4 directions



Rotating



FOCUS
752470



Dark Gray Aluminium & Glass
Osram LED 6 Watt 420Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 44° **IP54**
L: 8.5 W: 14 H: 12 cm




IP65

VITORIA
8401030



Dark Gray Aluminium
LED 6 Watt 300Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 120° **IP65**
AC Driver Included
L: 6.2 W: 12 H: 23.6 cm

IP54









IP54







CHEZ
9259361



White Aluminium & Glass
LED 6 Watt 274Lm
3000K 100-240 Volt
Beam Angle 138° **IP54**
Light Up & Down
L: 13 W: 9 H: 7 cm

CHEZ
9292211



White Aluminium & Glass
LED 2x5 Watt 560Lm
3000K 100-240 Volt
Beam Angle 90° **IP54**
Light Up & Down
L: 17 H_1: 8.5 H_2: 14 cm





IP54



[SOHO 740401]



Dark Gray Aluminium
Glass Diffuser
LED 2x3 Watt 480Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 2x60° IP54
Light Up & Down
L: 12 W: 3 H: 9 cm



[SOHO 740404]



Dark Gray Aluminium
Glass Diffuser
LED 2x5 Watt 800Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 2x60° IP54
Light Up & Down
L: 18.5 W: 3 H: 10 cm



[SOHO 740402]



Sandy White Aluminium
Glass Diffuser
LED 2x3 Watt 480Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 2x60° IP54
Light Up & Down
L: 12 W: 3 H: 9 cm



[SOHO 740403]



Sandy White Aluminium
Glass Diffuser
LED 2x5 Watt 800Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam 2x60° IP54
Light Up & Down
L: 18.5 W: 3 H: 10 cm



IP54



MILE
9257871



White Aluminium & Glass
LED 9 Watt 475Lm 3000K
CRI>80 100-240 Volt
Beam Angle 155° **IP54**
Light Up & Down
L: 18 W: 11.5 H: 7.5 cm





MILE
9262111



White Aluminium & Glass
LED 2x5 Watt 550Lm 3000K
CRI>80 100-240 Volt
Beam Angle 102° **IP54**
Light Up & Down
L: 18 W: 3.5 H: 9 cm







IP54



[COMO 741661]

Sandy White Aluminium
Glass Diffuser
LED 2x3 Watt 510Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 2x34° **IP54**
Light Up & Down
L: 15 W: 7 H: 11 cm





[COMO 741662]

Dark Gray Aluminium
Glass Diffuser
LED 2x3 Watt 510Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 2x34° **IP54**
Light Up & Down
L: 15 W: 7 H: 11 cm





[FUNGO 9027202]

Sandy White Aluminium
Glass Diffuser
LED 12 Watt 720Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 120° **IP65**
Light Down
L: 22 W: 7.6 H: 3.2 cm






[FUNGO 9027201]

Dark Gray Aluminium
Glass Diffuser
LED 12 Watt 720Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 120° **IP65**
Light Down
L: 22 W: 7.6 H: 3.2 cm



IP65







IP54




[NUS 9200201]



Black Die-Casting
Aluminium & Acrylic Diffuser
LED 4 Watt 240Lm 3000K
CRI>80 100-240 Volt
Beam Angle 120° **IP54**
Light Down
L: 13.2 W: 9 H: 6.9 cm



[NUS 9200202]



Black Die-Casting
Aluminium & Acrylic Diffuser
LED 2x4 Watt 480Lm 3000K
CRI>80 100-240 Volt
Beam Angle 120° **IP54**
Light Up & Down
L: 13.2 W: 9 H: 7.8 cm



IP65



[DARF 9925666]



Sandy Black Aluminium
ABS Diffuser
LED 2x5 Watt 840Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam Angle 115° **IP65**
Light Up & Down
D: 9.5 W: 10.5 H: 13 cm



[DARF 9925665]



Sandy Black Aluminium
ABS Diffuser
LED 5 Watt 420Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam Angle 104° **IP65**
Light Down
D: 9.5 W: 10.5 H: 8.5 cm



IP54



NERO
710022

Dark Gray Aluminium
Glass Diffuser
LED GU10 2x7 Watt
220-240 Volt **IP54**
Bulb Excluded
Light Up & Down
D: 7 W: 8 H: 15 cm



NERO
710021

Dark Gray Aluminium
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt **IP54**
Bulb Excluded
Light Down
D: 7 W: 8 H: 8 cm



NERO
710042

Dark Gray Aluminium
Glass Diffuser
LED GU10 2x7 Watt
220-240 Volt **IP54**
Bulb Excluded
Light Up & Down
L: 6.7 W: 8 H: 15 cm



NERO
710041

Dark Gray Aluminium
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt **IP54**
Bulb Excluded
Light Down
L: 6.7 W: 8 H: 8 cm

IP54



NERO
910022

Aluminium White
Glass Diffuser
LED GU10 2x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Up & Down
D: 7 W: 8 H: 15 cm





NERO
910021

Aluminium White
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Down
D: 7 W: 8 H: 8 cm





NERO
910042

Aluminium White
Glass Diffuser
LED GU10 2x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Up & Down
L: 6.7 W: 8 H: 15 cm





NERO
910041

Aluminium White
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Down
L: 6.7 W: 8 H: 8 cm





IP54





NODUS
773221

Dark Gray Aluminium
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt **IP54**
Bulb Excluded
Light Down
D: 6.5 W: 10.4 H: 11 cm



NODUS
773223

Dark Gray Aluminium
Glass Diffuser
LED GU10 2x7 Watt
220-240 Volt **IP54**
Bulb Excluded
Light Up & Down
D: 6.5 W: 10.4 H: 18 cm



NODUS
773222

Antique Brown Aluminium
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt **IP54**
Bulb Excluded
Light Down
D: 6.5 W: 10.4 H: 11 cm



NODUS
773224

Antique Brown Aluminium
Glass Diffuser
LED GU10 2x7 Watt
220-240 Volt **IP54**
Bulb Excluded
Light Up & Down
D: 6.5 W: 10.4 H: 18 cm

IP44






LIMBIO
9010601

White ABS
Glass Diffuser
LED GU10 1x7 Watt IP44
Bulb Excluded
Light Down
D: 6 W: 8.5 H: 12 cm




LIMBIO
9010602

Black ABS
Glass Diffuser
LED GU10 1x7 Watt IP44
Bulb Excluded
Light Down
D: 6 W: 8.5 H: 12 cm









IP44



LIMBIO
9010622

Black ABS
Glass Diffuser
LED GU10 2x7 Watt
Bulb Excluded IP44
Light Up & Down
D: 8 W: 8.5 H: 16 cm

LIMBIO
9010621

White Acrylic
Glass Diffuser
LED GU10 2x7 Watt
Bulb Excluded IP44
Light Up & Down
D: 8 W: 8.5 H: 16 cm



IP65



KEEN
9160081



Dark Gray Aluminium
Acrylic Diffuser
LED 12 Watt 1080Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 75° **IP65**
L: 22.5 W: 6.5 H: 9.5 cm

LUPO
9926617



Black Aluminium
Acrylic Diffuser
LED 10 Watt 380Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 64° **IP65**
L: 11 W: 8.5 H: 25 cm



IP65



KEEN
9270027

Sandy Black Aluminium
Acrylic Diffuser
LED 12 Watt 1080Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 108° IP65
L: 18 W: 9 H: 9 cm


KEEN
9270028

Sandy White Aluminium
Acrylic Diffuser
LED 12 Watt 1080Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 108° IP65
L: 18 W: 9 H: 9 cm





IP65





KEEN
9270015

Sandy Black Aluminium
Acrylic Diffuser
LED 12 Watt 1080Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 108° IP65
L: 9 W: 7 H: 18 cm

KEEN
9270016

Sandy White Aluminium
Acrylic Diffuser
LED 12 Watt 1080Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 108° IP65
L: 9 W: 7 H: 18 cm



IP65



DROPLET
9522101



Sandy White Aluminium & Acrylic
LED 6 Watt 230Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam Angle 64° IP65
L: 13 W: 2.5-4.5 H: 16 cm



DROPLET
9522102



Sandy Black Aluminium & Acrylic
LED 6 Watt 230Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam Angle 64° IP65
L: 13 W: 2.5-4.5 H: 16 cm



TUNE
9529712



Sandy White Aluminium & Acrylic
LED 9 Watt 620Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam Angle 112° IP65
D: 15 W: 5.5 cm



TUNE
9529713



Sandy Black Aluminium & Acrylic
LED 9 Watt 620Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam Angle 112° IP65
D: 15 W: 5.5 cm



TUNE
9529720



Sandy White Aluminium & Acrylic
LED 9 Watt 620Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam Angle 115° IP65
L: 15 W: 5.5 H: 15 cm




TUNE
9529721



Sandy Black Aluminium & Acrylic
LED 9 Watt 620Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam Angle 115° IP65
L: 15 W: 5.5 H: 15 cm

IP65





IP44

[ZENITH **713115**]



White Aluminium
White Acrylic Diffuser
LED E27 1x12 Watt IP44
220-240 Volt
Bulb Excluded
L: 30.5 W: 9 H: 10.5 cm



[ZENITH **713114**]



Antique Brown Aluminium
White Acrylic Diffuser
LED E27 1x12 Watt IP44
220-240 Volt
Bulb Excluded
L: 30.5 W: 9 H: 10.5 cm



[ZENITH **713113**]



Dark Gray Aluminium
White Acrylic Diffuser
LED E27 1x12 Watt IP44
220-240 Volt
Bulb Excluded
L: 30.5 W: 9 H: 10.5 cm



[ZENITH **713212**]



Dark Gray Aluminium
White Acrylic Diffuser
LED E27 1x12 Watt IP44
220-240 Volt
Bulb Excluded
L: 23 W: 9.5 H: 26.4 cm




[ZENITH **713514**]



Dark Gray Aluminium
White Acrylic Diffuser
LED E27 1x12 Watt IP44
220-240 Volt
Bulb Excluded
L: 23 W: 9.5 H: 26.4 cm

IP44



IP65





FUENTO
9790541



White Sandstone
Glass Diffuser
LED GU10 1x7 Watt **IP65**
100-240 Volt Bulb Excluded
Light Down
L: 8.6 W: 10 H: 12 cm



FUENTO
9790542



Gray Concrete
Glass Diffuser
LED GU10 1x7 Watt **IP65**
100-240 Volt Bulb Excluded
Light Down
L: 8.6 W: 10 H: 12 cm



FUENTO
9790551



White Sandstone
Glass Diffuser
LED GU10 2x7 Watt **IP65**
100-240 Volt Bulb Excluded
Light Up & Down
L: 8.6 W: 10 H: 18 cm




FUENTO
9790552



Gray Concrete
Glass Diffuser
LED GU10 2x7 Watt **IP65**
100-240 Volt Bulb Excluded
Light Up & Down
L: 8.6 W: 10 H: 18 cm







IP65



LIDO
9790531

White Sandstone
Glass Diffuser
LED GU10 1x7 Watt **IP65**
100-240 Volt Bulb Excluded
Light Down
D: 8.6 W: 10 H: 12 cm



LIDO
9790532

Gray Concrete
Glass Diffuser
LED GU10 1x7 Watt **IP65**
100-240 Volt Bulb Excluded
Light Down
D: 8.6 W: 10 H: 12 cm



LIDO
9790521


White Sandstone
Glass Diffuser
LED GU10 2x7 Watt **IP65**
100-240 Volt Bulb Excluded
Light Up & Down
D: 8.6 W: 10 H: 18 cm




LIDO
9790522

Gray Concrete
Glass Diffuser
LED GU10 2x7 Watt **IP65**
100-240 Volt Bulb Excluded
Light Up & Down
D: 8.6 W: 10 H: 18 cm





IP54








CADMO
71615601

Concrete & Aluminium
LED G9 1x5 Watt
220-240 Volt IP54
Light Up & Down
L: 13 W: 13 H: 13 cm





IP65





CADMO
9162141

Gray Concrete & Aluminium
Osram LED 1x6 Watt 270Lm
220-240 Volt 50Hz 3000K
Beam Angle 45° IP65
Light Down
L: 10.9 W: 9.4 H: 12 cm





CADMO
9162121

Gray Concrete & Aluminium
Osram LED 1x7 Watt 310Lm
220-240 Volt 50Hz 3000K
Beam Angle 45° IP65
Light Down
L: 10.7 W: 8.4 H: 12 cm





CADMO
9162142

Gray Concrete & Aluminium
Osram LED 2x3 Watt 270Lm
220-240 Volt 50Hz 3000K
Beam Angle 45° IP65
Light Up & Down
L: 10.9 W: 9.4 H: 16 cm





CADMO
9162122

Gray Concrete & Aluminium
Osram LED 2x3 Watt 270Lm
220-240 Volt 50Hz 3000K
Beam Angle 45° IP65
Light Up & Down
L: 10.7 W: 8.4 H: 16 cm

IP65



ZERINO
9162204



Gray Concrete & Aluminium
LED 1x6 Watt 270Lm 3000K
220-240 Volt 50Hz
Beam Angle 60° IP65
L: 14 W: 14 H: 14 cm



ZERINO
9161989



Gray Concrete & Aluminium
LED 1x6 Watt 270Lm 3000K
220-240 Volt 50Hz
Beam Angle 60° IP65
L: 13 W: 13 H: 8 cm



CADMO
9162021



Gray Concrete & Aluminium
LED 1x7 Watt 310Lm 3000K
220-240 Volt 50Hz
Beam Angle 60° IP65
L: 13 W: 13 H: 13 cm



ZERINO
9161947



Gray Concrete & Aluminium
LED 1x6 Watt 270Lm 3000K
220-240 Volt 50Hz
Beam Angle 60° IP65
L: 18 W: 10.4 H: 8.8 cm



ZERINO
9161968



Gray Concrete & Aluminium
LED 1x6 Watt 270Lm 3000K
220-240 Volt 50Hz
Beam Angle 60° IP65
L: 21 W: 10 H: 10 cm



ZERINO
9162164



Gray Concrete & Aluminium
LED 1x6 Watt 270Lm 3000K
220-240 Volt 50Hz
Beam Angle 60° IP65
L: 28 W: 13 H: 14 cm



CEILING





FOCUS
752462

Sandy White Aluminium
Glass Diffuser
Gx53 7 Watt 3000K
220-240 Volt 50Hz
Beam Angle 77° IP54
D: 10 H: 6.5 cm





CECI
9220021

Sandy White Aluminium
Glass Diffuser
Osram LED 3 Watt 230Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam 52° IP65
D: 5.5 H: 11 cm





CECI
9200612

Sandy White Aluminium
Glass Diffuser
Osram LED 6 Watt 520Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam 76° IP65
D: 9 H: 11 cm





CECI
9220022

Sandy Black Aluminium
Glass Diffuser
Osram LED 3 Watt 230Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam 52° IP65
D: 5.5 H: 11 cm





CECI
9200611

Sandy Black Aluminium
Glass Diffuser
Osram LED 6 Watt 520Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam 76° IP65
D: 9 H: 11 cm





IP54



CERISE
9020021

Dark Gray Die-Casting
Aluminium & Glass Diffuser
LED GU10 1x7 Watt IP54
220-240 Volt Bulb Excluded
D: 6 H: 10.5 cm





CERISE
9040021

White Die-Casting
Aluminium & Glass Diffuser
LED GU10 1x7 Watt IP54
220-240 Volt Bulb Excluded
D: 6 H: 10.5 cm





CERISE
9020061

Dark Gray Die-Casting
Aluminium & Glass Diffuser
LED GU10 1x7 Watt IP54
220-240 Volt Bulb Excluded
D: 9 H: 9 cm





CERISE
9040061

White Die-Casting
Aluminium & Glass Diffuser
LED GU10 1x7 Watt IP54
220-240 Volt Bulb Excluded
D: 9 H: 9 cm





CERISE
9020022

Dark Gray Die-Casting
Aluminium & Glass Diffuser
LED GU10 1x7 Watt IP54
220-240 Volt Bulb Excluded
L: 8.6 W: 8.6 H: 9 cm





CERISE
9040022

White Die-Casting
Aluminium & Glass Diffuser
LED GU10 1x7 Watt IP54
220-240 Volt Bulb Excluded
L: 8.6 W: 8.6 H: 9 cm









OLIVER
9944603

Sandy Black Aluminium
Acrylic Diffuser
LED 20 Watt 1550Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam Angle 92° **IP65**
D: 27 H: 7 cm




OLIVER
9944602

Sandy White Aluminium
Acrylic Diffuser
LED 20 Watt 1550Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam Angle 92° **IP65**
D: 27 H: 7 cm



IP65







IP54



TOMMY
9521001

Dark Gray ABS & Acrylic Diffuser
LED 30 Watt 2400Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 85° IP54
AC Driver Included
D: 32 H: 6 cm





TOMMY
9521002

Dark Gray ABS & Acrylic Diffuser
LED 24 Watt 1920Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 85° IP54
AC Driver Included
L: 28 W: 28 H: 6 cm









BLADE
9232116

White Aluminium
LED 12 Watt 720Lm 3000K
CRI>90 Beam 38° **IP65**
D: 7.8 H: 7.5 cm





BLADE
9232115

Black Aluminium
LED 12 Watt 720Lm 3000K
CRI>90 Beam 38° **IP65**
D: 7.8 H: 7.5 cm





BLADE
9232119

White Aluminium
LED 12 Watt 720Lm 3000K
CRI>90 Beam 38° **IP65**
D: 8.5 H: 5.4 cm





BLADE
9232120

Black Aluminium
LED 12 Watt 720Lm 3000K
CRI>90 Beam 38° **IP65**
D: 8.5 H: 5.4 cm





Rotating

BLADE
9232117

White Aluminium
LED 12 Watt 720Lm 3000K
CRI>90 Beam 38° **IP65**
D: 9 H: 4.7 cm





Rotating

BLADE
9232118

Black Aluminium
LED 12 Watt 720Lm 3000K
CRI>90 Beam 38° **IP65**
D: 9 H: 4.7 cm



IP65





STEP LIGHTS



IP54


LIV
9018061



White Die-Casting
Aluminium & Glass Diffuser
LED 3.5 Watt 150Lm
3000K 200-240 Volt
Beam Angle 120° IP54
L: 13 W: 3 H: 5.5 cm




LIV
9018062



Dark Gray Die-Casting
Aluminium & Glass Diffuser
LED 3.5 Watt 150Lm
3000K 200-240 Volt
Beam Angle 120° IP54
L: 13 W: 3 H: 5.5 cm







KRYPTON
710446

Dark Gray Aluminium & Glass
LED 6 Watt 480Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 31° **IP54**
D: 16 W: 9.6 cm





KRYPTON
726408

Dark Gray Aluminium
LED 3 Watt 270Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 15° **IP54**
L: 8.5 W: 5 H: 8.5 cm





KRYPTON
752250

Dark Gray Aluminium
LED 6 Watt 480Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 32° **IP54**
L: 15 W: 7.5 H: 15 cm



IP54





IP65




LUTON
8403624



Dark Gray ABS
LED 1.2 Watt
90Lm 3000K **IP65**
CRI>80 100-220 Volt 50Hz
RC Driver Included
L: 12.5 W: 3.3 H: 12.5 cm



LUTON
8403622



Dark Gray ABS
LED 1.6 Watt
100Lm 3000K **IP65**
CRI>80 100-220 Volt 50Hz
RC Driver Included
L: 23 W: 3.3 H: 8 cm



LUTON
8403626



Dark Gray ABS
LED 1.2 Watt
150Lm 3000K **IP65**
CRI>80 100-220 Volt 50Hz
RC Driver Included
L: 12.5 W: 3.3 H: 8.3 cm



IP54



PULSAR
812302



Dark Gray ABS
LED 4 Watt 320Lm 3000K
CRI>80 220-220 Volt 50Hz
Beam Angle 32° IP54
AC Driver Included
L: 14 W: 3 H: 14 cm



PULSAR
811201



Dark Gray ABS
LED 2 Watt 160Lm 3000K
CRI>80 220-220 Volt 50Hz
Beam Angle 29° IP54
AC Driver Included
L: 12 W: 3 H: 12 cm



PULSAR
812102



Dark Gray ABS
LED 4 Watt 320Lm 3000K
CRI>80 220-220 Volt 50Hz
Beam Angle 38° IP54
AC Driver Included
L: 23 W: 3 H: 10 cm



PULSAR
811502



Dark Gray ABS
LED 2 Watt 160Lm 3000K
CRI>80 220-220 Volt 50Hz
Beam Angle 32° IP54
AC Driver Included
L: 23 W: 3 H: 8 cm




PULSAR
811501



Dark Gray ABS
Acrylic Diffuser
LED 4 Watt 320Lm 3000K
CRI>80 220-220 Volt 50Hz
Beam Angle 62° IP54
AC Driver Included
L: 23 W: 3 H: 8 cm




PULSAR
812103



Dark Gray ABS
Acrylic White Diffuser
LED 6 Watt 480Lm 3000K or 4000K
CRI>80 220-220 Volt 50Hz
Beam Angle 67° IP54
AC Driver Included
L: 23 W: 10 H: 6.5 cm




PULSAR
812104



Dark Gray ABS
Acrylic White Diffuser
LED 6 Watt 480Lm 3000K or 4000K
CRI>80 220-220 Volt 50Hz
Beam Angle 48° IP54
AC Driver Included
L: 23 W: 10 H: 6.7 cm

IP54









JOYA
9944141


Sandy Black Aluminium
LED 3 Watt 48Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam Angle 21° **IP65**
D: 6.5 W: 4 H: 6 cm
Cut Out: 5.5 cm



JOYA
9944142

Sandy Black Aluminium
LED 3 Watt 54Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam Angle 19° **IP65**
D: 6.5 W: 4 H: 6 cm
Cut Out: 5.5 cm

IP65



COVE
9083011



Matt White Die-Casting Aluminium
& Glass Diffuser
LED 1.5 Watt 105Lm
3000K 200-240 Volt
Beam Angle 120° **IP54**
L: 14 W: 3.8 H: 7.7 cm
Junction Box Not Included
Cut Out: L: 13.2 W: 5 H: 7.4 cm



IP54



COVE
9083021



Matt White Die-Casting Aluminium
& Glass Diffuser
LED 1.5 Watt 105Lm
3000K 200-240 Volt
Beam Angle 120° **IP54**
L: 7.7 W: 3.8 H: 14 cm
Junction Box Not Included
Cut Out: L: 7.4 W: 5 H: 13.2 cm





KRYPTON
726407

Dark Gray Aluminium
LED 3 Watt 270Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 27° IP54
D: 8 W: 5.5 cm
Cut Out: D: 7.7 x W: 5.3 cm



KRYPTON
727002


Dark Gray Aluminium
LED 3 Watt 270Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 15° IP54
L: 8 W: 7 H: 8 cm
Cut Out: L: 6.4 x W: 6.7 cm




KRYPTON
727001

White Aluminium
LED 3 Watt 270Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 15° IP54
L: 8 W: 7 H: 8 cm
Cut Out: L: 6.4 x W: 6.7 cm

IP54






IP54



KRYPTON
726402

White Aluminium
LED 3 Watt 270Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 15° IP54
L: 11 W: 6 H: 7 cm
Cut Out: 10.2 x 6.5 cm



KRYPTON
726401

Dark Gray Aluminium
LED 3 Watt 270Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 15° IP54
L: 11 W: 6 H: 7 cm
Cut Out: 10.2 x 6.5 cm



KRYPTON
726405



White Aluminium
LED 3 Watt 270Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 17° **IP54**
L: 13.5 W: 8 H: 5.5 cm
Cut Out: 12.7 x 4.5 cm




KRYPTON
726406



Dark Gray Aluminium
LED 3 Watt 270Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 17° **IP54**
L: 13.5 W: 8 H: 5.5 cm
Cut Out: 12.7 x 4.5 cm

IP54





IP54



KRYPTON
726403



White Aluminium
LED 1.5 Watt 145Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 17° **IP54**
L: 8.5 W: 8 H: 5.5 cm
Cut Out: 8.1 x 4.2 cm



KRYPTON
726404



Dark Gray Aluminium
LED 1.5 Watt 145Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 17° **IP54**
L: 8.5 W: 8 H: 5.5 cm
Cut Out: 8.1 x 4.2 cm



PASSAGGIO
8090801

White Aluminium
LED 1 Watt 60Lm 3000K
CRI>80 3 Volt 50Hz IP54
L: 3.7 W: 2.2 H: 3.7 cm
Cut Out: 3.2 cm
Cable Lenght 1.80m
Connect it with driver 9020170





PASSAGGIO
9045418

Black Aluminium
LED 1 Watt 60Lm 3000K
CRI>80 3 Volt 50Hz IP54
L: 3.7 W: 2.2 H: 3.7 cm
Cut Out: 3.2 cm
Cable Lenght 1.80m
Connect it with driver 9020170





PASSAGGIO
9045514

White Aluminium
LED 1 Watt 60Lm 3000K
CRI>80 3 Volt 50Hz IP54
L: 3.7 W: 2.2 H: 3.7 cm
Cut Out: 3.2 cm
Cable Lenght 1.80m
Connect it with driver 9020170





PASSAGGIO
8058001

White Aluminium
LED 1 Watt 60Lm 3000K
CRI>80 3 Volt 50Hz IP54
L: 3.9 W: 2.2 H: 3.9 cm
Cut Out: 3.4 cm
Cable Lenght 1.80m
Connect it with driver 9020170





PASSAGGIO
9031616

White Aluminium
LED 1 Watt 60Lm 3000K
CRI>80 3 Volt 50Hz IP54
D: 3.7 W: 2.2 H: 3.7 cm
Cut Out: 3.2 cm
Cable Lenght 1.80m
Connect it with driver 9020170





PASSAGGIO
9002601

White Aluminium
LED Chip Cree 2 Watt 80Lm
CRI>80 100-240 Volt 50Hz 3000K
Beam 49° IP54
D: 5 W: 5 H: 5 cm
Cut Out: 4.5 cm
Driver Included



IP54







BANG
8038801

White Aluminium
LED 1 Watt 60Lm
CRI>80 3 Volt 50Hz
3000K **IP67**
D: 3.7 H: 5.3 cm
Cut Out: 3.2 cm





BANG
8038401

White Aluminium
LED 1 Watt 60Lm
CRI>80 3 Volt 50Hz
3000K **IP67**
D: 3.7 H: 5.3 cm
Cut Out: 3.2 cm





BANG
8039001

White Aluminium
LED 1 Watt 60Lm
CRI>80 3 Volt 50Hz
3000K **IP67**
D: 3.7 H: 5.3 cm
Cut Out: 3.2 cm



DRIVER
9020170



Driver 4W ACTEC MINI IP65
Input: 100-240V AC 50/60Hz
Output: 3-12 VDC
350mA Not Dimmable

CABLE LENGTH 1.80m

DON'T FORGET TO CONNECT THEM WITH DRIVER | code: 9020170

IP67 WATERPROOF









BANG
9203113

Satin Nickel Aluminium
LED 1 Watt 60Lm 3000K **IP67**
CRI>80 100-240 Volt 50Hz
Beam 42° Driver Included
D: 4.2 H: 7 cm
Cut Out: 3.7 cm





BANG
9203111

Satin Nickel Aluminium
LED 1 Watt 60Lm 3000K **IP67**
CRI>80 100-240 Volt 50Hz
Beam 42° Driver Included
D: 4.2 H: 9 cm
Cut Out: 3.7 cm





BANG
9203112

Satin Nickel Aluminium
LED 1 Watt 60Lm 3000K **IP67**
CRI>80 100-240 Volt 50Hz
Beam 51° Driver Included
D: 4.2 H: 9 cm
Cut Out: 3.7 cm





BANG
9019212

Satin Nickel Aluminium
LED 1 Watt 60Lm 3000K
CRI>80 3 Volt 50Hz **IP67**
D: 3.7 H: 5.3 cm
Cut Out: 3.2 cm
Cable Lenght 1.80m
Connect it with driver 9020170





BANG
9019213

Satin Nickel Aluminium
LED 1 Watt 60Lm 3000K
CRI>80 3 Volt 50Hz **IP67**
D: 3.7 H: 5.3 cm
Cut Out: 3.2 cm
Cable Lenght 1.80m
Connect it with driver 9020170





DRIVER
9020170

Driver 4W ACTEC MINI IP65
Input: 100-240V AC 50/60Hz
Output: 3-12 VDC
350mA Not Dimmable

IP67 WATERPROOF







PORTABLE

LED IP44 WARM WHITE A++-A on/off PORTABLE USB BATTERY

IP20 **PORTABLE**





COLT
9223400

Dimmable



Sandy Black Die-Casting
Aluminium & Acrylic
LED 1 Watt 104Lm 3000K **IP44**
Beam Angle 62° 200-240 Volt
Touch Lamp / Battery / USB Wire
D: 11 W: 11 H: 38 cm



COLT
9223401

Dimmable



Sandy White Die-Casting
Aluminium & Acrylic
LED 1 Watt 104Lm 3000K **IP44**
Beam Angle 62° 200-240 Volt
Touch Lamp / Battery / USB Wire
D: 11 W: 11 H: 38 cm



COLT
9121912

Dimmable



Sandy Black Die-Casting
Aluminium & Acrylic
LED 1 Watt 104Lm 3000K **IP44**
Beam Angle 62° 200-240 Volt
Touch Lamp / Battery / USB Wire
D: 11 W: 11 H: 38 cm



COLT
9121911

Dimmable



Sandy White Die-Casting
Aluminium & Acrylic
LED 1 Watt 104Lm 3000K **IP44**
Beam Angle 62° 200-240 Volt
Touch Lamp / Battery / USB Wire
D: 11 W: 11 H: 38 cm







Play
Our
Music


Connect your phone, tablet or computer to the magnificently sounding of Jam, Ray and Maya families which are compatible with a Bluetooth Speaker that truly has to be heard to be believed, with stereo sound that will awaken your musical soul with its stunning quality and audio.

LED | WARM WHITE | A++-A | PORTABLE | on/off | USB | BLUETOOTH | BATTTERY | MUSIC

IP20 PORTABLE / MUSIC



USB CHARGER





MAYA
9180322

Dimmable

Gray & White ABS & Iron
Silicone Rubber
LED 1.5 Watt 30Lm 3000K
Battery / USB Wire IP20
D: 7.7 H: 15-23 cm



MAYA
9180321

Dimmable

Black & White ABS & Iron
Silicone Rubber
LED 1.5 Watt 30Lm 3000K
Battery / USB Wire IP20
D: 7.7 H: 15-23 cm



RAY
9180372

Dimmable

White ABS & Iron
Silicone Rubber
LED 2.5 Watt 40Lm 3000K
Battery / USB Wire IP20
D: 9.3 H: 16.5-23 cm



RAY
9180371

Dimmable

Black & White ABS & Iron
Silicone Rubber
LED 2.5 Watt 40Lm 3000K
Battery / USB Wire IP20
D: 9.3 H: 16.5-23 cm



JAM
9180391

Dimmable

Black Iron & Clear ABS
LED 5 Watt 10Lm 3000K
Battery / USB Wire IP20
D: 11 H: 19.5 - 24 cm



SPIKES



Rotating
& Adjustable

STAKE
9271432



Black Aluminium & Glass
LED 5 Watt 378Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam Angle 21.2° **IP65**
D: 5 W: 9 H: 33 cm



Rotating
& Adjustable

STAKE
9271492



Black Aluminium & Glass
LED 10 Watt 742Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam Angle 24.6° **IP65**
D: 6.5 W: 11 H: 35 cm



Rotating
& Adjustable

STAKE
9971455




Black Aluminium & Glass
LED 5 Watt 378Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam Angle 21.2° **IP65**
D: 5 W: 7 H: 45 cm

IP65









INSIDE
9010001

Sandy Black Aluminium & Glass
LED 3 Watt 180Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 24° **IP65**
D: 4.5 W: 9 H: 21-26 cm





INSIDE
9010002

Sandy Black Aluminium & Glass
LED 7 Watt 420Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 24° **IP65**
D: 6.5 W: 13 H: 24-31 cm



INSIDE
9010003

Sandy Black Aluminium & Glass
LED 3 Watt 180Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 24° **IP65**
D: 4.2 W: 7 H: 21-24 cm



INSIDE
9010005

Sandy Black Aluminium & Glass
LED 7 Watt 420Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 24° **IP65**
D: 6.5 W: 10 H: 24-28 cm

IP65





BASE
9010006

Sandy Black Aluminium
D: 5.5 W: 5.5 H: 4 cm
Combine with 9010002 &
9010005



MINI
9010004

Sandy Black Aluminium & Glass
LED 3 Watt 180Lm 3000K
CRI>80 220-240 Volt 50Hz
Beam Angle 24° **IP65**
D: 4.2 W: 7 H: 5.5-8 cm





IP54 GU10



INSIDE
767801

Dark Gray Aluminium & Glass
LED GU10 1x7 Watt
IP54
220-240 Volt Bulb Excluded
D: 11 H: 20 cm



INSIDE
875409

Dark Gray Aluminium & Glass
LED GU10 1x7 Watt
IP54
220-240 Volt Bulb Excluded
D: 7.5 W: 15 H: 36 cm



NORTH
9240677

Black Aluminium & Glass
LED 10 Watt 700Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam Angle 38° IP65
D: 9 W: 9.5 cm



NORTH
9240678

Black Aluminium & Glass
LED 20 Watt 1500Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam Angle 38° IP65
D: 12 W: 18 cm



NORTH
9240679

Black Aluminium & Glass
LED 30 Watt 2800Lm 3000K
CRI>80 100-240 Volt 50Hz
Beam Angle 38° IP65
D: 15 W: 20.5 cm



NORTH
742071

Aluminium Dark Gray & Glass
LED 18 Watt 1440Lm 3000K
CR1>80 100-240 Volt 50Hz
Beam Angle 48° IP65
W: 19.5 L: 13 H: 20-29 cm

IP65



WALL WASHER


Rotation 30°



WALL WASHER
9011164

RGB





Wall Washer RGB
Sandy Black Aluminium & Glass
LED Chip Epistar 36 Watt 3420Lm
CRI>80 DC24V Adjustable
Beam Angle 30° **IP67**
L: 100 W: 5.5 H: 12 cm
Max Power 300 Watt




CONTROLLER
9011101

DMX CONTROLLER
Used to Control Max 1000 pcs


INSTALLATION



CONNECTION



IP67 WATERPROOF






Rotation 30°



WALL WASHER
9011161




Wall Washer
Sandy Black Aluminium & Glass
LED Chip Cree 36 Watt 3670Lm 3000K
CRI>80 DC24V Adjustable
Beam Angle 30°**IP67**
L: 100 W: 6.5 H: 12 cm
Max Power 300 Watt

Rotation 30°



WALL WASHER
9011162



Wall Washer
Sandy Black Aluminium & Glass
LED Chip Cree 48 Watt 4700Lm 3000K
CRI>80 DC24V Adjustable
Beam Angle 30°**IP67**
L: 100 W: 6.5 H: 12 cm
Max Power 300 Watt

IP67 WATERPROOF






BRACKET
9011163

Brackets for 9011162
2pcs Included

INSTALLATION



CONNECTION









WALL WASHER
9011102

Wall Washer
Satin Nickel Aluminium & Glass
LED Chip Philips 15 Watt
1200Lm 3000K
CRI>80 DC24V
Beam Angle 30° IP67
L: 100 W: 2.5 H: 3.5 cm




INSTALLATION





IP67 WATERPROOF / ULTRA THIN






IP67 WATERPROOF / ULTRA THIN / 7°



ALP
9010009




Sandy Black Aluminium & Glass
LED Chip Cree 2x10 Watt 1200Lm
CRI>80 220-240 Volt 50Hz 3000K
Beam Angle 7° IP67
D: 5.5 W: 7 H: 17 cm

ALP
9010008



Sandy Black Aluminium & Glass
LED Chip Cree 10 Watt 600Lm
CRI>80 220-240 Volt 50Hz 3000K
Beam Angle 7° IP67
D: 5.5 W: 7 H: 10 cm

INSTALLATION



ULTRA NARROW
BEAM ANGLE 7°
IP67 WATERPROOF

code	page	code	page	code	page	code	page	code	page	code	page
710021	108	773224	112	9010005	178	9160101	86	9226214	92	9756800	10
710022	108	810066	88	9010006	178	9161947	130	9226215	92	9762161	76
710041	108	810067	88	9010008	189	9161968	130	9226216	92	9762162	76
710042	108	811201	153	9010009	189	9161989	130	9226217	92	9790021	78
710446	150	811501	152	9010601	114	9162021	130	9232115	144	9790022	78
711024	52	811502	153	9010602	114	9162121	129	9232116	144	9790521	126
713113	122	812102	153	9010621	115	9162122	129	9232117	144	9790522	126
713114	122	812103	152	9010622	115	9162141	129	9232118	144	9790531	126
713115	122	812104	152	9011101	184	9162142	129	9232119	144	9790532	126
713121	44	812302	153	9011102	188	9162164	130	9232120	144	9790541	124
713122	44	813101	54	9011161	186	9162204	130	9240677	181	9790542	124
713123	52	813104	54	9011162	186	9176101	8	9240678	181	9790551	124
713124	52	819502	46	9011163	186	9176102	8	9240679	181	9790552	124
713212	123	819503	46	9011164	184	9180321	172	9257871	102	9905021	58
713311	48	822642	28	9018061	148	9180322	172	9259361	98	9905022	58
713312	50	826423	28	9018062	148	9180371	172	9262111	102	9905023	58
713313	50	833426	86	9019212	164	9180372	172	9270015	119	9905024	56
713411	48	847406	90	9019213	164	9180391	172	9270016	119	9905025	56
713412	62	847407	90	9020021	136	9190101	18	9270027	118	9922350	14
713514	123	847408	90	9020022	136	9193101	66	9270028	118	9922360	12
726217	94	852436	94	9020061	136	9193102	66	9271431	34	9922510	12
726401	157	859438	30	9020170	162	9195061	42	9271432	176	9923500	14
726402	157	859439	30	9020170	164	9195062	42	9271433	34	9925665	106
726403	159	870026	70	9026001	22	9197701	68	9271491	34	9925666	106
726404	159	870045	70	9026002	22	9197702	68	9271492	176	9926617	116
726405	158	870426	72	9027201	105	9200201	107	9277151	21	9936101	38
726406	158	870445	72	9027202	105	9200202	107	9279111	26	9936102	38
726407	156	875409	180	9031616	160	9200611	134	9279112	26	9944141	154
726408	150	910021	110	9040021	136	9200612	134	9291701	24	9944142	154
727001	156	910022	110	9040022	136	9202131	84	9291702	24	9944602	138
727002	156	910041	110	9040061	136	9202261	84	9291703	24	9944603	138
740401	100	910042	110	9045418	160	9202262	84	9292211	98	9971451	35
740402	100	8038401	162	9045514	160	9203111	164	9297191	30	9971452	35
740403	100	8038801	162	9083011	155	9203112	164	9470581	80	9971455	176
740404	100	8039001	162	9083021	155	9203113	164	9470582	80	71371101	62
741661	104	8058001	160	9104021	40	9207167	31	9521001	140	71371102	62
741662	104	8090801	160	9104022	40	9207168	31	9521002	140	71615601	128
742071	181	8401030	96	9104835	84	9207615	20	9522101	121		
747406	90	8403622	151	9120621	16	9207616	20	9522102	121		
752250	150	8403624	151	9120622	16	9207912	26	9529712	120		
752462	134	8403626	151	9120711	18	9209211	60	9529713	120		
752470	96	9002601	160	9121911	168	9209212	60	9529720	120		
767801	180	9010001	178	9121912	168	9220021	134	9529721	120		
773221	112	9010002	178	9131201	36	9220022	134	9739351	76		
773222	112	9010003	178	9131202	36	9223400	168	9739352	76		
773223	112	9010004	178	9160081	116	9223401	168	9756500	10		

A

50 ACQUA
86 AGILE
20.21 AGOSTO
189 ALP
48 APOLLO

B

12 BALI
162.164 BANG
178 BASE
18 BAY
144 BLADE
46 BLISS
186 BRACKET
86 BRIN

C

128.129.130 CADMO
76 CASTRO
134 CECI
136 CERISE
98 CHEZ
168 COLT
90.94.104 COMO
184 CONTROLLER
155 COVE

D

106 DARF
28 DEVORA
162.164 DRIVER
121 DROPLET
18 DYN

E

38 ENZI

F

34.35 FEND
14 FIGI
26.96.134 FOCUS
80 FOX
124 FUENTO
105 FUNGO

G

78 GRANTE
88 GRAVITY

I

178.180 INSIDE
72 ISIDORA

J

172 JAM
154 JOYA

K

116.118.119 KEEN
150.156.157.158.159 KRYPTON

L

126 LIDO
114.115 LIMBIO
148 LIV
54 LOCK
66 LOEVE
16 LOVETO
116 LUPO
151 LUTON

M

22 MAX
172 MAYA
102 MILE
84 MILEY
178 MINI

N

40 NED
108.110 NERO
112 NODUS
181 NORTH
58 NOTEN
107 NUS

O

138 OLIVER

P

52 PARK
160 PASSAGIO
10 PAX
88 PIER
36 POSEN
152.153 PULSAR
60 PYRO

R

24 RAMO
172 RAY
56 ROCK

S

100 SOHO
68 SORREN
176 STAKE
62 STICK
30.31 SUITE
8 SURF

T

140 TOMMY
120 TUNE
44 TWIN

V

84 VEIRO
96 VITORIA
42 VOLVER

W

184.186.188 WALL WASHER

Z

92 ZARI
122.123 ZENITH
130 ZERINO
70 ZEST