



Nowodvorski
LIGHTING



Nowodvorski

LIGHTING



Zmiana i światło są ze sobą nierozerwalnie związane - dzień zmienia się w noc, a noc w dzień. Gdy wieczorem rozświetlisz salon, może stać się miejscem rodzinnych rozgrywek w ulubione planszówki lub spotkań z przyjaciółmi. Gdy potem usiądziesz w wygodnym fotelu i włączysz stojącą przy nim lampę, zmieni się w zaciszną przestrzeń do czytania, a Ty w skupieniu podążysz za bohaterami książki.

Dzisiaj i my kierujemy światło na... zmiany – na naszą nową identyfikację wizualną. Nowoczesną. Przyciągającą wzrok. Jak nasze oświetlenie. W jednym symbolu chcieliśmy ująć to, co najbardziej doceniają nasi Klienci i Partnerzy: możliwości tworzenia z naszymi oprawami i systemami konfigurowalnymi wnętrz z dobrym designem. Mamy nadzieję, że „N" widoczne w sygnecie logo, złożone z wiązek światła, będzie nie tylko odwołaniem do nazwiska i marki. Liczymy na to, że podkreśli w każdym domu i firmie, w których pojawią się nasze rozwiązania, to, co napędza rozwój: „N" jak „Nie ma granic dla kreatywności".

Zapraszamy do świata, w którym oświetlenie tworzysz, a nie jedynie montujesz.

Nowodvorski
LIGHTING

Изменения и свет неразрывно связаны - день превращается в ночь, а ночь – в день. Когда вы освещаете свою гостиную вечером, она может стать местом для ваших любимых настольных семейных игр или встреч с друзьями. А если потом садитесь в удобном кресле и включаете стоящую рядом лампу, гостиная превратится в тихое место для чтения, и вы будете сосредоточенно следить за героями книги.

Сегодня мы проливаем свет на... изменения – на нашу новую визуальную идентификацию. Современную. Привлекающую внимание. Как наше освещение. С помощью одного символа мы хотели отразить то, что наши Клиенты и Партнеры больше всего ценят: возможность создавать интерьеры с хорошим дизайном с помощью наших светильников и конфигурируемых систем. Мы надеемся, что логотип «N» на штампе, состоящий из лучей света, будет не только ссылкой на фамилию и бренд. Надеемся, что в каждом доме и каждой компании, где появятся наши решения, он подчеркнет то, что движет развитием: «N» означает «Творчеству нет предела».

Мы приглашаем вас в мир, где вы создаете освещение, а не просто устанавливаете его.

Change and light are inextricably connected - day turns to night and night turns to day. When you light up a living room in the evening, it becomes a place for family gatherings or game nights with friends. Later, you sit comfortably in an armchair and turn on the floor lamp which changes your room into a quiet and peaceful space for reading so, that you can follow the story of your favourite characters.

Today, we also direct light onto changes in our new visual identity; modern and eye-catching just like our lighting... In one symbol, we wanted to incorporate all of the features, that our customers and partners admire the most; the possibility to create well designed interiors using our lighting fixtures and configurable systems. We hope that the "N" which is composed of light beams in our logo will be more than merely a reference to the surname or brand. We believe, that in every home and company, where our solutions appear, it will emphasise what drives our development:
"N" as in "Nothing can stop us from being creative".

Welcome to a new world, where you create lighting and don't just install it.

COLLECTIONS	18-283
SPOTLIGHTS	284-315
DOWNLIGHTS	316-337
PROFILE TRACK LIGHTS SYSTEM	338-361
BATHROOM LIGHTING	362-395
OUTDOOR LIGHTING	396-471
LIGHT SOURCES AND ACCESSORIES	472-479

COLLECTIONS


LASER 20-26


STALACTITE 27


EYE 28-37


EYE SUPER 38-43


MORE 44-47


IMBRIA 48-49


BATON 50-51


POLY 52


QUEBECK 53


PEAR 54-57


CYLINDER 58-59


SPHERE 60-61


CRANE 64


MONACO 62-65


VETRO 66-67


AMALFI 68-69


POLARIS 70-71


GLOBE PLUS 72-73


SALVA 74-75


NUAGE 76-79


NUNTUCET 80-81


NEWPORT 82


TESALLI 83


BOSTON 84-86


HAMPTON 87


CRISTAL 88-89

KATERINA 90


MODENA 91


TOSCANA 91

LAGUNA 92-93


TURDA 94-97


CROCO 98-99


BARREL 100


CONE 101

MIST 102

FORM 103


CAMERON 104-105


VIVIANE 106


VIOLET 107


FALCON 108


HAWK 109


VIPER 110-111


ALICE 112-115

FLEX SHADE 116


FLEX 117


RETTO 118


MOSS 119


HOTEL 120-123


CHILLIN 124-125


BORDE 126-127


VELERO 128-129


FARO 128


PETIT 130-133


CADILAC 134-135


TRIFLE 136


ZELDA 137


ROCKET 138


ACROSS 139


SUNRISE LED 142


SUNSET 140-145


SUN LED 144-145


WHEEL 146-148


WHEEL LUX 149


MINIMAL 150


DISK 151


OSLO LED 152-153


AWINION 154


COBA ANTIQUE 155


IKA 156


BIO S 157


DOVER 158-159


ORBIT 160-163


PILLS 164-165


RADIUS 166-167


ROTOR 168-171


STICKS 172-173


AXIS 174-175


ROD 176-177


PILE 178


MILL 179


MANUFACTURE 180-181


WORKSHOP 182-183


FIORD 184


TWIG 185


SPIDER 186-187


CABLE 188


TULUM 189

SILICONE 189


GEOMETRIC 190


SHY 190


VOLCANO 191


LAVA 191


GIPSY 192-193


SOLID 194


SHY 195


BOLD 195


CRATE 196-197


PLANT 198-199


HERMANOS 200-203


ZENITH 204-205


PERM 206-207


TECHNO 208-209


PANTOGRAPH 210


CRAFT 211


HARMONY 212


HIGH-BAY 213


GARRET 214-215


HEMISPHERE 216-217
RUST


WORKS 218


HEMISPHERE HIT 219


HEMISPHERE 220-221


EGG 222-223


CANOE 224-225


LUKSOR 226-228


WAVE 229


ABI 230


PICO 231


GSTAR 232


BULLET 233


UMBRELLA 234


KAREN 234


CAMILLA 234


NESS 235


CAGE 235


ALLAN 235


MERSEY 236

MEKNES 236


AVEIRO 237

MARGARET 238


ARES 239


TWIST 240-241


REMBRANT LED 242-244


GIOTTO LED 245


IMPULSE LED 246-247

STRAIGHT 248-249
CEILING LED


STRAIGHT 250
WALL LED


H LED 251


SOFT LED 252-255


WING LED 256


ION LED 257


CUBE 258


TUBE 259


LIA LED 259


GESS LED 259

BERGEN 260


HAGA 260

MALMO 261


NARWIK 261


RING LED 262-263


ORGANIC 264-265


KASAI 266-267


AGNES ROUND 268
LED


AGNES SQUARE 269
LED


STYLE LED 270-271


SMART LED 272


CHIC LED 273


POCATELLO 274-275


COSMO 276-277


PUZZLE 278-280


PLANE 281


MALWI 282-283

SPOTLIGHTS


MONO 286-307


MONO 293-295
CORNER


MONO LONG 296-297


MONO 300-305
SURFACE


EYE SPOT 308-311


EYE FIT 312


IRIS LED 313


CROSS 314


VESPA 315

DOWNLIGHTS


COBLE 318


GROOVE 318-319


GAP 318


PAG 318


OVAL 319


HALO 320-321


FLEA 322


POINT TONE 322


INDIA 323


MIKE 323


SET 324


EYE TONE 325-327


POINT 328
PLEXI


BIT 328


POINT 329


DALE 330


DOWNLIGHT 331


BOX 331


MOD 332-333


MOD PLUS 333


EYE MOD 334


DOT 335


CL KOS LED 336-337

PROFILE TRACK LIGHT SYSTEM


PROFILE 340-343
IRIS LED


PROFILE 344-345
STORE
PRO LED


PROFILE 346
MIKE


PROFILE 346
INDIA


PROFILE 346
FOCUS LED


PROFILE 347
ZOOM LED


PROFILE 350
EYE SUPER


PROFILE 350
EYE FLEX


PROFILE EYE 351


PROFILE BIT 351


PROFILE 351
WORKSHOP


PROFILE 353
EYE SPOT


PROFILE 353
VESPA


PROFILE 353
BIT PLUS


PROFILE 354
TRACK


PROFILE 354
POWER
SUPPLY KIT


PROFILE 354
SUSPENSION
KIT


PROFILE 356
STRAIGHT
CONNECTOR


PROFILE 356
FLEX
CONNECTOR


PROFILE 357
L CONNECTOR


PROFILE 357
T CONNECTOR


PROFILE 357
X CONNECTOR


PROFILE 357
POWER END
CAP


PROFILE 357
DEAD END CAP


PROFILE 358
RECESSED
TRACK


PROFILE 360
RECESSED
STRAIGHT
CONNECTOR


PROFILE 360
RECESSED
FLEX
CONNECTOR


PROFILE 361
RECESSED
L CONNECTOR


PROFILE 361
RECESSED
T CONNECTOR


PROFILE 361
RECESSED
X CONNECTOR


PROFILE 361
RECESSED
POWER END
CAP


PROFILE 361
RECESSED
DEAD END CAP


PROFILE 361
RECESSED
FIXING SET

BATHROOM LIGHTING



ICE EGG 364-365



PIN LED 366-367



VAN GOGH 368-369
LED



PICASSO LED 370

LATH LED 370



KAGERA LED 371



VISTA 372



PAN LED 373



CAYO 374



SIS 375



BALI 376



CELTIC 377



BRAZOS 378-379



SIMI 379



ICE TUBE 380-381
LED



ICE BALL 382-383



TORCH 383



BASSA LED 385



MALAKKA 384-385
LED



ARENA 386-387



BRAVO 388



ALPHA 388-389



CHARLIE 392



DELTA 392



GOLF 393



ECHO 393



FOXTROT 394



JULIET 395



HELIOS LED 395



EOL LED 395

OUTDOOR LIGHTING



CUMULUS 398-401



FLOWERPOT 402-403

CUMULUS 404
CUBE



STAR 405

GALAXY 405



STRUCTURE 406-407
LED



SYMMETRY 408-409
LED



OTTAWA 410



SOUL 411



TUBINGS 412-415



SPIKE LED 416



BUSH 417



THIKA LED 418-419



RIO 420-421



ROCK 422



FOG 423



NEGRO 424



EXE 425



SIERRA 426



BRIC 427



ORINOKO 427



UNIT LED 427



MEKONG 428



MISTRAL 429



AMUR 430



TYBR 431



TAY 432



SPEY 433



LANTERN 434



DON 434



QUARTZ 435



INDUS 435



LHOTSE LED 436



POLE LED 436



TEPIC LED 437



MONTERREY 437
LED


NORIN 438


HORN 438


OIR 439


SIROCCO 439


PATHWAY 440
FOUNDATION
KIT


PATHWAY 440-441
LED


PUEBLA LED 442


MERIDA LED 442


HEXA 443


LENS LED 446


EDESA LED 447


NOOK 448-450


TAHOE 451


ZOA LED 452


SINUS 453


PATRAS LED 453


MUNO LED 453


ELLIPSES LED 454


TRIANGLES 454
LED


LIMA LED 455


KHUMBU 455


ASSOS 456


ARRIS 457


NICO 457


PEAK LED 458


DRAS LED 458


SEMI LED 458


PRIMM 459


FALLON 459


BAY LED 460


SIDEWALK 461
ROUND LED


SIDEWALK 461
SQUARE LED


BASALT 462


ASSAM 462


INA 462


STEP LED 463


OIA LED 463


PICCO LED 464


PAOLI 465


MON LED 465


PAT LED 465


CIRCLET LED 465


PICNIC LED 466-467


HANGING SET 466
FOR PICNIC LED


MAHE LED 468-469


POWER CORD 471
FOR FESTOON
LIGHTS


FESTOON 470-471
LIGHTS

LIGHT SOURCES AND ACCESSORIES


REFLECTOR 474
COB LED,
GU10, ES111,
15W


REFLECTOR 474
LENS LED,
GU10,
ES111, 9W


REFLECTOR 474
DIFFUSER LED,
GU10, ES111,
9W


BULB LED 475
G9, 7W


BULB LED 475
G9, 4W


BULB LENS 475
LED, G9, 3W


REFLECTOR 475
LED, GU10,
R50, 7W


BULB LED, 476
GX53, 8W

BULB GLASS 476
BALL LED,
E27, 8W


BULB LED, 476
E27, A60, 2W,
5 PC SET


BULB 477
VINTAGE LED,
E14 , 4W


BULB 477
VINTAGE LED,
E27, 4W


BULB 477
VINTAGE LED,
E27, 4W


BULB 477
VINTAGE LED,
E27, 4W

BULB 477
VINTAGE LED,
E27, 4W


TUBE LED T8 478


WATERPROOF 479
CONNECTOR
IP68


WATERPROOF 479
„Y" CONNECTOR
IP 68


MICROWAVE 479
SENSOR


DUPLEX 479




Collections

LASER 1000 7668

LASER 8308



LASER 490 8922



LASER 490

painted steel

8922 8923

10xG9, max 10W only LED


solid brass, painted steel

8924

10xG9, max 10W only LED



LASER 1000 7668



LASER 1000

painted steel

7667

7xG9, max 10W only LED

solid brass, painted steel

7668

7xG9, max 10W only LED

LASER 490

painted steel


8918 8920

7xG9, max 10W only LED

solid brass, painted steel

8921

7xG9, max 10W only LED






LASER 490 8920

WHITE P004 RAL 9003 BLACK P013 RAL 9005 BRASS

WHITE P004 RAL 9003 BLACK P013 RAL 9005 BRASS

LASER 750 8433



LASER 490

painted steel

8796 8797

1xG9, max 10W only LED


solid brass, painted steel

8798

1xG9, max 10W only LED



LASER 490 8796



LASER 750

painted steel


8432 8433

1xG9, max 10W only LED

solid brass, painted steel

8431

1xG9, max 10W only LED



LASER 1000

painted steel

8435 8436

1xG9, max 10W only LED

solid brass, painted steel

8434

1xG9, max 10W only LED



LASER 750 8433

LASER 1000 8434


WHITE P004 RAL 9003 BLACK P013 RAL 9005 BRASS

Nowodvorski LIGHTING









LASER

painted steel

8048 8047

2xG9, max 10W only Led

solid brass, painted steel

8308

2xG9, max 10W only LED




STALACTITE 9054





STALACTITE 9055



STALACTITE 8352







STALACTITE

painted steel

8355 8356

13xG9, max 10W only LED

solid brass, painted steel

9054

13xG9, max 10W only LED

STALACTITE

painted steel, flexible stem

8351 8350

1xG9, max 10W only LED

solid brass, painted steel, flexible stem

8352

1xG9, max 10W only LED

STALACTITE

painted steel, flexible stem

8353 8354

2xG9, max 10W only LED

solid brass, painted steel, flexible stem

9055

2xG9, max 10W only LED

WHITE P004 RAL 9003 BLACK P013 RAL 9005 BRASS


WHITE P004 RAL 9003 BLACK P013 RAL 9005 BRASS



EYE M 5397

EYE L 6841

EYE L 8800



EYE M

painted steel

5397 5400


5398 6840

1xGU10, max 10W only LED

solid brass, painted steel

8914

1xGU10, max 10W only LED



EYE L

painted steel

5455 5456

6841

1xGU10, max 10W only LED


solid brass, painted steel

8800

1xGU10, max 10W only LED



EYE 7863



EYE

painted steel

6481 7862

3xGU10, max 10W only LED

solid brass, painted steel

7863

3xGU10, max 10W only LED

WHITE P004 RAL 9003 BLACK P013 RAL 9005 SILVER P006 RAL 9006 GRAPHITE P010 RAL 7016 BRASS

WHITE P004 RAL 9003 BLACK P013 RAL 9005 BRASS


Nowodvorski LIGHTING



EYE L 8917



EYE L 8916



EYE L

painted steel

8916 8917

3xGU10, max 10W only LED

solid brass, painted steel

8915

3xGU10, max 10W only LED



EYE L 8915

WHITE P004 RAL 9003 BLACK P013 RAL 9005 BRASS

Nowodvorski LIGHTING



EYE L 6838



EYE M 5464



EYE S 5255

EYE S

painted steel

5255 5257


5256 6836

1xGU10, max 35W

solid brass

8911

1xGU10, max 35W



EYE M

painted steel


5463 5464 6837

1xGU10, max 35W

solid brass

8912

1xGU10, max 35W



EYE L

painted steel


5471 5472 6838

1xGU10, max 35W


solid brass

8913


1xGU10, max 35W



WHITE P004 RAL 9003 SILVER P006 RAL 9006 GRAPHITE P010 RAL 7016 BLACK P013 RAL 9005 BRASS







EYE WALL

painted steel

8073 8072

2xGU10, max 10W only LED

solid brass, painted steel


8074

2xGU10, max 10W only LED









EYE WALL CUT

painted steel

7993 7994

2xGU10, max 10W only LED

solid brass, painted steel

7995

2xGU10, max 10W only LED




WHITE P004 RAL 9003 BLACK P013 RAL 9005 BRASS

WHITE P004 RAL 9003 BLACK P013 RAL 9005 BRASS



EYE FLEX S 9068



EYE FLEX S

painted steel, flexible stem

9070 9068

1xGU10, max 10W only LED

solid brass, flexible stem, painted steel

9067

1xGU10, max 10W only LED






EYE FLEX S 9067



EYE FLEX 8935





EYE

painted steel

5654 5655 6842

1xGU10, max 35W




EYE FLEX

painted steel, flexible stem

8934 8935

1xGU10, max 10W only LED





WHITE P004 RAL 9003 BLACK P013 RAL 9005 BRASS

WHITE P004 RAL 9003 GRAPHITE P010 RAL 7016 BLACK P013 RAL 9005

EYE SUPER 6506

EYE SUPER

painted steel

6493 6500 6506

1xGU10, max 35W

WHITE P004 RAL 9003 GRAPHITE P010 RAL 7016 BLACK P013 RAL 9005




EYE SUPER 6501



EYE SUPER B 6490



EYE SUPER A 6495




EYE SUPER A

painted steel

6488 6495 6502

1xGU10, max 35W



EYE SUPER B


painted steel

6490 6496 6503

1xGU10, max 35W



EYE SUPER 6494



EYE SUPER

painted steel, chrome

6487 6494 6501


1xGU10, max 35W

WHITE P004 RAL 9003 GRAPHITE P010 RAL 7016 BLACK P013 RAL 9005

Nowodvorski LIGHTING

EYE SUPER 6497






EYE SUPER


painted steel, chrome

6491 6497 6504

3xGU10, max 35W

EYE SUPER 6505





EYE SUPER

painted steel, chrome

6492 6498 6505

6xGU10, max 35W

WHITE P004 RAL 9003 GRAPHITE P010 RAL 7016 BLACK P013 RAL 9005

EYE SUPER 6505



MORE TONE 7821




MORE EYE 7825




MORE TONE 7817









MORE EYE

painted steel

7824 7822

4xGU10, max 10W only LED

solid brass, painted steel

7610

4xGU10, max 10W only LED

MORE EYE

painted steel

7826 7825

5xGU10, max 10W only LED

solid brass, painted steel

7608

5xGU10, max 10W only LED

MORE TONE

painted steel, plastic ABS

7816 7814

4xGU10, max 10W only LED

MORE TONE

painted steel, plastic ABS

7821 7817

5xGU10, max 10W only LED

WHITE P004 RAL 9003 BLACK P013 RAL 9005 BRASS

WHITE P004 RAL 9003 BLACK P013 RAL 9005 GOLD P021




IMBRIA 9677

Designed by Marta Czerkies



IMBRIA 7956



IMBRIA

painted steel, braided cable


9191 9192

4xGU10, max 35W

solid brass, braided cable, painted steel

7957

4xGU10, max 10W only LED



IMBRIA

painted steel, braided cable


9674 9675

6xGU10, max 35W

solid brass, braided cable, painted steel

7955

6xGU10, max 10W only LED



IMBRIA

painted steel, braided cable


9676 9677

6xGU10, max 35W

solid brass, braided cable, painted steel

7956

6xGU10, max 10W only LED



IMBRIA

painted steel, braided cable

9680

10xGU10, max 35W

solid brass, braided cable, painted steel

7954

10xGU10, max 10W only LED

WHITE P004 RAL 9003 BLACK P013 RAL 9005 BRASS



BATON 7856



BATON

painted steel

7852

1xE27, max 10W only LED

solid brass, painted steel

7851

1xE27, max 10W only LED




BATON 7852

BATON 7851



BATON 7853



BATON

painted steel


7856

3xE27, max 10W only LED

solid brass, painted steel

7855

3xE27, max 10W only LED



BATON

painted steel

7854

4xE27, max 10W only LED

solid brass, painted steel

7853

4xE27, max 10W only LED

BLACK P013 RAL 9005 BRASS


BLACK P013 RAL 9005 BRASS



POLY 8885



POLY 8884



POLY


painted aluminum, painted steel

8884 8885

3xGU10, max 10W only LED



QUEBECK 5404



QUEBECK


painted aluminum, painted steel

5404 5406

3xGU10, max 35W



QUEBECK 5405



QUEBECK

painted aluminum, painted steel

5403 5405

1xGU10, max 35W

WHITE P001 RAL 9003 BLACK P011 RAL 9005


WHITE P004 RAL 9003 BLACK P013 RAL 9005

PEAR S 8673

PEAR L 8671

PEAR M 8672





PEAR S

glass, brass-plated steel, painted steel


8673

1xE27, max 40W

glass, painted steel

7800





PEAR M

glass, brass-plated steel, painted steel

8672


1xE27, max 40W

glass, painted steel

7798

1xE27, max 40W





PEAR L

glass, brass-plated steel, painted steel

8671


1xE27, max 40W

glass, painted steel

7797

1xE27, max 40W





PEAR

glass, brass-plated steel, painted steel

7794

3xE27, max 40W

TRANSPARENT BRASS BLACK P013 RAL 9005

TRANSPARENT BRASS BLACK P013 RAL 9005



CYLINDER L 7864

CYLINDER M 7865

CYLINDER S 7866



CYLINDER S

glass, painted steel

7866

1xGU10, max 10W only LED

glass, solid brass, painted steel

7870

1xGU10, max 10W only LED



CYLINDER M

glass, painted steel

7865

1xGU10, max 10W only LED

glass, solid brass, painted steel

7868

1xGU10, max 10W only LED



CYLINDER L

glass, painted steel

7864

1xGU10, max 10W only LED

glass, solid brass, painted steel

7867

1xGU10, max 10W only LED

TRANSPARENT

BLACK P013 RAL 9005

BRASS



CYLINDER M 7868




SPHERE S

glass, painted steel

7847

1xG9, max 10W





SPHERE M

glass, painted steel

7848

1xE27, max 40W




SPHERE L

glass, painted steel

7850

1xE27, max 40W




SPHERE XL

glass, painted steel

7846

1xE27, max 40W



SPHERE

glass, painted steel

7788

3xE27, max 40W

TRANSPARENT

BLACK P013 RAL 9005


TRANSPARENT

BLACK P013 RAL 9005


MONACO 9363
CRANE 9374



MONACO 9363




MONACO

glass, braided cable, painted steel

9363

2xE27, max 60W



MONACO


glass, braided cable, painted steel

9364

1xE27, max 60W



MONACO 9364




MONACO

glass, painted steel

9362

2xE27, max 60W




CRANE

glass, painted steel, solid brass

9374

1xE27, max 60W




MONACO

painted steel, glass

8794

1xE27, max 60W



MONACO

glass, painted steel

9308

1xE27, max 60W




MONACO 9308

BLACK P013 RAL 9005 SMOKED

BLACK P013 RAL 9005 SMOKED






VETRO

glass, painted steel

7641

3xE27, max 60W






VETRO

glass, painted steel

7642

5xE27, max 60W






VETRO

glass, painted steel

9132

1xE27, max 60W



VETRO

glass, painted steel

9131

7xE27, max 60W

SMOKED

BLACK P013 RAL 9005

SMOKED

BLACK P013 RAL 9005

AMALFI M 9153



AMALFI 9155




AMALFI 9154



AMALFI M 9152



AMALFI L 8381




AMALFI

metallized glass, steel, solid brass

9154 9155

1xE27, max 60W




AMALFI M

metallized glass, steel, solid brass

9152 9153

1xE27, max 60W



AMALFI L

metallized glass, steel, solid brass

8380 8381

1xE27, max 40W

GOLD SILVER BLACK

Nowodvorski LIGHTING




POLARIS 9060



POLARIS 9058

POLARIS 9056

POLARIS 9057



POLARIS

metallized glass, painted steel

9060

1xE27, max 60W

POLARIS

metallized glass, painted steel


9056 9057 9058

1xE27, max 60W

SMOKED GOLD COPPER CHROME BLACK P013 RAL 9005








GLOBE PLUS M

metallized glass, painted steel

7606

1xE27, max 60W




GLOBE PLUS S

metallized glass, painted steel

7605

1xE27, max 60W



GLOBE PLUS

metallized glass, painted steel

7607

3xE27, max 60W

CHROME

BLACK P013 RAL 9005

GLOBE PLUS M 7606















SALVA A

glass, stainless steel

5422

1xGU10, max 35W




SALVA C

glass, stainless steel

5424

3xGU10, max 35W




SALVA E

glass, stainless steel

5428

5xGU10, max 35W




SALVA G

glass, stainless steel

6845

4xE27, max 60W



SALVA H

glass, stainless steel

6846


4xE27, max 60W

CHROME

CHROME



NUAGE S 7024



NUAGE S


glass, chrome plated steel

7024

1xE27, max 60W



NUAGE L 7026




NUAGE M

glass, chrome plated steel

7025

1xE27, max 60W



NUAGE L


glass, chrome plated steel

7026

1xE27, max 60W



NUAGE 7027



NUAGE

glass, chrome plated steel

7027


3xE27, max 60W

WHITE CHROME

WHITE CHROME

Nowodvorski LIGHTING






NUAGE S

glass

7021

1xE27, max 60W






NUAGE M

glass

7022

1xE27, max 60W





NUAGE

glass, chrome plated steel

9272

2xE27, max 60W

WHITE


WHITE

CHROME

Nowodvorski LIGHTING

NUNTUCET 8150






NUNTUCET

chrome plated steel, fabric

8150

6xE14, max 40W





NUNTUCET

chrome plated steel, fabric

8151


1xE14, max 40W

CHROME WHITE

Nowodvorski LIGHTING



NEWPORT 8156




NEWPORT

glass, fabric, chrome plated steel

8157

1xE14, max 40W



NEWPORT


glass, fabric, chrome plated steel

8156

6xE14, max 40W



TESALLI 4653




TESALLI

chrome plated steel, glass

4651

1xG9, max 40W




TESALLI

chrome plated steel, glass

4650

1xG9, max 40W




TESALLI

chrome plated steel, glass

4652

3xG9, max 40W



TESALLI

chrome plated steel, glass

4653

6xG9, max 40W

WHITE CHROME

TRANSPARENT CHROME


Nowodvorski LIGHTING



BOSTON 8152

HAMPTON 8155






BOSTON
chrome plated steel, glass

8153

1xE14, max 40W






BOSTON
chrome plated steel, glass

8152

4xE14, max 40W






HAMPTON
chrome plated steel, glass

8154

6xE14, max 40W





HAMPTON
chrome plated steel, glass

8155

2xE14, max 40W

CHROME TRANSPARENT


CHROME TRANSPARENT

Nowodvorski LIGHTING





CRISTAL 7633



CRISTAL

crystal, painted steel

7632 7633


2xE14, max 60W



CRISTAL L 7631



CRISTAL 7632




CRISTAL M

crystal, painted steel

7628 7627

9xE14, max 60W




CRISTAL M

crystal, painted steel

7617 7616

9xE14, max 40W




CRISTAL L

crystal, painted steel

7631 7630

12xE14, max 60W



CRISTAL L

crystal, painted steel

7615 7614

12xE14, max 40W

TRANSPARENT SILVER BLACK P013 RAL 9005

TRANSPARENT SILVER BLACK P013 RAL 9005

Nowodvorski LIGHTING




KATERINA 5208

KATERINA 5210



KATERINA 5211



KATERINA


plastic ABS, glass

5208 5210 5211

1xE27, max 60W



MODENA 4014



MODENA


fabric, acrylic cristals

4014

1xE27, max 60W



TOSCANA 4013



TOSCANA

fabric, acrylic cristals

4013

1xE27, max 60W

WHITE TRANSPARENT BLACK

BLACK WHITE

Nowodvorski LIGHTING












LAGUNA

velvet, plastic, painted steel

8954

3xE27, max 25W only LED




LAGUNA

velvet, plastic, painted steel

8957

4xE27, max 25W only LED




LAGUNA

velvet, plastic, painted steel

8962

9xE27, max 25W only LED



LAGUNA

velvet, plastic, painted steel

8951

3xE27, max 25W only LED

CREAM T026 WHITE P004 RAL 9003

WHITE P004 RAL 9003 CREAM T026










LAGUNA

velvet, plastic, painted steel

8954

3xE27, max 25W only LED




LAGUNA

velvet, plastic, painted steel

8957

4xE27, max 25W only LED




LAGUNA

velvet, plastic, painted steel

8962

9xE27, max 25W only LED



LAGUNA

velvet, plastic, painted steel

8951

3xE27, max 25W only LED

CREAM T026 WHITE P004 RAL 9003


WHITE P004 RAL 9003 CREAM T026



TURDA 8946



TURDA 8947




TURDA

fabric, plastic, painted steel

8946

3xE27, max 25W only LED




TURDA

fabric, plastic, painted steel

8947

3xE27, max 25W only LED




TURDA

fabric, plastic, painted steel

8953

3xE27, max 25W only LED



TURDA

fabric, plastic, painted steel

8960

7xE27, max 25W only LED

GRAY T024

WHITE P004 RAL 9003



TURDA 8947



TURDA 8952




TURDA 8958



TURDA 8955



TURDA 8802




TURDA

fabric, plastic, painted steel

8945

3xE27, max 25W only LED




TURDA

fabric, plastic, painted steel

8952

3xE27, max 25W only LED




TURDA

fabric, plastic, painted steel

8958

7xE27, max 25W only LED




TURDA

fabric, plastic, painted steel

8950

3xE27, max 25W only LED




TURDA

fabric, plastic, painted steel

8955

4xE27, max 25W only LED



TURDA

fabric, plastic, painted steel

8802

7xE27, max 25W only LED

WHITE T023

WHITE P004 RAL 9003

WHITE P004 RAL 9003

GOLD T025



CROCO 8948




CROCO 8956



CROCO 8961






CROCO

velvet, plastic, painted steel

8948

3xE27, max 25W only LED




CROCO

velvet, plastic, painted steel

8956

4xE27, max 25W only LED



CROCO

velvet, plastic, painted steel

8961

9xE27, max 25W only LED

WHITE P004 RAL 9003

GRAY T030

Nowodvorski LIGHTING



BARREL L 8444



BARREL L 8445




CONE M 8442





CONE L 8437



CONE L 8440







BARREL L

velvet, painted steel

8444 8445 8446

1xE27, max 60W

CONE M

velvet, painted steel

8441 8443 8442

1xE27, max 60W

CONE L

velvet, painted steel

8437 8440 8438

1xE27, max 60W

PINK T027 CREAM T026 NAVY BLUE-GOLD T028 WHITE P004 RAL 9003 BLACK P013 RAL 9005

PINK T027 CREAM T026 NAVY BLUE-GOLD T028 WHITE P004 RAL 9003 BLACK P013 RAL 9005


MIST 8943

MIST 8944


MIST 8942



FORM M 9673



FORM L 9672




MIST

fabric, plastic, painted steel

8943

3xE27, max 25W only LED



MIST

fabric, plastic, painted steel

8944

7xE27, max 25W only LED




MIST

fabric, plastic, painted steel

8942

3xE27, max 25W only LED




FORM L

fabric, painted steel

9672

4xE27, max 25W only LED



FORM M

fabric, painted steel

9673

2xE27, max 25W only LED

WHITE

WHITE

Nowodvorski LIGHTING



CAMERON 9606



CAMERON 9685



CAMERON 9682



CAMERON 9683




CAMERON

fabric, plastic, painted steel

9605

2xE27, max 25W only LED




CAMERON

fabric, plastic, painted steel

9685

1xE27, max 25W only LED




CAMERON

fabric, plastic, painted steel

9684

3xE27, max 25W only LED




CAMERON

fabric, plastic, painted steel

9606

4xE27, max 25W only LED




CAMERON

fabric, plastic, painted steel

9682

4xE27, max 25W only LED




CAMERON

fabric, plastic, painted steel

9683

3xE27, max 25W only LED



CAMERON

fabric, plastic, painted steel

9687

2xE27, max 25W only LED

WHITE T005

GRAY T008



VIVIANE 6772



VIVIANE 6773



VIVIANE 6390




VIOLET 7958



VIOLET 7961



VIOLET 7960




VIVIANE

fabric, glass, chrome

6772 6773 6774

3xE27, max 60W




VIVIANE

fabric, glass, chrome

6391 6532 6390

3xE27, max 60W



VIOLET

fabric, plastic, painted steel

7958 7960 7961

3xE27, max 25W only LED

WHITE TO04 GRAY TO22 BLACK TO12


WHITE TO04 GRAY TO22 BLACK TO12

Nowodvorski LIGHTING

FALCON 7950







FALCON

fabric, plastic, painted steel


7951 7948 7950

6xE27, max 25W only LED

HAWK 8843







HAWK

fabric, glass, painted steel

8843 6541


6xE27, max 60W

WHITE T004 GRAY T022 BLACK T012 WHITE P004 RAL 9003 BLACK P013 RAL 9005

WHITE T004 GRAY T022 WHITE P004 RAL 9003 GRAPHITE P010 RAL 7016



VIPER 6640




VIPER

fabric, painted steel

6640 6641

1xE27, max 60W





VIPER 6513

VIPER

fabric, painted steel, chrome


6512 6513

1xE14, max 40W



VIPER 6513

WHITE T004 BLACK-GOLD T013 WHITE P004 RAL 9003 BLACK P013 RAL 9005




ALICE
fabric, painted steel

9084

1xE27, max 60W

ALICE 9091





ALICE
fabric, painted steel

9091

1xE27, max 60W

ALICE L
fabric, painted steel

4961

1xE27, max 60W

ALICE L
painted steel, fabric

4963


1xE27, max 60W



ALICE M
fabric, painted steel

4962


2xE27, max 60W



ALICE XS
fabric, painted steel

5663


1xE27, max 60W



ALICE M
fabric, painted steel

3458

1xE27, max 60W




ALICE L
fabric, painted steel

3466

1xE27, max 60W



ALICE L 3466



ALICE L
painted steel, fabric

3464 3457

1xE27, max 60W



ALICE XS 5663

BLACK T013 BLACK P013 RAL 9005

ECRU T006 BEIGE T009 BLACK P013 RAL 9005


Nowodvorski LIGHTING



ALICE M 6815




ALICE M 6817



ALICE M
fabric, painted steel

6817


2xE27, max 60W



ALICE
fabric, painted steel

9083


1xE27, max 60W



ALICE
fabric, painted steel

9090


1xE27, max 60W



ALICE XS
fabric, painted steel

6812 5723


1xE27, max 60W



ALICE L
painted steel, fabric

6818 5386


1xE27, max 60W



ALICE M
fabric, painted steel

6815 5383

1xE27, max 60W



ALICE L
fabric, painted steel

6816 5384

1xE27, max 60W


GRAY T022 BLACK P013 RAL 9005

GRAY T022 WHITE T004 BLACK P013 RAL 9005

Nowodvorski LIGHTING



FLEX SHADE 9277



FLEX


flexible stem, painted steel

9274 9273

7xE27, max 60W



FLEX 9273




FLEX

flexible stem, painted steel

9772 9766

5xE27, max 60W




FLEX SHADE

fabric, flexible stem, painted steel

9277 9278

5xE27, max 60W




FLEX SHADE

fabric, flexible stem, painted steel

9764 9758

1xE27, max 60W




FLEX

flexible stem, painted steel

9765

6xE27, max 60W



FLEX

flexible stem, painted steel


9774 9768

1xE27, max 60W

WHITE BLACK

WHITE BLACK





RETTO

fabric, painted steel

6820

3xE27, max 60W






MOSS

fabric, plywood, painted steel

9736

3xE27, max 60W





MOSS

fabric, painted steel

9737

3xE27, max 60W

MULTICOLOUR

SILVER


BLACK T012

BLACK P013 RAL 9005

Nowodvorski LIGHTING



HOTEL 9298



HOTEL


fabric, chrome plated steel

9298

1xE27, max 60W



HOTEL LED 9302



HOTEL LED


fabric, chrome plated steel

6800 9302

1xE27 max 60W, 1x2.2W LED



HOTEL 9218



HOTEL


fabric, chrome plated steel

4730 9218

1xE27, max 60W



HOTEL 9304



HOTEL

fabric, chrome plated steel

4731 9304

2xE27, max 60W

GRAY T022 CHROME

ECRU T006 GRAY T022 CHROME



HOTEL 9301




HOTEL 9303



HOTEL PLUS 9073



HOTEL PLUS 9072




HOTEL

fabric, chrome plated steel

9303 8980

1xE14, max 60W




HOTEL

chrome plated steel, fabric

8982 9301

1xE27, max 60W




HOTEL

fabric, chrome plated steel

8981 9300

1xE27, max 60W




HOTEL PLUS

fabric, painted steel, flexible stem

9073 9071

1xE27 max 60W, 1xG9 max 20W only LED



HOTEL PLUS

fabric, painted steel, flexible stem

9074 9072

1xE27 max 60W, 1xG9 max 20W only LED

GRAY T022 ECRU T006 CHROME

GRAY T022 WHITE T004 BLACK P013 RAL 9005 WHITE P004 RAL 9003



CHILLIN 8216



CHILLIN 8215



CHILLIN 8201



CHILLIN 8200



CHILLIN 8211



CHILLIN 8214




CHILLIN 8213



CHILLIN 8197



CHILLIN 8198



CHILLIN

fabric, painted steel, flexible stem

8216 8215

1xE27 max 40W, 1xG9 max 10W only LED

fabric, painted steel, solid brass, flexible stem


8213

1xE27 max 40W, 1xG9 max 10W only LED

velvet, painted steel, solid brass, flexible stem

8214

1xE27 max 40W, 1xG9 max 10W only LED



CHILLIN

fabric, painted steel

8201 8200 8197

1xE27, max 40W

fabric, brushed stainless steel

8211

1xE27, max 40W

velvet, painted steel

8198

1xE27, max 40W

WHITE T004 GRAY T008 GREEN-GOLD T029 BLACK-GOLD T013 BRASS WHITE P004 RAL 9003 BLACK P013 RAL 9005

WHITE T004 GRAY T008 GREEN-GOLD T029 BLACK-GOLD T013 BLACK T011 WHITE P004 RAL 9003 BLACK P013 RAL 9005

Nowodvorski LIGHTING

BORDE 7985



BORDE 7985



BORDE 7987



BORDE 7986




BORDE 8044




BORDE 8046



BORDE 8045





BORDE

fabric, painted steel, flexible stem

7985 7987

1xE27 max 40W, 1xG9 max 10W only LED

fabric, solid brass, flexible stem

7986

1xE27 max 40W, 1xG9 max 10W only LED

BORDE

fabric

8044 8045 8046


1xE27, max 40W

WHITE T004 GRAY T008 BLACK-GOLD T013 WHITE P004 RAL 9003 BRASS

Nowodvorski LIGHTING

VELERO 7984





VELERO


fabric, painted steel, flexible stem

7983 7984

1xE27 max 40W, 1xG9 max 10W only LED

VELERO 8043





VELERO


fabric

8042 8043

1xE27, max 40W

FARO 7982





FARO


fabric, solid brass, flexible stem

7982

1xE27 max 40W, 1xG9 max 10W only LED

FARO 8041





FARO

fabric

8041


1xE27, max 40W


WHITE T004 GRAY T008 BLACK-GOLD T013 WHITE P004 RAL 9003 BRASS




PETIT A 8340

PETIT 8345









PETIT

painted aluminum, painted steel

8345 8346

1xE27, max 40W







PETIT A

fabric, painted steel

8333 8337 8343 8332

velvet, painted steel

8340 8344 8334



PETIT B

fabric, painted steel

8338 8336 8342




PETIT C

fabric, painted steel


8226 8335 8341


WHITE P004 RAL 9003 BLACK P013 RAL 9005

BLACK-GOLD T013 GRAY T021 WHITE T004 GRAY T022 PINK T027 NAVY BLUE-GOLD T028 GREEN-GOLD T029









CADILAC

fabric, painted steel, plastic

7988 7990 8190


3xE27, max 25W only LED

BLACK T011 WHITE T023 GRAY T024 BLACK P013 RAL 9005 WHITE P004 RAL 9003









CADILAC

fabric, painted steel

7992 7991 8191

1xE27, max 40W

GRAY T022 BLACK-GOLD T013 WHITE T004 WHITE P004 RAL 9003 BLACK P013 RAL 9005




TRIFFLE 7760



7758 7760 7761 8077



8078 8080 8076 8075




TRIFLE


fabric, painted aluminum

7758 7760 7761 8076

8077 8078 8080 8075

1xG9, max 10W only LED





ZELDA

fabric, painted steel

6010

1xE27, max 60W


WHITE-PINK T004 NAVY BLUE-WHITE T014 NAVY BLUE-GOLD T014 PINK-WHITE T007 BLACK-GOLD T011 BLACK T011

GRAY T008 WHITE T005 BLACK P013 RAL 9005 WHITE P004 RAL 9003

GRAY T022 BLACK P013 RAL 9005









ROCKET

fabric, plywood

8490 8448

1xE27, max 40W





ACROSS

plywood, fabric, braided cable

6927

1xE27, max 60W

WHITE T004 GRAY T008 NATURAL WOOD

NATURAL WOOD WHITE T004 RED


SUNSET B 7655

SUNSET A 7653

SUNSET C 7654



SUNRISE LED 7652




SUNRISE LED

plywood, painted steel

7652






SUNSET C

plywood, painted steel

7654

2xGX53, max 8W






SUNSET B

plywood, painted steel

7655

2xGX53, max 8W





SUNSET A

plywood, painted steel

7653

2xGX53, max 8W

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Ingress protection	Lifetime
7652	12W LED	3000K	520 lm	150 °	80	220-230 V, 50/60 Hz	⏚	IP20	50000h


DARK WOOD BLACK P013 RAL 9005

DARK WOOD BLACK P013 RAL 9005



SUN LED 7651






SUN LED

plywood, painted steel

7651





SUNSET

plywood, painted steel

7647

2xGX53, max 8W


Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Ingress protection	Lifetime
7651	15W LED	3000K	610 lm	150 °	80	220-230 V, 50/60 Hz	⏚	IP20	50000h

DARK WOOD BLACK P013 RAL 9005 GOLD

WHEEL 9028

WHEEL 9033






WHEEL

plywood, painted steel

9028 9033

1xE27, max 40W






WHEEL LUX

plywood, painted steel

8427 8428

2xG9, max 20W






WHEEL LUX

plywood, painted steel

8430

1xG9, max 20W






WHEEL

plywood, painted steel

9032

1xG9, max 20W





WHEEL LUX

plywood, plywood, steel

7646

2xGX53, max 8W

GOLD BLACK P013 RAL 9005

GOLD BLACK P013 RAL 9005


Nowodvorski LIGHTING



MINIMAL 9375



DISK 7644




MINIMAL

wood, painted steel, solid brass

9375

2xE27, max 40W




MINIMAL

wood, painted steel

9377

1xG9, max 10W




DISK

painted steel, plywood

7643

2xGX53, max 8W




DISK

painted steel, plywood

7644

3xGX53, max 8W



DISK

painted steel, plywood

7645

1xGX53, max 8W

OAK


BLACK P013 RAL 9005

BLACK P013 RAL 9005

DARK WOOD

Nowodvorski LIGHTING






OSLO 30

wood, painted steel

9700

1xE14, max 40W




OSLO LED 60

wood, painted steel

7521 7517

1xLED TUBE T8, max 11W, included




OSLO LED 90

wood, painted steel

7518

1xLED TUBE T8, max 16W, included



OSLO LED 90

wood, painted steel

7522 7520

1xLED TUBE T8, max 16W, included


Name	Size	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Power factor	LED driver	Lifetime	Material
LED TUBE T8	60 cm	11W LED	3000K	1700 lm	120 °	≥80	220-230 V, 50/60 Hz	>0,5	INCL	30000h	CLEAR GLASS
LED TUBE T8	90 cm	16W LED	3000K	2300 lm	120 °	≥80	220-230 V, 50/60 Hz	>0,5	INCL	30000h	CLEAR GLASS

OAK SMOKED OAK WHITE P004 RAL 9003

OAK SMOKED OAK WHITE P004 RAL 9003

Nowodvorski LIGHTING






AWINION

fabric, plywood, painted steel

9718

1xE27, max 40W



COBA ANTIQUE


plywood, painted steel

9042

1xE27, max 60W








AWINION

fabric, plywood, painted steel

9717

3xE27, max 40W



COBA ANTIQUE


plywood, painted steel

9043

3xE27, max 60W








AWINION

fabric, plywood, painted steel

9716

4xE27, max 40W



COBA ANTIQUE

plywood, painted steel

9044

4xE27, max 60W




GRAY T021 DARK WOOD BLACK P013 RAL 9005

DARK WOOD BLACK P013 RAL 9005










IKA C

plywood, painted steel

4173

1xE27, max 60W




IKA A

plywood, painted steel

4171

1xE27, max 60W



IKA D


plywood, painted steel

4174

1xE27, max 60W







BIO

plywood

6333

1xGU10, max 35W

plywood

9847

1xE27, max 40W


NATURAL WOOD

NATURAL WOOD

Nowodvorski LIGHTING



DOVER 9263




DOVER

plywood, braided cable, painted steel

9264

1xGU10, max 35W



DOVER


plywood, braided cable, painted steel

9263

2xGU10, max 35W



DOVER 9260




DOVER

plywood, painted steel

9261 9266

1xGU10, max 35W



DOVER

plywood, painted steel

9260

2xGU10, max 35W

BLACK P013 RAL 9005 BRASS

NATURAL WOOD BLACK P013 RAL 9005 WHITE P004 RAL 9003

Nowodvorski LIGHTING



ORBIT 7804



ORBIT 7805




ORBIT 7806



ORBIT 7946



ORBIT 7806




ORBIT
painted steel

7803 7806

1xGX53, max 8W



ORBIT 7805




ORBIT
painted steel

7802 7805

1xGX53, max 8W



ORBIT 7804




ORBIT
painted steel

7801 7804

2xGX53, max 8W




ORBIT 7946



ORBIT
painted steel

7941 7945


4xGX53, max 8W



ORBIT
painted steel

7942 7946

6xGX53, max 8W



ORBIT
painted steel

7938 7943

2xGX53, max 8W


WHITE P004 RAL 9003 BLACK P013 RAL 9005

WHITE P004 RAL 9003 BLACK P013 RAL 9005

Nowodvorski LIGHTING



PILLS 8265



PILLS


painted aluminum, painted steel

8271 8265

1xGX53, max 8W



PILLS 8263



PILLS


painted aluminum, painted steel

8268 8263

3xGX53, max 8W



PILLS 8266



PILLS

painted aluminum, painted steel

8272 8266


1xGX53, max 8W



PILLS 8262



PILLS 8264




PILLS

painted aluminum, painted steel

8270 8264

2xGX53, max 8W



PILLS

painted aluminum, painted steel

8267 8262


5xGX53, max 8W

WHITE P004 RAL 9003 BLACK P013 RAL 9005

WHITE P004 RAL 9003 BLACK P013 RAL 9005

Nowodvorski LIGHTING





RADIUS
painted steel


7930

1xE27, max 60W



RADIUS 7932






RADIUS
painted steel

7762

1xE27, max 60W






RADIUS
painted steel

7928


1xE27, max 60W



RADIUS
painted steel

7931

4xE27, max 60W



RADIUS
painted steel

7932

6xE27, max 60W

BLACK P013 RAL 9005

BLACK P013 RAL 9005

Nowodvorski LIGHTING

ROTOR 7937

ROTOR 7933




ROTOR 7934



ROTOR 7936




ROTOR 7935



ROTOR
painted steel

7934


2xE27, max 60W



ROTOR
painted steel

7936


4xE27, max 60W



ROTOR
painted steel

7933


2xE27, max 60W



ROTOR
painted steel

7935

4xE27, max 60W



ROTOR
painted steel


7937

6xE27, max 60W

BLACK P013 RAL 9005 GOLD P017

BLACK P013 RAL 9005 GOLD P017

Nowodvorski LIGHTING



STICKS

painted steel

9076 6270


5xE27, max 60W



STICKS 9076



STICKS 6270




STICKS

painted steel

6268

3xE27, max 60W




STICKS

painted steel

9077 6267

2xE27, max 60W



STICKS

painted steel


9735

5xE27, max 60W

BLACK P013 RAL 9005 GOLD P017 BRASS P020




AXIS 9294



AXIS 9297






AXIS

painted steel

9296

6xE27, max 60W




AXIS

painted steel

9294

1xE27, max 60W



AXIS

painted steel

9297


6xE27, max 60W

BLACK P013 RAL 9005 GOLD P017

BLACK P013 RAL 9005 GOLD P017




ROD 9130



ROD
painted steel

9027 9733

15xE27, max 60W



ROD
painted steel

9130 9734

9xE27, max 60W

GOLD P017

BLACK P013 RAL 9005



ROD 9733




PILE 9127





MILL 9135




MILL 9136









PILE
painted steel, steel

9127

5xE27, max 60W

PILE
painted steel, steel

9128

3xE27, max 60W

MILL
painted steel, brass-plated steel

9135

8xE27, max 60W

MILL
painted steel, brass-plated steel

9136

3xE27, max 60W

BLACK P013 RAL 9005


BLACK P013 RAL 9005 BRASS P017

MANUFACTURE 9740



MANUFACTURE 9742






MANUFACTURE
painted steel, copper-clad steel

9742


1xE27, max 60W



MANUFACTURE
painted steel, copper-clad steel

9741


1xE27, max 60W



MANUFACTURE
painted steel, copper-clad steel

9740

3xE27, max 60W



MANUFACTURE
painted steel, copper-clad steel

9738

5xE27, max 60W

BLACK P013 RAL 9005 COPPER

BLACK P013 RAL 9005 COPPER


Nowodvorski LIGHTING



WORKSHOP A 6337

WORKSHOP B 6336

WORKSHOP C 6335




WORKSHOP A

painted steel, copper-clad steel

6337

1xE27, max 60W




WORKSHOP B

painted steel, copper-clad steel

6336

1xE27, max 60W





WORKSHOP

painted steel, copper-clad steel

6606

1xE27, max 60W




WORKSHOP

painted steel, copper-clad steel

6605

1xE27, max 60W




WORKSHOP C

painted steel, copper-clad steel

6335

1xE27, max 60W



WORKSHOP

painted steel, copper-clad steel


9631

6xE27, max 60W

BLACK P013 RAL 9005 COPPER

BLACK P013 RAL 9005 COPPER

Nowodvorski LIGHTING



FIORD
painted steel

9670


1xE27, max 60W



FIORD 9666




TWIG 9138



FIORD
painted steel

9668


1xE27, max 60W



FIORD
painted steel

9666


3xE27, max 60W



FIORD
painted steel

9665


5xE27, max 60W



TWIG
painted steel

9141


2xE27, max 60W



TWIG
painted steel

9138

6xE27, max 60W



TWIG
painted steel

9140

4xE27, max 60W

BLACK P013 RAL 9005

BLACK P013 RAL 9005

Nowodvorski LIGHTING




SPIDER 6785



SPIDER 6788

X+Y=max 300 cm




SPIDER

braided cable, painted steel

9745 6792

1xE27, max 60W

X+Y=max 300 cm




SPIDER

braided cable, painted steel

9744 6788

5xE27, max 60W

X+Y=max 300 cm



SPIDER


braided cable, painted steel

9743 6785

7xE27, max 60W

WHITE P004 RAL 9003 BLACK P013 RAL 9005





CABLE

braided cable, painted steel, brass-plated steel

9747

1xE27, max 60W






TULUM 9691



SILICONE 6404



SILICONE 6403



CABLE

braided cable, painted steel, brass-plated steel

9746

7xE27, max 60W




TULUM

concrete, painted steel

9691

1xE27, max 60W



SILICONE

silicone, painted steel

6404 6403

1xE27, max 60W

BLACK P013 RAL 9005 COPPER

WHITE BLACK GRAY

Nowodvorski LIGHTING



GEOMETRIC 9695



SHY 9391



LAVA 6855

VOLCANO S 6853




SHY

concrete, painted steel

9391

1xGU10, max 35W




VOLCANO S

concrete, painted steel, chrome

6853

1xGU10, max 35W




GEOMETRIC

concrete, painted steel

9695

3xGU10, max 35W




GEOMETRIC

concrete, painted steel

9696

1xGU10, max 35W




VOLCANO L

concrete, painted steel, chrome

6852

1xE27, max 60W



LAVA

concrete, painted steel, chrome

6855

1xE27, max 60W


GRAY

GRAY P009 RAL 7039

GRAY

GRAY P009 RAL 7039






GIPSY L

gypsum, glass

2208

2xE27, max 60W






GIPSY L

gypsum, glass

2411

2xE27, max 60W






GIPSY M

gypsum, glass

2207

2xE27, max 60W






GIPSY S

gypsum, glass

2410

1xE27, max 60W





GIPSY S

gypsum, glass

2206

1xE27, max 60W


WHITE

WHITE



SOLID 9721






SOLID

concrete, glass

9721

2xE27, max 60W




SHY M

concrete

9393

1xGU10 ES111, max 75W






SHY S

concrete

9390

1xGU10, max 35W




BOLD S

concrete

9388

1xGU10, max 35W





BOLD M

concrete

9392

1xGU10 ES111, max 75W

GRAY


GRAY

Nowodvorski LIGHTING










CRATE
painted steel

9046


1xE27, max 60W



CRATE
painted steel

9045

1xE27, max 60W



CRATE
painted steel

9047


5xE27, max 60W

BLACK P013 RAL 9005

CRATE 9047

PLANT 9381





PLANT

painted steel, steel

9382 9381

4xGU10, max 35W

BLACK P013 RAL 9005 WHITE P004 RAL 9003

Nowodvorski LIGHTING

EYE TONE 8931


HERMANOS 8100

HERMANOS 8103

HERMANOS 8194



HERMANOS 8037




HERMANOS

painted steel, solid brass

8037 8194

1xGU10, max 10W only LED



HERMANOS

painted steel, solid brass

8031 8030


3xGU10, max 10W only LED



HERMANOS 8031



HERMANOS 8038



HERMANOS

painted steel, solid brass

8038 8100

1xGU10, max 10W only LED



HERMANOS 8032



HERMANOS 8040




HERMANOS

painted steel, solid brass

8040 8103

1xGU10, max 10W only LED



HERMANOS

painted steel, solid brass

8033 8032

5xGU10, max 10W only LED

WHITE P004 RAL 9003 BLACK P013 RAL 9005 BRASS


WHITE P004 RAL 9003 BLACK P013 RAL 9005 BRASS



ZENITH L 8005



ZENITH M 8003



ZENITH S 7997

ZENITH L

painted steel, solid brass

8005 8006 8007

1xGU10, max 35W



ZENITH M

painted steel, solid brass

8001 8002 8003

1xGU10, max 35W



ZENITH S

painted steel, solid brass

7996 7997 7998


1xGU10, max 35W

BLACK P013 RAL 9005 WHITE P004 RAL 9003 GREEN P024 BRASS

ZENITH M 8001




PERM 9146



PERM
painted steel

9148


1xE27, max 60W



PERM
painted steel

9147

2xE27, max 60W



PERM
painted steel

9146

3xE27, max 60W



PERM 9148

BLACK P013 RAL 9005

COPPER P016


Nowodvorski LIGHTING



TECHNO 9145




TECHNO 9144



TECHNO
painted steel

9145

1xE27, max 60W




TECHNO
painted steel

9144

1xE27, max 60W




TECHNO 9142



TECHNO
painted steel

9143

2xE27, max 60W



TECHNO
painted steel


9142


3xE27, max 60W


BLACK P013 RAL 9005 WHITE P001 RAL 9003


BLACK P013 RAL 9005 WHITE P001 RAL 9003













PANTOGRAPH

painted steel

9126

1xE27, max 60W

BLACK P013 RAL 9005

WHITE P001 RAL 9003



CRAFT 9150

CRAFT 9151






CRAFT

painted steel

9151

1xE27, max 60W



CRAFT

painted steel

9150

3xE27, max 60W

BLACK P013 RAL 9005

WHITE P001 RAL 9003


Nowodvorski LIGHTING



HARMONY 9890



HIGH-BAY 5067




HARMONY

painted steel, chrome

6868 9890

1xE27, max 60W



HIGH-BAY

painted steel

5067

1xE27, max 60W

WHITE P004 RAL 9003 BLACK P013 RAL 9005

BLACK P013 RAL 9005 WHITE P001 RAL 9003

Nowodvorski LIGHTING

GARRET 6444

GARRET 6442

GARRET 9247

GARRET 6444



GARRET
painted steel


9247

1xE27, max 60W

GARRET
painted steel

6442


1xE27, max 60W



GARRET M
painted steel

6444

1xE27, max 60W



GARRET S
painted steel

6443

1xE27, max 60W


CHOCOLATE P019

COPPER P020

Nowodvorski LIGHTING



HEMISPHERE RUST L 6368




HEMISPHERE RUST S

painted steel

6367

1xE27, max 60W



HEMISPHERE RUST L

painted steel

6368

1xE27, max 60W

RUST EFFECT



WORKS 6510




WORKS 6613

HEMISPHERE HIT S 6777



HEMISPHERE HIT L 6778




WORKS

painted steel

6612 6613 6510

1xE27, max 60W




HEMISPHERE HIT S

painted steel

6777

1xE27, max 60W



HEMISPHERE HIT L

painted steel

6778

1xE27, max 60W

WHITE P004 RAL 9003 BLACK P013 RAL 9005 CONCRETE

BLACK P013 RAL 9005 BRASS P016

Nowodvorski LIGHTING




HEMISPHERE L 4844

HEMISPHERE L 4843



HEMISPHERE S 4893




HEMISPHERE S

painted steel, plastic

4838 4840 4893

1xE27, max 60W



HEMISPHERE L

painted steel, plastic

4843 4844 4842


1xE27, max 60W

BLACK P011 RAL 9005 WHITE P001 RAL 9003 BRASS P016



HEMISPHERE S 4841

HEMISPHERE L 4856




HEMISPHERE S

painted steel, plastic

4841

1xE27, max 60W



HEMISPHERE L

painted steel, plastic

4856

1xE27, max 60W

WHITE P001 RAL 9003

EGG L 9024




Designed by Marta Czerkies
Photographed by Bernadetta Kuczyńska



EGG L 9023



EGG XL 9026




EGG M

composite, painted steel

9022 9021

1xE27, max 40W




EGG L

composite, painted steel, steel

9024 9023

5xE27, max 40W



EGG XL

composite, painted steel, steel

9026 9025

7xE27, max 40W

WHITE P003 RAL 9003 BLACK P014 RAL 9005 GOLD P018


Nowodvorski LIGHTING



CANOE 7926



CANOE 7927



CANOE

composite, painted steel, steel

7926 7927

5xE27, max 40W

BLACK P014 RAL 9005 WHITE P003 RAL 9003 GOLD P018




CANOE 7926

LUKSOR L 8850



LUKSOR L 8847



LUKSOR L

painted steel

8847

1xE27, max 60W

brass-plated steel, painted steel

8850

1xE27, max 60W



WAVE S

painted steel

8860 8858

1xE27, max 60W

brass-plated steel, painted steel

8861

1xE27, max 60W




WAVE S 8860



WAVE S 8861



LUKSOR S 8851



LUKSOR S

painted steel

8851

1xE27, max 60W

brass-plated steel, painted steel

8853

1xE27, max 60W



WAVE L

painted steel

8856

1xE27, max 60W

brass-plated steel, painted steel

8857

1xE27, max 60W



WAVE L 8856

BLACK P013 RAL 9005 BRASS

WHITE P004 RAL 9003 BLACK P013 RAL 9005 BRASS




ABI M 8866



ABI S 8870




ABI L 8864



PICO 8862



PICO 8863



ABI M

painted steel, fabric

8866

1xE27, max 40W




ABI S

painted steel, fabric

8870

1xE27, max 40W



ABI L

painted steel, fabric

8864 8865

1xE27, max 40W




PICO

painted steel, brass-plated steel

8862

1xGU10, max 35W



PICO

painted steel, brass-plated steel

8863


3xGU10, max 35W

BLACK P013 RAL 9005 WHITE P004 RAL 9003

BLACK P013 RAL 9005 BRASS



GSTAR 7795



GSTAR

painted steel

7795

1xGU10, max 10W only LED


brass-plated steel, painted steel

8854

1xGU10, max 10W only LED



GSTAR 8285



GSTAR

painted steel


7796

1xGU10, max 10W only LED


brass-plated steel, painted steel

8285

1xGU10, max 10W only LED



BULLET 9061



BULLET

painted steel

9061

3xE27, max 60W


BLACK P013 RAL 9005 BRASS

GOLD P017

Nowodvorski LIGHTING

UMBRELLA 8873





UMBRELLA

painted steel

8873

1xE27, max 60W

brass-plated steel, painted steel

8874


1xE27, max 60W

NESS

painted steel

6767 6768

1xE27, max 60W




NESS 6767



KAREN 4607





KAREN

painted steel, fabric

4607


1xE27, max 40W

CAGE

painted steel

6844

1xGU10, max 35W



CAGE 6844



CAMILLA 4610





CAMILLA

painted steel, fabric

4611 4610


1xE27, max 40W

ALLAN

painted steel

6941

1xGU10, max 35W



ALLAN 6941



BRASS BLACK P013 RAL 9005 WHITE P004 RAL 9003

WHITE P004 RAL 9003 BLACK P013 RAL 9005



MERSEY 5296



MERSEY

painted steel, glass

5295 5296

1xE27, max 60W



MEKNES 5297



MEKNES

painted steel

5297 5298

1xE27, max 60W

AVEIRO S 5410



AVEIRO L 5126



AVEIRO S

painted steel, fabric

5410 5411

1xE27, max 40W



AVEIRO L

painted steel, fabric

5125 5126

1xE27, max 40W


WHITE P004 RAL 9003 BLACK P013 RAL 9005

WHITE P004 RAL 9003 BLACK P013 RAL 9005






ARES 206



ARES
painted steel

203


2xE14, max 60W



ARES
painted steel

202


1xE14, max 60W



MARGARET
painted steel

6330


5xE14, max 60W



ARES
painted steel

204


3xE14, max 60W



ARES
painted steel

205

5xE14, max 60W



ARES
painted steel

206


10xE14, max 60W

WHITE P004 RAL 9003

BLACK WITH A GOLDEN PATINA




TWIST 4985



TWIST
painted steel

4985 2767

10xE14, max 60W




TWIST
painted steel

4981 2763

2xE14, max 60W




TWIST 2763



TWIST
painted steel

4983 2764

3xE14, max 60W



TWIST
painted steel

4984 2766

5xE14, max 60W

WHITE WITH A GOLDEN PATINA BROWN WITH A GOLDEN PATINA

WHITE WITH A GOLDEN PATINA BROWN WITH A GOLDEN PATINA


REMBRANT LED L 8167




















REMBRANT LED M

brass plated steel

8166

REMBRANT LED L

brass plated steel

8167

GIOTTO LED S

brass plated steel

8168

GIOTTO LED M

brass plated steel

8170


Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8166	9W LED	3000K	600 lm	120°	≥80	~220-230 V, 50/60 Hz	⏚	>0.5	IP20	30000h
8167	13W LED	3000K	900 lm	120°	≥80	~220-230 V, 50/60Hz Hz	⏚	>0,5	IP20	30000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8168	9W LED	3000K	600 lm	120°	≥80	~220-230V V, 50/60Hz Hz	⏚	>0,5	IP20	30000h
8170	13W LED	3000K	900 lm	120°	≥80	~220-230 V, 50/60 Hz	⏚	>0,5	IP20	30000h

ANTIQUE BRASS

ANTIQUE BRASS





IMPULSE LED M


painted aluminum, plastic PC

8116



IMPULSE LED S 8115






IMPULSE LED L

painted aluminum, plastic PC

8117



IMPULSE LED S

painted aluminum, plastic PC

8115

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8115	6W LED	3000K	200 lm	120°	≥80	~220-230 V, 50/60 Hz	⧈	>0,5	IP23	30000h
8116	10W LED	3000K	350 lm	120°	≥80	~220-230 V, 50/60 Hz	⧈	>0,5	IP23	30000h
8117	15W LED	3000K	500 lm	120°	≥80	~220-230 V, 50/60 Hz	⧈	>0,5	IP23	30000h

BLACK

BLACK



STRAIGHT CEILING LED L 7551



STRAIGHT CEILING LED M 7558



STRAIGHT CEILING LED S 7597



STRAIGHT CEILING LED L

painted steel, plastic PMMA

7551 7556 7600

1xLED TUBE T8, max 22W, included



STRAIGHT CEILING LED M

painted steel, plastic PMMA

7553 7558 7598

1xLED TUBE T8, max 16W, included



STRAIGHT CEILING LED S

painted steel, plastic PMMA

7552 7557 7597


1xLED TUBE T8, max 11W, included

Name	Size	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Power factor	Lifetime	Material
LED TUBE T8	60 cm	11W LED	3000K	1700 lm	120 °	≥80	220-230 V, 50/60 Hz	>0,5	30000h	CLEAR GLASS
LED TUBE T8	90 cm	16W LED	3000K	2300 lm	120 °	≥80	220-230 V, 50/60 Hz	>0,5	30000h	CLEAR GLASS
LED TUBE T8	120 cm	22W LED	3000K	3200 lm	120 °	≥80	220-230 V, 50/60 Hz	>0,5	30000h	CLEAR GLASS

GRAPHITE P010 RAL 7016 WHITE P004 RAL 9003 BLACK P013 RAL 9005

STRAIGHT CEILING LED M 7558






STRAIGHT WALL XS

painted steel, plastic PMMA

6345 6354

6350 7601

1xE14, max 40W




STRAIGHT WALL LED S

painted steel, plastic PMMA

7568 7565

7562 7596

1xLED TUBE T8, max 11W, included




STRAIGHT WALL LED M

painted steel, plastic PMMA

7567 7564

7561 7594

1xLED TUBE T8, max 16W, included



STRAIGHT WALL LED L

painted steel, plastic PMMA

7566 7563

7560 7595


1xLED TUBE T8, max 22W, included

Name	Size	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Power factor	Lifetime	Material
LED TUBE T8	60 cm	11W LED	3000K	1700 lm	120°	≥80	220-230 V, 50/60 Hz	>0,5	30000h	CLEAR GLASS
LED TUBE T8	90 cm	16W LED	3000K	2300 lm	120°	≥80	220-230 V, 50/60 Hz	>0,5	30000h	CLEAR GLASS
LED TUBE T8	120 cm	22W LED	3000K	3200 lm	120°	≥80	220-230 V, 50/60 Hz	>0,5	30000h	CLEAR GLASS

WHITE P004 RAL 9003 SILVER P006 RAL 9006 GRAPHITE P010 RAL 7016 BLACK P013 RAL 9005



H LED 8910



H LED

painted aluminum, plastic PC, painted steel

8908 8910

Item No.		Power	Colour temp.	Luminous flux	Luminaire efficiency	Colour Rendering Index CRI)	Input	Lifetime
8908	8910	36W LED	3000K	2300 lm	75	≥ 80	~220-230 V, 50/60 Hz	50000h


WHITE P004 RAL 9003 WHITE-BLACK



SOFT LED 90X6 7547



SOFT LED 90X20 7532



SOFT LED 90X20


painted aluminum, plastic PMMA

7545 7532

2xLED TUBE T8, max 16W, included



SOFT LED 90X6 7547




SOFT LED 90X6


painted aluminum, plastic PMMA

7547 7535

1xLED TUBE T8, max 16W, included



SOFT LED 120X6 7525



SOFT LED 120X6

painted aluminum, plastic PMMA

7537 7525


1xLED TUBE T8, max 22W, included

WHITE P004 RAL 9003 GRAPHITE P010 RAL 7016

Nowodvorski LIGHTING

SOFT CEILING LED 60X6 7540





SOFT CEILING LED 60X6


painted aluminum, plastic PMMA

7540 7527

1xLED TUBE T8, max 11W, included

SOFT CEILING LED 60X20 7526





SOFT CEILING LED 60X20

painted aluminum, plastic PMMA

7538 7526

2xLED TUBE T8, max 11W, included

SOFT WALL LED 60X6 7541





SOFT WALL LED 60X6


painted aluminum, plastic PMMA

7541 7528

1xLED TUBE T8, max 11W, included

SOFT CEILING LED 90X6 7533





SOFT CEILING LED 90X6


painted aluminum, plastic PMMA

7546 7533

1xLED TUBE T8, max 16W, included

SOFT CEILING LED 90X20 7542





SOFT CEILING LED 90X20


painted aluminum, plastic PMMA

7542 7531

2xLED TUBE T8, max 16W, included

SOFT WALL LED 90X6 7534





SOFT WALL LED 90X6

painted aluminum, plastic PMMA

7548 7534

1xLED TUBE T8, max 16W, included

SOFT CEILING LED 120X6 7536





SOFT CEILING LED 120X6


painted aluminum, plastic PMMA

7536 7524

1xLED TUBE T8, max 22W, included

SOFT CEILING LED 60X60 7530





SOFT CEILING LED 60X60

painted aluminum, plastic PMMA

7544 7530

5xLED TUBE T8, max 11W, included

Name	Size	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Power factor	Lifetime	Material
LED TUBE T8	60 cm	11W LED	3000K	1700 lm	120 °	≥80	220-230 V, 50/60 Hz	>0,5	30000h	CLEAR GLASS
LED TUBE T8	90 cm	16W LED	3000K	2300 lm	120 °	≥80	220-230 V, 50/60 Hz	>0,5	30000h	CLEAR GLASS
LED TUBE T8	120 cm	22W LED	3000K	3200 lm	120 °	≥80	220-230 V, 50/60 Hz	>0,5	30000h	CLEAR GLASS

WHITE P004 RAL 9003 GRAPHITE P010 RAL 7016

WHITE P004 RAL 9003 GRAPHITE P010 RAL 7016

Nowodvorski LIGHTING



WING LED 7543

WING LED

painted steel


7543 7550

1xLED TUBE T8, max 11W, included

Name	Size	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Power factor	LED driver	Lifetime	Material
LED TUBE T 8	60 cm	11W LED	3000K	1700 lm	120 °	≥80	220-230 V, 50/60 Hz	>0,5	INCL	30000h	CLEAR GLASS

WHITE P004 RAL 9003 BLACK P013 RAL 9005






ION LED M

glass, chrome plated steel

8171





ION LED L

glass, chrome plated steel

8172


Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8171	12W LED	3000K	870 lm	130 °	≥80	~220-230 V, 50/60 Hz	⏚	>0.5	IP20	30000h
8172	18W LED	3000K	1300 lm	130 °	≥80	~220-230 V, 50/60 Hz	⏚	>0.5	IP20	30000h

CHROME









TUBE

painted aluminum

9317 9318 9320

2xGU10 ES111, max 75W

CUBE

painted steel, glass

5266 5272

1xG9, max 35W


brushed stainless steel, glass

5267

1xG9, max 35W








LIA LED

painted aluminum

6913



GESS LED

painted aluminum

6912

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
6913	7W LED	3000K	460 lm	89°	≥ 80	~220-230 V, 50/60 Hz	⏚	>0.5	IP20	10000h
6912	7W LED	3000K	450 lm	47°	≥ 80	~220-230 V, 50/60 Hz	⏚	>0.5	IP20	10000h

WHITE P004 RAL 9003 SILVER GRAPHITE P010 RAL 7016

WHITE P004 RAL 9003 GRAPHITE P010 RAL 7016 BLACK P013 RAL 9005



BERGEN 9706




HAGA 9710



MALMO 9704



NARWIK 9703




BERGEN

painted steel

9706 9707

2xGU10, max 35W




HAGA

painted steel

9708 9710

2xG9, max 40W




MALMO

painted steel

9704 9705

2xGU10, max 35W



NARWIK

painted steel

9702 9703

2xGU10, max 35W

WHITE P004 RAL 9003 GRAPHITE P010 RAL 7016

WHITE P004 RAL 9003 BLACK P013 RAL 9005




RING LED M 7638





RING LED S 7634



RING LED S 7637







RING LED S
painted steel

7634 7637

RING LED M
painted steel

7635 7638

RING LED L
painted steel


7636 7640

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Ingress protection	Lifetime
7634	7W LED	3000K	235 lm	150 °	>80	220-230 V, 50/60 Hz		IP20	50000h
7637	7W LED	3000K	265 lm	150 °	>80	220-230 V, 50/60 Hz		IP20	50000h
7635	9W LED	3000K	400 lm	150 °	>80	220-230 V, 50/60 Hz		IP20	50000h
7638	9W LED	3000K	520 lm	150 °	>80	220-230 V, 50/60 Hz		IP20	50000h
7636	12W LED	3000K	640 lm	150 °	>80	220-230 V, 50/60 Hz		IP20	50000h
7640	12W LED	3000K	780 lm	150 °	>80	220-230 V, 50/60 Hz		IP20	50000h

WHITE P004 RAL 9003 BLACK P013 RAL 9005

ORGANIC 8303






ORGANIC
painted steel

8304 8302

3xGX53, max 12W



ORGANIC
painted steel

8305 8303

1xGX53, max 12W

WHITE P004 RAL 9003 BLACK P013 RAL 9005

Nowodvorski LIGHTING







KASAI 9490



KASAI 7952





KASAI

glass, chrome plated steel

9490

2xE27, max 40W

glass, brushed stainless steel

9491

2xE27, max 40W

glass, painted steel

7952

2xE27, max 40W

KASAI SENSOR

glass, chrome plated steel

8827

2xE27, max 40W

glass, brushed stainless steel

8828


2xE27, max 40W

WHITE BLACK CHROME SILVER

Nowodvorski LIGHTING

AGNES ROUND LED 8208






AGNES ROUND LED

painted steel, plastic PMMA


	8207	3000K	8204	3000K
	8186	4000K	8183	4000K



AGNES ROUND LED

painted steel, plastic PMMA

	8208	3000K	8205	3000K
	8187	4000K	8184	4000K



AGNES ROUND LED

painted steel, plastic PMMA

	8210	3000K	8206	3000K
	8188	4000K	8185	4000K


Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Ingress protection	Lifetime
8207	22W LED	3000K	1300 lm	120 °	≥ 80	~220-230 V, 50/60 Hz		IP44	20000h
8204	22W LED	3000K	1200 lm	120 °	≥ 80	~220-230 V, 50/60 Hz		IP44	20000h
8186	22W LED	4000K	1500 lm	120 °	≥ 80	~220-230 V, 50/60 Hz		IP44	20000h
8183	22W LED	4000K	1300 lm	120 °	≥ 80	~220-230 V, 50/60 Hz		IP44	20000h
8208	32W LED	3000K	2000 lm	120 °	≥ 80	~220-230 V, 50/60 Hz		IP44	20000h
8205	32W LED	3000K	1700 lm	120 °	≥ 80	~220-230 V, 50/60 Hz		IP44	20000h
8187	32W LED	4000K	2300 lm	120 °	≥ 80	~220-230 V, 50/60 Hz		IP44	20000h
8184	32W LED	4000K	1800 lm	120 °	≥ 80	~220-230 V, 50/60 Hz		IP44	20000h
8210	64W LED	3000K	4200 lm	120 °	≥ 80	~220-230 V, 50/60 Hz		IP44	20000h
8206	64W LED	3000K	2700 lm	120 °	≥ 80	~220-230 V, 50/60 Hz		IP44	20000h
8188	64W LED	4000K	4300 lm	120 °	≥ 80	~220-230 V, 50/60 Hz		IP44	20000h
8185	64W LED	4000K	3900 lm	120 °	≥ 80	~220-230 V, 50/60 Hz		IP44	20000h

WHITE BLACK

Can be used in the bathroom

AGNES SQUARE LED 8108






AGNES SQUARE LED

painted steel, plastic PMMA


	8112	3000K	8108	3000K
	8135	4000K	8138	4000K



AGNES SQUARE LED

painted steel, plastic PMMA

	8113	3000K	8110	3000K
	8134	4000K	8137	4000K



AGNES SQUARE LED

painted steel, plastic PMMA

	8114	3000K	8111	3000K
	8133	4000K	8136	4000K

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Ingress protection	Lifetime
8112	16W LED	3000K	970 lm	120 °	≥ 80	~220-230 V, 50/60 Hz		IP44	20000h
8108	16W LED	3000K	830 lm	120 °	≥ 80	~220-230 V, 50/60 Hz		IP44	20000h
8135	16W LED	4000K	1000 lm	120 °	≥ 80	~220-230 V, 50/60 Hz		IP44	20000h
8138	16W LED	4000K	860 lm	120 °	≥ 80	~220-230 V, 50/60 Hz		IP44	20000h
8113	32W LED	3000K	2200 lm	120 °	≥ 80	~220-230 V, 50/60 Hz		IP44	20000h
8110	32W LED	3000K	1690 lm	120 °	≥ 80	~220-230 V, 50/60 Hz		IP44	20000h
8134	32W LED	4000K	2300 lm	120 °	≥ 80	~220-230 V, 50/60 Hz		IP44	20000h
8137	32W LED	4000K	1950 lm	120 °	≥ 80	~220-230 V, 50/60 Hz		IP44	20000h
8114	64W LED	3000K	4000 lm	120 °	≥ 80	~220-230 V, 50/60 Hz		IP44	20000h
8111	64W LED	3000K	3700 lm	120 °	≥ 80	~220-230 V, 50/60 Hz		IP44	20000h
8133	64W LED	4000K	4000 lm	120 °	≥ 80	~220-230 V, 50/60 Hz		IP44	20000h
8136	64W LED	4000K	3700 lm	120 °	≥ 80	~220-230 V, 50/60 Hz		IP44	20000h

Can be used in the bathroom

WHITE BLACK

Nowodvorski LIGHTING








- Indukcyjne ładowanie smartphona (5V 1A)
- Możliwość wyboru temperatury barwowej światła w przedziałach 3000K - 6000K
- Włącznik dotykowy z funkcją ściemniania
- Port USB umożliwiający ładowanie telefonu

- Wireless charger for smartphones (5V 1 A)
- Possibility to choose the colour temperature of light in the range from 3000K to 6000K
- Touch switch with dimming function
- USB port for charging mobile phones

- Индуктивная зарядка смартфона (5 В, 1 А)
- Возможность выбора температуры света в диапазоне 3000K - 6000K
- Сенсорный переключатель с функцией затемнения
- USB-вход для зарядки телефона.



STYLE LED

painted aluminum, plastic ABS

8404

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8404	10W LED	CCT CHANGE 3000-6000K	390 lm	100 °	≥ 80	50/60 V, ~220-230 Hz	⧈	>0,5	IP20	25000h

BLACK

STYLE LED 8404






- Możliwość wyboru temperatury barwowej światła w przedziałach 3000K - 6000K
- Włącznik dotykowy z funkcją ściemniania
- Port USB umożliwiające ładowanie telefonu

- Possibility to choose the colour temperature of light in the range from 3000K to 6000K
- Touch switch with dimming function
- USB port for charging mobile phones

- Возможность выбора температуры света в диапазоне 3000K - 6000K
- Сенсорный переключатель с функцией затемнения
- USB-вход для зарядки телефона



SMART LED

painted aluminum, plastic ABS

8358

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8358	8W LED	CCT CHANGE 3000-6000K	400 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⧈	>0,5	IP20	25000h

BLACK SILVER






- Włącznik dotykowy z funkcją ściemniania
- Temperatura barwowa światła 4000K

- Touch switch with dimming function
- Colour temperature 4000K

- Сенсорный переключатель с функцией затемнения
- Цветовая температура света 4000K



CHIC LED

painted aluminum, plastic ABS

8357

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8357	7,5W LED	4000K	400 lm	100 °	≥ 80	~220-230 V, 50/60 Hz	⧈	>0,5	IP20	25000h

BLACK SILVER

FLEA 8203

POCATELLO 5828






POCATELLO 5828



POCATELLO 5794



POCATELLO

painted steel, flexible stem, chrome plated steel


5794 5795 5796
5797 5798 5828

1xE27, max 18W

WHITE SILVER GREEN BLUE PINK BLACK CHROME

COSMO 4917





COSMO

brushed stainless steel, marble

3382

1xE27, max 60W

chrome plated steel, marble

4917


1xE27, max 60W

SILVER CHROME BLACK

COSMO 3382

PUZZLE 9728







PUZZLE

plywood, plastic PA, painted steel


6384 9728

4xGU10, max 15W










PLANE

plywood, flexible stem, painted steel

6904

3xGU10, max 35W




PLANE

plywood, painted steel

6902

1xGU10, max 35W



PLANE


plywood, flexible stem, painted steel

6903

2xGU10, max 35W

MULTICOLOUR MULTICOLOUR MULTICOLOUR





MALWI

painted steel, braided cable

6327

7xE27, max 35W

MULTICOLOUR





Spotlights


MONO LONG M 7674

MONO 7712

MONO 7711

MONO 7807





MONO

painted steel, plastic ABS

7807 7838

7771 7763

1xGU10, max 10W only LED


solid brass, painted steel, plastic ABS

7778

1xGU10, max 10W only LED

MONO 7811





MONO

painted steel, plastic ABS

7811 7842

7775 7767

3xGU10, max 10W only LED


solid brass, painted steel, plastic ABS

7783

3xGU10, max 10W only LED

MONO 7810





MONO

painted steel, plastic ABS

7810 7841

7774 7766

2xGU10, max 10W only LED

solid brass, painted steel, plastic ABS

7782

2xGU10, max 10W only LED

MONO 7812





MONO

painted steel, plastic ABS

7812 7843

7776 7768

4xGU10, max 10W only LED

solid brass, painted steel, plastic ABS

7784

4xGU10, max 10W only LED

WHITE P004 RAL 9003 BLACK P013 RAL 9005 BRASS GOLD P021

WHITE P004 RAL 9003 BLACK P013 RAL 9005 BRASS GOLD P021

MONO 2X150 7698

MONO 7718

MONO

painted steel, plastic ABS

7813 7844

7777 7770

6xGU10, max 10W only LED

solid brass, painted steel, plastic ABS

7785

6xGU10, max 10W only LED

MONO 7770



MONO 2X150

painted steel, plastic ABS

7750 7720

7694 7698


6xGU10, max 10W only LED

solid brass, painted steel, plastic ABS


7754

8xGU10, max 10W only LED

MONO 2X150 7698



MONO 2X200 7701



MONO 2X200

painted steel, plastic ABS

7752 7722

7696 7701

8xGU10, max 10W only LED


solid brass, painted steel, plastic ABS

7756

8xGU10, max 10W only LED

MONO CORNER 2X150 7700





MONO CORNER 2X150

painted steel, plastic ABS

7751 7721

7695 7700

8xGU10, max 10W only LED


solid brass, painted steel, plastic ABS

7755

8xGU10,max 10W only LED

MONO CORNER 2X200 7702





MONO CORNER 2X200

painted steel, plastic ABS

7753 7723

7697 7702

8xGU10, max 10W only LED

solid brass, painted steel, plastic ABS

7757

8xGU10,max 10W only LED

WHITE P004 RAL 9003 BLACK P013 RAL 9005 BRASS GOLD P021


WHITE P004 RAL 9003 BLACK P013 RAL 9005 BRASS GOLD P021

MONO CORNER 2X200 7723

MONO 7838



MONO LONG S 7727



MONO LONG S

painted steel, plastic ABS

7724 7727


7670 7673

1xGU10, max 10W only LED

solid brass, painted steel, plastic ABS

7731

1xGU10, max 10W only LED



MONO LONG M

painted steel, plastic ABS

7725 7728

7671 7674

1xGU10, max 10W only LED


solid brass, painted steel, plastic ABS

7732

1xGU10, max 10W only LED



MONO LONG 7730



MONO LONG

painted steel, plastic ABS

7726 7730

7672 7675

2xGU10, max 10W only LED

solid brass, painted steel, plastic ABS

7733


2xGU10, max 10W only LED


WHITE P004 RAL 9003 BLACK P013 RAL 9005 BRASS GOLD P021

MONO LONG M 7728



MONO 7764







MONO 7786

MONO

painted steel, plastic ABS

7787 7786


7773 7765


1xGU10, max 10W only LED

solid brass, painted steel, plastic ABS

7781

1xGU10, max 10W only LED







MONO 7840

MONO

painted steel, plastic ABS

7808 7840

7772 7764

1xGU10, max 10W only LED

solid brass, painted steel, plastic ABS

7780

1xGU10, max 10W only LED

WHITE P004 RAL 9003 BLACK P013 RAL 9005 BRASS GOLD P021

Nowodvorski LIGHTING



MONO SURFACE 7683

MONO SURFACE

painted steel, plastic ABS

7827 7833

7683 7688


1xGU10, max 10W only LED


solid brass, painted steel, plastic ABS

7744

1xGU10, max 10W only LED

cut out ø 35 mm





MONO SURFACE 7684



MONO SURFACE

painted steel, plastic ABS

7828 7834

7684 7690


2xGU10, max 10W only LED


solid brass, painted steel, plastic ABS

7745

2xGU10, max 10W only LED

cut out 160×31 mm





WHITE P004 RAL 9003 BLACK P013 RAL 9005 BRASS GOLD P021



MONO SURFACE 7834




MONO SURFACE 7833




MONO SURFACE 7685

MONO SURFACE 7687







MONO SURFACE

painted steel, plastic ABS

7830 7835

7685 7691

3xGU10, max 10W only LED

solid brass, painted steel, plastic ABS


7746

3xGU10, max 10W only LED

cut out 690×31 mm

MONO SURFACE 7686





MONO SURFACE

painted steel, plastic ABS

7831 7836

7686 7692

4xGU10, max 10W only LED

solid brass, painted steel, plastic ABS


7747

4xGU10, max 10W only LED

cut out 1170×31 mm

MONO SURFACE 7687





MONO SURFACE

painted steel, plastic ABS

7832 7837

7687 7693

6xGU10, max 10W only LED

solid brass, painted steel, plastic ABS


7748


6xGU10, max 10W only LED


cut out 1990×31 mm


WHITE P004 RAL 9003 BLACK P013 RAL 9005 BRASS GOLD P021

Nowodvorski LIGHTING











MONO SURFACE LONG S 7680

MONO SURFACE LONG S

painted steel, plastic ABS

7734 7737

7676 7680

1xGU10, max 10W only LED

solid brass, painted steel, plastic ABS

7741

1xGU10, max 10W only LED

cut out ø 35 mm

MONO SURFACE LONG M

painted steel, plastic ABS

7735 7738

7677 7681

1xGU10, max 10W only LED

solid brass, painted steel, plastic ABS


7742


1xGU10, max 10W only LED


cut out ø 35 mm



MONO SURFACE LONG 7682







MONO SURFACE LONG

painted steel, plastic ABS

7736 7740

7678 7682

2xGU10, max 10W only LED

solid brass, painted steel, plastic ABS


7743

2xGU10, max 10W only LED


cut out 160×31 mm

WHITE P004 RAL 9003 BLACK P013 RAL 9005 BRASS GOLD P021

MONO SURFACE LONG M 7742



MONO 7712



MONO

painted steel, plastic ABS

7705 7708

7715 7718

2xGU10, max 10W only LED


solid brass, painted steel, plastic ABS

7712

2xGU10, max 10W only LED



MONO 7710



MONO

painted steel, plastic ABS

7703 7706

7713 7716

1xGU10, max 10W only LED


solid brass, painted steel, plastic ABS

7710

1xGU10, max 10W only LED



MONO 7711



MONO

painted steel, plastic ABS

7704 7707

7714 7717

1xGU10, max 10W only LED

solid brass, painted steel, plastic ABS

7711


1xGU10, max 10W only LED

WHITE P004 RAL 9003 BLACK P013 RAL 9005 BRASS GOLD P021

WHITE P004 RAL 9003 BLACK P013 RAL 9005 BRASS GOLD P021

EYE SPOT 6018

EYE SPOT 6611





EYE SPOT 6018

EYE SPOT

painted steel, chrome

6014 6134

6138 6018

1xGU10, max 10W only LED


painted steel, solid brass

8816

1xGU10, max 10W only LED



EYE SPOT 8817



EYE SPOT

painted steel, chrome

6015 6135

6140 6020

2xGU10, max 10W only LED


painted steel, solid brass

8817

2xGU10, max 10W only LED



EYE SPOT 6611



EYE SPOT

painted steel, chrome

6607 6610

6608 6611

6xGU10, max 10W only LED


painted steel, solid brass

8819

6xGU10, max 10W only LED



EYE SPOT 6136



EYE SPOT

painted steel, chrome

6016 6136

6141 6021

3xGU10, max 10W only LED


painted steel, solid brass

8818

3xGU10, max 10W only LED



EYE SPOT 8820



EYE SPOT

painted steel, chrome

6017 6137

5844 6022

4xGU10, max 10W only LED

painted steel, solid brass

8820

4xGU10, max 10W only LED




EYE FIT 9400



EYE FIT 9395



IRIS LED 8994




EYE FIT

painted steel, chrome

9396 9400

1xGU10, max 10W only LED

cut out ø 60 mm



EYE FIT

painted steel, chrome


9395 9398

2xGU10, max 10W only LED

cut out 115×45 mm



IRIS LED 8994



IRIS LED

painted aluminum, plastic

8993 8994

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8993	7W LED	3000K	480 lm	30 °	≥ 80	~220-230 V, 50/60 Hz	⧈	>0,5	IP20	30000h
8994	7W LED	3000K	430 lm	30 °	≥ 80	~220-230 V, 50/60 Hz	⧈	>0,5	IP20	30000h

WHITE P004 RAL 9003 BLACK P013 RAL 9005

WHITE BLACK

Nowodvorski LIGHTING



CROSS 9604



CROSS 9596



CROSS 9603




VESPA 9593



VESPA 8838




IRIS LED 9592



CROSS
painted steel, chrome

9604 9600


5xGU10 ES111, max 75W



VESPA
painted steel, chrome

9595 8842


6xGU10 ES111, max 75W



CROSS
painted steel, chrome

9603 9598


1xGU10 ES111, max 75W



CROSS
painted steel, chrome

9602 9597


2xGU10 ES111, max 75W



CROSS
painted steel, chrome

9601 9596


3xGU10 ES111, max 75W



VESPA
painted steel, chrome

9594 8838


1xGU10 ES111, max 75W



VESPA
painted steel, chrome

9593 8840

2xGU10 ES111, max 75W




VESPA
painted steel, chrome

9592 8841

3xGU10 ES111, max 75W


WHITE P004 RAL 9003 GRAPHITE P010 RAL 7016

WHITE P004 RAL 9003 BLACK P013 RAL 9005



Downlights






COBBLE

painted aluminum

7791 7790

1xGU10 ES111, max 75W





GROOVE


painted aluminum

7793 7792

1xGU10 ES111, max 75W








GAP

painted aluminum

9385 9384

2xGU10, max 35W






PAG

painted aluminum

9387 9386

2xGU10, max 35W






GROOVE

painted aluminum

9383 9316

2xGU10 ES111, max 75W





OVAL

painted aluminum

9241 9240

2xGU10 ES111, max 75W


WHITE P004 RAL 9003 BLACK P013 RAL 9005

WHITE P004 RAL 9003 BLACK P013 RAL 9005

Nowodvorski LIGHTING

HALO 8196





HALO

painted steel, plastic ABS

8195 8196

1xGU10, max 10W only LED

WHITE P004 RAL 9003 BLACK P013 RAL 9005

Nowodvorski LIGHTING



FLEA 8202



POINT TONE 8222



FLEA 8203



POINT TONE 8225



INDIA 7858




MIKE 7660





INDIA 7860




MIKE 7658









FLEA

painted steel

8202 8203

1xGX53, max 12W

POINT TONE

painted steel, plastic ABS

8220 8221 8222

8225 8224 8223

1xGU10, max 10W only LED

INDIA

painted aluminum

7858 7860

1xGU10, max 15W

MIKE

painted aluminum

7660 7658


1xGU10, max 15W

WHITE P004 RAL 9003 BLACK P013 RAL 9005 SILVER P005 GOLD P021

WHITE BLACK

Nowodvorski LIGHTING






SET

painted steel

8900 8895

1xGU10, max 10W only LED





SET


painted steel, painted aluminum

8902 8897

1xGU10, max 10W only LED







SET


painted steel

8901 8896

1xGU10, max 10W only LED








SET

painted steel

8903 8898

1xGU10, max 10W only LED






EYE TONE

painted steel, plastic ABS

8932 8928

1xGU10, max 10W only LED






EYE TONE

painted steel, plastic ABS

8931 8926

1xGU10, max 10W only LED





EYE TONE

painted steel, plastic ABS

8930 8925

1xGU10, max 10W only LED

BLACK P013 RAL 9005 WHITE P004 RAL 9003 SILVER P005 GOLD P021

BLACK P013 RAL 9005 WHITE P004 RAL 9003 SILVER P005 GOLD P021



EYE TONE 8087





EYE TONE

painted steel, plastic ABS


8086 8087

8088 7665

2xGU10, max 10W only LED



EYE TONE 8093





EYE TONE

painted steel, plastic ABS

8091 8092

8093 7666

3xGU10, max 10W only LED

BLACK P013 RAL 9005 WHITE P004 RAL 9003 GOLD P021



EYE TONE 7666

POINT PLEXI M 6526



POINT PLEXI M

painted steel, plastic PMMA

6525 6527 6526

1xGU10, max 10W only LED

POINT PLEXI L 6528



POINT PLEXI L

painted steel, plastic PMMA

6528 6530

1xE27, max 20W

POINT S 7603




POINT S

painted steel

7603

1xGU10, max 35W



POINT M

painted steel

7602

1xGU10, max 35W

BIT M 9481



BIT M

painted steel

9481 9485

1xGU10 ES111, max 75W

BIT S 9486



BIT S

painted steel

9482 9486

1xGU10 ES111, max 75W

POINT M 6001




POINT S

painted steel

6000

1xGU10, max 35W



POINT M

painted steel

6001

1xGU10, max 35W

POINT M 6007




POINT S

painted steel

6006

1xGU10, max 35W



POINT M

painted steel

6007

1xGU10, max 35W


WHITE P004 RAL 9003 SILVER P006 RAL 9006 BLACK P013 RAL 9005 GRAPHITE P010 RAL 7016

BLACK P013 RAL 9005 WHITE P004 RAL 9003 GRAPHITE P010 RAL 7016 SILVER

Nowodvorski LIGHTING

DALE 7613





DALE


plywood

7613

2xGU10 ES111, max 15W

DALE 7612





DALE


plywood

7612

1xGU10 ES111, max 15W

DOWNLIGHT ES111 9575





DOWNLIGHT ES111

painted steel


9571 9575

1xGU10 ES111, max 15W

cut out 165×165 mm

DOWNLIGHT ES111 9570





DOWNLIGHT ES111

painted steel


9570 9574

2xGU10 ES111, max 15W

cut out 320×165 mm

BOX ES111 9495





BOX ES111


plywood, painted steel

9495 9497 7648

1xGU10 ES111, max 15W

BOX ES111 7650





BOX ES111

plywood, painted steel

9470 9472 7650

2xGU10 ES111, max 15W

DARK WOOD


WHITE BLACK DARK WOOD

Nowodvorski LIGHTING





MOD 9412




MOD
painted steel

9417 9413

1xGU10 ES111, max 75W

cut out 120×120 mm



MOD
painted steel


9416 9412

2xGU10 ES111, max 75W

cut out 230×120 mm



MOD PLUS 9404




MOD PLUS
painted steel

9404 9408

1xGU10 ES111, max 75W

cut out 120×120 mm



MOD PLUS
painted steel

9403 9407


2xGU10 ES111, max 75W

cut out 230×120 mm

WHITE P004 RAL 9003 BLACK P013 RAL 9005



EYE MOD 8937



EYE MOD

painted steel


8936 8937

1xGU10, max 35W

cut out 95×90 mm



EYE MOD 8938



EYE MOD

painted steel

8938 8940


2xGU10, max 35W

cut out 175×90 mm

DOT 9378







DOT

painted steel

9378 8826

1xGU10, max 35W

cut out ø 110 mm

WHITE P004 RAL 9003 BLACK P013 RAL 9005

WHITE P004 RAL 9003 BLACK P013 RAL 9005

Nowodvorski LIGHTING



CL KOS LED 24W 8775








CL KOS LED 8W

plastic

8782 3000K 8781 4000K

cut out ø 100 mm








CL KOS LED 10W

plastic

8780 3000K 8778 4000K

cut out ø 125 mm








CL KOS LED 16W

plastic

8777 3000K 8776 4000K

cut out ø 150 mm







CL KOS LED 24W

plastic

8775 3000K 8774 4000K

cut out ø 200 mm

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Ingress protection	LED brand	Driver brand	Lifetime	Warranty
8782	8W LED	3000K	550 lm	100 °	≥ 80	IP44	Sanan	Driver on board	50000h	5 years
8781	8W LED	4000K	680 lm	100 °	≥ 80	IP44	Sanan	Driver on board	50000h	5 years
8780	10W LED	3000K	850 lm	100 °	≥ 80	IP44	Sanan	Driver on board	50000h	5 years
8778	10W LED	4000K	880 lm	100 °	≥ 80	IP44	Sanan	Driver on board	50000h	5 years
8777	16W LED	3000K	1450 lm	100 °	≥ 80	IP44	Sanan	Driver on board	50000h	5 years
8776	16W LED	4000K	1450 lm	100 °	≥ 80	IP44	Sanan	Driver on board	50000h	5 years
8775	24W LED	3000K	2200 lm	100 °	≥ 80	IP44	Sanan	Driver on board	50000h	5 years
8774	24W LED	4000K	2200 lm	100 °	≥ 80	IP44	Sanan	Driver on board	50000h	5 years

Can be used in the bathroom

WHITE




Profile
track light system

PROFILE IRIS LED 12W 9000



PROFILE IRIS LED 7W 8996



PROFILE IRIS LED 7W

painted aluminum, plastic PC


	8995	3000K	■	8996	3000K
	8997	4000K	■	8998	4000K



PROFILE IRIS LED 20W 9005




PROFILE IRIS LED 12W 9002



PROFILE IRIS LED 12W

painted aluminum, plastic PC

	9000	3000K	■	9001	3000K
	9002	4000K	■	9003	4000K



PROFILE IRIS LED 20W

painted aluminum, plastic PC

	9004	3000K	■	9005	3000K
	9006	4000K	■	9007	4000K

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8995	7W LED	3000K	480 lm	30 °	80	~220-230 V, 50/60 Hz	⧈	>0,5	IP20	30000h
8996	7W LED	3000K	430 lm	30 °	80	~220-230 V, 50/60 Hz	⧈	>0,5	IP20	30000h
8997	7W LED	4000K	530 lm	30 °	80	~220-230 V, 50/60 Hz	⧈	>0,5	IP20	30000h
8998	7W LED	4000K	480 lm	30 °	80	~220-230 V, 50/60 Hz	⧈	>0,5	IP20	30000h
9000	12W LED	3000K	800 lm	30 °	80	~220-230 V, 50/60 Hz	⧈	>0,5	IP20	30000h
9001	12W LED	3000K	720 lm	30 °	80	~220-230 V, 50/60 Hz	⧈	>0,5	IP20	30000h
9002	12W LED	4000K	850 lm	30 °	80	~220-230 V, 50/60 Hz	⧈	>0,5	IP20	30000h
9003	12W LED	4000K	800 lm	30 °	80	~220-230 V, 50/60 Hz	⧈	>0,5	IP20	30000h


Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9004	20W LED	3000K	1320 lm	30 °	80	~220-230 V, 50/60 Hz	⧈	>0,5	IP20	30000h
9005	20W LED	3000K	1230 lm	30 °	80	~220-230 V, 50/60 Hz	⧈	>0,5	IP20	30000h
9006	20W LED	4000K	1450 lm	30 °	80	~220-230 V, 50/60 Hz	⧈	>0,5	IP20	30000h
9007	20W LED	4000K	1320 lm	30 °	80	~220-230 V, 50/60 Hz	⧈	>0,5	IP20	30000h

WHITE BLACK

WHITE BLACK



PROFILE STORE PRO LED 7 W 8318




PROFILE STORE PRO LED 7W

painted aluminum, plastic

	8316	3000K		8318	3000K
	8315	4000K		8317	4000K



PROFILE STORE PRO LED 18W 8326




PROFILE STORE PRO LED 18W

painted aluminum, plastic

	8325	3000K		8327	3000K
	8324	4000K		8326	4000K



PROFILE STORE PRO LED 12W 8323



PROFILE STORE PRO LED 12W

painted aluminum, plastic

	8321	3000K		8323	3000K
	8320	4000K		8322	4000K

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8315	7W LED	4000K	680 lm	24 °	≥ 80	~220-230 V, 50/60 Hz	⧈	>0,5	IP20	30000h
8316	7W LED	3000K	630 lm	24 °	≥ 80	~220-230 V, 50/60 Hz	⧈	>0,5	IP20	30000h
8317	7W LED	4000K	560 lm	24 °	≥ 80	~220-230 V, 50/60 Hz	⧈	>0,5	IP20	30000h
8318	7W LED	3000K	600 lm	24 °	≥ 80	~220-230 V, 50/60 Hz	⧈	>0,5	IP20	30000h
8320	12W LED	4000K	1100 lm	24 °	≥ 80	~220-230 V, 50/60 Hz	⧈	>0,5	IP20	30000h
8321	12W LED	3000K	1000 lm	24 °	≥ 80	~220-230 V, 50/60 Hz	⧈	>0,5	IP20	30000h
8322	12W LED	4000K	960 lm	24 °	≥ 80	~220-230 V, 50/60 Hz	⧈	>0,5	IP20	30000h
8323	12W LED	3000K	930 lm	24 °	≥ 80	~220-230 V, 50/60 Hz	⧈	>0,5	IP20	30000h
8324	18W LED	4000K	1700 lm	24 °	≥ 80	~220-230 V, 50/60 Hz	⧈	>0,5	IP20	30000h
8325	18W LED	3000K	1440 lm	24 °	≥ 80	~220-230 V, 50/60 Hz	⧈	>0,5	IP20	30000h
8326	18W LED	4000K	1700 lm	24 °	≥ 80	~220-230 V, 50/60 Hz	⧈	>0,5	IP20	30000h
8327	18W LED	3000K	1600 lm	24 °	≥ 80	~220-230 V, 50/60 Hz	⧈	>0,5	IP20	30000h


WHITE BLACK

WHITE BLACK

Nowodvorski LIGHTING



PROFILE MIKE 7661



PROFILE MIKE


painted aluminum, plastic

7662 ■ 7661

1xGU10, max 15W



PROFILE INDIA 7657



PROFILE INDIA


painted aluminum, plastic

7656 ■ 7657

1xGU10, max 15W



PROFILE FOKUS 7621



PROFILE FOCUS LED

painted aluminum, plastic


7618 3000K ■ 7621 3000K

7620 4000K ■ 7622 4000K



PROFILE ZOOM LED 7625





BEAM CONE

BEAM ANGLE 15°

BEAM ANGLE 50°

PROFILE ZOOM LED

painted aluminum, plastic

7623 3000K ■ 7625 3000K

7624 4000K ■ 7626 4000K

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection
7618	9W LED	3000K	440 lm	36°	>90	220-230 V, 50/60 Hz	⧈	>0.9	IP20
7620	9W LED	4000K	480 lm	36°	>90	220-230 V, 50/60 Hz	⧈	>0.9	IP20
7621	9W LED	3000K	430 lm	36°	>0.9	220-230 V, 50/60 Hz	⧈	>0.9	IP20
7622	9W LED	4000K	460 lm	36°	>90	220-230 V, 50/60 Hz	⧈	>0.9	IP20
7623	9W LED	3000K	550 lm	15-50°	>90	220-230 V, 50/60 Hz	⧈	>0.9	IP20
7624	9W LED	4000K	580 lm	15-50°	>90	220-230 V, 50/60 Hz	⧈	>0.9	IP20
7625	9W LED	3000K	490 lm	15-50°	>90	220-230 V, 50/60 Hz	⧈	>0.9	IP20
7626	9W LED	4000K	520 lm	15-50°	>90	220-230 V, 50/60 Hz	⧈	>0.9	IP20

WHITE ■ BLACK

WHITE ■ BLACK


Nowodvorski LIGHTING

PROFILE EYE SPOT 9322

PROFILE EYE 9338



PROFILE EYE SUPER C 9244



PROFILE EYE SUPER C

painted steel, plastic PC

9245 9244


1xGU10, max 35W

PROFILE EYE

painted steel, plastic PC

9337 9338

1xGU10, max 10W only LED






PROFILE EYE 9338



PROFILE EYE SUPER A 9325



PROFILE EYE SUPER A

painted steel, plastic PC

9324 9325


1xGU10, max 35W

PROFILE BIT

painted steel, plastic PC

8823

1xGU10 ES111, max 75W






PROFILE BIT 8823



PROFILE EYE FLEX 9332



PROFILE EYE FLEX

painted steel, flexible stem, plastic

9332


1xGU10, max 10W only LED

PROFILE WORKSHOP

painted steel, copper-clad steel, plastic PC

9427

1xE27, max 60W





PROFILE WORKSHOP 9427

WHITE P004 RAL 9003 BLACK P013 RAL 9005

WHITE P004 RAL 9003 BLACK P013 RAL 9005 COPPER


Nowodvorski LIGHTING



PROFILE IRIS LED 20W 9005



PROFILE EYE SPOT 9322



PROFILE EYE SPOT

painted steel, plastic PC, chrome

9321 9322

1xGU10, max 10W only LED


solid brass, plastic PC

7857

1xGU10, max 10W only LED



PROFILE VESPA 8825



PROFILE VESPA


painted steel, plastic PC, chrome

8824 8825

1xGU10 ES111, max 75W



PROFILE BIT PLUS 9018



PROFILE BIT PLUS

painted steel, plastic PC

9020 9018

1xGU10 ES111, max 75W

WHITE P004 RAL 9003 BLACK P013 RAL 9005 BRASS

Nowodvorski LIGHTING

PROFILE TRACK LIGHTS SYSTEM



1 PROFILE TRACK 1 M


painted aluminum

9450 9448

2 PROFILE TRACK 2 M

painted aluminum

9451 9452



3 PROFILE POWER SUPPLY KIT

painted steel

9237 9238



4 PROFILE SUSPENSION KIT

painted steel, plastic

9461 9460


System szynoprzewodowy należy równomiernie obciążyć elektrycznie oraz równomiernie rozmieścić oprawy na jego długości.
The track light system should be evenly electrically loaded and the fittings should be evenly placed along its length.
Система шинопроводов должна быть равномерно электрически нагружена, а светильники - равномерно распределены по её длине


Maksymalna długość jednego obwodu systemu szynoprzewodowego PROFILE - 20 m, a maksymalne obciążenie elektryczne - 1500W
The maximum length of one circuit of track light system PROFILE -20 m, and the maximum circuit power load - 1500W
Допустимая макс. длина системы шинопровода - 20 м, максимальная электрическая нагрузка – 1500W

WHITE BLACK


Sposoby montażu / Installation methods / Методы монтажа


1. Zwieszenie na linkach stalowych
1. Suspended on steel wires
1. Подвеска на стальных тросах






2. Montaż bezpośredni
2. Surface mounting
2. Прямой монтаж





Zalecany dystans pomiędzy mocowaniami szyny max. 1000 mm
The recommended distance between tracks fasteners is 1000 mm
Рекомендуемое расстояние между креплениями не более 1000 мм


PROFILE TRACK LIGHTS SYSTEM



7 PROFILE L CONNECTOR

plastic PC, steel, copper

9456 9455






8 PROFILE T CONNECTOR

plastic PC, steel, copper

9187 9186






9 PROFILE X CONNECTOR


plastic PC, steel, copper

9190 9188









5 PROFILE STRAIGHT CONNECTOR


plastic PC, steel, copper

9454 9453

10 PROFILE POWER END CAP


plastic PC, steel, copper

9462 9463









6 PROFILE FLEX CONNECTOR


plastic PC, steel, copper

8382 8383

11 PROFILE DEAD END CAP

plastic PC

9457 9458






WHITE BLACK

WHITE BLACK





1 PROFILE RECESSED TRACK 1 METER

painted aluminum

9012 9013

2 PROFILE RECESSED TRACK 2 METERS

painted aluminum

9014 9015


System szynoprzewodowy należy równomiernie obciążyć elektrycznie oraz równomiernie rozmieścić oprawy na jego długości.
The track light system should be evenly electrically loaded and the fittings should be evenly placed along its length.
Система шинопроводов должна быть равномерно электрически нагружена, а светильники - равномерно распределены по её длине

Maksymalna długość jednego obwodu systemu szynoprzewodowego PROFILE - 20 m, a maksymalne obciążenie elektryczne - 1500W
The maximum length of one circuit of track light system PROFILE -20 m, and the maximum circuit power load - 1500W
Допустимая макс. длина системы шинопровода - 20 м, максимальная электрическая нагрузка – 1500W


WHITE BLACK

Sposoby montażu / Installation methods / Методы монтажа


1. Montaż podtynkowy
1. Recessed mouinting
1. Скрытый монтаж



CEILING PANEL




CEILING




Zalecany dystans pomiędzy mocowaniami szyny max. 1000 mm
The recommended distance between tracks fasteners is 1000 mm
Рекомендуемое расстояние между креплениями не более 1000 мм

PROFILE RECESSED TRACK LIGHTS SYSTEM








3 PROFILE RECESSED STRAIGHT CONNECTOR

plastic PC, steel, copper

8967 8968





4 PROFILE RECESSED FLEX CONNECTOR


plastic PC, steel, copper

8384 8385

5 PROFILE RECESSED L CONNECTOR

plastic PC, steel, copper

8970 8971






6 PROFILE RECESSED T CONNECTOR

plastic PC, steel, copper

8834 8835






7 PROFILE RECESSED X CONNECTOR

plastic PC, steel, copper

8836 8837






8 PROFILE RECESSED POWER END CAP

plastic PC, steel, copper

8972 8973






9 PROFILE RECESSED DEAD END CAP

plastic PC

8974 8975






10 PROFILE RECESSED FIXING SET

steel

8805






WHITE BLACK

WHITE BLACK

Nowodvorski LIGHTING

Bathroom
lighting





ICE EGG A

painted steel, glass

8124

1xG9, max 25W

IP44



ICE EGG C


painted aluminum, glass

8132

1xG9, max 25W

IP44





ICE EGG B

painted steel, glass


8125

1xG9, max 25W


IP44

BLACK





PIN LED S 8127




PIN LED S

painted aluminum, plastic PC

8127





PIN LED M


painted aluminum, plastic PC

8128

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8127	6W LED	4000K	280 lm	120°	≥80	~220-230 V, 50/60 Hz	⧈	>0,9	IP44	30000h
8128	10W LED	4000K	500 lm	120°	≥80	~220-230 V, 50/60 Hz	⧈	>0,9	IP44	30000h
8130	15W LED	4000K	700 lm	120°	≥80	~220-230 V, 50/60 Hz	⧈	>0,9	IP44	30000h

BLACK





PIN LED L

painted aluminum, plastic PC

8130


BLACK



VAN GOGH LED M 9350




VAN GOGH LED L 9174



VAN GOGH LED S

painted aluminum, plastic PC


9346 9348 9351



VAN GOGH LED M

painted aluminum, plastic PC

9347 9350 9352



VAN GOGH LED L

painted aluminum, plastic PC

9176 9175 9174

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9346	9W LED	3000K	370 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⏚	>0,5	IP44	30000h
9348	9W LED	3000K	430 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⏚	>0,5	IP44	30000h
9351	9W LED	3000K	290 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⏚	>0,5	IP44	30000h
9347	13W LED	3000K	490 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⏚	>0,5	IP44	30000h
9350	13W LED	3000K	640 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⏚	>0,5	IP44	30000h
9352	13W LED	3000K	430 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⏚	>0,5	IP44	30000h
9176	18W LED	3000K	800 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⏚	>0,5	IP44	30000h
9175	18W LED	3000K	940 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⏚	>0,5	IP44	30000h
9174	18W LED	3000K	650 lm	120 °	≥ 80	~220-230 V, 50/60 Hz	⏚	>0,5	IP44	30000h

BLACK WHITE CHROME

VAN GOGH LED M 9347






PICASSO LED

chrome plated aluminum, plastic PC

8131











LATH LED

chrome plated steel, plastic PC

8175






KAGERA LED M

chrome plated aluminum, glass

9503



KAGERA LED L

chrome plated aluminum, glass

9502

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8131	12W LED	4000K	900 lm	120°	≥80	~220-230 V, 50/60 Hz		>0,5	IP44	30000h
8175	16W LED	4000K	1000 lm	120°	≥80	~220-230 V, 50/60 Hz		>0,5	IP44	20000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRD)	Input	Safety type	Power factor	Ingress protection	Lifetime
9502	24W LED	4000K	1380 lm	120°	≥ 80	~220-230 V, 50/60 Hz		>0,5	IP44	20000h
9503	18W LED	4000K	1000 lm	120°	≥ 80	~220-230 V, 50/60 Hz		>0,5	IP44	20000h

CHROME


CHROME




















VISTA

chrome plated steel, glass

8051

1xG9, max 25W only LED

IP44

VISTA

chrome plated steel, glass

8050

3xG9, max 25W only LED

IP44

PAN LED S

glass, chrome plated steel

8173

PAN LED M

glass, chrome plated steel

8174


Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8173	12W LED	4000K	530 lm	120°	≥80	~220-230 V, 50/60 Hz	⏚	>0,5	IP44	20000h
8174	17W LED	4000K	800 lm	120°	≥80	~220-230 V, 50/60 Hz	⏚	>0,5	IP44	20000h

CHROME

CHROME

CAYO 8055





CAYO

glass, painted steel

8055

1xG9, max 40W

IP44


glass, chrome plated steel

9505

1xG9, max 40W

IP44





SIS

glass, painted steel

8054

1xG9, max 40W

IP44

glass, chrome plated steel

9506

1xG9, max 40W

IP44


BLACK WHITE CHROME

WHITE BLACK CHROME

Nowodvorski LIGHTING







BALI

glass, painted steel

8053

1xE14, max 25W


glass, chrome plated steel

9353

1xE14, max 25W

IP44





CELTIC


glass, chrome plated steel

3346

1xE14, max 40W

IP44





CELTIC

glass, chrome plated steel

3347

2xE14, max 40W

IP44

BLACK


CHROME

CHROME



BRAZOS 6951





BRAZOS


glass, chrome plated steel

6948

1xG9, max 25W

IP44





SIMI


painted steel, glass

8052

1xG9, max 25W

IP44





BRAZOS


glass, chrome plated steel

6950

2xG9, max 25W

IP44





BRAZOS


glass, painted steel

8057

1xG9, max 25

IP44





BRAZOS


glass, chrome plated steel

6951

3xG9, max 25W

IP44





BRAZOS

glass, painted steel

8056

3xG9, max 25W


IP44

WHITE CHROME BLACK

Nowodvorski LIGHTING







ICE TUBE LED S

plastic PC, chrome plated steel

8121

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8121	5W LED	4000K	380 lm	120 °	≥80	~220-230 V, 50/60 Hz	⧈	>0,5	IP44	30000h
8122	8W LED	4000K	630 lm	120 °	≥80	~220-230 V, 50/60 Hz	⧈	>0,5	IP44	30000h


ICE TUBE LED M

plastic PC, chrome plated steel

8122

CHROME






ICE TUBE LED S

plastic PC, chrome plated steel

8118

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8118	12W LED	4000K	1200 lm	120 °	≥80	~220-230 V, 50/60 Hz	⧈	>0,4	IP44	30000h
8120	18W LED	4000K	1750 lm	120 °	≥80	~220-230 V, 50/60 Hz	⧈	>0,4	IP44	30000h





ICE TUBE LED M


plastic PC, chrome plated steel

8120

CHROME

ICE BALL 8126





ICE BALL


brass-plated steel, glass

8126

1xG9, max 25W

IP44





TORCH

chrome plated steel, glass

8123

1xG9, max 25W

IP44

ANTIQUE BRASS

CHROME


Nowodvorski LIGHTING



MALAKKA LED 9501




BASSA LED 9500



BASSA LED

chrome plated steel, glass

9500



MALAKKA LED

chrome plated steel, glass

9501

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9500	18W LED	4000K	750 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⏚	>0,5	IP44	20000h
9501	18W LED	4000K	940 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⏚	>0,5	IP44	20000h

WHITE CHROME




ARENA LED 8274



ARENA 6724



ARENA LED 6727



ARENA


painted steel, plastic PMMA

6724 6725

6770 8273

3xE14, max 20W

IP44




ARENA SENSOR

painted steel, plastic PMMA

8832 8833 7953

3xE14, max 20W

IP44



ARENA LED

painted steel, plastic PMMA

6726 6727


6771 8274

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
6726	18W LED	4000K	1600 lm	100°	≥ 80	~220-230 V, 50/60 Hz	⏚	>0,95	IP44	50000h
6727	18W LED	4000K	1600 lm	100°	≥ 80	~220-230 V, 50/60 Hz	⏚	>0,95	IP44	50000h
6771	18W LED	4000K	1600 lm	100°	≥ 80	~220-230 V, 50/60 Hz	⏚	>0,95	IP44	50000h
8274	18W LED	4000K	1600 lm	100°	≥ 80	220-230 V, 50/60 Hz	⏚	>0,95	IP44	50000h

WHITE P004 RAL 9003 GRAPHITE P010 RAL 7016 SILVER P006 RAL 9006 BLACK P013 RAL 9005

Nowodvorski LIGHTING





BRAVO

painted aluminum, glass


8364 8365

1xGU10, max 15W

IP54







ALPHA

painted aluminum, glass

8362 8363

1xGU10, max 15W

IP54

WHITE BLACK


Can be used outdoor




FOXTROT 8373









CHARLIE

painted aluminum, glass

8366 8367


1xGU10, max 15W


IP54/20

cut out ø 75 mm









GOLF

painted aluminum, glass

8375 8376


1xGU10, max 15W


IP54/20

cut out ø 68 mm









DELTA

painted aluminum, glass


8368 8370

1xGU10, max 15W


IP54/20

cut out ø 75 mm









ECHO

painted aluminum, glass

8371 8372

1xGU10, max 15W

IP54/20

cut out ø 80 mm

WHITE BLACK

Can be used outdoor

Can be used outdoor

WHITE BLACK













ZESTAW ZAWIERA 4 KOLOROWE NAKŁADKI.

THE SET INCLUDES FOUR COLOURED RINGS.

В КОМПЛЕКТЕ 4 ЦВЕТНЫЕ НАКЛАДКИ





FOXTROT

painted aluminum, glass

8373 8374


1xGU10, max 15W


IP54/20

cut out ø 85 mm









JULIET

steel


7663 7664

1xGU10, max 15W

IP54/20

cut out 56 mm






HELIOS LED

plastic PC

8991 3000K 8992 4000K

cut out ø 85 mm





EOL LED

plastic PC

8988 3000K 8990 4000K

cut out ø 85 mm

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8991	5W LED	3000K	300 lm	100°	≥ 80	~220-230 V, 50/60 Hz		>0,5	IP44	20000h
8992	5W LED	4000K	300 lm	100°	≥ 80	~220-230 V, 50/60 Hz		>0,5	IP44	20000h
8988	5W LED	3000K	350 lm	90°	≥ 80	~220-230 V, 50/60 Hz		>0,5	IP44	20000h
8990	5W LED	4000K	400 lm	90°	≥ 80	~220-230 V, 50/60 Hz		>0,5	IP44	20000h

WHITE BLACK

Can be used outdoor

Can be used outdoor

SILVER CHROME WHITE

Outdoor
lighting


CUMULUS M 9715

CUMULUS M 6977


CUMULUS L 6978

CUMULUS S 6976





CUMULUS L 6978




CUMULUS S

plastic PE

6976

1xE27, max 40W

IP44




CUMULUS XL

plastic PE

9714

1xE27, max 60W

IP44




CUMULUS M

plastic PE

6977

1xE27, max 60W

IP44



CUMULUS L

plastic PE

6978

1xE27, max 60W


IP44





CUMULUS M 9715

CUMULUS S 9751




CUMULUS S

plastic PE, painted steel

9751

1xE27, max 60W

IP65




CUMULUS M

plastic PE, painted steel

9715

1xE27, max 60W

IP65



CUMULUS L

plastic PE

9607


1xE27, max 60W

IP65

WHITE

WHITE





FLOWERPOT S


plastic PE

9711

1xE27, max 60W

IP44





FLOWERPOT M


plastic PE

9712

1xE27, max 60W

IP44





FLOWERPOT L

plastic PE


9713

2xE27, max 60W

IP44

WHITE

FLOWERPOT S 9711



CUMULUS CUBE M

plastic PE

8966

1xE27, max 60W

IP44


STAR

plastic PE


9426

1xE27, max 40W

IP44







CUMULUS CUBE L

plastic PE

8965

1xE27, max 60W

IP44


GALAXY

plastic PE, painted steel

9246

1xE27, max 40W

IP65






WHITE

WHITE

BLACK P013 RAL 9005






STRUCTURE LED

painted aluminum, plastic PC

8146





STRUCTURE LED

painted aluminum, plastic PC

8145

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8145	13W LED	3000K	820 lm	120°	≥80	~220-230 V, 50/60 Hz	⏚	>0,9	IP54	20000h
8146	13W LED	3000K	820 lm	120°	≥80	~220-230 V, 50/60 Hz	⏚	>0,9	IP54	20000h

BLACK




STRUCTURE LED 8145



SYMMETRY LED

painted aluminum, plastic PC

8176






SYMMETRY LED

painted aluminum, plastic PC

8180






Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8176	7W LED	3000K	212 lm	67 °	85	~220-230 V, 50/60 Hz	⏚	>0,5	IP54	30000h
8180	7W LED	3000K	388 lm	66 °	85	~220-230 V, 50/60 Hz	⏚	>0,85	IP54	30000h

GRAPHITE





OTTAWA


painted aluminum, glass

9562

1xGU10, max 35W

IP44





SOUL


painted aluminum, glass

9555

1xGU10, max 35W

IP44





OTTAWA

painted aluminum, glass

9561

1xGU10, max 35W

IP44





OTTAWA


painted aluminum, glass

9563

1xGU10, max 35W

IP44





SOUL

painted aluminum, glass

9557

1xGU10, max 35W

IP44



SOUL 9557

GRAPHITE

GRAPHITE


TUBINGS M 8161

















TUBINGS S

painted aluminum, glass

8160

1xGU10, max 35W

IP54

TUBINGS M

painted aluminum, glass, plastic

8161

1xGU10, max 35W

IP54

TUBINGS

painted aluminum, glass

8158


1xGU10, max 35W

IP54

BLACK

Nowodvorski LIGHTING






SPIKE LED S

painted aluminum, glass

9101





SPIKE LED M


painted aluminum, glass, plastic

9100

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9100	5W LED	3000K	330 lm	30 °	>80	~220-230 V, 50/60 Hz	⏚	>0,55	IP54	10000h
9101	5W LED	3000K	330 lm	30 °	>80	~220-230 V, 50/60 Hz	⏚	>0,55	IP54	10000h

BLACK





BUSH

painted aluminum, glass

3401

1xGU10, max 35W

IP65


GRAPHITE

Nowodvorski LIGHTING



THIKA LED 9118






THIKA LED B

painted aluminum, glass

9120






THIKA LED A

painted aluminum, glass

9121





THIKA LED


painted aluminum, glass

9118

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9118	9W LED	3000K	550 lm	39°	≥ 80	~220-230 V, 50/60 Hz	⏚	>0,5	IP54	20000h
9120	15W LED	3000K	1035 lm	110°	≥ 80	~220-230 V, 50/60 Hz	⏚	>0,9	IP54	20000h
9121	10W LED	3000K	996 lm	110°	≥ 80	~220-230 V, 50/60 Hz	⏚	>0,9	IP54	20000h

BLACK





RIO


painted aluminum, plastic PC

4424

2xE27, max 40W

IP54





RIO

painted aluminum, plastic PC

4423

1xE27, max 40W

IP54

RIO SENSOR


painted aluminum, plastic PC

7017

1xE27, max 40W

IP54





RIO SENSOR

painted aluminum, plastic PC

9097

1xE27, max 40W

IP54

BLACK



RIO SENSOR 9097





ROCK

painted aluminum, plastic PC

3406

1xE27, max 60W

IP44





FOG


painted aluminum, glass

3403

1xE27, max 60W

IP44





ROCK


painted aluminum, plastic PC

3405

1xE27, max 60W

IP44





FOG


painted aluminum, glass

3402

1xE27, max 60W

IP44





ROCK


painted aluminum, plastic PC

3407

2xE27, max 60W

IP44





FOG


painted aluminum, glass

3404

2xE27, max 60W

IP44





NEGRO


painted aluminum, glass

4425

1xGU10, max 35W

IP54





EXE


painted aluminum, glass

8331

1xGU10, max 35W

IP54





NEGRO


painted aluminum, glass

4426

2xGU10, max 35W

IP54





EXE

painted aluminum, glass

8330


2xGU10, max 35W

IP54

GRAY

BLACK





SIERRA


painted aluminum, plastic PC

4421

1xE27, max 40W

IP54





BRICK


painted aluminum, glass

3408

1xE27, max 60W

IP65





ORINOKO


painted aluminum, plastic PC

4387

1xE27, max 20W

IP44





SIERRA


painted aluminum, plastic PC

4422

2xE27, max 40W

IP54





UNIT LED

painted aluminum

9122


Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9122	2x5W LED	3000K	727 lm	110°	≥ 80	~220-230 V, 50/60 Hz	⏚	>0,89	IP54	20000h

BLACK

GRAPHITE

BLACK






MEKONG

painted aluminum, glass

4418

1xE27, max 18W

IP42



MISTRAL

painted aluminum, plastic PC

4390

1xE27, max 23W

IP44















MEKONG

painted aluminum, glass

4420

2xE27, max 18W

IP42



MISTRAL

painted aluminum, plastic PC

3393

1xE27, max 23W

IP44




MEKONG

painted aluminum, glass

4698

1xE27, max 18W

IP42



MISTRAL

painted aluminum, plastic PC

3394

1xE27, max 23W

IP44

GRAPHITE

GRAPHITE



AMUR 4692




AMUR 4693



TYBR 4684



TYBR 4685




AMUR
painted aluminum, glass

4692

1xE27, max 60W

IP23




AMUR
painted aluminum, glass

4693

1xE27, max 60W

IP23




AMUR
painted aluminum, glass

4694

1xE27, max 60W

IP44




TYBR
painted aluminum, glass

4686

1xE27, max 60W

IP44



TYBR
painted aluminum, glass

4684

1xE27, max 60W

IP44



TYBR
painted aluminum, glass

4685

1xE27, max 60W

IP44

BLACK WITH A COPPER PATINA

BLACK WITH A GOLDEN PATINA


Nowodvorski LIGHTING



TAY 5294



TAY 5292



TAY

painted aluminum, glass

5292

1xE27, max 60W


IP23



SPEY 5290



SPEY 5291




TAY

painted aluminum, glass

5294

1xE27, max 60W

IP23




TAY

painted aluminum, glass

5293

1xE27, max 60W

IP23




SPEY

painted aluminum, glass

5290

1xE27, max 60W

IP23



SPEY

painted aluminum, glass

5291

1xE27, max 60W

IP23

BLACK

BLACK





LANTERN

painted aluminum, glass

6911

1xE27, max 60W

IP23


QUARTZ

painted aluminum, plastic PC

3411

1xE27, max 60W

IP21





QUARTZ SENSOR 7016


QUARTZ SENSOR

painted aluminum, plastic PC


7016

1xE27, max 60W

IP21







DON

painted aluminum, glass

4687

1xE27, max 60W

IP44


INDUS

painted aluminum, glass

4440

2xE27, max 15W

IP44






BLACK WITH A COPPER PATINA

GRAPHITE

BLACK







LHOTSE LED


painted aluminum, plastic PC

4448


TEPIC LED

painted aluminum

9508







POLE LED


painted aluminum, plastic PC

9185

MONTERREY LED

painted aluminum

9507





Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9508	9W LED	3000K	395 lm	31 °	≥ 80	~220-230 V, 50/60 Hz	⏚	>0,85	IP54	10000h
9507	9W LED	3000K	410 lm	39 °	≥ 80	~220-230 V, 50/60 Hz	⏚	>0,85	IP54	10000h
4448	9W LED	3000K	169 lm	72 °	≥ 80	~220-230 V, 50/60 Hz	⏚	>0,79	IP54	10000h
9185	20W LED	3000K	950 lm	54 °	>80	~220-230 V, 50/60 Hz	⏚	>0,94	IP54	30000h

GRAPHITE

BLACK






NORIN

painted aluminum, glass

4446

1xE27, max 20W

IP44



OIR

painted aluminum, plastic PC


9158

1xE27, max 40W

IP44








HORN

painted aluminum, glass

4906

1xE27, max 20W

IP44



SIROCCO

aluminum, glass

3396

1xE27, max 60W

IP44




GRAPHITE BROWN

BLACK GRAPHITE




PATHWAY LED M 9252



PATHWAY LED S

painted steel, painted aluminum


9420



PATHWAY LED M

painted steel, painted aluminum

9252



PATHWAY LED L


painted steel, painted aluminum

9125



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9420	24W LED	3000K	2200 lm	100°	≥ 80	~220-230 V, 50/60 Hz	⏚	>0,9	IP44	30000h
9252	24W LED	3000K	2200 lm	100°	≥ 80	~220-230 V, 50/60 Hz	⏚	>0,9	IP44	30000h
9125	36W LED	3000K	3600 lm	100°	≥ 80	~220-230 V, 50/60 Hz	⏚	>0,9	IP44	30000h





PATHWAY FOUNDATION KIT

steel

8795

SILVER

BLACK P013 RAL 9005

Nowodvorski LIGHTING








PUEBLA LED

painted aluminum, plastic PC

9513



MERIDA LED

painted aluminum, plastic PC

9514

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9513	12W LED	3000K	538 lm	110°	≥ 80	~220-230 V, 50/60 Hz		>0,93	IP54	20000h
9514	12W LED	3000K	538 lm	110°	≥ 80	~220-230 V, 50/60 Hz		>0,93	IP54	20000h


GRAPHITE

Can be used in the bathroom



HEXA 9565





HEXA

painted aluminum, glass

9564 9565

1xGU10, max 35W


IP44

Can be used in the bathroom

WHITE GRAPHITE

Nowodvorski LIGHTING


EDESSA LED M 9107



LENS LED 9113



LENS LED 9112




LENS LED

painted aluminum, glass

9112 9113



EDESA LED M 9108




EDESA LED M

painted aluminum, glass

9108 9107

EDESA LED S 9110





EDESA LED S

painted aluminum, glass

9111 9110

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9112	2x2W LED	3000K	40 lm	10°	≥ 80	~220-230 V, 50/60 Hz	⏚	>0,55	IP54	10000h
9113	2x2W LED	3000K	59 lm	10°	≥ 80	~220-230 V, 50/60 Hz	⏚	>0,55	IP54	10000h
9107	7W LED	3000K	530 lm	68°	≥ 80	~220-230 V, 50/60 Hz	⏚	>0,55	IP54	10000h
9108	6W LED	3000K	460 lm	68°	≥ 80	~220-230 V, 50/60 Hz	⏚	>0,55	IP54	10000h
9110	3W LED	3000K	220 lm	52°	≥ 80	~220-230 V, 50/60 Hz	⏚	>0,55	IP54	10000h
9111	3W LED	3000K	220 lm	52°	≥ 80	~220-230 V, 50/60 Hz	⏚	>0,55	IP54	10000h

WHITE BLACK

Can be used in the bathroom

WHITE BLACK

NOOK 7965



NOOK 7972



NOOK 7970




NOOK 7978




NOOK 7976



NOOK 7965





NOOK

plastic ABS, plastic PC

7972 7970 7965

7976 7978

1xE27, max 10W only LED

IP44

NOOK SENSOR

plastic ABS, plastic PC

7971 7968 7964


7975 7977

1xE27, max 10W only LED

IP44



TAHOE 7611



TAHOE

plastic PC, plastic ABS

3118 3250

1xE27, max 23W

IP65



TAHOE 3242

TAHOE

plastic PC, plastic ABS

3240 3251


3242 7611

2xE27, max 23W

IP65



TAHOE 8831



TAHOE SENSOR

plastic PC, plastic ABS


8831 8830

2xE27, max 23W

IP65


WHITE GOLD P021 GRAPHITE BLACK TRANSPARENT

WHITE CHROME BROWN/BEIGE BLACK



ZOA LED 9421





SINUS


painted aluminum, glass

8144

1xGU10, max 35W

IP54






PATRAS LED

painted aluminum, glass

9115






MUNO LED

painted aluminum, glass

6776



ZOA LED

painted aluminum, glass

9421

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9421	10W LED	3000K	795 lm	110°	≥ 81	~220-230 V, 50/60 Hz	⏚	>0,55	IP54	20000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9115	4x1W LED	3000K	320 lm	38°	≥ 80	~220-230 V, 50/60 Hz	⏚	>0,55	IP54	10000h
6776	6W LED	3000K	242 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⏚	>0,54	IP54	8000h

GRAPHITE

BLACK

GRAPHITE

Nowodvorski LIGHTING


















ELLIPSES LED

painted aluminum, glass

8140 8182 8181



TRIANGLES LED

painted aluminum, glass

8143 8142 8141


Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8140	2x5W LED	3000K	800 lm	180 °	≥80	~220-230 V, 50/60 Hz	⏚	>0,5	IP54	10000h
8141	2x5W LED	3000K	750 lm	180 °	≥80	~220-230 V, 50/60 Hz	⏚	> 0,5	IP54	10000h
8142	2x5W LED	3000K	700 lm	180 °	≥80	~220-230 V, 50/60 Hz	⏚	>0,5	IP54	10000h
8143	2x5W LED	3000K	800 lm	180 °	≥80	~220-230 V, 50/60 Hz	⏚	>0,5	IP54	10000h
8181	2x5W LED	3000K	750 lm	180 °	≥80	~220-230 V, 50/60 Hz	⏚	>0,5	IP54	10000h
8182	2x5W LED	3000K	700 lm	180 °	≥80	~220-230 V, 50/60 Hz	⏚	>0,5	IP54	10000h

WHITE BLACK-GOLD BLACK

LIMA LED

painted aluminum

9510






KHUMBU

painted aluminum, glass

4443

1xG9, max 40W

IP44






Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9510	6W LED	3000K	400 lm	97 °	≥ 80	~220-230 V, 50/60 Hz	⏚	>0,55	IP54	10000h

WHITE GRAPHITE

Nowodvorski LIGHTING





ASSOS

painted aluminum, glass

9123

1xGU10, max 10W

IP54















ASSOS

painted aluminum, glass

9124

2xGU10, max 10W

IP54




ARRIS

steel, glass

9516

1xGU10, max 10W

IP54




ARRIS

steel, glass

9515

2xGU10, max 10W

IP54




NICO

painted aluminum, glass

9518

1xGU10, max 10W

IP54



NICO

painted aluminum, glass

9517

2xGU10, max 10W


IP54

BLACK

SILVER

GRAPHITE






PEAK LED

painted aluminum, glass

4441





DRAS LED

painted aluminum, glass

4442






SEMI LED

painted aluminum, glass

6775



PRIMM


painted aluminum, glass

9551

1xGU10, max 10W

IP54





FALLON

painted aluminum, glass

9552

1xGU10, max 10W

IP54




Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
4441	2x3W LED	3000K	62 lm	83°	≥ 80	~220-230 V, 50/60 Hz	⏚	>0,91	IP54	10000h
4442	2x3W LED	3000K	122 lm	65°	≥ 80	~220-230 V, 50/60 Hz	⏚	>0,91	IP54	10000h
6775	7W LED	3000K	242 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⏚	>0,54	IP54	8000h

GRAPHITE

GRAPHITE








SIDEWALK ROUND LED


painted aluminum, plastic PC

8147









BAY LED

painted aluminum, plastic PC

8164

BAY LED


painted aluminum, plastic PC

8165

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8164	3W LED	3000K	200 lm	54 °	≥80	~220-230 V, 50/60 Hz	⏚	>0,5	IP65	10000h
8165	5W LED	3000K	360 lm	51 °	≥80	~220-230 V, 50/60 Hz	⏚	>0,5	IP65	10000h

BLACK





SIDEWALK SQUARE LED


painted aluminum, plastic PC

8148

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8147	1,6W LED	3000K	61 lm	120 °	≥80	~220-230 V, 50/60 Hz	⏚	>0,5	IP54	20000h
8148	1,6W LED	3000K	61 lm	120 °	≥80	~220-230V V, 50/60 Hz	⏚	>0,5	IP54	20000h

BLACK





BASALT


painted aluminum, plastic

3412 4966

1xE14, max 60W

IP44





ASSAM


painted aluminum, glass, plastic

4453

1xE27, max 18W

IP65





INA


painted aluminum, glass, plastic

4907

1xE27, max 18W

IP65






STEP LED

painted aluminum, plastic

6907 6908





OIA LED

painted aluminum, plastic

9102 9103

cut out ø 40 mm




Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9102 9103	1W LED	3000K	45 lm	49°	≥ 80	~220-230 V, 50/60 Hz	⏚	>0,55	IP20	10000h
6907	3W LED	3000K	120 lm	92°	≥ 80	~220-230 V, 50/60 Hz	⏚	>0,57	IP44	10000h
6908	3W LED	3000K	190 lm	92°	≥ 80	~220-230 V, 50/60 Hz	⏚	>0,57	IP44	10000h

SILVER GRAPHITE

GRAPHITE BLACK WHITE

Nowodvorski LIGHTING





PICCO LED S


aluminum

9106

cut out ø 38 mm

IP67





PICCO LED M

aluminum

9105

cut out ø 55 mm

IP67





PICCO LED L

aluminum

9104


cut out ø 65 mm

IP67

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9106	1W LED	3000K	47 lm	42 °	≥ 80	~220-230 V, 50/60 Hz	⏚	>0,55	IP67	10000h
9105	1W LED	3000K	52 lm	51 °	≥ 80	~220-230 V, 50/60 Hz	⏚	>0,55	IP67	10000h
9104	3W LED	3000K	130 lm	48 °	≥ 80	~220-230 V, 50/60 Hz	⏚	>0,55	IP67	10000h

SILVER BLACK





PAOLI

steel, glass


9554

1xGU10, max 10W

cut out ø 100 mm

IP67





PAT LED


aluminum, plastic PC

8162

cut out ø 56 mm

IP65





MON LED


aluminum, glass

4454

cut out ø 64 mm

IP67





CIRCLET LED

aluminum, plastic PC

8163

cut out ø 57 mm

IP65


Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
4454	2W LED	3000K	100 lm	28 °	≥ 80	~220-230 V, 50/60 Hz	⏚	>0,42	IP67	10000h
8162	3W LED	3000K	12 lm	25 °	≥80	~220-230 V, 50/60 Hz	⏚	>0,5	IP65	10000h
8163	3W LED	3000K	120 lm	47 °	≥80	~220-230 V, 50/60 Hz	⏚	>0,5	IP65	10000h

SILVER BLACK









HANGING SET FOR PICNIC LED


aluminum, steel

8107 8106

Lampa bezprzewodowa, przenośna, zewnętrzna
- Podstawa ładująca w komplecie
- Akumulator litowy 2×2200 mAh
- Czas pełnego ładowania 5-8 h
- Czas pracy 12 h
- Włącznik dotykowy
- Ściemniacz

Wireless lamp, portable, outdoor
- Charging base (set incl.)
- 2×2200 mAh lithium battery
- Full charge time 5-8h
- Work time 12 h
- Touch switch
- Dimmable

Беспроводный светильник, переносной, уличный
- База для зарядки в комплекте
- Литиевая батарея 2×2200 mAh
- Время полной зарядки 5-8 ч
- Рабочее время 12 ч
- Сенсорный выключатель
- Диммер



PICNIC LED

painted aluminum, plastic PC

8178 8177

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Ingress protection	Lifetime
8177	2,2W LED	3000K	155 lm	46°	≥84	~220-230 V, 50/60 Hz	⧈	IP54	30000h
8178	2,2W LED	3000K	155 lm	46°	≥84	~220-230 V, 50/60 Hz	⧈	IP54	30000h

WHITE GRAPHITE




PICNIC LED 8177

MAHE LED 8397









MAHE LED

painted aluminum, plastic PC

8397 8398

Lampa bezprzewodowa, przenośna, zewnętrzna
- Ładowarka MICRO USB (w zestawie)
- Czas pełnego ładowania 5-7 h
- Czas pracy 9 h
- Włącznik dotykowy
- Ściemniacz

Wireless lamp, portable, outdoor
- Power adapter MICRO USB (set incl.)
- Full charge time 5-7 h
- Work time 9 h
- Touch switch
- Dimmable

Беспроводный светильник, переносной, уличный
- Зарядное устройство MICRO USB (в наборе)
- Время полной зарядки 5-7 ч
- Рабочее время 9 ч
- Сенсорный выключатель
- Диммер

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Ingress protection	Lifetime
8397	2,2W LED	3000K	168 lm	46°	≥ 84	~220-230 V, 50/60 Hz	⧈	IP54	25000h
8398	2,2W LED	3000K	168 lm	46°	≥ 84	~220-230 V, 50/60 Hz	⧈	IP54	25000h

WHITE BLACK












MAX 2000W MAX 80m CONNECTABLE







POWER CORD FOR FESTOON LIGHTS

rubber cable

7871

IP65

FESTOON LIGHTS 6M

rubber cable

7873

10xE27, max 15W

IP65

FESTOON LIGHTS 9M

rubber cable

7872

15xE27, max 15W

IP65



5 PC SET

BULB LED E27, A60 2W, 5 PC SET


glass

7487

BLACK

Light sources
and accessories






REFLECTOR COB LED, GU10 , ES111, 15W

plastic

	9831	4000K	






REFLECTOR LENS LED, GU10, ES111, 9W

plastic

■	9343	3000K		9345	3000K
■	9213	4000K		9214	4000K





REFLECTOR DIFFUSER LED, GU10, ES111, 9W


plastic

■	9342	3000K		9344	3000K
■	9211	4000K		9212	4000K

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Power factor	Lifetime
9831	15W LED COB	4000K	1200 lm	37°	≥ 80	~220-230 V, 50/60 Hz	>0,5	25000h
9343	9W LED	3000K	770 lm	30°	≥ 80	~220-230 V, 50/60 Hz	>0,5	25000h
9345	9W LED	3000K	870 lm	27°	≥ 80	~220-230 V, 50/60 Hz	>0,5	25000h
9213	9W LED	4000K	870 lm	26°	≥ 80	~220-230 V, 50/60 Hz	>0,5	25000h
9214	9W LED	4000K	930 lm	30°	≥ 80	~220-230 V, 50/60 Hz	>0,5	25000h
9342	9W LED	3000K	660 lm	120°	≥ 80	~220-230 V, 50/60 Hz	>0,5	25000h
9344	9W LED	3000K	700 lm	120°	≥ 80	~220-230 V, 50/60 Hz	>0,5	25000h
9211	9W LED	4000K	680 lm	120°	≥ 80	~220-230 V, 50/60 Hz	>0,5	25000h
9212	9W LED	4000K	730 lm	120°	≥ 80	~220-230 V, 50/60 Hz	>0,5	25000h

■ WHITE ■ BLACK






BULB LED G9, 7W

ceramic housing, plastic PC

	9197	3000K	






BULB LED G9, 4W

plastic PC

	7503	3000K		7504	4000K






BULB LENS LED, G9, 3W

ceramic housing, plastic PC

	9173	3000K		8447	4000K





REFLECTOR LED, GU10, R50, 7W


plastic

	9180	3000K	■	8348	3000K
	9178	4000K	■	8347	4000K

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Power factor	Lifetime
9197	7W LED	3000K	750 lm	360°	≥ 80	~220-230 V, 50/60 Hz	>0,5	25000h
7503	4W LED	3000K	380 lm	360°	≥80	~220-230 V, 50/60 Hz	>0,4	25000h
7504	4W LED	4000K	390 lm	360°	≥80	~220-230 V, 50/60 Hz	>0,4	25000h
9173	3W LED	3000K	330 lm	90°	≥ 80	~220-230 V, 50/60 Hz	>0,5	25000h
8447	3W LED	4000K	310 lm	90°	>80	~220-230 V, 50/60 Hz	>0,5	25000h

■ WHITE ■ BLACK





BULB LED GX53, 8W

plastic PC

8377 3000K 8378 4000K



BULB VINTAGE LED E14, 4W

glass

9793



BULB VINTAGE LED E27, 4W

glass

9794




BULB VINTAGE LED E27, 4W

glass

9796





BULB GLASS BALL LED, E27, 8W

glass

9177




5 PC SET

BULB LED E27, A60 2W, 5 PC SET

glass


7487



BULB VINTAGE LED E27, 4W

glass

9797




BULB VINTAGE LED E27, 4W

glass

9795

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Power factor	Lifetime
9180	7W LED	3000K	600 lm	39 °	≥ 80	~220-230 V, 50/60 Hz	>0,5	25000h
9178	7W LED	4000K	620 lm	50 °	≥ 80	~220-230 V, 50/60 Hz	>0,5	25000h
8348	7W LED	3000K	560 lm	41 °	≥ 80	~220-230 V, 50/60 Hz	>0,5	25000h
8347	7W LED	4000K	570 lm	40 °	≥ 80	~220-230 V, 50/60 Hz	>0,5	25000h
8377	8W LED	3000K	610 lm	100 °	>80	~220-230 V, 50/60 Hz	>0,5	25000h
8378	8W LED	4000K	650 lm	100 °	>80	~220-230 V, 50/60 Hz	>0,5	25000h
9177	8W LED	3000K	840 lm	360 °	≥ 80	~220-230 V, 50/60 Hz	>0,5	25000h
7487	2W LED	2200K	160 lm	360 °	≥80	~220-230 V, 50/60 Hz	>0,4	15000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Replacement	Switch cycles on/off	Lifetime
9793	4W LED	2200K	440 lm	360 °	≥ 80	~220-230 V, 50/60 Hz	4W LED=35W	x 15 000	15000h
9794	4W LED	2200K	400 lm	360 °	≥ 80	~220-230 V, 50/60 Hz	4W LED=35W	x 15 000	15000h
9796	4W LED	2200K	360 lm	360 °	≥ 80	~220-230 V, 50/60 Hz	4W LED=35W	x 15 000	15000h
9797	4W LED	2200K	390 lm	360 °	≥ 80	~220-230 V, 50/60 Hz	4W LED=35W	x 15 000	15000h
9795	4W LED	2200K	370 lm	360 °	≥ 80	~220-230 V, 50/60 Hz	4W LED=35W	x 15 000	15000h



TUBE LED T8, 11W

glass

7500



TUBE LED T8, 16W

glass

7501




TUBE LED T8, 22W

glass

7502

Item No.	Power	Colour temp.	Leds	Luminous flux	Beam angle	Colour Rendering Index (CRI ≥)	Input	Power factor	Lifetime
7500	11W LED	3000K	SMD2835	1700 lm	120°	≥80	~220-230 V, 50/60 Hz	>0,5	30000h
7501	16W LED	3000K	SMD2835	2300 lm	120°	≥80	~220-230 V, 50/60 Hz	>0,5	30000h
7502	22W LED	3000K	SMD2835	3200 lm	120°	≥80	~220-230 V, 50/60 Hz	>0,5	30000h






WATERPROOF CONNECTOR IP68

plastic PA

8845

IP68






WATERPROOF „Y" CONNECTOR IP68

plastic PA

8846

IP68





MICROWAVE SENSOR

plastic

8821



DUPLEX

plastic PC

9341

2xE27, max 40W

Nowodvorski LIGHTING

INFORMACJE DLA KLIENTA / CUSTOMER INFORMATION / ИНФОРМАЦИЯ ДЛЯ КЛИЕНТОВ

Informacje ogólne / General information / Главная Информация

Rzeczywiste parametry produktów mogą się różnić od wartości deklarowanych w katalogu o +/- 10%.
The actual product parameters may differ from the values declared in the catalogue by +/- 10%.
Фактические параметры товаров могут отличаться от заявленных в каталоге значений на +/- 10%.

Zdjęcia prezentowanego asortymentu w niniejszym katalogu mają charakter poglądowy.
Rzeczywisty kolor produktów może nieznacznie odbiegać od prezentowanego na zdjęciach, ze względu na technologię druku.

Photos in this catalogue are for illustrative purposes only.
The actual color of the products may slightly differ from that shown in the photos, due to the printing technology.

Фотографии представленного ассортимента в этом каталоге в качестве иллюстрации.
Фактический цвет продуктов может незначительно отличаться от представленного на фотографиях из-за технологии печати.

Informacje techniczne / Technical information / Техническая информация

Temperatura barwowa (K) - w potocznym rozumieniu, to „kolor" światła białego emitowanego przez źródło, np. źródło LED.
W uproszczeniu możemy podzielić je na światło o:
· barwie ciepłej
· barwie neutralnej
· barwie zimnej

Colour temperature (K) in common understanding is the colour of white light emitted by a source, for example such as an LED source.
In simple terms, we can divide them into:
· Warm white
· White
· Cool white

Цветовая температура (K) в общепринятом понимании - это «цвет» белого света, излучаемого источником, например светодиодом.
Проще говоря, мы можем разделить их на:
· Теплый белый
· Белый
· Холодный белый



Strumień świetlny (lm/lumen) - w potocznym rozumieniu, to całkowita moc światła emitowanego z danego źródła światła.
Lumen (lm) – jednostka miary strumienia świetlnego w układzie SI
1 lm = 1 cd·sr

Luminous flux (lm / lumen) - the total power of light emitted from a light source.
Lumen (symbol: lm) - the unit of luminous flux in SI system.
1 lm = 1 cd·sr

Световой поток (лм / люмен) - общая мощность света, излучаемого данным источником света.
Люмен (лм) - единица светового потока в системе SI.
1 lm = 1 cd·sr

Natężenie oświetlenia (lx/luks) – w potocznym rozumieniu, to gęstość strumienia świetlnego padającego na daną powierzchnię.
Luks (lx) – jednostka natężenia oświetlenia w układzie SI.
1 lx = 1 cd·sr / m^2

Illuminance (lx / lux) - in common understanding, it is the density of the luminous flux incident on a given surface.
Lux (lx) - a unit of illuminance in the SI system.
1 lx = 1 cd sr / m^2

Освещенность (лк / люкс) - плотность светового потока на заданную площадь.
Единица освещенности в системе SI.
1 lx = 1 cd·sr / m^2

CRI (od ang. colour rendering index), Ra – wskaźnik oddawania barw charakteryzujący źródło światła, który określa, jak dobrze postrzegane są barwy oświetlonych przedmiotów.
Im wskaźnik ten jest wyższy, tym barwy są lepiej oddawane, a oświetlane przedmioty wyglądają naturalniej.
Wyrażony jest liczbą z przedziału od 0 do 100, gdzie 100 to światło słoneczne.
Minimum wg przepisów w UE dla opraw wewnętrznych to 80.

CRI- is an index of a light source's ability to reveal colours. It determines how well illuminated colours are perceived.
The higher index, the better colour rendering and the illuminated objects look more natural.
It is expressed with a number from 0 to 100, where 100 is a sunlight.
The minimum according to EU regulations for indoor luminaires is 80.

CRI (colour rendering index) Индекс цветопередачи, характеризующий источник света, который определяет, насколько хорошо воспринимаются цвета освещенных объектов. Чем выше этот индекс, тем лучше передаются цвета и освещенные объекты выглядят естественнее.
Он выражается числом от 0 до 100, где 100 - солнечный свет.
Минимальное требование ЕС для светильников для внутреннего освещения - 80.

Stopień ochrony IP / Degree of protection IP / Степень защиты IP

Stopień ochrony jest wyrażony dwoma cyframi. Pierwsza oznacza ochronę przed ciałami stałymi. Druga to ochrona przed cieczami.

Degree of protection is expressed by two figures. The first one stands for protection against solid particles. The second one stands for protection against liquids.

Степень защиты выражается двумя цифрами. Первая цифра относится к защите от твердых веществ, вторая, к защите от жидкостей.

1 cyfra / 1st figure / 1-ая цифра	
IP0...	Brak ochrony / Not protected / Нет защиты
IP1...	Ochrona przed ciałami stałymi większymi niż 50 mm / Protected against solid objects greater than 50 mm / Защита от попадания твердых веществ ø 50 мм
IP2...	Ochrona przed ciałami stałymi większymi niż 12 mm / Protected against solid objects greater than 12 mm / Защита от попадания твердых веществ ø 12 мм
IP3...	Ochrona przed ciałami stałymi większymi niż 2,5 mm / Protected against solid objects greater than 2,5 mm / Защита от попадания твердых веществ ø 2,5 мм
IP4...	Ochrona przed ciałami stałymi większymi niż 1 mm / Protected against solid objects greater than 1 mm / Защита от попадания твердых веществ ø 1 мм
IP5...	Ochrona przed pyłem / Protected against dust infiltration / Защита от попадания пыли
IP6...	Ochrona pyłoszczelna / Totally protected against dust infiltration / Полная защита от попадания пыли

2 cyfra / 2nd figure / 2-ая цифра	
IP...0	Brak ochrony / Not protected / Нет защиты
IP...1	Ochrona przed padającymi kroplami wody / Protected against vertically falling water drops / Защита от попадания капель воды в вертикальном падении
IP...2	Ochrona przed padającymi kroplami wody przy wychyleniu do 15° / Protected against falling water drops up to 15° from the vertical / Защита от попадания капель воды под углом не более 15°
IP...3	Ochrona przed natryskiwaną wodą / Protected against rain / Защита от дождя
IP...4	Ochrona przed bryzgami wody / Protected against splashing water / Защита от брызг воды
IP...5	Ochrona przed strugami wody / Protected against water jets / Защита от струи воды
IP...6	Ochrona przed falami / Protected against powered water jets / Защита от сильной струи воды
IP...7	Ochrona przed zanurzeniem / Protected against temporary immersion / Защита от временного погружения
IP...8	Ochrona przed głębokim zanurzeniem / Protected against continuous immersion / Защита от продолжительного погружения

IKONY / ICONS / ИЗОБРАЖЕНИ


Lampa wisząca /
Pendant lamp /
Подвесные светильники


Lampa sufitowa /
Ceiling lamp /
Потолочные светильники


Lampa biurkowa /
Table lamp /
Настольные лампы


Lampa podłogowa /
Floor lamp /
Торшеры


Kinkiet /
Wall lamp /
Настенные светильники


Oświetlenie punktowe /
Spotlight /
Точечные светильники


Podtynkowa lampa sufitowa /
Reccessed ceiling lamp /
Встраиваемые потолочные светильники


Lampa najazdowa /
Overrun lamp /
Встраиваемые дорожные светильники


Kinkiet podtynkowy /
Recessed wall lamp /
Встраиваемые настенные светильники


Źródło światła /
Light source /
Источник света

Tuba ledowa /
Led tube /
Светодиодная лампа


Wyciąć /
Cut out /
Вырезать


Oprawy oznaczone tym symbolem nie wolno okrywać materiałem termoizolacyjnym.
Fittings marked with this symbol must not be covered with thermal insulation materials.
Светильники, обозначенные этим символом, нельзя покрывать термоизоляционным материалом.


Klasa ochronna druga oznacza, że oprawa posiada podwójną izolację ochronną, a przewód ochronny (żyła żółto-zielona) nie może być podłączony do oprawy oświetleniowej.
Protection class II means that the fittings are equipped with a double protective insulation, and the green and yellow protective conductor must not be connected to the fitting.
Второй защитный класс обозначает светильник с двойной защитной изоляцией, а защитный желто-зеленый провод не должен подключаться к светильнику.


Klasa ochronna pierwsza oznacza, że oprawa musi być podłączona za pomocą przewodu ochronnego (żyła żółto-zielona) do przewodu lub zacisku uziemiającego.
Protection class I means that the fitting must be connected with the yellow and green protective conductor to the grounding wire or terminal.
Первый защитный класс обозначает, что светильник должен быть подключен с помощью защитного жёлто-зелёного провода к заземленному проводу или зажиму.


Klasa ochronna III oznacza, bezpieczeństwo elektryczne gwarantowane przez bardzo niskie zasilanie (poniżej 50 V). Bez uziemienia.
Protection class III means, that electrical safety is guaranteed by a very low power supply (less than 50 Volt). No grounding.
Класс III электрическая безопасность гарантирована подачей электроэнергии низкого напяжения (меньше чем 50 вольт).


Oprawy oznaczone tym symbolem wolno instalować wyłącznie na podłożach niepalnych.
Fittings marked with this symbol are suitable for installation only on nonflammable surfaces.
Светильники, обозначенные этим символом, можно устанавливать только на негорючих поверхностях.


Zgodność produktów z ukraińskimi normami.
Ukrainian standards compliant.
Соответствие продукции украинским стандартам.


Zgodność z normami Unii Europejskiej.
EU standards compliant.
Соответствие стандартам Европейского Союза.


Zgodność produktów z normami Euroazjatyckiej Unii Gospodarczej.
EAEU standards compliant.
Соотвествие продукции стандартам Евразийского экономического союза.


Do użytku zewnętrznego.
Interior use only.
Для внешнего использования.


Do wewnętrznego użytku.
Exterior use only.
Для внутреннего использования.


Do stosowania wewnątrz i na zewnątrz.
Interior and exterior use.
Для внутреннего и внешнего использования.


Zużyte oprawy oświetleniowe są surowcami wtórnymi – nie wolno wyrzucać ich do pojemników na odpady domowe, mogą zawierać substancje niebezpieczne dla zdrowia i życia ludzkiego oraz środowiska. Zgodnie z dyrektywą WEEE 2012/19/UE użytkownik zobowiązany jest do oddania opraw do punktu zbierania zużytego sprzętu, co przyczyni się do ochrony środowiska naturalnego.
Used lighting fixtures are recyclable materials - they must not be disposed of in household waste containers as they may contain substances hazardous to human health or life as well as to the natural environment. In accordance with Regulation WEEE 2012/19 /EU, luminaire user is obliged to return a used lighting fixture to a waste appliance collection point, which will contribute to the protection of the natural environment.
Использованные осветительные приборы являются вторсырьем, их нельзя выбрасывать в контейнеры с хозяйственными отходами, потому что они могут содержать в себе вещества, опасные для здоровья и жизни человека, и вредные для окружающей среды. Согласно директиве WEEE 2012/19/UE, потребитель обязан сдать осветительные приборы в пункт сбора использованного оборудования, что положительно влияет на окружающую среду.

Nowodvorski LIGHTING

Material	Materiał	Материал
Acrylic crystals	Kryształki akrylowe	Акриловые кристаллы
Aluminum	Aluminium	Алюминий
Braided cable	Przewód w oplocie	Плетеный кабель
Brass plated steel	Stal mosiądzowana	Сталь с латунным покрытием
Brushed stainless steel	Stal nierdzewna szczotkowana	Матовая нержавеющая сталь
Ceramic housing	Ceramiczna oprawka	Керамический патрон
Chrome	Chrom	Хром
Chrome plated steel	Stal chromowana	Хромистая сталь
Composite	Kompozyt	Композитный материал
Concrete	Beton architektoniczny	Архитектурный бетон
Copper plated steel	Stal miedziowana	Сталь плакированная медью
Crystal	Kryształ	Кристаллы
Fabric	Tkanina	Ткань
Flexible stem	Peszel	Пешель
Glass	Szkło	Стекло
Gypsum	Gips	Гипс
Metallized glass	Szkło metalizowane	Металлизированное стекло
Painted aluminum	Aluminium lakierowane	Окрашенный алюминий
Painted steel	Stal lakierowana	Лакированная сталь
Plastic	Tworzywo sztuczne	Пластик
Plastic ABS	Tworzywo sztuczne ABS	АБС-пластик
Plastic PA	Tworzywo sztuczne PA	PA-пластик
Plastic PC	Tworzywo sztuczne PC	PC-пластик
Plastic PP	Tworzywo sztuczne PP	PP-пластик
Plastic PS	Tworzywo sztuczne PS	PS-пластик
Plastic PC/ABS	Tworzywo sztuczne PC/ABS	PC-АБС-пластик
Plastic PE	Tworzywo sztuczne PE	ПЭ-пластик
Plastic PMMA	Tworzywo sztuczne PMMA	PMMA-пластик
Plywood	Sklejka	Фанера
Rubber cable	Przewód gumowy	Резиновый кабель
Silicone	Silikon	Силикон
Solid brass	Lity mosiądz	Твердой латуни
Steel	Stal	Сталь
Velvet	Aksamit	Бархат
Wood	Drewno	Древесина

KODY KOLORÓW / COLOUR CODES / ЦВЕТОВЫЕКОДЫ



P001 / RAL 9003



P002 / RAL 9003

P003 / RAL 9003

P004 / RAL 9003



P005



P006 / RAL 9006



P007



P009 / RAL 7039



P010 / RAL 7016



P011 / RAL 9005



P012 / RAL 9005



P013 / RAL 9005



P014 / RAL 9005




P015



P016



P017



P018



P019



P020



P021



P022

T001



T002



T003

T004

T005

T006

T007



T008



T009




T010



T011



T012



T013



T014

T015



T017



T018



T019



T020



T021



T022



T023



T024



T025



T026



T027



T028



T029



T030



T031

A

ABI ... 230
ACROSS ... 139
AGNES LED ... 268
ALICE ... 112
ALLAN ... 235
ALPHA ... 230
AMALFI ... 69
AMUR ... 430
ARENA ... 457
ARES ... 239
ARRIS ... 457
ASSAM ... 462
ASSOS ... 456
AVEIRO ... 237
AWINION ... 154
AXIS ... 174

B

BALI ... 376
BARREL ... 100
BASALT ... 462
BASSA LED ... 385
BATON ... 50
BAY LED ... 460
BERGEN ... 260
BIO ... 157
BIT ... 328
BOLD ... 195
BORDE ... 127
BOSTON ... 86
BOX ES111 ... 331
BRAVO ... 388
BRAZOS ... 378
BRICK ... 427
BULB GLASS BALL LED, E27, 8W ... 476
BULB LED, E27, A60, 2W, 5 PC SET ... 476
BULB LED, G9, 4W ... 475
BULB LED, G9, 7W ... 475
BULB LED, GX53 8W ... 476
BULB LENS LED, G9, 3W ... 475
BULB VINTAGE LED ... 477
BULLET ... 233
BUSH ... 417

C

CABLE ... 188
CADILAC ... 134
CAGE ... 235
CAMERON ... 104
CAMILLA ... 234
CANOE ... 224
CAYO ... 374
CELTIC ... 377
CHARLIE ... 392
CHIC LED ... 273
CHILLIN ... 124
CIRCLET LED ... 465
CL KOS LED ... 337
COBA ANTIQUE ... 155
COBBLE ... 318
CONE ... 101
COSMO ... 276
CRAFT ... 211
CRANE ... 64
CRATE ... 196
CRISTAL ... 88
CROCO ... 99
CROSS ... 314
CUBE ... 258
CUMULUS CUBE ... 404
CUMULUS ... 400
CYLINDER ... 58

D

DALE ... 330
DELTA ... 392
DISK ... 151
DON ... 434
DOT ... 335
DOVER ... 158
DOWNLIGHT ES111 ... 331
DRAS LED ... 458
DUPLEX ... 479

E

ECHO ... 393
EDESA LED ... 447
EGG ... 223
ELLIPSES LED ... 454
EOL LED ... 395
EXE ... 425
EYE FIT ... 312
EYE FLEX ... 36
EYE ... 28
EYE MOD ... 334
EYE SPOT ... 310
EYE SUPER ... 38
EYE TONE ... 325
EYE WALL ... 34

F

FALCON ... 108
FALLON ... 459
FARO ... 128
FESTOON LIGHTS ... 471
FIORD ... 184
FLEA ... 322
FLEX SHADE ... 116
FLEX ... 117
FLOWERPOT ... 402
FOG ... 423
FORM ... 103
FOXTROT ... 394

G

GALAXY ... 405
GAP ... 318
GARRET ... 215
GEOMETRIC ... 190
GESS LED ... 259
GIOTTO LED ... 245
GIPSY ... 192
GLOBE PLUS ... 72
GOLF ... 393
GROOVE ... 319
GSTAR ... 232

H

H LED ... 251
HAGA ... 260
HALO ... 320
HAMPTON ... 87
HANGING SET FOR PICNIC LED ... 466
HARMONY ... 212
HAWK ... 109
HELIOS LED ... 395
HEMISPHERE HIT ... 219
HEMISPHERE ... 220
HEMISPHERE RUST ... 216
HERMANOS ... 202
HEXA ... 443
HIGH-BAY ... 213
HORN ... 438
HOTEL ... 120
HOTEL PLUS ... 123

I

ICE BALL ... 383
ICE EGG ... 364
ICE TUBE LED ... 380
IKA ... 156
IMBRIA ... 49
IMPULSE LED ... 246
INA ... 462
INDIA ... 323
INDUS ... 435
ION LED ... 257
IRIS LED ... 313

J

JULIET ... 395

K

KAGERA LED ... 371
KAREN ... 234
KASAI ... 267
KATERINA ... 90
KHUMBU ... 455

L

LAGUNA ... 92
LANTERN ... 434
LASER ... 22
LATH LED ... 370
LAVA ... 191
LENS LED ... 446
LHOTSE LED ... 436
LIA LED ... 259
LIMA LED ... 455
LUKSOR ... 228

M

MAHE LED ... 469
MALAKKA LED ... 385
MALMO ... 261
MALWI ... 282
MANUFACTURE ... 180
MARGARET ... 238
MEKNES ... 236
MEKONG ... 428
MERIDA LED ... 442
MERSEY ... 236
MICROWAVE SENSOR ... 479
MIKE ... 323
MILL ... 179
MINIMAL ... 150
MIST ... 102
MISTRAL ... 429
MOD PLUS ... 333
MOD ... 333
MODENA ... 91
MON LED ... 465
MONACO ... 64
MONO ... 288
MONO CORNER ... 293
MONO LONG ... 296
MONO SURFACE ... 300
MONTERREY LED ... 437
MORE EYE ... 46
MORE TONE ... 47
MOSS ... 119
MUNO LED ... 453

N

NARWIK 261
NEGRO 424
NESS 235
NEWPORT 82
NICO 457
NOOK 450
NORIN 438
NUAGE 76
NUNTUCET 81

O

OIA LED 463
OIR 439
ORBIT 162
ORGANIC 265
ORINOKO 427
OSLO LED 152
OTTAWA 410
OVAL 319

P

PAG 318
PAN LED 373
PANTOGRAPH 210
PAOLI 465
PAT LED 465
PATHWAY FOUNDATION KIT 440
PATHWAY LED 441
PATRAS LED 453
PEAK LED 458
PEAR 56
PERM 207
PETIT 132
PICASSO LED 370
PICCO LED 464
PICNIC LED 466
PICO 231
PILE 178
PILLS 164
PIN LED 366
PLANE 281
PLANT 199
POCATELLO 275
POINT 329
POINT PLEXI 328
POINT TONE 322
POLARIS 70
POLE LED 436
POLY 52
POWER CORD FOR FESTOON LIGHTS 471
PRIMM 459
PROFILE BIT PLUS 353
PROFILE BIT 351
PROFILE DEAD END CAP 357
PROFILE EYE FLEX 350
PROFILE EYE SPOT 353
PROFILE EYE SUPER 350
PROFILE EYE 351
PROFILE FLEX CONNECTOR 356
PROFILE FOCUS LED 346
PROFILE INDIA 346
PROFILE IRIS LED 342
PROFILE L CONNECTOR 357
PROFILE MIKE 346
PROFILE POWER END CAP 357
PROFILE POWER SUPPLY KIT 354
PROFILE RECESSED DEAD END CAP 361
PROFILE RECESSED FIXING SET 361
PROFILE RECESSED FLEX CONNECTOR 360
PROFILE RECESSED L CONNECTOR 361
PROFILE RECESSED POWER END CAP 361
PROFILE RECESSED STRAIGHT CONNECTOR 360
PROFILE RECESSED T CONNECTOR 361
PROFILE RECESSED TRACK 358
PROFILE RECESSED X CONNECTOR 361
PROFILE STORE PRO LED 344
PROFILE STRAIGHT CONNECTOR 356
PROFILE SUSPENSION KIT 354
ROFILE T CONNECTOR 357
PROFILE TRACK 354
PROFILE VESPA 353
PROFILE WORKSHOP 351
PROFILE X CONNECTOR 357
PROFILE ZOOM LED 347
PUEBLA LED 442
PUZZLE 280

Q

QUARTZ 435
QUEBECK 53

R

RADIUS 166
REFLECTOR COB LED, GU10 ES111, 15W 474
REFLECTOR LED, GU10, R50, 7W 475
REFLECTOR DIFFUSER LED, GU10, ES111, 9W 474
REFLECTOR LENS LED, GU10, ES111, 9W 474
REMBRANT LED 244
RETTO C 118
RING LED 263
RIO 420
ROCK 422
ROCKET 138
ROD 176
ROTOR 170

S

SALVA 74
SEMI LED 458
SET 324
SHY 195
SHY 190
SIDEWALK LED 461
SIERRA 426
SILICONE 189
SIMI 379
SINUS 453
SIROCCO 439
SIS 375
SMART LED 272
SOFT LED 253
SOLID 194
SOUL 411
SPEY 433
SPHERE 60
SPIDER 186
SPIKE LED 416
STALACTITE 27
STAR 405
STEP LED 463
STICKS 172
STRAIGHT CEILING LED 248
STRAIGHT WALL LED 250
STRUCTURE LED 406
STYLE LED 270
SUN LED 145
SUNRISE LED 142
SUNSET 143
SYMMETRY LED 409

T

TAHOE 451
TAY 432
TECHNO 208
TEPIC LED 437
TESALLI 83
THIKA LED 419
TORCH 383
TOSCANA 91
TRIANGLES LED 454
TRIFLE 136
TUBE LED T8 478
TUBE 259
TUBINGS 415
TULUM 189
TURDA 94
TWIG 185
TWIST 240
TYBR 431

U

UMBRELLA 234
UNIT LED 427

V

VAN GOGH LED 368
VELERO 128
VESPA 315
VETRO 66
VIOLET 107
VIPER 110
VISTA 372
VIVIANE 106
VOLCANO 191

W

WATERPROOF CONNECTOR IP68 479
WAVE 229
WHEEL LUX 149
WHEEL 148
WING LED 256
WORKS 218
WORKSHOP 182

Z

ZELDA 137
ZENITH 204
ZOA LED 452

INDEX	STRONA PAGE СТРАНИЦА
202	239
203	239
204	239
205	239
206	239
2206	192
2207	192
2208	192
2410	193
2411	193
2763	241
2764	241
2766	241
2767	240
3118	451
3240	451
3242	451
3250	451
3251	451
3346	377
3347	377
3382	276
3393	429
3394	429
3396	439
3401	417
3402	423
3403	423
3404	423
3405	422
3406	422
3407	422
3408	427
3411	435
3412	462
3457	113
3458	113
3464	113
3466	113
4013	91
4014	91
4171	156
4173	156
4174	156
4387	427
4390	429
4418	428
4420	428
4421	426
4422	426
4423	420
4424	420
4425	424
4426	424
4440	435
4441	458
4442	458
4443	455
4446	438
4448	436
4453	462
4454	465
4607	234
4610	234
4611	234
4650	83
4651	83
4652	83
4653	83
4684	431
4685	431
4686	431
4687	434
4692	430
4693	430
4694	430
4698	428
4730	121
4731	121
4838	220
4840	220
4841	221
4842	220
4843	220
4844	220
4856	221
4893	220
4906	438
4907	462
4917	276
4961	112
4962	112
4963	112
4966	462
4981	241
4983	241
4984	241
4985	240
5067	213
5125	237
5126	237
5208	90
5210	90
5211	90
5255	32
5256	32
5257	32
5266	258
5267	258
5272	258
5290	433
5291	433
5292	432
5293	432
5294	432
5295	236
5296	236
5297	236
5298	236
5383	115
5384	115
5386	115
5397	28
5398	28
5400	28
5403	53
5404	53
5405	53
5406	53
5410	237
5411	237
5422	74
5424	74
5428	74
5455	28
5456	28
5463	32
5464	32
5471	32
5472	32
5654	37
5655	37
5663	113
5723	115
5794	275
5795	275
5796	275
5797	275
5798	275
5828	275
5844	311
6000	329
6001	329
6006	329
6007	329
6010	137
6014	310
6015	310
6016	311
6017	311
6018	310
6020	310
6021	311
6022	311
6134	310
6135	310
6136	311
6137	311
6138	310
6140	310
6141	311
6267	172
6268	172
6270	172
6327	282
6330	238
6333	157
6335	182
6336	182
6337	182
6345	250
6350	250
6354	250
6367	216
6368	216
6384	280
6390	106
6391	106
6403	189
6404	189
6442	215
6443	215
6444	215
6481	29
6487	41
6488	41
6490	41
6491	42
6492	42
6493	38
6494	41
6495	41
6496	41
6497	42
6498	42
6500	38
6501	41
6502	41
6503	41
6504	42
6505	42
6506	38
6510	218
6512	110
6513	110
6525	328
6526	328
6527	328
6528	328
6530	328
6532	106
6541	109
6605	182
6606	182
6607	311
6608	311
6610	311
6611	311
6612	218
6613	218
6640	110
6641	110
6724	386
6725	386
6726	386
6727	386
6767	235
6768	235
6770	386
6771	386
6772	106
6773	106
6774	106
6775	458
6776	453
6777	219
6778	219
6785	186
6788	186
6792	186
6800	121
6812	115
6815	115
6816	115
6817	114
6818	115
6820	118
6836	32
6837	32
6838	32
6840	28
6841	28
6842	37
6844	235
6845	75
6846	75
6852	191
6853	191
6855	191
6868	212
6902	281
6903	281

INDEKS LAMP / PROGRESSIVE CODE INDEX / ИНДЕКС СВЕТИЛЬНИКОВ

INDEX	STRONA PAGE СТРАНИЦА
6904	281
6907	463
6908	463
6911	434
6912	259
6913	259
6927	139
6941	235
6948	378
6950	378
6951	378
6976	400
6977	400
6978	400
7016	435
7017	420
7021	78
7022	78
7024	76
7025	76
7026	76
7027	77
7487	476
7487	471
7500	478
7501	478
7502	478
7503	475
7504	475
7517	152
7518	152
7520	153
7521	152
7522	153
7524	254
7525	253
7526	254
7527	254
7528	255
7530	254
7531	254
7532	253
7533	254
7534	255
7535	253
7536	254
7537	253
7538	254
7540	254
7541	255
7542	254
7543	256
7544	254
7545	253
7546	254
7547	253
7548	255
7550	256
7551	248
7552	248
7553	248
7556	248
7557	248
7558	248
7560	250
7561	250
7562	250
7563	250
7564	250
7565	250
7566	250
7567	250
7568	250
7594	250
7595	250
7596	250
7602	329
7603	329
7605	72
7606	72
7607	72
7610	46
7611	451
7612	330
7613	330
7614	89
7615	89
7616	88
7617	88
7618	346
7620	346
7621	346
7622	346
7623	347
7624	347
7625	347
7626	347
7627	88
7628	88
7630	89
7631	89
7632	88
7633	88
7634	263
7635	263
7636	263
7637	263
7638	263
7640	263
7641	66
7642	66
7643	151
7644	151
7645	151
7646	149
7647	145
7648	331
7650	331
7651	145
7652	142
7653	143
7654	143
7655	143
7656	346
7657	346
7658	323
7660	323
7661	346
7662	346
7663	395
7664	395
7665	326
7666	326
7667	23
7668	23
7670	296

INDEKS LAMP / PROGRESSIVE CODE INDEX / ИНДЕКС СВЕТИЛЬНИКОВ

INDEX	STRONA PAGE СТРАНИЦА
7671	296
7672	296
7673	296
7674	296
7675	296
7676	304
7677	304
7678	304
7680	304
7681	304
7682	304
7683	300
7684	300
7685	303
7686	303
7687	303
7688	300
7690	300
7691	303
7692	303
7693	303
7694	292
7695	293
7696	292
7697	293
7698	292
7700	293
7701	292
7702	293
7703	307
7704	307
7705	306
7706	307
7707	307
7708	306
7710	307
7711	307
7712	306
7713	307
7714	307
7715	306
7716	307
7717	307
7718	306
7720	292
7721	293
7722	292
7723	293
7724	296
7725	296
7726	296
7727	296
7728	296
7730	296
7731	296
7732	296
7733	296
7734	304
7735	304
7736	304
7737	304
7738	304
7740	304
7741	304
7742	304
7743	304
7744	300
7745	300
7746	303
7747	303
7748	303
7750	292
7751	293
7752	292
7753	293
7754	292
7755	293
7756	292
7757	293
7758	136
7760	136
7761	136
7762	166
7763	288
7764	299
7765	299
7766	288
7767	289
7768	289
7770	292
7771	288
7772	299
7773	299
7774	288
7775	289
7776	289
7777	292
7778	288
7780	299
7781	299
7782	288
7783	289
7784	289
7785	292
7786	299
7787	299
7788	61
7790	318
7791	318
7792	318
7793	318
7794	57
7795	232
7796	232
7797	56
7798	56
7800	56
7801	162
7802	162
7803	162
7804	162
7805	162
7806	162
7807	288
7808	299
7810	288
7811	289
7812	289
7813	292
7814	47
7816	47
7817	47
7821	47
7822	46
7824	46
7825	46

INDEX	STRONA PAGE СТРАНИЦА
7826	46
7827	300
7828	300
7830	303
7831	303
7832	303
7833	300
7834	300
7835	303
7836	303
7837	303
7838	288
7840	299
7841	288
7842	289
7843	289
7844	292
7846	60
7847	60
7848	60
7850	60
7851	50
7852	50
7853	51
7854	51
7855	50
7856	50
7857	353
7858	323
7860	323
7862	29
7863	29
7864	58
7865	58
7866	58
7867	58
7868	58
7870	58
7871	471
7872	471
7873	471
7926	224
7927	224
7928	166
7930	166
7931	167
7932	167
7933	170
7934	170
7935	171
7936	170
7937	171
7938	162
7941	163
7942	163
7943	162
7945	163
7946	163
7948	108
7950	108
7951	108
7952	267
7953	386
7954	49
7955	49
7956	49
7957	49
7958	107
7960	107
7961	107
7964	450
7965	450
7968	450
7970	450
7971	450
7972	450
7975	450
7976	450
7977	450
7978	450
7982	128
7983	128
7984	128
7985	127
7986	127
7987	127
7988	134
7990	134
7991	135
7992	135
7993	35
7994	35
7995	35
7996	204
7997	204
7998	204
8001	204
8002	204
8003	204
8005	204
8006	204
8007	204
8030	203
8031	203
8032	203
8033	203
8037	202
8038	202
8040	202
8041	128
8042	128
8043	128
8044	127
8045	127
8046	127
8047	26
8048	26
8050	372
8051	372
8052	379
8053	376
8054	375
8055	374
8056	379
8057	379
8072	34
8073	34
8074	34
8075	136
8076	136
8077	136
8078	136
8080	136
8086	326
8087	326
8088	326

INDEKS LAMP / PROGRESSIVE CODE INDEX / ИНДЕКС СВЕТИЛЬНИКОВ

INDEX	STRONA PAGE СТРАНИЦА
8091	326
8092	326
8093	326
8100	202
8103	202
8106	466
8107	466
8108	269
8110	269
8111	269
8112	269
8113	269
8114	269
8115	247
8116	246
8117	246
8118	381
8120	381
8121	380
8122	380
8123	383
8124	364
8125	364
8126	383
8127	366
8128	367
8130	367
8131	370
8132	364
8133	269
8134	269
8135	269
8136	269
8137	269
8138	269
8140	454
8141	454
8142	454
8143	454
8144	453
8145	406
8146	406
8147	461
8148	461
8150	81
8151	81
8152	86
8153	86
8154	87
8155	87
8156	82
8157	82
8158	415
8160	415
8161	415
8162	465
8163	465
8164	460
8165	460
8166	244
8167	244
8168	245
8170	245
8171	257
8172	257
8173	373
8174	373
8175	370
8176	409
8177	466
8180	409
8181	454
8182	454
8183	268
8184	268
8185	268
8186	268
8187	268
8188	268
8190	134
8191	135
8194	202
8195	320
8196	320
8197	124
8198	124
8200	124
8201	124
8202	322
8203	322
8204	268
8205	268
8206	268
8207	268
8208	268
8210	268
8211	124
8213	124
8214	124
8215	124
8216	124
8220	322
8221	322
8222	322
8223	322
8224	322
8225	322
8226	133
8262	165
8263	165
8264	164
8265	164
8266	164
8267	165
8268	165
8270	164
8271	164
8272	164
8273	386
8274	386
8285	232
8302	265
8303	265
8304	265
8305	265
8308	26
8315	344
8316	344
8317	344
8318	344
8320	344
8321	344
8322	344
8323	344
8324	345
8325	345

INDEX	STRONA PAGE СТРАНИЦА
8326	345
8327	345
8330	425
8331	425
8332	133
8333	133
8334	133
8335	133
8336	133
8337	133
8338	133
8340	133
8341	133
8342	133
8343	133
8344	133
8345	132
8346	132
8347	475
8348	475
8350	27
8351	27
8352	27
8353	27
8354	27
8355	27
8356	27
8357	273
8358	272
8362	388
8363	388
8364	388
8365	388
8366	392
8367	392
8368	392
8370	392
8371	393
8372	393
8373	394
8374	394
8375	393
8376	393
8377	476
8378	476
8380	69
8381	69
8382	356
8383	356
8384	360
8385	360
8397	469
8398	469
8404	270
8427	149
8428	149
8430	149
8431	25
8432	25
8433	25
8434	25
8435	25
8436	25
8437	101
8438	101
8440	101
8441	101
8442	101
8443	101
8444	100
8445	100
8446	100
8447	475
8448	138
8490	138
8671	56
8672	56
8673	56
8774	337
8775	337
8776	337
8777	337
8778	337
8780	337
8781	337
8782	337
8794	65
8795	440
8796	25
8797	25
8798	25
8800	28
8802	97
8805	361
8816	310
8817	310
8818	311
8819	311
8820	311
8821	479
8823	351
8824	353
8825	353
8826	335
8827	267
8828	267
8830	451
8831	451
8832	386
8833	386
8834	361
8835	361
8836	361
8837	361
8838	315
8840	315
8841	315
8842	315
8843	109
8845	479
8846	479
8847	228
8850	228
8851	228
8853	228
8854	232
8856	229
8857	229
8858	229
8860	229
8861	229
8862	231
8863	231
8864	230
8865	230
8866	230

INDEKS LAMP / PROGRESSIVE CODE INDEX / ИНДЕКС СВЕТИЛЬНИКОВ

INDEX	STRONA PAGE СТРАНИЦА
8870	230
8873	234
8874	234
8884	52
8885	52
8895	324
8896	324
8897	324
8898	324
8900	324
8901	324
8902	324
8903	324
8908	251
8910	251
8911	32
8912	32
8913	32
8914	28
8915	31
8916	31
8917	31
8918	23
8920	23
8921	23
8922	22
8923	22
8924	22
8925	325
8926	325
8928	325
8930	325
8931	325
8932	325
8934	36
8935	36
8936	334
8937	334
8938	334
8940	334
8942	102
8943	102
8944	102
8945	96
8946	94
8947	94
8948	99
8950	97
8951	93
8952	96
8953	94
8954	92
8955	97
8956	99
8957	92
8958	96
8960	94
8961	99
8962	93
8965	404
8966	404
8967	360
8968	360
8970	361
8971	361
8972	361
8973	361
8974	361
8975	361
8980	122
8981	122
8982	122
8988	395
8990	395
8991	395
8992	395
8993	313
8994	313
8995	342
8996	342
8997	342
8998	342
9000	342
9001	342
9002	342
9003	342
9004	343
9005	343
9006	343
9007	343
9012	358
9013	358
9014	358
9015	358
9018	353
9020	353
9021	223
9022	223
9023	223
9024	223
9025	223
9026	223
9027	176
9028	148
9032	148
9033	148
9042	155
9043	155
9044	155
9045	196
9046	196
9047	196
9054	27
9055	27
9056	70
9057	70
9058	70
9060	70
9061	233
9067	36
9068	36
9070	36
9071	123
9072	123
9073	123
9074	123
9076	172
9077	172
9083	114
9084	112
9090	114
9091	112
9097	420
9100	416
9101	416
9102	463

INDEX	STRONA PAGE СТРАНИЦА
9103	463
9104	464
9105	464
9106	464
9107	447
9108	447
9110	447
9111	447
9112	446
9113	446
9115	453
9118	419
9120	419
9121	419
9122	427
9123	456
9124	456
9125	441
9126	210
9127	178
9128	178
9130	176
9131	67
9132	67
9135	179
9136	179
9138	185
9140	185
9141	185
9142	209
9143	209
9144	208
9145	208
9146	207
9147	207
9148	207
9150	211
9151	211
9152	69
9153	69
9154	69
9155	69
9158	439
9173	475
9174	368
9175	368
9176	368
9177	476
9178	475
9180	475
9185	436
9186	357
9187	357
9188	357
9190	357
9191	49
9192	49
9197	475
9211	474
9212	474
9213	474
9214	474
9218	121
9237	354
9238	354
9240	319
9241	319
9244	350
9245	350
9246	405
9247	215
9252	441
9260	159
9261	159
9263	158
9264	158
9266	159
9272	79
9273	117
9274	117
9277	116
9278	116
9294	175
9296	174
9297	175
9298	120
9300	122
9301	122
9302	121
9303	122
9304	121
9308	65
9316	319
9317	259
9318	259
9320	259
9321	353
9322	353
9324	350
9325	350
9332	350
9337	351
9338	351
9341	479
9342	474
9343	474
9344	474
9345	474
9346	368
9347	368
9348	368
9350	368
9351	368
9352	368
9353	376
9362	64
9363	64
9364	65
9374	64
9375	150
9377	150
9378	335
9381	199
9382	199
9383	319
9384	318
9385	318
9386	318
9387	318
9388	195
9390	195
9391	190
9392	195
9393	195
9395	312
9396	312
9398	312
9400	312
9403	333
9404	333
9407	333
9408	333
9412	333
9413	333
9416	333
9417	333
9420	441
9421	452
9426	405
9427	351
9448	354
9450	354
9451	354
9452	354
9453	356
9454	356
9455	357
9456	357
9457	357
9458	357
9460	354
9461	354
9462	357
9463	357
9470	331
9472	331
9481	328
9482	328
9485	328
9486	328
9490	267
9491	267
9495	331
9497	331
9500	385
9501	385
9502	371
9503	371
9505	374
9506	375
9507	437
9508	437
9510	455
9513	442
9514	442
9515	457
9516	457
9517	457
9518	457
9551	459
9552	459
9554	465
9555	411
9557	411
9561	410
9562	410
9563	410
9564	443
9565	443
9570	331
9571	331
9574	331
9575	331
9592	315
9593	315
9594	315
9595	315
9596	314
9597	314
9598	314
9600	314
9601	314
9602	314
9603	314
9604	314
9605	104
9606	104
9607	401
9631	183
9665	184
9666	184
9668	184
9670	184
9672	103
9673	103
9674	49
9675	49
9676	49
9677	49
9680	49
9682	105
9683	105
9684	104
9685	104
9687	105
9691	189
9695	190
9696	190
9700	152
9702	261
9703	261
9704	261
9705	261
9706	260
9707	260
9708	260
9710	260
9711	402
9712	402
9713	402
9714	400
9715	401
9716	154
9717	154
9718	154
9721	194
9728	280
9733	176
9734	176
9735	172
9736	119
9737	119
9738	181
9740	180
9741	180
9742	180
9743	186
9744	186
9745	186
9746	188
9747	188
9751	401

INDEKS LAMP / PROGRESSIVE CODE INDEX / ИНДЕКС СВЕТИЛЬНИКОВ

INDEKS LAMP / PROGRESSIVE CODE INDEX / ИНДЕКС СВЕТИЛЬНИКОВ

INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА
9758	116	9768	117	9794	477	9831	474
9764	116	9772	117	9795	477	9847	157
9765	117	9774	117	9796	477	9890	212
9766	117	9793	477	9797	477		

NOTATKI / NOTES / ЗАМЕТКИ

NOTATKI / NOTES / ЗАМЕТКИ

Nowodvorski LIGHTING

Nowodvorski
LIGHTING

Nowodworski sp.j.
ul. Bojemskiego 11
42-202 Częstochowa
POLAND

+48 34 344 91 10 / 11
+48 34 344 91 12
nowodvorski@nowodvorski.com
www.nowodvorski.com

Design & production
GRAFFITI
CREATIVE PEOPLE
www.graffiti.com.pl



www.nowodvorski.com