

Architectural catalogue

by ● PONTLIGHT

H-1036 Budapest
Nagyszombat utca 1.
pontlight.com



Designed With You

Pont Light is manufacturing aluminum profile luminaries with the latest LED technology. We offer a wide range of products, and you can use this catalogue to give ideas as a source of inspiration for designers and architects. We offer individual lighting solutions for shops, hotels, office buildings or private home spaces.

References

Plants & Lights

At IncepTech's SpaceGarden office, you can see Olena and Lina decorated with live plants.



INCEPTECH **SpaceGarden**

The main conceptual point was the bright, almost spaceship-like office space, which combines a futuristic, high-tech world with the closeness of nature.

For this bright, almost spaceship-like, futuristic, high-tech office concept, our luminaires, almost each have plant leaves and tendrils reaching downwards, have proved to be extremely well suited. This adds to the futuristic feel of the office and clearly evokes raw nature.

True to IncepTech's image, the designers have created innovative, simple and clean spaces, enhanced by the glass walls of the meeting rooms and the dynamic, curved lines of the lighting. This minimalist look is broken up by playful furniture groupings. Living plants play a prominent role, becoming an integral part of both the lighting and the furniture. Mechanical elements are also present in the spaceship interiors and are therefore very prominent as visual elements.

References

PROFESSION OFFICE

The interior design of the nearly 1500m² office space was intended to create a fresh, inviting office with a strong emphasis on the integration of biophilia. Our company therefore created unique lighting fixtures for this project that work with the plants to create a harmonious look. Our Olena lights were chosen for the project as it follows the shape of the minimalist furnitures.

We are always delighted to work on exciting and innovative ideas like this.



ELEMENTS BAR

A very impressive reference job is Elements Budapest. Golden Olena rings are taking the modern, exclusive experience of the interior to an even higher level.

Elements Budapest is a modern, top-design meeting point of European and Hungarian cuisine, here you can find everything from home flavours to the highest luxury.



LIBRI NYUGATI

Libri is a well-known bookstore chain in Hungary. There are several Pont light fittings at Libri Nyugati Bookstore, located on a very busy square in the heart of Budapest. The goal was to create a playful and minimalist feeling not only for book-lovers but for the people walking across Nyugati Square or travelling through with a tram.

Designed With You.




10

MANUFACTURING

We manufacture our luminaires in our own factory, on an area of almost 1500m². Most of the manufacturing processes take place here, from the design of the aluminium profiles to the packaging.

CUSTOM PRODUCTS

Our company is equipped for both standard and customized production. The accurate execution of projects requires careful product design, after which production can start. For custom products usually we use hand machines. These machines ensure a wide range of feasible lighting fixtures to suit custom projects.



11

Table of contents

Introduction

About Us — 5
References — 6
Manufacturing — 10

Products

Architectural lighting categories and data-sheets.

Colors and Codes

Colors — 196
Coding System — 198

Linear Profiles / Open shapes

Lina — 15

family
Alina — 29
Alina Nova — 34
Alina Vesta — 36
Alina Tauro — 38

Selena — 41

Yumi — 53

family
Wavy — 61
Anna Wave — 64
Anna Spiral — 66
Hannah Spiral — 68

Circular shapes

Olena — 71

family
Rina — 87

family
Elliptic — 103
Ollie — 106
Ellie — 110

family
Anna O — 113
Anna O — 116
Anna Inverse — 118
Hannah O — 120

Geometric shapes

family
Triangular — 123
Swan — 126
Swellia — 128

family
Rectangular — 131
Tilia — 134
Milia — 136
Paula — 138
Pamela — 140

family
Hexagonal — 143
Xara — 146
Xenia — 152
Xawa — 154

Others

family
Leder — 157
Trianna — 160
Sophie — 162


family
Recessed — 165
Amy — 168
Audrey — 170
Lianna — 172
Darcy — 174

Modular System — 177

Elements & Modules
Basic — 184
Spot — 185
Pendant — 190



Lina **Family**



LINA

Family

Category 1 - Linear/Open shapes


The Linear/Open shapes range gives a wide choice of different sizes and shapes. Its longitudinal design and compact size mean that it can be perfectly integrated into modern and contemporary spaces. It helps the visitors or customers by leading them on a path in halls, offices, retail spaces, hotels, as well as conference or exhibition spaces.

Lina luminaires

Lina luminaires are available in a wide selection of profiles and mounting options. Our aim is to ensure the right luminaire for your interior design, thus we offer to choose from 6 profile sizes perfectly covering various requirements.


Body Color	Color temperature	Driver type
B 	1 RGBW	D DALI
G 	2 2700K	N Non-dimmable
W 	3 3000K	B Bluetooth
A 	4 4000K	Power
R 	5 Tuneable White	1 15W
S 	Light	2 23W
Cover	1 Direct only	3 30W
S Standard (opal)	2 Direct/indirect	
	3 Indirect only	

Mounting Types



Family members & Available Profiles

LINA75




- 35x75
- 50x75

M


 Microprismatic

LINA 90




- 65x90






LINA 100



- 65x100



M
Multi-point Pendant




LINA 75

LED luminaire. Body made of solid aluminium profile. Custom lenght upon request. Surface in white, black, grey, anthracite or RAL colors. Further Selected Pont Light special colors available.

Profiles


LN1




Specification

Code		Size	Power*	Light Flux**
LN1X-	1	L 1140 mm	26 W	2300 lm
	2	L 1420 mm	32 W	2890 lm
	3	L 1700 mm	39 W	3450 lm
	4	L 1980 mm	45 W	4026 lm
	5	L 2260 mm	52 W	4595 lm








M
Multi-point Pendant



S
Spacers Surface




D
Direct Surface



LINA 75


LED luminaire. Body made of solid aluminium profile. Custom lenght upon request. Surface in white, black, grey, anthracite or RAL colors. Further Selected Pont Light special colors available.




Specification

Code		Size	Power*	Light Flux**
LN1X-	1	L 1140 mm	26 W	2300 lm
	2	L 1420 mm	32 W	2890 lm
	3	L 1700 mm	39 W	3450 lm
	4	L 1980 mm	45 W	4026 lm
	5	L 2260 mm	52 W	4595 lm








M
Multi-point Pendant



S
Spacers Surface



D
Direct Surface



LINA 90


LED luminaire. Body made of solid aluminium profile. Custom lenght upon request. Surface in white, black, grey, anthracite or RAL colors. Further Selected Pont Light special colors available.

Specification







Code		Size	Power*	Light Flux**
LN1X-	1	L 1140 mm	26 W	2300 lm
	2	L 1420 mm	32 W	2890 lm
	3	L 1700 mm	39 W	3450 lm
	4	L 1980 mm	45 W	4026 lm
	5	L 2260 mm	52 W	4595 lm





M
Multi-point Pendant



LINA 100

LED luminaire. Body made of solid aluminium profile. Custom lenght upon request. Surface in white, black, grey, anthracite or RAL colors. Further Selected Pont Light special colors available.

Specification




Code		Size	Power*	Light Flux**
LN1X-	1	L 1140 mm	26 W	2300 lm
	2	L 1420 mm	32 W	2890 lm
	3	L 1700 mm	39 W	3450 lm
	4	L 1980 mm	45 W	4026 lm
	5	L 2260 mm	52 W	4595 lm
LN2X-	1	L 1140 mm	39 W	3450 lm
	2	L 1420 mm	48 W	4335 lm
	3	L 1700 mm	59 W	5175 lm
	4	L 1980 mm	68 W	6039 lm
	5	L 2260 mm	78 W	6893 lm





Alina **Family**



ALINA

Family

Category 1 - Linear/Open shapes

The Linear/Open shapes range gives a wide choice of different sizes and shapes. Its longitudinal design and compact size mean that it can be perfectly integrated into modern and contemporary spaces. It helps the visitors or customers by leading them on a path in halls, offices, retail spaces, hotels, as well as conference or exhibition spaces.

Alina luminaires

Alina has a very thin profile which fits perfect today's office interiors. You can choose from three types of its family members. Alina Nova, Alina Vesta and Alina Tauro are designed to reduce the glare on office tables. In addition, they create a minimalist and elegant impression. Its longitudinal design and compact size means Alina fits perfectly integrated modern and contemporary spaces.

Body Color	Color temperature	Driver type
B 	1 RGBW	D DALI
G 	2 2700K	N Non-dimmable
W 	3 3000K	B Bluetooth
A 	4 4000K	Power
R 	5 Tuneable White	1 15W
S 	Light	2 23W
Cover	1 Direct only	3 30W
S Standard (opal)	2 Direct/indirect	
	1 Indirect only	

Mounting Types



Family members & Available Profiles

ALINA NOVA



ALINA VESTA




ALINA TAURO



Lowest glare
Enchanting design
Powerful spot lights

Two available profiles



Customizable 'Alina' System

Spot Module


Pcs.	Size	Light Flux	Beam	Kelvin
14 spots	280 mm	1100 lm	30° 65°	2700K 3000K 4000K

 Matt Black


 Matt Metal

Constructions


Alina luminaires




Spot only luminaire — ALINA **Nova**








Spot modules on the ends — ALINA **Vesta**



Spot modules on the ends and in the middle. — ALINA **Tauro**



M
Multi-point Pendant









ALINA NOVA

LED luminaire. Body made of solid aluminium profile. Custom lenght upon request. Surface in white, black, grey, anthracite or RAL colors.

Specification

		Code		Size	Power*	Light Flux**
AN1A	AN1B	AN1X-	1	L 845 mm	54 W	4800 lm
			2	L 1122 mm	72 W	6400 lm
35	35		3	L 1400 mm	90 W	7950 lm
47	75		4	L 1680 mm	108 W	9600 lm
AN2A	AN2B	AN2X-	1	L 845 mm	67 W	5950 lm
			2	L 1122 mm	85 W	7550 lm
35	35		3	L 1400 mm	103 W	9100 lm
47	75		4	L 1680 mm	121 W	10750 lm






ALINA VESTA

LED luminaire. Body made of solid aluminium profile. Custom lenght upon request. Surface in white, black, grey, anthracite or RAL colors.






Specification

Code		Size	Power*	Light Flux**
AV1A 	AV1B	AV1X-	1	L 1122 mm 54 W 4800 lm
			2	L 1680 mm 72 W 6400 lm
AV2A 	AV2B	AV2X-	1	L 1122 mm 67 W 5950 lm
			2	L 1680 mm 85 W 7550 lm





M
Multi-point Pendant



ALINA TAURO

LED luminaire. Body made of solid aluminium profile. Custom lenght upon request. Surface in white, black, grey, anthracite or RAL colors.

Specification

Code		Size	Power*	Light Flux**
AT1A	AT1B	L 2000 mm	54 W	4800 lm
				
AT2A	AT2B	L 2000 mm	67 W	5950 lm
				





Selena **Family**



SELENA

Family

Category 1 - Linear/Open shapes


The Linear/Open shapes range gives a wide choice of different sizes and shapes. Its longitudinal design and compact size mean that it can be perfectly integrated into modern and contemporary spaces. It helps the visitors or customers by leading them on a path in halls, offices, retail spaces, hotels, as well as conference or exhibition spaces.

Selena luminaires

Selena really brings your interior to life as that's a custom designed fitting. Selena is available from thin to thick profiles so that you can find the perfect fit for your interior design. You can use your imagination with this luminaire, individual, intensive shapes can be produced by your desire.

Body Color	Color temperature	Driver type
B	1 RGBW	D DALI
G	2 2700K	N Non-dimmable
W	3 3000K	B Bluetooth
A	4 4000K	Power
R	5 Tuneable White	1 15W
S	Light	2 23W
Cover	1 Direct only	3 30W
S Standard (opal)	2 Direct/indirect	
M Microprismatic	3 Indirect only	

Mounting Types



Family members & Available Profiles

SELENA 50



A 60x50

SELENA 75



A 75x75
B 100x75

SELENA 85



A 75x85
B 100x85

SELENA 100








A 75x100
B 100x100

SELENA 200



A 100x200




SELENA 50

LED luminaire. Body made of solid aluminium profile. Custom lenght upon request. Surface in white, black, grey, anthracite, RAL and other Special colors. Available with external driver.


Specification

Code	Size	Power*	Light Flux**
SL1A- 1	L 1000 mm	20 W	1800 lm








M
Multi-point Pendant



S
Spacers Surface



D
Direct Surface





SELENA 75 & 85

LED luminaire. Body made of solid aluminium profile. Custom lenght upon request. Surface in white, black, grey, anthracite or RAL colors. Further Selected Pont Light special colors available.


Specification

Code		Size	Power*	Light Flux**
SL1B 	SL1C 	L 1000 mm	23 W	2070 lm
	SL1X- 1			
SL2B 		L 1000 mm	35 W	3105 lm
SL1D 	SL1E 	L 1000 mm	23 W	2024 lm
	SL1X- 1			
SL2D 		L 1000 mm	35 W	3036 lm
SL2X- 1				








M
Multi-point Pendant



S
Spacers Surface



D
Direct Surface




SELENA 100

LED luminaire. Body made of solid aluminium profile. Custom lenght upon request. Surface in white, black, grey, anthracite or RAL colors. Further Selected Pont Light special colors available.


Specification

Code		Size	Power*	Light Flux**
SL1F	SL1G	L 1000 mm	23 W	1610 lm
SL1X-	1			
SL2F	SL2G	L 1000 mm	35 W	2415 lm
SL2X-	1			








M
Multi-point Pendant



S
Spacers Surface



D
Direct Surface



SELENA 200

LED luminaire. Body made of solid aluminium profile. Custom lenght upon request. Surface in white, black, grey, anthracite or RAL colors. Further Selected Pont Light special colors available.


Specification

Code	Size	Power*	Light Flux**
SL1X- 1	L 1000 mm	23 W	1610 lm
SL2X- 1	L 1000 mm	35 W	2415 lm





Yumi **Family**



YUMI

Family

Category 1 - Linear/Open shapes


The Linear/Open shapes range gives a wide choice of different sizes and shapes. Its longitudinal design and compact size mean that it can be perfectly integrated into modern and contemporary spaces. It helps the visitors or customers by leading them on a path in halls, offices, retail spaces, hotels, as well as conference or exhibition spaces.

Yumi luminaires

Yumi brings a fresh feeling to every interior, with various mounting types. It gives you the opportunity to design freely, by placing multiple luminaires in playful compositions. Yumi is especially interesting because of its modularity. It can be strung together piece by piece to for impressive shapes. This modularity brings countless possible uses ranging from a single-light application to large-scale light sculptures in projects.


Body Color	Color temperature	Driver type
B 	1 RGBW	D DALI
G 	2 2700K	N Non-dimmable
W 	3 3000K	B Bluetooth
A 	4 4000K	Power
R 	5 Tuneable White	1 15W
S 	Light	2 23W
Cover	1 Direct only	3 30W
S Standard (opal)	2 Direct/indirect	
	3 Indirect only	

Mounting Types



Family members & Available Profiles


YUMI




- A

 100x75
- B


 100x100




M
Multi-point Pendant




P
Single-Point Pendant




T
Rod Pendant



S
Spacers Surface



D
Direct Surface




YUMI 75

LED luminaire. Body made of solid aluminium profile. Custom lenght upon request. Surface in white, black, grey, anthracite or RAL colors. Further Selected Pont Light special colors available.


Specification

Code	Size	Power*	Light Flux**
YM1A-	1	L 600 mm 39 W	2800 lm
	2	L 1200 mm 78 W	5600 lm







M
Multi-point Pendant




P
Single-Point Pendant



T
Rod Pendant



S
Spacers Surface





D
Direct Surface

YUMI 100

LED luminaire. Body made of solid aluminium profile. Custom lenght upon request. Surface in white, black, grey, anthracite or RAL colors. Further Selected Pont Light special colors available.


Specification

	Code	Size	Power*	Light Flux**
 YM1B	YM1B-	1	L 600 mm 39 W	2700 lm
		2	L 1200 mm 78 W	5400 lm
 YM2B	YM2B-	1	L 600 mm 59 W	4050 lm
		2	L 1200 mm 117 W	8100 lm





Wavy
Family



WAVY

Family

Category 1 - Linear/Open shapes

The Linear/Open shapes range gives a wide choice of different sizes and shapes. Its longitudinal design and compact size mean that it can be perfectly integrated into modern and contemporary spaces. It helps the visitors or customers by leading them on a path in halls, offices, retail spaces, hotels, as well as conference or exhibition spaces.

Wavy luminaires

Anna Wave, Anna Spiral and Hannah Spiral luminaires are a special collection of wavy and twisted profiles. They bring an extra spectacle to interiors by reminding us of the ocean and other natural forms. They can be mounted on the end of the profile as well so vertical hanging is also available.


Body Color	Color temperature	Driver type
B 	1 RGBW	D DALI
G 	2 2700K	N Non-dimmable
W 	3 3000K	B Bluetooth
A 	4 4000K	Power
R 	5 Tuneable White	1 15W
S 	Light	2 23W
Cover	1 Direct only	3 30W
M Standard (opal)	2 Direct/indirect	
	3 Indirect only	

Mounting Types



Family members & Available Profiles

ANNA WAVE



- A

 15x32
- B

 20x47
- C

 20x62

ANNA SPIRAL



- A

 15x32
- B

 20x47
- C

 20x62


HANNAH SPIRAL



- A


 25x35
- B

 39x62







M
Multi-point Pendant

Only with external driver.



S
Spacers Surface

Only with external driver.





ANNA WAVE

LED luminaire. Body made of solid aluminium profile. Custom lenght upon request. Surface in white, black, grey, anthracite, RAL and other Special colors. Available with wall mounting.


Specification

				Code	Size	Power*	Light Flux**	
AW1A — AW1B — AW1C —				AW1X-	1	2000mm	55 W	4950 lm
32								
								
15	20	20						









M
Multi-point Pendant
Only with external driver.



S
Spacers Surface
Only with external driver.




ANNA SPIRAL

LED luminaire. Body made of solid aluminium profile. Custom lenght upon request. Surface in white, black, grey, anthracite, RAL and other Special colors. Available with wall mounting.

Specification


Code				Size	Power*	Light Flux**	
AS2A	AS2B	AS2C	AS2X-	1	2000 mm	55 W	4950 lm
							









M
Multi-point Pendant

Only with external driver.



S
Spacers Surface

Only with external driver.




HANNAH SPIRAL

LED luminaire. Body made of solid aluminium profile. Custom lenght upon request. Surface in white, black, grey, anthracite, RAL and other Special colors. Available with wall mounting. Available with external driver.

Specification

Code	Size	Power*	Light Flux**
HS2A- 1	2000 mm	110 W	9900 lm





Olena **Family**



OLENA

Family

Category 2 - Circular shapes


These luminaires are designed for calmness, harmony and mildness. Besides with various colors, you can cheer up every place with our circular luminaires. Designers and architect can use their creativity free with this system.

Olena luminaires

The most popular Olena is available in a large variety of profiles. These luminaires are designed with smplicity and calmness. Circle is a perfect form with a meaning of completeness. The diameter starts from 45 cm and goes up to your desired sizes. Creating variety of shapes, you can connect Olena with linear profiles as well or individual project requirements can be covered.


Body Color	Color temperature	Driver type
B 	1 RGBW	D DALI
G 	2 2700K	N Non-dimmable
W 	3 3000K	B Bluetooth
A 	4 4000K	Power
R 	5 Tuneable White	1 15W
S 	Light	2 23W
Cover	1 Direct only	3 30W
S Standard (opal)	2 Direct/indirect	
	3 Indirect only	

Mounting Types




Family members & Available Profiles

OLENA 35




A 40x35

OLENA 50




B 55x50

OLENA 75




C 75x75
D 100x75

OLENA 85




E 75x85
F 100x85

OLENA 100



G 75x100
H 100x100






OLENA 200



I 100x200

OLENA 35

LED luminaire. Body made of solid aluminium profile. Custom lenght upon request. Surface in white, black, grey, anthracite, RAL and other Special colors. Available with external driver.




Specification

OL1A




Code		Size	Power*	Light Flux**
OL1X-	1	Ø450	32 W	3087 lm
	2	Ø600	43 W	4117 lm
	3	Ø750	54 W	5146 lm
	4	Ø1000	72 W	6861 lm
	5	Ø1200	87 W	8233 lm
	6	Ø1500	108 W	10291 lm
	7	Ø1800	130 W	12350 lm
	8	Ø2000	144 W	13722 lm







M
Multi-point Pendant



P
Single-Point Pendant



D
Direct Surface



S
Spacers Surface

OLENA 50

LED luminaire. Body made of solid aluminium profile. Custom lenght upon request. Surface in white, black, grey, anthracite, RAL and other Special colors. Available with external driver.

Specification

OL1B



OL1X-

Code	Size	Power*	Light Flux**
1	Ø450	32 W	3087 lm
2	Ø600	43 W	4117 lm
3	Ø750	54 W	5146 lm
4	Ø1000	72 W	6861 lm
5	Ø1200	87 W	8233 lm
6	Ø1500	108 W	10291 lm
7	Ø1800	130 W	12350 lm
8	Ø2000	144 W	13722 lm







OL2B



OL2X-

Code	Size	Power*	Light Flux**
1	Ø450	48 W	4631 lm
2	Ø600	65 W	6176 lm
3	Ø750	81 W	7719 lm
4	Ø1000	108 W	10292 lm
5	Ø1200	131 W	12350 lm
6	Ø1500	162 W	15437 lm
7	Ø1800	195 W	18525 lm
8	Ø2000	216 W	20583 lm










OLENA 75

LED luminaire. Body made of solid aluminium profile. Custom lenght upon request. Surface in white, black, grey, anthracite, RAL and other Special colors. Direct/inderict version vailable with external driver.

Specification

	Code		Size	Power*	Light Flux**
 OL1C OL1D	OL1X-	1	Ø450	32 W	2925 lm
		2	Ø600	43 W	3900 lm
		3	Ø750	54 W	4875 lm
		4	Ø1000	72 W	6500 lm
		5	Ø1200	87 W	7800 lm
		6	Ø1500	108 W	9750 lm
		7	Ø1800	130 W	11700 lm
		8	Ø2000	144 W	13000 lm
 OL2C	OL2X-	1	Ø450	49 W	4387 lm
		2	Ø600	65 W	5850 lm
		3	Ø750	81 W	7312 lm
		4	Ø1000	108 W	9750 lm
		5	Ø1200	130 W	11700 lm
		6	Ø1500	162 W	14625 lm
		7	Ø1800	195 W	17549 lm
		8	Ø2000	217 W	19499 lm













OLENA 85

LED luminaire. Body made of solid aluminium profile. Custom lenght upon request. Surface in white, black, grey, anthracite or RAL colors. Further Selected Pont Light special colors available.

Specification

	Code		Size	Power*	Light Flux**
OL1E 	OL1X- 	1	Ø450	32 W	2860 lm
		2	Ø600	43 W	3813 lm
		3	Ø750	54 W	4767 lm
		4	Ø1000	72 W	6355 lm
		5	Ø1200	87 W	7626 lm
		6	Ø1500	108 W	9533 lm
		7	Ø1800	130 W	11440 lm
		8	Ø2000	144 W	12711 lm
OL2E 	OL2X- 	1	Ø450	49 W	4290 lm
		2	Ø600	65 W	5720 lm
		3	Ø750	81 W	7150 lm
		4	Ø1000	108 W	9533 lm
		5	Ø1200	130 W	11440 lm
		6	Ø1500	162 W	14300 lm
		7	Ø1800	195 W	17159 lm
		8	Ø2000	217 W	19066 lm













OLENA 100

LED luminaire. Body made of solid aluminium profile. Custom lenght upon request. Surface in white, black, grey, anthracite or RAL colors. Further Selected Pont Light special colors available.

Specification

	Code		Size	Power*	Light Flux**
 OL1G	OL1X-	1	Ø450	32 W	2762 lm
		2	Ø600	43 W	3683 lm
		3	Ø750	54 W	4604 lm
		4	Ø1000	72 W	6139 lm
		5	Ø1200	87 W	7366 lm
		6	Ø1500	108 W	9208 lm
		7	Ø1800	130 W	11050 lm
		8	Ø2000	144 W	12277 lm
 OL1H	OL2X-	1	Ø450	49 W	4144 lm
		2	Ø600	65 W	5525 lm
		3	Ø750	81 W	6906 lm
		4	Ø1000	108 W	9208 lm
		5	Ø1200	130 W	11050 lm
		6	Ø1500	162 W	13812 lm
		7	Ø1800	195 W	16574 lm
		8	Ø2000	217 W	18416 lm






OLENA 200

LED luminaire. Body made of solid aluminium profile. Custom lenght upon request. Surface in white, black, grey, anthracite or RAL colors. Further Selected Pont Light special colors available.


Specification

OL1




Code		Size	Power*	Light Flux**
OL1X-	1	Ø600	45 W	3134 lm
	2	Ø750	58 W	4044 lm
	3	Ø1000	72 W	5055 lm
	4	Ø1200	87 W	6066 lm
	5	Ø1500	108 W	7583 lm
	6	Ø1800	130 W	9100 lm
	7	Ø2000	144 W	10111 lm
OL2X-	1	Ø600	67 W	4702 lm
	2	Ø750	87 W	6066 lm
	3	Ø1000	108 W	7583 lm
	4	Ø1200	130 W	9100 lm
	5	Ø1500	162 W	11375 lm
	6	Ø1800	195 W	13650 lm
	7	Ø2000	217 W	15166 lm

OL2





Rina **Family**



RINA

Family

Category 2 - Circular shapes


Circular luminaires are designed for calmness, harmony and mildness. You can cheer up every place with them. Designers and architects can use their creativity freely by creating a circular system or using various colors.

Rina luminaires

Rina range features a series of cylindrical downlights with clean lines. There is a variety of profiles offering wealth of possibilities to light large spaces such as auditoriums, conference halls, restaurant, offices, or hotel lobbies. These round luminaires, just as other circular ones, remind us of simplicity, calmness and completeness. The diameter starts from 30cm and goes up to over a meter.

Body Color	Color temperature	Driver type
B 	1 RGBW	D DALI
G 	2 2700K	N Non-dimmable
W 	3 3000K	B Bluetooth
A 	4 4000K	Power
R 	5 Tuneable White	
S 	Light	
Cover	1 Direct only	2 23W
	2 Direct/indirect	3 30W
	3 Indirect only	
S Standard (opal)		

Mounting Types



Family members & Available Profiles

RINA 35



A 35

RINA 50



B 50

RINA 75



C 75

RINA 85



D 85

RINA 100



E 100


RINA 200



F 200


RINA 35

LED luminaire. Body made of solid aluminium profile. Custom lenght upon request. Surface in white, black, grey, anthracite, RAL and other Special colors.




M
Multi-point Pendant

Only with external driver.




P
Single-Point Pendant




T
Rod Pendant

Only with external driver.



S
Spacers Surface

Only with external driver.



D
Direct Surface

Only with external driver.

Specification

RN1A




Code		Size	Power*	Light Flux**
RN1X-	1	Ø280	23 W	2875 lm
	2	Ø380	36 W	4500 lm
	3	Ø580	50 W	6250 lm
	4	Ø780	80 W	10000 lm




RINA 50

LED luminaire. Body made of solid aluminium profile. Custom lenght upon request. Surface in white, black, grey, anthracite, RAL and other Special colors.




M
Multi-point Pendant

Only with external driver.




P
Single-Point Pendant




T
Rod Pendant

Only with external driver.



S
Spacers Surface

Only with external driver.




D
Direct Surface

Only with external driver.


Specification

	Code		Size	Power*	Light Flux**
RN1B 	RN1X-	1	Ø300	23 W	2875 lm
		2	Ø400	36 W	4500 lm
		3	Ø600	60 W	7500 lm
		4	Ø800	80 W	10000 lm
		5	Ø1000	100 W	12500 lm
RN2B 	RN2X-	1	Ø300	35 W	4313 lm
		2	Ø400	54 W	6750 lm
		3	Ø600	90 W	11250 lm
		4	Ø800	120 W	15000 lm
		5	Ø1000	150 W	18750 lm






M
Multi-point Pendant




P
Single-Point Pendant



T
Rod Pendant



S
Spacers Surface



D
Direct Surface


RINA 75

LED luminaire. Body made of solid aluminium profile. Custom lenght upon request. Surface in white, black, grey, anthracite or RAL colors. Further Selected Pont Light special colors available.


Specification

	Code		Size	Power*	Light Flux**
 RN1C	RN1X-	1	Ø300	23 W	2875 lm
		2	Ø400	36 W	4500 lm
		3	Ø600	60 W	7500 lm
		4	Ø800	80 W	10000 lm
		5	Ø1000	100 W	12500 lm
 RN2C	RN2X-	1	Ø300	35 W	4313 lm
		2	Ø400	54 W	6750 lm
		3	Ø600	90 W	11250 lm
		4	Ø800	120 W	15000 lm
		5	Ø1000	150 W	18750 lm







M
Multi-point Pendant




P
Single-Point Pendant



T
Rod Pendant



S
Spacers Surface





D
Direct Surface

RINA 85


LED luminaire. Body made of solid aluminium profile. Custom lenght upon request. Surface in white, black, grey, anthracite or RAL colors. Further Selected Pont Light special colors available.

Specification




Code		Size	Power*	Light Flux**
RN1X-	1	Ø300	23 W	2875 lm
	2	Ø400	36 W	4500 lm
	3	Ø600	60 W	7500 lm
	4	Ø800	80 W	10000 lm
	5	Ø1000	100 W	12500 lm
RN2X-	1	Ø300	35 W	4313 lm
	2	Ø400	54 W	6750 lm
	3	Ø600	90 W	11250 lm
	4	Ø800	120 W	15000 lm
	5	Ø1000	150 W	18750 lm







M
Multi-point Pendant




P
Single-Point Pendant



T
Rod Pendant



S
Spacers Surface




D
Direct Surface

RINA 100


LED luminaire. Body made of solid aluminium profile. Custom lenght upon request. Surface in white, black, grey, anthracite or RAL colors. Further Selected Pont Light special colors available.

Specification




Code		Size	Power*	Light Flux**
RN1X-	1	Ø300	23 W	2300 lm
	2	Ø400	36 W	3600 lm
	3	Ø600	60 W	6000 lm
	4	Ø800	80 W	8000 lm
	5	Ø1000	100 W	10000 lm
RN2X-	1	Ø300	35 W	3450 lm
	2	Ø400	54 W	5400 lm
	3	Ø600	90 W	9000 lm
	4	Ø800	120 W	12000 lm
	5	Ø1000	150 W	15000 lm







M
Multi-point Pendant




P
Single-Point Pendant



T
Rod Pendant



S
Spacers Surface



D
Direct Surface

RINA 200

LED luminaire. Body made of solid aluminium profile. Custom lenght upon request. Surface in white, black, grey, anthracite or RAL colors. Further Selected Pont Light special colors available.

Specification




Code		Size	Power*	Light Flux**
RN1X-	1	Ø300	23 W	2300 lm
	2	Ø400	36 W	3600 lm
	3	Ø600	60 W	6000 lm
	4	Ø800	80 W	8000 lm
	5	Ø1000	100 W	10000 lm
RN2X-	1	Ø300	35 W	3450 lm
	2	Ø400	54 W	5400 lm
	3	Ø600	90 W	9000 lm
	4	Ø800	120 W	12000 lm
	5	Ø1000	150 W	15000 lm





Elliptic **Family**



ELLIPTIC

Family

Category 2 - Circular shapes


Circular luminaires are designed for calmness, harmony and mildness. You can cheer up every place with them. Designers and architects can use their creativity freely by creating a circular system or using various colors.

Elliptic luminaires



Ollie and Ellie are the members of this family. These are best fitted in larger spaces to bright every corner you need. The slim style profile enables to create a functional and varied lighting family. These elliptical luminaires remind us of simplicity, and calmness.


Body Color	Color temperature	Driver type
B 	1 RGBW	D DALI
G 	2 2700K	N Non-dimmable
W 	3 3000K	B Bluetooth
A 	4 4000K	Power
R 	5 Tuneable White	1 15W
S 	Light	2 23W
Cover	1 Direct only	3 30W
S Standard (opal)	2 Direct/indirect	
	3 Indirect only	

Mounting Types




Family members & Available Profiles


OLLIE	ELLIE
	
60x50 75x75 75x85 100x75 100x85 100x100	100




M
Multi-point Pendant
Only with external driver.



P
Single-Point Pendant



D
Direct Surface
Only with external driver.



S
Spacers Surface
Only with external driver.


OLLIE 50

LED luminaire. Body made of solid aluminium profile. Custom lenght upon request. Surface in white, black, grey, anthracite, RAL and other Special colors.


Specification

		Code		Size	Power*	Light Flux**
OE1 		OE1X-	1	600x1200	130 W	13000 lm
			2	900x1800	195 W	19500 lm
			3	1000x2000	216 W	21600 lm
	OE2 		OE2X-	1	600x1200	195 W
2				900x1800	293 W	29250 lm
3				1000x2000	324 W	32400 lm








M
Multi-point Pendant



P
Single-Point Pendant



S
Spacers Surface



D
Direct Surface


OLLIE 100X

LED luminaire. Body made of solid aluminium profile. Custom lenght upon request. Surface in white, black, grey, anthracite or RAL colors. Further Selected Pont Light special colors available.


Specification

Code		Size	Power*	Light Flux**
OE1X-	1	600x1200	130 W	11700 lm
	2	900x1800	195 W	17550 lm
	3	1000x2000	216 W	19440 lm
OE2X-	1	600x1200	195 W	17550 lm
	2	900x1800	293 W	26325 lm
	3	1000x2000	324 W	29160 lm







M
Multi-point Pendant



P
Single-Point Pendant



S
Spacers Surface

ELLIE

LED luminaire. Body made of solid aluminium profile. Custom lenght upon request. Surface in white, black, grey, anthracite or RAL colors. Further Selected Pont Light special colors available.

Specification


	Code		Size	Power*	Light Flux**
	EE1X-	1	500x1000	65 W	5850 lm
		2	700x1400	80 W	7200 lm
	EE2X-	1	500x1000	98 W	8775 lm
		2	700x1400	120 W	10800 lm





Anna O

Family



ANNA O

Family

Category 2 - Circular shapes

Circular luminaires are designed for calmness, harmony and mildness. You can cheer up every place with them. Designers and architects can use their creativity freely by creating a circular system or using various colors.

Anna O luminaires

The luminaires Anna O, Anna Inverse and Hannah O are designed for interiors that need simplicity but with a unique factor, on a unique level. They have direct and indirect light as well with slim system profiles. By assymmetric hanging posititon we can give an extra twist to our interior.

Body Color	Color temperature	Driver type
B 	1 RGBW	D DALI
G 	2 2700K	N Non-dimmable
W 	3 3000K	B Bluetooth
A 	4 4000K	Power
R 	5 Tuneable White	1 15W
S 	Light	2 23W
Cover	1 Direct only	3 30W
M Standard (opal)	2 Direct/indirect	
	3 Indirect only	

Mounting Types



Family members & Available Profiles

ANNA O




- A 15x32
- B 20x47
- C 20x62

ANNA INVERSE




- A 15x32
- B 20x47
- C 20x62

HANNAH O




- A 25x35
- B 39x62





M
Multi-point Pendant

Only with external driver.





P
Single-Point Pendant

Only with external driver.



S
Spacers Surface


Only with external driver.



ANNA O


LED luminaire. Body made of solid aluminium profile. Custom lenght upon request. Surface in white, black, grey, anthracite, RAL and other Special colors.

Specification




Code	Size	Power*	Light Flux**
AO2X- 1	Ø800	69 W	6217 lm
2	Ø1000	86 W	7772 lm
3	Ø1200	104 W	9326 lm
4	Ø1500	130 W	11657 lm
5	Ø1800	155 W	13989 lm







M
Multi-point Pendant

Only with external driver.





P
Single-Point Pendant

Only with external driver.



S
Spacers Surface


Only with external driver.



ANNA INVERSE


LED luminaire. Body made of solid aluminium profile. Custom lenght upon request. Surface in white, black, grey, anthracite, RAL and other Special colors. Available with external driver.

Specification





Code		Size	Power*	Light Flux**
AI2X-	1	Ø800	69 W	6217 lm
	2	Ø1000	86 W	7772 lm
	3	Ø1200	104 W	9326 lm
	4	Ø1500	130 W	11657 lm
	5	Ø1800	155 W	13989 lm






M
Multi-point Pendant

Only with external driver.





P
Single-Point Pendant

Only with external driver.



S
Spacers Surface


Only with external driver.



HANNAH O

LED luminaire. Body made of solid aluminium profile. Custom lenght upon request. Surface in white, black, grey, anthracite, RAL and other Special colors. Available with external driver.

Specification




Code		Size	Power*	Light Flux**
HO2X-	1	Ø800	69 W	6217 lm
	2	Ø1000	86 W	7772 lm
	3	Ø1200	104 W	9326 lm
	4	Ø1500	130 W	11657 lm
	5	Ø1800	155 W	13989 lm





Triangular **Family**



TRIANGULAR

Family

Category 3 - Geometric shapes


Triangular shapes are designed to create the perfect light for any situation you can fully enjoy a playful atmosphere. Using different colors, you can bring happiness to every interior, or using nartural colors, it's possible to give some mildness to your spaces.

Triangular luminaires

Swan, Swella and Swan Wall luminaires are here to cheer up your spaces. Be brave with the colors and profile sizes and the result will be a fascinating space!

Body Color	Color temperature	Driver type
B	1 RGBW	D DALI
G	2 2700K	N Non-dimmable
W	3 3000K	B Bluetooth
A	4 4000K	Power
R	5 Tuneable White	1 15W
S	Light	2 23W
Cover	1 Direct only	3 30W
S Standard (opal)	2 Direct/indirect	
	3 Indirect only	

Mounting Types



Family members & Available Profiles

SWAN



- A

 100x75
- B

 100x100





SWELLA



- A

 75
- B


 100



SWAN


LED luminaire. Body made of solid aluminium profile. Custom lenght upon request. Surface in white, black, grey, anthracite or RAL colors. Further Selected Pont Light special colors available.

Specification




Code	Size	Power*	Light Flux**
SN1X-	1	L 670 mm 45 W	4050 lm
	2	L 950 mm 65 W	5850 lm
	3	L 1240 mm 85 W	7650 lm
SN2X-	1	L 670 mm 68 W	6075 lm
	2	L 950 mm 98 W	8775 lm
	3	L 1240 mm 128 W	11475 lm






M
Multi-point Pendant




P
Single-Point Pendant



T
Rod Pendant



S
Spacers Surface




D
Direct Surface

SWELLA

LED luminaire. Body made of solid aluminium profile. Custom lenght upon request. Surface in white, black, grey, anthracite or RAL colors. Further Selected Pont Light special colors available.


Specification

Code		Size	Power*	Light Flux**
SA1A 	SA1B 	SA1X-	1 L 670 mm	60 W 7500 lm
		2 L 950 mm	80 W	10000lm
SA2B 		SA2X-	1 L 670 mm	75 W 9300 lm
		2 L 950 mm	100 W	12500 lm





Rectangular **Family**



RECTANGULAR

Family

Category 3 - **Geometric shapes**


Rectangular shapes always make a lasting impression, with its clear and extra-sleek design. They can fit elegant office rooms, commercial spaces, hotels or homes as well.

Rectangular luminaires

These luminaires brightens up the room with direct/indirect light and creates noble accents in a minimalistic way.

Body Color	Color temperature	Driver type
B	1 RGBW	D DALI
G	2 2700K	N Non-dimmable
W	3 3000K	B Bluetooth
A	4 4000K	Power
R	5 Tuneable White	1 15W
S	Light	2 23W
Cover	1 Direct only	3 30W
S Standard (opal)	2 Direct/indirect	
	3 Indirect only	

Mounting Types



Family members & Available Profiles

TILIA



- A 50x75
- B 65x75
- C 65x90
- D 65x100

MILIA



- A 75
- B 100

PAULA



- A 100x75
- B 100x100






PAMELA



- A 75
- B 100

TILIA





LED luminaire. Body made of solid aluminium profile. Custom lenght upon request. Surface in white, black, grey, anthracite or RAL colors. Further Selected Pont Light special colors available.



Specification

Code		Size	Power*	Light Flux**
TL1B	TL1X- 1	600x600	55 W	5775 lm
	2	600x1200	83 W	8715 lm
TL1A	TL1X- 1	600x600	55 W	5225 lm
	2	600x1200	83 W	7885 lm
TL2B	TL2X- 1	600x600	83 W	8663 lm
	2	600x1200	125 W	13073 lm











MILIA

LED luminaire. Body made of solid aluminium profile. Custom lenght upon request. Surface in white, black, grey, anthracite or RAL colors. Further Selected Pont Light special colors available.

Specification

		Code		Size	Power*	Light Flux**
ML1A 	ML1B 	ML1X-	1	600x600	60 W	7500 lm
			2	880X880	80 W	10000 lm
			3	1160X1160	100 W	12500 lm
	ML2B	ML2X-	1	600x600	75 W	9300 lm
			2	880X880	100 W	12500 lm
			3	1160X1160	120 W	15000 lm








PAULA


LED luminaire. Body made of solid aluminium profile. Custom lenght upon request. Surface in white, black, grey, anthracite or RAL colors. Further Selected Pont Light special colors available.

Specification




Code	Size	Power*	Light Flux**
PL1X-	1	L 670 mm 62 W	5825 lm
	2	L 950 mm 87 W	8259 lm
	3	L 1230 mm 113 W	10694 lm
PL1X-	1	L 670 mm 62 W	5243 lm
	2	L 950 mm 87 W	7433 lm
	3	L 1230 mm 113 W	9625 lm
PL2X-	1	L 670 mm 120 W	11397 lm
	2	L 950 mm 171 W	16160 lm
	3	L 1230 mm 222 W	20922 lm






M
Multi-point Pendant




P
Single-Point Pendant



T
Rod Pendant



S
Spacers Surface






D
Direct Surface

PAMELA

LED luminaire. Body made of solid aluminium profile. Custom lenght upon request. Surface in white, black, grey, anthracite or RAL colors. Further Selected Pont Light special colors available.

Specification



Code	Size	Power*	Light Flux**
PM1X-	1	600x600 60 W	7500 lm
	2	880X880 80 W	10000 lm
	3	1160X1160 100 W	12500 lm
PM2X-	1	600x600 75 W	9300 lm
	2	880X880 100 W	12500 lm
	3	1160X1160 120 W	15000 lm





Hexagonal **Family**



HEXAGONAL

Family

Category 3 - Geometric shapes


Hexagonal shapes create space for creativity. The shape and the different colors and sizes ensure individuality and eye-catching elegance. You can connect them together as a larger system to cover up empty walls or ceilings in various ways.

Hexagonal luminaires

It's no wonder why these luminaires are so popular. They have characteristic, geometric shapes and it's easy to create a really impressive mesh system by using them. Wide range of variations can be imagined with the hexagonal features.


Body Color	Color temperature	Driver type
B	1 RGBW	D DALI
G	2 2700K	N Non-dimmable
W	3 3000K	B Bluetooth
A	4 4000K	Power
R	5 Tuneable White	1 15W
S	Light	2 23W
Cover	1 Direct only	3 30W
S Standard (opal)	2 Direct/indirect	
	3 Indirect only	

Mounting Types



Family members & Available Profiles

XARA



- A 60x50
- B 100x75
- C 100x100

XENIA








- A 75
- B 100
- C 200

XAWA



- A 15x35







XARA 50

LED luminaire. Body made of solid aluminium profile. Custom lenght upon request. Surface in white, black, grey, anthracite, RAL and other Special colors. Available with external driver.

Specification

	Code		Size	Power*	Light Flux**
XA1A 50 60	XA1X-	1	625 mm	86 W	8803 lm
		2	900 mm	124 W	12676 lm
		3	1185 mm	164 W	16690 lm
XA2A 50 60	XA2X-	1	625 mm	129 W	13204 lm
		2	900 mm	186 W	19014 lm
		3	1185 mm	245 W	25035 lm





XARA 75





LED luminaire. Body made of solid aluminium profile. Custom lenght upon request. Surface in white, black, grey, anthracite or RAL colors. Further Selected Pont Light special colors available.

Specification



Code		Size	Power*	Light Flux*
XA1X-	1	625 mm	86 W	8151 lm
	2	900 mm	124 W	11737 lm
	3	1185 mm	164 W	15454 lm
XA2X-	1	625 mm	129 W	12226 lm
	2	900 mm	186 W	17605 lm
	3	1185 mm	245 W	23180 lm










XARA 100

LED luminaire. Body made of solid aluminium profile. Custom lenght upon request. Surface in white, black, grey, anthracite or RAL colors. Further Selected Pont Light special colors available.

Specification

	Code		Size	Power*	Light Flux**
XA1C	XA1X-	1	625 mm	86 W	7336 lm
		2	900 mm	124 W	10563 lm
		3	1185 mm	164 W	13908 lm
XA2C	XA2X-	1	625 mm	129 W	11003 lm
		2	900 mm	186 W	15845 lm
		3	1185 mm	245 W	20862 lm





XENIA

LED luminaire. Body made of solid aluminium profile. Custom lenght upon request. Surface in white, black, grey, anthracite or RAL colors. Further Selected Pont Light special colors available.

Specification

Code		Size	Power*	Light Flux**
XE1X-	1	Ø600	45 W	4500 lm
	2	Ø800	75 W	7500 lm
	3	Ø1000	95 W	9500 lm
	4	Ø1200	110 W	11000 lm
XE2X-	1	Ø600	54 W	5400 lm
	2	Ø800	90 W	9000 lm
	3	Ø1000	114 W	11400 lm
	4	Ø1200	132 W	13200 lm

XE1A

75

XE1B

100

XE1C

200

XE2B

100


XE2C

200





Recessed **Family**



RECESSED

Family

Category 1 & 2 - **Open & Circular shape**


Recessed luminaires are impressing with its minimalist appealing design. The body of these luminaires disappear in the ceiling. All that remains is an exciting lighting experiment in the room.

Recessed luminaires

These luminaires are designed with easy ceiling installation and are available with mounting frame or in trimless version. Different colors can be selected for the mounting frame version. Amy and Audrey bring calmness and harmony to the space, Lianna and Darcy have modular a profile. It can be strung together piece by piece to for impressive shapes.

Body Color	Color temperature	Driver type
B 	1 RGBW	D DALI
G 	2 2700K	N Non-dimmable
W 	3 3000K	B Bluetooth
A 	4 4000K	Power
R 	5 Tuneable White	1 15W
S 	Light	2 23W
Cover	1 Direct only	3 30W
S Standard (opal)	2 Direct/indirect	
	3 Indirect only	

Mounting Types



Family members & Available Profiles

AMY



- A

 100x75
- B

 100x100

AUDREY



- A

 75
- B

 100

LIANNA



- A

 65x70
- B

 80x75


DARCY



- A

 100x75
- B


 100x100




AMY

LED luminaire. Body made of solid aluminium profile. Custom lenght upon request. Surface in white, black, grey, anthracite or RAL colors. Further Selected Pont Light special colors available.

Specification




Code		Size	Power*	Light Flux**
AM1X-	1	Ø620	45 W	3582 lm
	2	Ø750	58 W	4622 lm
	3	Ø1000	72 W	5778 lm
	4	Ø1200	87 W	6933 lm
	5	Ø1500	108 W	8666 lm
	6	Ø1800	130 W	10400 lm
	7	Ø2000	144 W	11555 lm



AM1X-	1	Ø620	45 W	3134 lm
	2	Ø750	58 W	4044 lm
	3	Ø1000	72 W	5055 lm
	4	Ø1200	87 W	6066 lm
	5	Ø1500	108 W	7583 lm
	6	Ø1800	130 W	9100 lm
	7	Ø2000	144 W	10111 lm






AUDREY


LED luminaire. Body made of solid aluminium profile. Custom lenght upon request. Surface in white, black, grey, anthracite or RAL colors. Further Selected Pont Light special colors available.

Specification



Code		Size	Power*	Light Flux**
AU1X-	1	Ø315	23 W	1900 lm
	2	Ø415	36 W	3300 lm
	3	Ø615	60 W	5500 lm
	4	Ø815	80 W	7500 lm
	5	Ø1015	100 W	9300 lm
AU1X-	1	Ø315	23 W	1900 lm
	2	Ø415	36 W	3300 lm
	3	Ø615	60 W	5500 lm
	4	Ø815	80 W	7500 lm
	5	Ø1015	100 W	9300 lm








LIANNA

LED luminaire. Body made of solid aluminium profile. Custom lenght upon request. Surface in white, black, grey, anthracite or RAL colors. Further Selected Pont Light special colors available.

Specification

	Code		Size	Power*	Light Flux**
	LA1X-	1	1140 mm	26 W	2300 lm
		2	1420 mm	32 W	2890 lm
		3	1980 mm	45 W	4026 lm
	LA1X-	1	1140 mm	26 W	2300 lm
		2	1420 mm	32 W	2890 lm
		3	1980 mm	45 W	4026 lm







DARCY

LED luminaire. Body made of solid aluminium profile. Custom lenght upon request. Surface in white, black, grey, anthracite or RAL colors. Further Selected Pont Light special colors available.

Specification

	Code	Size	Power*	Light Flux**
	DA1X- 1	1000 mm	23 W	1840 lm
	DA1X- 1	1000 mm	23 W	1610 lm





Modular System **Family**

LINA SYSTEM



Lina Modular System can be used in recessed mounting. With striped design and variously placed diffuse lights, the interior becomes a unique, interesting and slightly playful place.

Lina Modular System can integrate various spots. This example illustrates how it brings ornamentations to a restaurant interior.





LINA MODULAR SYSTEM

Family

Category 5 - Modular Systems

Modular System is the most flexible luminaire family. Deisgner can play with spots and pendants, curves and edges creating a unique light fitting which can perfectly cover various requirements.

Lina Modular System

Lina Modular brings simplicity to spaces with wide range of modularity. This family provides designer and architects the chance to play with light, creating different linear compositions, wall and ceiling effects and integrate spots or small pendants.


Body Color	Color temperature	Driver type
B	1 RGBW	D DALI
G	2 2700K	N Non-dimmable
W	3 3000K	B Bluetooth
A	4 4000K	Power
R	5 Tuneable White	1 15W
S	Light	2 23W
Cover	1 Direct only	3 30W
S Standard (opal)	2 Direct/indirect	
	3 Indirect only	

Mounting Types




Family members & Available Profiles

LINA MODULAR SYSTEM



A 65x70




A 50x75




A 65x100

Mounting Types & basic elements



CORNER ELEMENT
AB



BASIC ELEMENT
AA



Specification

CODE	MODULE SIZE	OTHER INFO
-	15 x 15	min. angle: 30°

-	25
-	50
-	100
-	150
-	200
-	custom

Light modules

	SINGLE 1	DUO 2	TRIO 3
HEAD Spot	15 	30 	45
BUILT-IN Spot	15 	30 	45

Specification

CODE	MODULE	POWER	LIGHT FLUX*	COLOR TEMP.	BEAM ANGLE
-	15/30/45	6 W	600 lm	3000K, 4000K	30°, 40°
-	15/30/45	6 W	600 lm	3000K, 4000K	15°, 30°, 45°

DIFFUSE light
DL

30	58

Specification


CODE	MODULE	POWER	LIGHT FLUX*	COLOR TEMP.	BEAM ANGLE
-	30	6 W	600 lm	3000K, 4000K	120°
-	58	12 W	1200 lm		
-	86	18 W	1800 lm		
-	114	24 W	2400 lm		
-	142	30 W	3000 lm		
-	170	36 W	3600 lm		
-	198	42 W	4200 lm		
-	226	48 W	4800 lm		
-	254	54 W	5400 lm		
-	282	60 W	6000 lm		
-	310	66 W	6600 lm		

Built-in spot

BLACK

TIMELESS GOLD

SINGLE



DUO



TRIO



Rotating head spot

BLACK

TIMELESS GOLD

SINGLE



DUO




TRIO



Pendant modules


Pendant Forms



Specifcation

Size [mm]	Power	Light Flux	Color Temp.	Beam Angle	Control
Ø80x70	6 W	600 lm	3000K/4000K	30°-40°	ON-OFF/DALI

Pendant Tubes




Specifcation

Size [mm]	Power	Light Flux	Color Temp.	Beam Angle	Control
Ø80x70	6 W	600 lm	3000K/4000K	30°-40°	ON-OFF/DALI



Pendant forms

BLACK



COLOR VARIANTS




Globe





Cylinder



Cone



Dome



Bell



Pendant tubes

BLACK

COLOR VARIANTS



Tube 10



Tube 15



Tube 30



Tube 45



Tube 60



COLORS

Available Colors & Codes

B	W	G	A	C	S
black	white	grey	anthracite	custom	special
					

Architectural luminaires

Pont Light architectural luminaires are available in our standard colors and in custom colors as well. Let us know the RAL code we can produce the luminaire in the color you imagined.

Pont Light luminaries also available in Special Selection of colors, 'S' code. See page on right.

In printed media colors may not match exactly with the real color. Minor differences are possible. For correct colors, we recommend to ask for product samples.

Lina Modular System






Pont Light Lina Modular System is available in these luminaire body colors. Timeless Gold and Lotus make special appearance for pendant tubes. Any given RAL codes are also available for custom design.

Acoustic Panels


For our Acoustic Panel Colors, Special V-cut patterns and more info please visit our new Pont Light Acoustic Catalogue!

SPECIAL COLOR SELECTION




SUPRANODIC

 PSC13 LOTUS	 PSC07 HALO	 PSC12 CHAMPAGNE
 PSC06 DARK BRONZE	 PSC05 MEDIUM BRONZE	 PSC11 LIGHT BRONZE
 PSC10 GOLD	 PSC14 AUBERGINE	

ICONIC

 PSC02 NOBLE BRONZE	 PSC01 ARCTIC ICE	 PSC09 SUNNY GOLD
--	--	--

TIMELESS

 PSC03 VOLCANIC ASH	 PSC04 BROWN	 PSC08 TIMELESS GOLD
--	---	---

PRODUCT ORDER CODE




Body Color(s): RAL1036, PSC14
Other important notes: 33°, Metal Matte spot module

Architectural luminaires

You can order your Pont Light architectural luminaires by giving a Product Code according to above example. The exact structure of coding system please find on following page.

You can send your request with the help of our filter on our website. Casambi Bluetooth driver is available on request.

Please note that the lumen output of luminaires may differ accoring to color temperature.



H-1036 Budapest
Nagyszombat utca 1.

pontlight.com

