

PHILIPS

hue personal
wireless
lighting

Light your
home smarter

2024

Your own smart lighting system

Table of contents

How Philips Hue works.....	4
Philips Hue Basics – setup of the system.....	8
Philips Hue Secure.....	16
Philips Hue White and Color Ambiance.....	20
Lightguide bulb.....	24
Play HDMI Sync Box.....	26
Play Gradient lightstrip.....	28
Play Gradient light tube.....	30
Play Gradient PC lightstrip.....	32
Play bar.....	34
Fugato.....	36
Argenta.....	38
Centura.....	40
Centris.....	42
Perifo.....	44
Gradient Signe.....	48
Sana/Liane.....	50
Ensis/Flourish.....	52
Infuse/Surimu.....	54
Xamento.....	56
Lightstrips.....	58
Moodlighting.....	60
Philips Hue Iris.....	62
Outdoor series.....	
Low volt accessories.....	66
Amarant/Calla/Lily/Outdoor lightstrip.....	68
Go portable lamp.....	70
Festavia string lights.....	72
Impress.....	74
Nyro/Resonate/Daylo.....	76
Appear/Attract/Discover/Econic.....	78
Philips Hue White Ambiance.....	80
Filaments.....	84
Amaze.....	86
Fair.....	88
Enrave.....	90
Being.....	92
Still.....	94
Wellness/Wellner.....	96
Pillar.....	98
Runner.....	100
Buckram.....	102
Aurette.....	104
Milliskin.....	106
Devere/Struana.....	108
Adore.....	110
Philips Hue White.....	114
Filaments.....	118
Outdoor series.....	
Inara/Welcome.....	120
Lucca/Tuar/Turaco.....	122
Smart accessories.....	124
Product codes list.....	126

How Philips Hue works

The possibilities of Philips Hue smart lighting are endless, but the setup — whether with Bluetooth or the Bridge — is simple. Find out how Philips Hue works and how to get started with smart light.



The easy start to smart light


A Bluetooth-controlled system can control lights within Bluetooth range. Set the mood of a single room with any Philips Hue Bluetooth-compatible bulb and the Hue app, which controls up to 10 lights.



Unlock the full experience

Adding a Philips Hue Bridge activates the built-in Zigbee network — a more advanced way to control your lights — and unlocks the full suite of smart lighting

Which option is best for you?




Philips Hue with Bluetooth




Easy start to smart light


Add up to 10 Hue smart lights to your room and control them all with the Philips Hue app while within ca 10 meters of the lights.




Create the right atmosphere in one room



Set the right light for every moment



Control up to 10 lights



Control with your voice

Philips Hue Bridge



Unlock the full power of smart lighting

Add a Philips Hue Bridge to your Hue smart lighting system to expand your range of control. It is the heart of your system, managing all your smart LED lights and storing your customised settings – and giving you full control over your smart lights via the Hue app.




Control lights in your entire home and outdoor space




Set up smart accessories




Create smart light routines



Sync light with movies, music and games



Secure your home




Lights turn on automatically as you arrive

Philips Hue Basics

Setup of the system

Hue brings smart lighting to everyday homes, allowing anyone to create special moments and automate with light. Start with Philips Hue your way: Bluetooth or Bridge. And no worries: even if you start with a Bluetooth-controlled system, you can always add a Bridge.



Philips Hue

smart in so many ways

Smart Philips Hue LED bulbs and luminaires

The smart and energy-efficient LED lights bring Philips Hue to life. They deliver bright and beautiful light for your daily activities, special moments, and immersive experiences. They're practical too. They dim. They flash. They pulse. They do pretty much anything you want. And they're available in different shapes, sizes and models to suit your home.



Smart wireless hub: The Bridge

The bridge is the heart of your Philips Hue system that wirelessly connects your smart device to your Philips Hue lights. You can add up to 50 Philips Hue lights and 10 accessories to one bridge. Linked to your router, it also connects your system to the wider world via the Internet for out-of-home control and other smart features. The Philips Hue bridge is included in all Philips Hue Starter Kits, or you can buy it separately and simply build your own Philips Hue system.



Smart Controls

You can control your Philips Hue system from any device, wherever you are. For the easiest way to set brightness, create timers, change colors (and so much more), choose the Philips Hue app. For even easier control use Hue dimmer switch or Hue tap. Set your favourite scenes and routines and have them always at hand. Battery powered Hue motion sensor will control your lights automatically, set the way you need them and whenever you need them. You don't even have to be at home to control your lights – great for peace of mind.



Smart wireless lighting system

Philips Hue with Bridge is based on ZigBee, a low-power, safe, and reliable technology to control your lights. New features and improvements are continuously added to the system to make it even more useful. Software and firmware updates can be done wirelessly and directly to your lights. The Philips Hue system can be easily integrated with other ZigBee-based systems for additional home automation.



Philips Hue + Matter

The Philips Hue Bridge has been updated to support Matter, meaning that your Hue lights and accessories automatically support Matter too. Matter is based on the principles of simplicity, reliability, interoperability and security and creates a simplified connected experience between Philips Hue and other smart home products. It's a seal of approval that devices built on this protocol will work seamlessly together, both now and well into the future.



Light up your gaming!

Create immersive experiences by syncing your Philips Hue lights with your entertainment content.

Watch, listen or play in new and exciting ways as your favorite video, audio and gaming effects fill the room. Simply link your Philips Hue smart lighting system to movies, music or games and transform your room into an entertainment arena.



Get in the game with smart lights

Experience a new dimension of spatial immersion by bringing in-game environments and effects to the entire room.



See how music comes to life

Sync your Philips Hue lights with the beat of any song whether you want to sit back and relax or get the party started.

Set up your Hue

Step 1
Make sure your Philips Hue lights are powered on and connected to the Bridge 2.0.

Step 2
Set up a new entertainment area in the Philips Hue App.

Step 3
Use the Philips Hue Sync App on your PC/Mac or connect with a supporting smart device to start your experience.

Unlock entertainment with Philips Hue Sync

Philips Hue Sync is a free PC/Mac application for unlocking immersive entertainment with your Hue lights. It creates light scripts on the fly for any content you play on your laptop or desktop, from movies and TV series to music and games.

Sync your Philips Hue lights to your TV screen

Create an immersive media experience via the Philips Hue Play HDMI Sync Box, making your lights dance, flash, dim, and brighten in sync with the on-screen content.



Fast and seamless light experience

Experience no delay as your lights sync to your onscreen content — whether you're watching movies, gaming, or playing music — creating an immersive full-room experience. Watch your favorite content like never before with the sync box.



Immerse yourself in colorful light

The sync box works with all Philips Hue White and color ambiance bulbs or fixtures. Bring your media to life by adding up to 10 Philips Hue color-capable lights to your setup and enjoy surround lighting effects.



Easy to install, set up, and use

A simple setup allows you to easily connect to your Philips Hue Bridge and use your sync box with any TV and HDMI device. Control your entertainment experience and sync box any way you want: with the app, on-product control button, any infrared TV remote, or your voice via Amazon Alexa, Google Assistant and Siri.



Supports high-quality video formats

The Philips Hue Play HDMI Sync Box supports 120Hz with an image resolution of 1080p and 1440p and is compatible with 4K, Dolby Vision, and HDR10+, letting you enjoy the highest quality picture you can get at home — all while your Philips Hue smart lights sync to give you surround lighting.


Unleash your inner rockstar

Turn your bedroom into a concert hall. Crowd surf in your living room. By syncing your smart lights, you can watch your music spill over from your speakers into the room around you in colorful, dynamic light.



Philips Hue + Spotify

Enhance the music experience by using integration between Philips Hue + Spotify. The first of its kind, this deep integration features more precise light scripts — and an even easier way to link your accounts directly in the Philips Hue app.




Hear, see, and feel the music

Music is an emotional experience. Whatever you listen to, you feel. By syncing your lights to a song, you can create your own personal mood music — no matter the genre.



Match light to the beat

We use specially created algorithms to ensure that each light script, which tells your lights how to react to the music, is perfectly tuned to each song — not just the beat but the overall feeling of the music.



Color lights and Hue Bridge required

To see your lights react to music, you need color-capable Philips Hue smart lights and a Hue Bridge.

Philips Hue Secure Smart home security

Motion and contact sensors, security cameras, and the Security Center in the Hue app work together with your lights, giving you a smart home security system that lets you rest easy with the feeling that someone's always home. Arm and disarm with a tap in the app, get instant motion alerts, trigger light and sound alarms and more.



Monitor your home

Philips Hue Secure is your eyes and ears — both in and around your home. Receive an alert on your mobile device any time your camera or sensor detects motion. Verify your response with live views to saved video clips. You have the tools to choose how you react, no matter where you are.



Trigger alarms

Something seem suspicious? Trigger an alarm that flashes your lights or sound the siren on your Secure camera with a tap in the app. You can even use two-way talk to warn off a potential intruder — or just say hello to a friendly face.



Feel safer with light

Whether you're going out or just going to sleep, arm your Secure system with a tap. Going to be away for a while? Activate the Mimic presence automation to make it look like you're home, even when you're not.



Get it all

The Bridge gives you the full suite of smart features for your Secure setup — light alarms, automations, and more — as well as the ability to expand your home security (or smart lighting!) setup. You can get even more security features, such as smart motion detection zones and access to up to 60 days of video history, with a plan. Choose between Basic or Plus, based on your needs.



8719514492776
Battery camera black
 12 W, rechargeable Li-on battery
 (VA5978885)
 † 130/160 ↔ 76 ↗ 140 mm



8719514492936
Battery camera white
 12 W, rechargeable Li-on battery
 (VA5978885)
 † 130/160 ↔ 76 ↗ 140 mm



8720169192317
Starter kit with camera
 (2x E27 bulbs, wired camera,
 2x contact sensors, bridge)
 bulb:
 RGB 2200–6500 K, 16 million colors
 1100 lm at 4000 K
 9 W, 220 V–240 V/50–60Hz ⊕ – IP20
 † 110 ↔ 60 mm
 Aluminium/Glass



8720169159617
Starter kit with contact sensors
 (2x E27 bulbs, 3x contact sensors,
 motion sensor, bridge)
 bulb:
 RGB 2200–6500 K, 16 million colors
 1100 lm at 4000 K
 9 W, 220 V–240 V/50–60Hz ⊕ – IP20
 † 110 ↔ 60 mm
 Aluminium/Glass



871951449267
Battery camera black
 9,6 W, 220 V - 240 V
 † 90/120 ↔ 76 ↗ 80 mm



8719514492851
Battery camera white
 9,6 W, 220 V - 240 V
 † 90/120 ↔ 76 ↗ 80 mm



8720169160637
Desktop stand black
 † 82 ↔ 70 ↗ 70 mm



8720169160699
Desktop stand white
 † 82 ↔ 70 ↗ 70 mm



8720169177703
Floodlight with camera
 RGB 2200–6500 K, 16 million colors
 2050 lm at 4000 K
 220 V–240 V/50–60Hz ⊕ – IP20
 † 245 ↔ 220 mm ↗ 167 mm
 Metal



8719514496132
**Wired camera
 with desktop stand black**
 9,6 W, 220 V - 240 V
 † 170 ↔ 76 ↗ 140 mm



8719514496156
**Wired camera
 with desktop stand white**
 9,6 W, 220 V - 240 V
 † 170 ↔ 76 ↗ 140 mm



8719514487161
**Contact sensor 2-pack
 black**
 0,06 W, CR2 battery
 † 71 ↔ 23 ↗ 33 mm
 Synthetic



8719514487222
**Contact sensor 2-pack
 white**
 0,06 W, CR2 battery
 † 71 ↔ 23 ↗ 33 mm
 Synthetic



8719514487284
Contact sensor black
 0,06 W, CR2 battery
 † 71 ↔ 23 ↗ 33 mm
 Synthetic



8719514487345
Contact sensor white
 0,06 W, CR2 battery
 † 71 ↔ 23 ↗ 33 mm
 Synthetic



8720169160996
Anti-drop cable
 Metal



8720169160811
Low-volt cable 3 m
 † 10 ↔ 10 ↗ 3000 mm



8720169262911
**Camera mount
 with ground spike**

Philips Hue Secure
 Cameras and contact sensors
 Require Philips Hue Bridge



Philips Hue Secure
 Starter kits and accessories
 Require Philips Hue Bridge



Philips Hue White and Color Ambiance

Set up your lights to work with your lifestyle

Take color light to new heights

Set the light in your living space to your favorite color and truly create your own atmosphere. Add just a hint of color as an accent light or set your whole home to vivid jewel tones — all with the touch of a button.

Set the mood of the room

Instantly change the ambiance by adjusting the brightness, color, and temperature of your lights.

Get light for everyday moments

Use the best light for reading, relaxing, concentrating and energizing.

Control lights with your voice

Use your voice assistant to turn your lights on and off, dim them, and more.

Be creative with million colors

Play with light and choose from 16 million colors to instantly change the look and atmosphere of your room. Set the scene effortlessly with one touch of a button. Use a favourite photo and relive that special moment with splashes of light. Save your favourite light settings and recall them whenever you want with the tap of a finger.

Create an atmosphere unlike any other with dynamic scenes that allow the lights in the room or zone to slowly transition through the different colors of your favorite scene.

Sync lights with music and movies

Extend your TV viewing experience to the whole room or sync light to your favorite music and see how light reacts to the rhythm. Download the third party apps and discover the amazing things you can do with Philips Hue.

Light up your gaming

Lift your gaming experience to the next level. Download the third party apps and discover the amazing things you can do with Philips Hue.

800 lm



8719514328402
Philips Hue White and Color Ambiance 6,5 W E27 A60 4-pack



8719514328389
Philips Hue White and Color Ambiance 6,5 W E27 A60 3-pack



8719514328365
Philips Hue White and Color Ambiance 6,5 W E27 A60 2-pack



8719514340107
Philips Hue White and Color Ambiance 4,3 W GU10 3-pack with Bridge and Dimmer switch



8719514342767
Philips Hue White and Color Ambiance 4,3 W GU10 3-pack



8719514340084
Philips Hue White and Color Ambiance 4,3 W GU10 2-pack

1100 lm



8719514291355
Philips Hue White and Color Ambiance 9 W A60 E27 3-pack with Bridge and Dimmer switch



8719514291515
Philips Hue White and Color Ambiance 9 W A60 E27 3-pack with Bridge



8719514291379
Philips Hue White and Color Ambiance 9 W A60 E27 2-pack with Bridge and Dimmer switch



8719514339880
Philips Hue White and Color Ambiance 4,3 W GU10



8719514491649
Philips Hue White and Color Ambiance 6,3 W GU5.3 MR16 2-pack



8719514491403
Philips Hue White and Color Ambiance 6,3 W GU5.3 MR16



8719514356719
Philips Hue White and Color Ambiance 4 W E14 B39 2-pack



8719514291492
Philips Hue White and Color Ambiance 9 W A60 E27 2-pack with Bridge



8719514291317
Philips Hue White and Color Ambiance 9 W E27 A60 2 szt.



8719514291171
Philips Hue White and Color Ambiance 9 W E27 A60



8719514356610
Philips Hue White and Color Ambiance 4 W E14 B39



8719514491281
Philips Hue White and Color Ambiance 5,1 W E14 luster 2-pack



8719514491229
Philips Hue White and Color Ambiance 5,1 W E14 luster

1600 lm



8719514288157
Philips Hue White and Color Ambiance 13,5 W A60 E27

Philips Hue White and Color Ambiance bulbs

1521 lm (E27 13,5 W), 1100 lm (E27 9 W), 800 lm (E27 6,5 W) at 4000 K
470 lm (E14), 350 lm (GU10), 400 lm (GU5.3) at 4000 K
RGB 2200–6500 K, 16 million colors
Lifetime: 25000 hours (E14, E27, GU5.3), 15000 hours (GU10)

220 V–240 V/50–60 Hz

☉ – IP20


↑ 77 ↔ 45 mm (E14), ↑ 117 ↔ 39 mm (E14), ↑ 71 ↔ 50 mm (GU10), ↑ 49 ↔ 50 mm (GU5.3),

↑ 110 ↔ 60 mm (E27 6,5 W, 9 W)

↑ 131 ↔ 67 mm (E27 13,5 W)

Synthetic/Glass (E14), Aluminium/Glass (E27), Synthetic (GU10, GU5.3)

All Philips Hue White and Color Ambiance bulbs are featuring Bluetooth® and Zigbee technology



Philips Hue Lightguide bulb



8719514419278
Philips Hue LG Ellipse E27
↔ 190 | 206



8719514419452
Philips Hue Black Cord E27
Designed for the Philips Hue
Lightguide bulb
↔ 1 500 | 59

G Lightguide bulb

RGB 2 000–6 500 K, 16 million colors
Lifetime: 25000 hours

Hue White and Color Ambiance
6,5 W, 500 lm at 2700 K
⊕ – IP20
Glass (bulb), Metal/Textile (cord)

Philips Hue Play HDMI Sync Box



Play HDMI Sync Box

8718699704803
↔ 182 ↗ 99 ↓ 23 mm

Sync your smart lights to your on-screen TV content with the Philips Hue Play HDMI Sync Box. Four HDMI inputs allow you to connect your media devices to your Hue setup, resulting in a fast, seamless display of colorful smart light that responds to and reflects the content you watch or listen to.

Sync lights with your home theater and TV. Connect up to 4 HDMI devices. Personalize your experience using the app.

Requires Philips Hue Bridge and Hue color-capable lights



Philips Hue Play Gradient lightstrip

Gradient lightstrip

Take the excitement of surround lighting to the next level with the Philips Hue Play gradient lightstrip. This LED strip flawlessly blends multiple colors of light at the same time, mimicking the content on the entire screen for an immersive, full-room entertainment experience unlike any other.

RGB 2000-6500 K, 16 million colors
Lifetime: 25000 hours
Light source included

Hue White and Color Ambiance
24 V, 20 W, 1100 lm at 4000 K
☉ – IP20
Synthetic

Requires Philips Hue Bridge
and Philips Hue Play sync box

8718699784751
Play gradient lightstrip 55" EU
↔ 1 400 ↗ 20 ↓ 20

8718699784775
Play gradient lightstrip 65" EU
↔ 1 650 ↗ 20 ↓ 20


8718699784799
Play gradient lightstrip 75" EU
↔ 1 900 ↗ 20 ↓ 20



Philips Hue Play gradient light tube

Gradient light tube


Made to sit above or below the TV, the Play gradient light tube features a subtle design (and two sizes!) that blends in with its surroundings — until you see its gradient of colorful light.

RGB 2000-6500 K, 16 million colors
Lifetime: 25000 hours
Light source included
Hue White and Color Ambiance
17,4 W (tube), 20 W (tube large)
1540 lm (tube), 1800 lm (tube large)
at 4000 K,  – IP20, Aluminium

Requires Philips Hue Bridge
and Philips Hue Play sync box

8718696176290
Play gradient light tube white
↔ 877 ✓ 31 ↓ 34

8718696176313
Play gradient light tube large white
↔ 1377 ✓ 31 ↓ 34



8718696176306
Play gradient light tube black
↔ 877 ✓ 31 ↓ 34

8718696176320
Play gradient light tube large black
↔ 1377 ✓ 31 ↓ 34





Philips Hue Play gradient PC lightstrip



Gradient lightstrip

The Play gradient lightstrip for PC blends brilliant color together to create a seamless gradient of light. Available in three sizes based on the size and setup of monitors: for single 24–27" monitors, for single 32–34" monitors, and for 24–27" triple-monitor setups.

RGB 2 000–6 500 K, 16 million colors
 Lifetime: 25000 hours
 Light source included
 Hue White and Color Ambiance
 15 W (24-27"), 19 W (32-34") 800 lm (24-27"),
 1000 lm (32-34") at 4000 K
 Aluminium
 Requires Philips Hue Bridge



8719514434479
 Gradient PC strip 24-27"
 ↳ 905 ↗ 17 ↓ 16

8719514434530
 Gradient PC strip 32-34"
 ↳ 1165 ↗ 17 ↓ 16


8719514434592
 Gradient PC strip 3x 24-27"
 ↳ 1875 ↗ 17 ↓ 16



8719514434639
 Gradient PC strip 24-27" Starter kit
 ↳ 905 ↗ 17 ↓ 16

8719514434653
 Gradient PC strip 32-34" Starter kit
 ↳ 1165 ↗ 17 ↓ 16

8719514434677
 Gradient PC strip 3x 24-27" Starter kit
 ↳ 1875 ↗ 17 ↓ 16



Philips Hue Play



8718696170731
Play extension pack black

8718696170809
Play extension pack white



8718696170717
Play single pack black

8718696170748
Play single pack white



8718696170724
Play double pack black

8718696170793
Play double pack white




8718696171189
Play extension cable 5 m black

G Play

RGB 2200–6500 K, 16 million colors
Lifetime: 25000 hours
Light source included

Hue White and Color Ambiance
6,7 W, 500 lm at 4000 K
⊕ – IP20
Synthetic





8718696171493
Fugato single spot white
1 163 ↔ 82 / 82 mm
5,7 W, 350 lm at 4000 K



8718696171509
Fugato single spot black
1 163 ↔ 82 / 82 mm
5,7 W, 350 lm at 4000 K



8718696171516
Fugato double spot white
1 153 ↔ 195 / 80 mm
2 × 5,7 W, 2 × 350 lm at 4000 K



8718696171530
Fugato plate white
1 153 ↔ 195 / 195 mm
3 × 5,7 W, 3 × 350 lm
at 4000 K



8718696171547
Fugato plate black
1 153 ↔ 195 / 195 mm
3 × 5,7 W, 3 × 350 lm
at 4000 K



8718696171523
Fugato double spot black
1 153 ↔ 195 / 80 mm
2 × 5,7 W, 2 × 350 lm
at 4000 K



8718696171554
Fugato quadruple spot white
1 153 ↔ 425 / 80 mm
4 × 5,7 W, 4 × 350 lm at 4000 K



8718696171561
Fugato quadruple spot black
1 153 ↔ 425 / 80 mm
4 × 5,7 W, 4 × 350 lm at 4000 K



Fugato



RGB 2200–6500 K, 16 million colors
Lifetime: 25000 hours
Light source included

Hue White and Color Ambiance
220 V–240 V/50–60 Hz, GU10

⊕ – IP20
Metal



Philips Hue Fugato



8718696171578
Argenta single spot white
1 127 ↔ 110 ∠ 90 mm
5,7 W, 350 lm at 4000 K



8718696171615
Argenta single spot aluminium
1 127 ↔ 110 ∠ 90 mm
5,7 W, 350 lm at 4000 K



8718696171585
Argenta double spot white
1 127 ↔ 305 ∠ 90 mm
2 × 5,7 W, 2 × 350 lm at 4000 K



8718696171608
Argenta plate white
1 127 ↔ 240 ∠ 240 mm
4 × 5,7 W, 4 × 350 lm
at 4000 K



8718696171646
Argenta plate black
1 127 ↔ 240 ∠ 240 mm
4 × 5,7 W, 4 × 350 lm
at 4000 K




8718696171622
Argenta double spot aluminium
1 127 ↔ 305 ∠ 90 mm
2 × 5,7 W, 2 × 350 lm
at 4000 K



8718696171592
Argenta triple spot white
1 127 ↔ 480 ∠ 90 mm
3 × 5,7 W, 3 × 350 lm
at 4000 K



8718696171639
Argenta triple spot aluminium
1 127 ↔ 480 ∠ 90 mm
3 × 5,7 W, 3 × 350 lm
at 4000 K



Argenta


RGB 2200–6500 K, 16 million colors
Lifetime: 25000 hours
Light source included

Hue White and Color Ambiance
220 V–240 V/50–60 Hz, GU10

⊕ – IP20
Metal



Philips Hue Argenta



Philips Hue Centura



8719514338647
Centura recessed white round
5,7 W, 350 lm at 4000 K



8719514338623
Centura recessed aluminium round
5,7 W, 350 lm at 4000 K



8719514342927
Centura recessed black round
5,7 W, 350 lm at 4000 K



8719514342880
Centura recessed
white round 3-pack
3 x 5,7 W, 3 x 350 lm
at 4000 K



8719514342866
Centura recessed
aluminium round 3-pack
3 x 5,7 W, 3 x 350 lm
at 4000 K



8719514342903
Centura recessed
black round 3-pack
3 x 5,7 W, 3 x 350 lm
at 4000 K



8719514338920
Centura recessed white square
5,7 W, 350 lm at 4000 K



8719514338807
Centura recessed aluminium square
5,7 W, 350 lm at 4000 K




Centura



RGB 2 200–6 500 K, 16 million colors
Lifetime: 25000 hours
Light source included

Hue White and Color Ambiance
220 V–240 V/50–60 Hz, GU10
⊕ – IP20
↔ 90 / 90 mm
cut-out: 70 mm,
recessed: 100 mm
Synthetic






Philips Hue Centris




8718696176009
Centris 2L ceiling lamp white
2 x 5,7 W GU10 + 11 W integrated;
1560 lm at 4000 K




8718696175989
Centris 2L ceiling lamp black
2 x 5,7 W GU10 + 11 W integrated;
1560 lm at 4000 K



8718696176016
Centris 3L ceiling lamp white
3 x 5,7 W GU10 + 34 W integrated;
3550 lm at 4000 K




8718696175996
Centris 3L ceiling lamp black
3 x 5,7 W GU10 + 34 W integrated;
3550 lm at 4000 K




8718696176030
Centris 3Lcross ceiling lamp white
3 x 5,7 W GU10 + 25 W integrated;
2810 lm at 4000 K



8718696176023
Centris 3Lcross ceiling lamp black
3 x 5,7 W GU10 + 25 W integrated;
2810 lm at 4000 K



8718696176054
Centris 4L ceiling lamp white
4 x 5,7 W GU10 + 40 W integrated;
4200 lm at 4000 K



8718696176047
Centris 4L ceiling lamp black
4 x 5,7 W GU10 + 40 W integrated;
4200 lm at 4000 K



Centris

RGB 2000–6500 K, 16 million colors
Lifetime: 15000 hours
Light source included

Hue White and Color Ambiance
⊕ – IP20
Aluminium







Philips Hue Perifo

Minimalist design, maximum potential

Perifo smart track lighting gives you full control over the way you illuminate your space. Sleek, chic and made for any space. Straight lines and sophisticated fixtures make Perifo track lighting a match for any interior design.

Because it isn't your typical track lighting – you can mount it on the ceiling and also on the wall. Once it's installed, you can start with the final touches: angling spotlights, lowering or raising pendant lights and more.





Philips Hue Perifo



8719514407763
Perifo ceiling set black
↔ 2215 / 67 mm | 128
21 W, 2040 lm at 4000 K



8719514407787
Perifo ceiling set white
↔ 2215 / 67 mm | 128
21 W, 2040 lm at 4000 K



8719514407800
Perifo ceiling set black
↔ 2715 / 67 mm | 128
29 W, 3580 lm at 4000 K



8719514407824
Perifo ceiling set white
↔ 2715 / 67 mm | 128
29 W, 3580 lm at 4000 K



8719514407725
Perifo ceiling set black
↔ 1715 / 67 mm | 288
29 W, 1530 lm at 4000 K



8719514407749
Perifo ceiling set white
↔ 1715 / 67 mm | 288
29 W, 1530 lm at 4000 K



8719514407848
Perifo wall set black
↔ 1504 / 67 mm | 128
29 W, 1530 lm at 4000 K



8719514407862
Perifo wall set white
↔ 1504 / 67 mm | 128
29 W, 1530 lm at 4000 K



8719514407886
Perifo wall set black
↔ 2400 / 67 mm | 128
29 W, 3620 lm at 4000 K



8719514407909
Perifo wall set white
↔ 2400 / 67 mm | 128
29 W, 3620 lm at 4000 K



8719514407442
Perifo cylinder spotlight black
↔ 177 / 67 mm | 128
5.3 W, 510 lm at 4000 K



8719514407466
Perifo cylinder spotlight white
↔ 177 / 67 mm | 128
5.3 W, 510 lm at 4000 K



8719514407480
Perifo cylinder pendant black
↔ 177 / 67 mm | 288
5.2 W, 510 lm at 4000 K



8719514407503
Perifo cylinder pendant white
↔ 177 / 67 mm | 288
5.2 W, 510 lm at 4000 K



Perifo




RGB 2 000–6 500 K, 16 million colors
Lifetime: 25 000 hours
Light source included

Hue White and Color Ambiance


⊕ – IP20

Metal







Philips Hue Gradient Signe



8718696176252
Gradient Signe floor lamp white
1 1458 ↔ 111 ↗ 111 mm
29 W, 2550 lm at 4000 K




8718696176238
Gradient Signe table lamp white
1 553 ↔ 111 ↗ 111 mm
11.8 W, 1040 lm at 4000 K




8718696176269
Gradient Signe floor lamp black
1 1458 ↔ 111 ↗ 111 mm
29 W, 2550 lm at 4000 K



8718696176245
Gradient Signe table lamp black
1 553 ↔ 111 ↗ 111 mm
11.8 W, 1040 lm at 4000 K








8719514433526
Gradient Signe floor lamp oak
1 1458 ↔ 111 ↗ 111 mm
29 W, 2550 lm at 4000 K



8719514433465
Gradient Signe table lamp oak
1 553 ↔ 111 ↗ 111 mm
11.8 W, 1040 lm at 4000 K



-  Gradient Signe
-  RGB 2000–6500 K, 16 million colors
- Lifetime: 25000 hours
- Light source included
- Hue White and Color Ambiance
-  – IP20
- Aluminium




8719514343382
Sana wall lamp black
1 255 → 255 / 52 mm
20 W, 1500 lm at 4000 K



8719514343405
Sana wall lamp white
1 255 → 255 / 52 mm
20 W, 1500 lm at 4000 K



8719514343429
Liane wall lamp black
1 558 → 31 / 107 mm
20 W, 900 lm at 4000 K





8719514343443
Liane wall lamp white
1 558 → 31 / 107 mm
20 W, 900 lm at 4000 K



-  Sana/Liane
-  RGB 2000–6500 K, 16 million colors
-  Lifetime: 25000 hours
-  Light source included
-  Hue White and Color Ambiance
-  IP20
-  Aluminium

Philips Hue Sana/Liane



Philips Hue Ensis/Flourish



G 8719514343368
Ensis pendant lamp black
| 164–1664 ↔ 1298 ↗ 70 mm
2 × 39 W, 5500 lm at 4000 K



G 8719514343467
Ensis pendant lamp white
| 164–1664 ↔ 1298 ↗ 70 mm
2 × 39 W, 5500 lm at 4000 K



F 8719514343481
Flourish table lamp white
| 175 ↔ 261 ↗ 261 mm
E27, 9,5 W, 800 lm at 4000 K



G 8719514343504
Flourish ceiling lamp white
| 141 ↔ 359 ↗ 359 mm
32 W, 2250 lm at 4000 K



G 8719514343528
Flourish pendant lamp white
| 300–1800 ↔ 401 ↗ 401 mm
31 W, 2750 lm at 4000 K

***** Ensis/Flourish
RGB 2000–6500 K, 16 million colors
Lifetime: 25000 hours
Light source included
Hue White and Color Ambiance
⊕ – IP20
Aluminium (Ensis), Glass (Flourish)



Philips Hue Infuse/Surimu



8718696176498
Infuse M ceiling lamp white
1 84 ↔ 381 mm
33,5 W, 2350 lm at 4000 K



8718696176504
Infuse M ceiling lamp black
1 84 ↔ 381 mm
33,5 W, 2350 lm at 4000 K



8718696176511
Infuse L ceiling lamp white
1 84 ↔ 425 mm
52,5 W, 3700 lm at 4000 K




8718696176528
Infuse L ceiling lamp black
1 84 ↔ 425 mm
52,5 W, 3700 lm at 4000 K



8719514355057
Surimu panel rectangle
1 48 ↔ 1200 ↗ 300 mm
60 W, 4200 lm at 4000 K



8719514355071
Surimu panel square
1 48 ↔ 600 ↗ 600 mm
60 W, 4200 lm at 4000 K



8720169159136
Surimu panel square
1 46 ↔ 300 ↗ 300 mm
25 W, 1760 lm at 4000 K



8720169159198
Surimu panel round
1 47 ↔ 395 ↗ 395 mm
40 W, 2850 lm at 4000 K



Infuse/Surimu




RGB 2000–6500 K, 16 million colors
Lifetime: 25000 hours
Light source included

Hue White and Color Ambiance

⊕ – IP20

Metal/Synthetic





Philips Hue Xamento



8718696176559
Xamento M ceiling lamp white
184 → 381 mm
33.5 W, 2350 lm at 4000K



8718696176566
Xamento L ceiling lamp white
184 → 425 mm
52.5 W, 3700 lm at 4000K



8719514452251
Xamento M ceiling lamp black
184 → 381 mm
33.5 W, 2350 lm at 4000K



8719514355392
Xamento recessed chrome 3-pack
190 → 94 mm
3x5.7 W, 3x350 lm at 4000K



8719514355347
Xamento recessed chrome
190 → 94 mm
5.7 W, 350 lm at 4000K



8719514452190
Xamento recessed black 3-pack
190 → 94 mm
3x5.7 W, 3x350 lm at 4000K



8719514452138
Xamento recessed black
190 → 94 mm
5.7 W, 350 lm at 4000K



Xamento




RGB 2000–6500 K, 16 million colors
Lifetime: 25000 hours
Light source included

Hue White and Color Ambiance

⊕ – IP44

Metal/Synthetic





8719514339965
Gradient lightstrip 2m base kit
blends different colors of light together at once



8719514339989
Gradient lightstrip 1m extension
blends different colors of light together at once







8718699703424
Lightstrip Plus V4 2m base kit



8718699703448
Lightstrip Plus V4 1m extension

Lightstrips

-  Gradient lightstrip 2m base kit ↔ 2000 ↗ 15 ↓ 5, 25 W, 1700 lm at 4000 K
-  Gradient lightstrip 1m extension ↔ 1000 ↗ 15 ↓ 5, 11 W, 1030 lm at 4000 K
-  Lightstrip Plus V4 2m base kit ↔ 2000 ↗ 14,5 ↓ 5, 11 W, 1260 lm at 4000 K
-  Lightstrip Plus V4 1m extension ↔ 1000 ↗ 14,5 ↓ 5, 11 W, 700 lm at 4000 K

RGB 2000–6500 K, 16 million colors

Lifetime: 25000 hours

Light source included

Hue White and Color Ambiance

⊕ – IP20

Synthetic

Philips Hue Lightstrips



Philips Hue Moodlighting



8718699770983
Bloom white




8718699771126
Bloom black



8718696173992
Hue Go

Moodlighting

 Hue Go ↔ 120 ✓ 120 ↓ 70, 6 W, 530 lm at 4000 K
Bloom ↔ 130 ✓ 126 ↓ 101, 7,1 W, 500 lm at 4000 K

RGB 2000–6500 K, 16 million colors
Lifetime: 25000 hours
Light source included

Hue White and Color Ambiance

⊕ – IP20

Synthetic



Philips Hue Iris

The exclusive, extraordinary,
and surprisingly smart lamp.



8719514264465
Iris white



8719514264489
Iris black



8719514410732
Iris gold



8719514411524
Iris silver



8719514411586
Iris copper



Iris



Iris ↔ 222 ↗ 165 ↓ 150, 8,1 W, 570 lm at 4000 K

RGB 2000–6500 K, 16 million colors

Lifetime: 25000 hours

Light source included

Hue White and Color Ambiance

⊕ – IP20

Synthetic/Metal



Transform your outdoor space with light

Philips Hue smart lighting is for your entire home — inside and out. We have two types of outdoor lights: standard line-voltage (wired into your home's electricity) and low-voltage, which simply plug into any outdoor outlet. Called Low volt, this collection of lights allows more flexibility in designing your outdoor lighting. Whatever you choose, Philips Hue lets you transform your outdoors with smart light.

Which option is best for you?

Low volt

Line voltage

24 V

Voltage

220 V



Safe extra low voltage (SELV)




Bridge required




Can be placed anywhere




Direct line-voltage connection




Separate power supply unit required





Low
volt

Easy to install and extend

The products are based on low voltage, safe to use and easy to install. No more complexity to get lighting outdoors: go create and extend as you like. Look for Low volt icon next to products.

Philips Hue Low volt accesories

Examples of possible Low volt setups



8719514414150
Power Supply 24 V, 100 W
1 45 ↔ 200 + cable 1500/600 ↗ 70 mm, IP67



8719514413979
Power Supply 24 V, 40 W
1 41 ↔ 132 + cable 1500/600 ↗ 65 mm, IP67



8718696168721
Cable extension 5 m
1 7,3 ↔ 7,3 ↗ 5000 mm, IP67



8718696176641
Cable extension 2.5 m
1 7,3 ↔ 7,3 ↗ 2500 mm, IP67



8718696176658
Low volt T-connector
1 80 ↔ 48 ↗ 20 mm, IP67



8718696174425
Amarant black
l 795 → 50 / 68 mm
20,5 W, 1420 lm at 4000 K,
PSU needed (p. 66)



8718699709839
Outdoor lightstrip 2 m
l 20 → 2000 / 11 mm
19,5 W, 765 lm at 4000 K



8718699709853
Outdoor lightstrip 5 m
20 → 4908 / 11 mm
37,5 W, 1490 lm at 4000 K

Outdoor lightstrips are not extendable, nor cuttable!



8718696174364
Lily XL spike black
l 190 → 130 / 120 mm
15 W, 1200 lm at 4000 K,
PSU needed (p. 66)



8718696170557
Calla large extension
pedestal black
l 400 → 104 / 104 mm
8 W, 590 lm at 4000 K,
PSU needed (p. 66)



8718696167991
Calla extension
pedestal black
l 255 → 104 / 104 mm
8 W, 590 lm at 4000 K,
PSU needed (p. 66)



8719514388499
Calla extension pedestal silver
l 255 → 104 / 104 mm
8 W, 590 lm at 4000 K, potrzebny
PSU needed (p. 66)



8718696167960
Lily spike black 3-pack
l 192 → 84 / 70 mm
3 × 8 W, 3 × 640 lm
at 4000 K



8718696169087
Lily spike black
l 192 → 84 / 70 mm
8 W, 640 lm at 4000 K



8718696167977
Lily spike black
extension
l 192 → 84 / 70 mm
8 W, 640 lm at 4000 K,
PSU needed (p. 66)


G Amaran/Calla/Lily/Outdoor lightstrip

Low volt RGB 2200–6500 K, 16 million colors
Lifetime: 25000 hours
Light source included

Hue White and Color Ambiance
220 V–240 V/50–60 Hz

☉ – IP44 (Calla), IP65 (Lily, Lightstrip, Amaran)

Aluminium (Calla, Lily), Synthetic/Silikon (Lightstrip), Synthetic/Metal (Amarant)



Philips Hue Go portable lamp



8719514404571
Go portable table lamp white
1 350 ↔ 142



8719514404595
Go portable table lamp black
1 350 ↔ 142



Go portable lamp



RGB 2000–6500 K, 16 million colors
Lifetime: 20000 hours
Light source included

For indoor and outdoor use

Hue White and Color Ambiance

220 V–240 V/50–60 Hz

6,2 W, 530 lm at 4000 K

⊕ – IP54 (lamp)

⊕ – IP20 (charging base)

Synthetic/Aluminium



8720169246621
Festavia string lights 250 mini LEDs
14 W, 20 m + cable 2x2,4 m



8720169246867
Festavia string lights 500 mini LEDs
28 W, 2x20 m + cable 2x2,4 m



Festavia string lights



RGB 2000–6500 K, 16 million colors
Lifetime: 15000 hours
Light source included

For indoor and outdoor use

Hue White and Color Ambiance

220 V–240 V/50–60 Hz

⊖ – IP54

Synthetic

Philips Hue Festavia string lights



8718696170489
Impress
wall lantern black
I 240 → 120 / 141 mm



Low volt 8718696174333
Impress
wall lantern black
I 240 → 120 / 140 mm
PSU needed (p. 66)



8718696170496
Impress
large wall lantern black
I 240 → 190 / 117 mm



8718696170502
Impress
pedestal black
I 400 → 100 / 100 mm



Low volt 8718696170526
Impress
pedestal black
I 400 → 100 / 100 mm
PSU needed (p. 66)




8718696170519
Impress post black
I 770 → 100 / 100 mm, 24 V

G Impress

RGB 2200–6500 K, 16 million colors
Lifetime: 25000 hours
Light source included

Hue White and Color Ambiance
220 V–240 V/50–60 Hz
8 W or 2 × 8 W, 1180 lm at 4000 K
⊕ – IP44
Aluminium die-cast

Philips Hue Impress



Philips Hue

Nyro/Resonate/Daylo/Dymera



8718696174296
Nyro pedestal black
1 400 ↔ 250 / 100 mm



8718696174302
Nyro wall lantern black
1 100 ↔ 250 / 85 mm, 1000 lm



8718696174388
Resonate wall lantern black
1 180 ↔ 120 / 100 mm



8719514466777
Resonate downward
wall lantern black
1 168 ↔ 157 / 125 mm



8718696174395
Resonate wall lantern inox
1 180 ↔ 120 / 100 mm



8718696174401
Daylo wall lantern black
1 220 ↔ 220 / 75 mm



8718696174418
Daylo wall lantern inox
1 220 ↔ 220 / 75 mm



8720169234505
Dymera wall light
1 160 ↔ 230 / 94 mm
for indoor and outdoor use

G Nyro/Resonate/Daylo/Dymera

RGB 2200–6500 K, 16 million colors
Lifetime: 25000 hours
Light source included

Hue White and Color Ambiance
220 V–240 V/50–60 Hz

13,5 W, 1020 lm (Nyro), 2 × 8 W, 1180 lm (Resonate), 10,2 W, 1020 lm (Dymera)
8 W, 590 lm (Resonate downward), 15 W, 1060 lm (Daylo) at 4000 K

☉ – IP44

Aluminium die-cast



8718696174357
Attract wall lantern black
I 190 → 230 / 250 mm



8718696174371
Appear wall lantern black
I 85 → 120 / 240 mm



8718696176207
Appear wall lantern inox
I 85 → 120 / 240 mm



8718696170571
Econic up wall lantern black
I 244 → 194 / 301 mm



8718696170588
Econic
down wall lantern black
I 244 → 194 / 312 mm



8718696170595
Econic pedestal black
I 163 → 163 / 322 mm



8718696170564
Econic wall lantern
square black
I 260 → 260 / 115 mm



8718696170601
Econic post black
I 163 → 163 / 1000 mm



8718696170533
Discover wall lantern
I 160 → 220 / 153 mm

G Appear/Attract/Discover/Econic

RGB 2200–6500 K, 16 million colors
Lifetime: 25000 hours
Light source included

Hue White and Color Ambiance
220 V–240 V/50–60 Hz
79 W, 2250 lm (Discover), 15 W, 1140 lm (Econic), 8 W, 590 lm (Attract),
2 x 8 W, 1180 lm (Appear) at 4000 K
☉ – IP44
Aluminium die-cast

Philips Hue Appear/Attract/Discover/Econic

Philips Hue White Ambiance

Set up your lights to work with your lifestyle


Wake up and go to sleep naturally

Philips Hue will help get you out of bed the way you like it, helping you start your day feeling refreshed. The light brightness increases gradually mimicking the effect of sunrise and helps you wake up naturally, instead of being woken up by the loud sound of an alarm clock. Start your day, the right way. In the evening, the relaxing warm white light helps you to unwind, relax and prepare your body for a good night's sleep.

Relax, read, concentrate and energize with light recipes


Light influences our mood and behavior. Philips Hue can help you to customize your daily routines into moments you can enjoy. Skip your morning coffee and get ready for the day with cool, bright white daylight that helps to energize your body and mind. Stay focussed with finely tuned bright white light. Or put your feet up and relax with a soft glow of white light for the perfect end of the day.

Improve the functionality by adding a Hue Bridge Expand your range of control. Add more lights to even the furthest corners of your home.



Boost your energy

Use light to amp up the energy in your home. With its cool white light, the Energize light scene helps you add a little pep to your morning or an extra punch to your workout.



Sharpen your focus

When you need to get things done, Philips Hue can help you direct your full attention to the task at hand. Set the Concentrate light scene to stay focused and keep your head in the game.




Read with ease

Curl up with a good book under the right light. With the Read light scene, Philips Hue adjusts the light from cool to warm for the perfect shade of white, allowing you to comfortably flip through the pages.



Relax your mind

Finding the time to unwind can prove difficult. When you finally do get a moment to yourself, set Philips Hue to the subtle, soft light of the Relax scene and take your tranquility to the next level.



800 lm



8719514328280
Philips Hue White Ambiance
6 W E27 A60 4-pack



8719514328266
Philips Hue White Ambiance
6 W E27 A60 3-pack



8719514328242
Philips Hue White Ambiance
6 W E27 A60 2-pack



8719514342804
Philips Hue White Ambiance
4.3 W GU10 3-pack



8719514340121
Philips Hue White Ambiance
4.3 W GU10 2-pack



8719514339903
Philips Hue White Ambiance
4.3 W GU10

1100 lm



8719514291232
Philips Hue White Ambiance
8 W A60 E27 3-pack with
Bridge and Dimmer switch



8719514291812
Philips Hue White Ambiance
8 W A60 E27 2-pack with
Bridge and Dimmer switch



8719514291256
Philips Hue White Ambiance
8 W A60 E27 2-pack



8719514491588
Philips Hue White
and Color Ambiance
6,3 W GU5.3 MR16 2-pack



8719514491342
Philips Hue White
and Color Ambiance
6,3 W GU5.3 MR16



8719514356733
Philips Hue White Ambiance
4 W E14 B39 2-pack



8719514291119
Philips Hue White Ambiance
8 W A60 E27



8719514356658
Philips Hue White Ambiance
4 W E14 B39



8719514491168
Philips Hue White Ambiance
5,1 W E14 luster 2-pack



8719514491106
Philips Hue White Ambiance
5,1 W E14 luster

1600 lm



8719514288195
Philips Hue White Ambiance
13 W A60 E27



Philips Hue White Ambiance bulbs

1521 lm (E27 13 W), 1100 lm (E27 8 W), 800 lm (E27 6 W) at 4000 K
470 lm (E14), 350 lm (GU10), 400 lm (GU5.3) at 4000 K
White Ambiance 2200–6500 K
Lifetime: 25000 hours (E14, E27, GU5.3), 15000 hours (GU10)

220 V–240 V/50–60 Hz

⊕ – IP20



↑ 77 ↔ 45 mm (E14), ↑ 117 ↔ 39 mm (E14), ↑ 71 ↔ 50 mm (GU10), ↑ 49 ↔ 50 mm (GU5.3)

↑ 110 ↔ 60 mm (E27 6 W, 8 W)

↑ 131 ↔ 67 mm (E27 13 W)

Synthetic/Glass (E14), Aluminium/Glass (E27), Synthetic (GU10, GU5.3)

All Philips Hue White Ambiance bulbs are featuring Bluetooth® and Zigbee technology



Philips Hue White Ambiance Filaments



8719514301429
Philips Hue White Ambiance
Filament 7 W A60 E27



8719514301467
Philips Hue White Ambiance
Filament 7 W ST64 E27



8719514301481
Philips Hue White Ambiance
Filament 7 W G93 E27



8719514301504
Philips Hue White Ambiance
Filament 7 W ST72 E27



8719514301542
Philips Hue White Ambiance
Filament 7 W G125 E27




8719514411869
Philips Hue White Ambiance
Filament 4.6 W Candle E14
2-pack



8719514411807
Philips Hue White Ambiance
Filament 4.6 W Candle E14

Philips Hue White Ambiance Filament

 550 lm at 2700 K
White Ambiance 2200–4500 K
Lifetime: 15000 hours

220 V–240 V/50–60 Hz

⊕ – IP20

↑ 115 ↔ 60 mm (A60), ↑ 133 ↔ 60 mm (ST64),

↑ 150 ↔ 95 mm (G93), ↑ 164 ↔ 72 mm (ST72)

↑ 192 ↔ 125 mm (G125)

Glass


All Philips Hue White Ambiance filament bulbs are featuring Bluetooth® and Zigbee technology



Philips Hue Amaze



8719514341098
Amaze pendant white



8719514341074
Amaze pendant black



Amaze




2200–6500 K
Lifetime: 25000 hours
Light source included

Hue White Ambiance
220 V–240 V/50–60 Hz
25 W, 2900 lm at 4000 K
⊕ – IP20
1 1 500 ↔ 434 ↗ 434 mm
Aluminium/Synthetic



Dimmer switch remote control included





8719514341319
Fair pendant white



8719514341258
Fair ceiling lamp black



8719514341272
Fair ceiling lamp white



8719514341296
Fair pendant black



Fair



2200–6500 K
Lifetime: 25000 hours
Light source included


Hue White Ambiance
220 V–240 V/50–60 Hz
25 W, 3000 lm at 4000 K
⊕ – IP20

↑ 1600 → 444 ↗ 444 mm (pendant)
↑ 99 → 444 ↗ 444 mm (ceiling lamp)
Metal/Glass

Dimmer switch remote control included



Philips Hue Fair



8718696176412
Enrave S white (Ø 261 mm)

8718696176436
Enrave M white (Ø 381 mm)

8718696176450
Enrave L white (Ø 425 mm)

8718696176474
Enrave XL white (Ø 551 mm)

8718696176429
Enrave S black (Ø 261 mm)

8718696176443
Enrave M black (Ø 381 mm)

8718696176467
Enrave L black (Ø 425 mm)

8718696176481
Enrave XL black (Ø 551 mm)



8718696176573
Enrave pendant white (Ø 425 mm)



8718696176580
Enrave pendant black (Ø 425 mm)



Enrave

2200–6500 K
Lifetime: 25000 hours
Light source included


Hue White Ambiance
220 V–240 V/50–60 Hz
9,6 W, 1220 lm (S), 19,2 W, 2450 lm (M),
33,5 W, 4300 lm (L, pendant),
48 W, 6100 lm (XL) at 4000 K
⊖ – IP20
Metal/Synthetic




Dimmer switch remote control included



**Philips Hue
Enrave**




8719514341111
Being ceiling lamp aluminium



8719514341159
Being ceiling lamp white



8719514341135
Being ceiling lamp black



8718696175279
Being pendant aluminium



8718696175293
Being pendant white



8718696175286
Being pendant black



Being



2200–6500 K
Lifetime: 25000 hours
Light source included

Hue White Ambiance
220 V–240 V/50–60 Hz
22,5 W (ceiling lamp),
25 W (pendant),
2400 lm at 4000 K
⊕ – IP20
171 ↔ 391 ↗ 391 mm
Metal/Synthetic

Dimmer switch remote control included



Philips Hue Being



8719514341333
Still ceiling lamp
aluminium



8719514341371
Still ceiling lamp
white



8719514341357
Still ceiling lamp
black



Dimmer switch remote
control included





Still



2200–6500 K
Lifetime: 25000 hours
Light source included

Hue White Ambiance
220 V–240 V/50–60 Hz
22,5 W, 2400 lm at 4000 K
⊕ – IP20
171 ↔ 391 ↗ 391 mm
Metal/Synthetic

Philips Hue Still




8719514341395
Wellner table lamp white




8719514341418
Wellness table lamp black

Dimmer switch remote control included




 Wellner/Wellness

 2200–6500 K
Lifetime: 25000 hours
Light source included

Hue White Ambiance
220 V–240 V/50–60 Hz
8 W, 806 lm at 4000 K
⊕ – IP20
↑ 192 ↔ 268 ↗ 268 mm (Wellner)
↑ 193 ↔ 186 ↗ 186 mm (Wellness)
Glass (Wellner), Wood/Glass (Wellness)



Philips Hue Wellness/Wellner




Philips Hue Pillar



8719514338449
Pillar single spot black



8719514338524
Pillar single spot extension black
Dimmer switch not included



8719514338425
Pillar double spot black



8719514338487
Pillar single spot white



8719514338500
Pillar single spot extension white
Dimmer switch not included



8719514338463
Pillar double spot white




Pillar



2200–6500 K
Lifetime: 15000 hours
Light source included
Hue White Ambiance
220 V–240 V/50–60 Hz
5 W, 350 lm (single),
2 x 5 W, 2 x 350 lm at 4000 K (double)
⊕ – IP20
↑ 120 → 103 ↗ 103 mm (single)
↑ 120 → 193 ↗ 103 mm (double)
Aluminium

Dimmer switch remote control included





8719514338203
Runner single spot white



8719514338326
Runner single spot black



8719514338340
Runner single spot extension white
Dimmer switch not included



8719514338364
Runner single spot extension black
Dimmer switch not included



8719514338166
Runner double spot black




8719514338401
Runner triple spot black



8719514338142
Runner double spot white



8719514338388
Runner triple spot white



Runner



2200–6500 K
Lifetime: 15000 hours
Light source included


Hue White Ambiance
220 V–240 V/50–60 Hz
5 W, 350 lm (single),
2 x 5 W, 2 x 350 lm (double),
3 x 5 W, 3 x 350 lm (triple)
at 4000 K
⊕ – IP20
190 ↔ 110 ↗ 107 mm (single)
189 ↔ 305 ↗ 109 mm (double)
189 ↔ 480 ↗ 109 mm (triple)
Aluminium



Dimmer switch remote control included



Philips Hue Runner



8719514339224
Buckram single spot white



8719514339187
Buckram single spot extension white
Dimmer switch not included



8719514339064
Buckram double spot white



8719514339101
Buckram triple spot white



8719514339149
Buckram plate white



8719514339248
Buckram single spot black



8719514339200
Buckram single spot extension black
Dimmer switch not included



8719514339088
Buckram double spot black



8719514339125
Buckram triple spot black



8719514339163
Buckram plate black



Buckram



2200–6500 K
Lifetime: 15000 hours
Light source included

Hue White Ambiance
220 V–240 V/50–60 Hz
5 W, 350 lm (single),
2 x 5 W, 2 x 350 lm (double),
3 x 5 W, 3 x 350 lm (triple),
4 x 5 W, 4 x 350 lm (plate)
at 4000 K

⊕ – IP20
↑ 102 → 102 ↗ 103 mm (single)
↑ 102 → 240 ↗ 103 mm (double)
↑ 102 → 443 ↗ 103 mm (triple)
↑ 240 → 240 ↗ 103 mm (plate)
Aluminium/Synthetic

Dimmer switch remote control included



Philips Hue Buckram



Philips Hue Aurette



8720169159013
Aurette ceiling lamp black
1 46 ↔ 300 / 300 mm
19 W, 230 V, 1940 lm at 4000 K



8720169158894
Aurette ceiling lamp black
1 46 ↔ 600 / 600 mm
46,5 W, 230 V, 3750 lm at 4000 K



8720169158955
Aurette ceiling lamp black
1 46 ↔ 1200 / 300 mm
46,5 W, 230 V, 3750 lm at 4000 K



8720169159075
Aurette ceiling lamp black
1 47 ↔ 395 / 395 mm
24,5 W, 230 V, 2300 lm at 4000 K



8719514382626
Aurette ceiling lamp white
1 46 ↔ 300 / 300 mm
19 W, 230 V, 1940 lm at 4000 K



8719514382640
Aurette ceiling lamp white
1 46 ↔ 600 / 600 mm
46,5 W, 230 V, 3750 lm at 4000 K



8719514382664
Aurette ceiling lamp white
1 46 ↔ 1200 / 300 mm
46,5 W, 230 V, 3750 lm at 4000 K



8719514382688
Aurette ceiling lamp white
1 47 ↔ 395 / 395 mm
24,5 W, 230 V, 2300 lm at 4000 K



Aurette





2200–6500 K
Lifetime: 25000 hours
Light source included

Hue White Ambiance
⊖ – IP20
Aluminium



Dimmer switch remote control included





8719514338586
Milliskin recessed extension aluminium



8719514338609
Milliskin recessed extension white



8719514338548
Milliskin recessed extension aluminium



8719514338562
Milliskin recessed extension white



8719514342828
Milliskin recessed aluminium 3-pack



8719514342842
Milliskin recessed white 3-pack



Milliskin



2200–6500 K
Lifetime: 15000 hours
Light source included: GU10

Hue White Ambiance
220 V–240 V/50–60 Hz, GU10
5 W, 250 lm,
3 x 5 W, 3 x 250 lm (3-pack)
at 4000 K


⊕ – IP20
↔ 90 ↗ 90 mm
cut-out: 70 mm,
recessed: 100 mm
Synthetic



Dimmer switch
not included



Philips Hue Milliskin



Philips Hue Devere/Struana



Devere/Struana



2200–6500 K
Lifetime: 25000 hours
Light source included

Hue White Ambiance
220 V–240 V/50–60 Hz
32 W, 2400 lm (Struana),
19,2 W, 2450 lm (Devere M), 4300 lm,
33,5 W (Devere L) at 4000 K
⊕ – IP44
Synthetic (Struana), Metal/Synthetic (Devere)



8719514341012
Struana ceiling lamp
1 95 ↔ 360 ↗ 360 mm




8718696176535
Devere M ceiling lamp white
1 84 ↔ 381 ↗ 381 mm

8718696176542
Devere L ceiling lamp white
1 84 ↔ 425 ↗ 425 mm



Dimmer switch remote control included






Philips Hue Adore



8719514340978
Adore ceiling lamp chrome
1 60 → 407 / 407 mm
40 W, 2750 lm at 4000 K



8719514340992
Adore wall mirror lamp white
1 51 → 560 / 560 mm
40 W, 2400 lm at 4000 K



8719514340831
Adore wall lamp chrome
1 64 → 595 / 138 mm
40 W, 2750 lm at 4000 K

Dimmer switch remote control included



Adore



2200–6500 K
Lifetime: 30000 hours
Light source included

Hue White Ambiance


⊕ – IP44

Metal/Aluminium/Glass/Synthetic





Philips Hue Adore



8719514340916
Adore plate white
1 120 → 275 / 250 mm
3 × 5,5 W, 230 V,
3 × 350 lm at 4000 K



8719514340893
Adore bar white
1 91 → 626 / 122 mm
3 × 5,5 W, 230 V,
3 × 350 lm at 4000 K



8719514340879
Adore bar white
1 90 → 366 / 120 mm
2 × 5,5 W, 230 V,
2 × 350 lm at 4000 K



8719514340855
Adore single spot white
1 136 → 71 / 121 mm
5,5 W, 230 V, 350 lm
at 4000 K





8719514340817
Adore recessed chrome 3-pack
1 70-75 → 94 / 94 mm
3 × 5 W, 3 × 350 lm at 4000 K



8719514340794
Adore recessed chrome
1 70-75 → 94 / 94 mm
5 W, 350 lm at 4000 K
Dimmer switch not included

Dimmer switch remote
control included



 Adore
2200-6500 K
 Lifetime: 30000 hours, 15000 hours
(for GU models)
Light source included: GU10
Hue White Ambiance
⊕ - IP44
Metal/Aluminium/Glass/Synthetic

Philips Hue White

Adjust your lights easy and comfortably



Smart control, home and away

With the Philips Hue iOS and Android apps you can control your lights remotely wherever you are. Check if you have forgotten to switch your lights off before you left your home, and switch them on if you are working late.



Set timers for your convenience

Philips Hue can make it seem like you're home when you're not, using the schedule function in the Philips Hue app. Set the lights to come on at a pre-set time, so the lights are on when you arrive home. You can even set rooms to light up at different times. And of course, you can let the lights turn off gradually in the night, so you never have to worry whether you've left any lights on.



Installation free dimming

Experience guaranteed smooth dimming with Philips Hue. No need for wires, an electrician or installation.



Control with your voice

Philips Hue works with Amazon Alexa, Apple HomeKit* and Google Home, powered by the Google Assistant, to allow you to control your lights with your voice. Turn your lights on and off. Dim to the desired brightness for a perfect ambiance.

*Philips Hue Bridge required

800 lm



8719514319141
Philips Hue White
9 W A60 E27 4-pack



8719514329881
Philips Hue White
9 W A60 E27 3-pack



8719514319028
Philips Hue White
9 W A60 E27 2-pack



8719514320666
Philips Hue White
5,5 W E14 B39



8719514320628
Philips Hue White 5,5 W
E14 B39 2 szt.



8719514356696
Philips Hue White 5,7 W
E14 luster



8719514356771
Philips Hue White 5,7 W
E14 luster 2-Pack

1100 lm



8719514289130
Philips Hue White
9,5 W A60 E27 3-pack with
Bridge and Dimmer switch



8719514289116
Philips Hue White
9,5 W A60 E27 2-pack
with Bridge



8719514289192
Philips Hue White
9,5 W A60 E27 2-pack



8719514288232
Philips Hue White
9,5 W A60 E27



8719514340060
Philips Hue White
5,2 W GU10



8719514340145
Philips Hue White 5,2 W
GU10 2-pack

1600 lm



8719514343320
Philips Hue White
15,5 W A60 E27



Philips Hue White bulbs

1600 lm (E27 15,5 W), 1055 lm (E27 9,5 W), 800 lm (E27 9 W) at 2700 K
470 lm (E14), 400 lm (GU10) at 2700 K

White 2700 K

Lifetime: 25000 hours (E14, E27), 15000 hours (GU10)

220 V – 240 V/50–60 Hz

⊕ – IP20


↓ 117 → 39 mm (E14), ↓ 71 → 50 mm (GU10)

↓ 110 → 60 mm (E27 9 W, 9,5 W)

↓ 131 → 67 mm (E27 15,5 W)

Synthetic/Glass (E14), Aluminium/Glass (E27), Synthetic (GU10)

All Philips Hue White bulbs are featuring Bluetooth® and Zigbee technology



Philips Hue Filaments



8719514342941
Philips Hue White
Filament 7 W E27 A60



8719514343009
Philips Hue White
Filament 7 W E27 G93



8719514343023
Philips Hue White
Filament 7 W E27 G125



8719514342989
Philips Hue White
Filament 7 W E27 ST64



8719514343061
Philips Hue White
Filament 7 W E27 ST72




8719514302211
Philips Hue White Filament
4,5 W E14 Candle 2-pack



8719514302235
Philips Hue White Filament
4,5 W E14 Candle

Philips Hue White Filament

 550 lm (E27), 300 lm (E14)
White 2100 K
Lifetime: 15000 hours

220 V – 240 V/50 – 60 Hz

⊕ – IP20

↓ 115 ↔ 60 mm (A60), ↓ 150 ↔ 95 mm (G93),
↓ 135 ↔ 60 mm (ST64), ↓ 170 ↔ 72 mm (ST72),
↓ 180 ↔ 125 mm (G125), ↓ 117 ↔ 39 mm (E14)
Aluminium/Glass

All Philips Hue White bulbs are featuring Bluetooth® and Zigbee technology



8719514382763
Welcome floodlight
1 153 ↔ 220 ↗ 160 mm
28 W, 2300 lm



8719514388512
Inara wall lantern black
1 277 ↔ 256 ↗ 219 mm
9.5 W, 806 lm

E Welcome

2700 K
Lifetime: 25000 hours
Light source included


Hue White
220 V–240 V/50–60 Hz
⊕ – IP44
Aluminium die-cast

G Inara

2700 K
Lifetime: 25000 hours
Light source included

Hue White
220 V–240 V/50–60 Hz
⊕ – IP44
Aluminium

Philips Hue Inara/Welcome



8718696166048
Lucca wall lantern anthracite
I 115 → 215 / 170 mm
9,5 W, 806 lm



8718696166055
Lucca pedestal anthracite
I 400 → 142 / 142 mm
9,5 W, 806 lm



8718696166062
Lucca post anthracite
I 770 → 142 / 140 mm
9,5 W, 806 lm



8718696154465
Turaco wall lantern anthracite
I 212 → 118 / 101 mm
9,5 W, 806 lm



8718696154472
Turaco pedestal anthracite
I 408 → 121 / 121 mm
9,5 W, 806 lm



8718696154489
Turaco post anthracite
I 802 → 121 / 121 mm
9,5 W, 806 lm



8718696166079
Tuar wall lantern inox
I 185 → 150 / 150 mm
9,5 W, 806 lm



8718696166086
Tuar pedestal inox
I 400 → 150 / 150 mm
9,5 W, 806 lm

F Lucca/Tuar/Turaco

2700 K
Lifetime: 25000 hours
Light source included

Hue White
220 V–240 V/50–60 Hz
⊕ – IP44
Aluminium

Philips Hue
Lucca/Tuar/Turaco

Smart accessories

The smartest way to control your lights.

Make your lighting smarter and create breathtaking scenes at home with the right Philips Hue accessories. Remote controls work anywhere. Customize to fit your needs. No wires, no electrician, no installation.



Smart accessories

Bridge \uparrow 88 \leftrightarrow 88 \nearrow 26 mm, \ominus - IP20, Synthetic

Dimmer Switch \uparrow 92 \leftrightarrow 35 \nearrow 11 mm, \ominus - IP20, Synthetic, Bluetooth

Motion Sensor range: 5 m, angle: 100°, \uparrow 20 \leftrightarrow 55 mm, \ominus - IP42, Synthetic, requires Bridge

Outdoor sensor, range: 12 m, angle: 160°, battery powered, IP54, \uparrow 76 \leftrightarrow 76 \nearrow 56 mm, Synthetic, requires Bridge

Smart Plug EU turn on/off feature, \uparrow 50 \leftrightarrow 50 \nearrow 85 mm, max. 3200 W, \ominus - IP20, Bluetooth


Wall switch \uparrow 43 \leftrightarrow 38 \nearrow 10 mm, \ominus - IP20, Synthetic, battery powered, requires Bridge

Tap dial switch \uparrow 80 \leftrightarrow 80 mm (base), \varnothing 60 mm (switch), \ominus - IP20, Synthetic, requires Bridge


Compare the features

	White and Color Ambiance	White Ambiance	White
Smart control	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Control your lights from anywhere	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Automatic light control	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Easy dimming	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Setting the mood	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
Natural wake-up	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
Light supporting wellbeing	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
Colorful smart light	<input checked="" type="checkbox"/>		
Sync with music	<input checked="" type="checkbox"/>		
Sync with movies and games	<input checked="" type="checkbox"/>		



































COLOR TEMPERATURE






































Philips Hue works with many other smart home devices, platforms, and assistants to help make your life more convenient. You can connect your Philips Hue system with Amazon Echo, Apple HomeKit, Google Home and many others. Bring your smart home to life with the most connected light in the world.













































































Philips Hue Secure

929003563803 871951448728400 8719514487284	929003563903 871951448734500 8719514487345	929003563804 871951448716100 8719514487161	929003563904 871951448722200 8719514487222	929003151301 871951441927800 8719514419278	929003152101 871951441945200 8719514419452	929002275802 871869970480300 8718699704803	929002422701 871869978475100 8718699784751	929002422801 871869978477500 8718699784775	
 18	 18	 18	 18	 25	 25	 26	 28	 28	
929003562502 871951449267700 8719514492677	929003562702 871951449285100 8719514492851	929003562602 871951449277600 8719514492776	929003562802 871951449293600 8719514492936	929003562504 871951449613200 8719514496132	929002422901 871869978479900 8718699784799	915005987901 871869617629000 8718696176290	915005988101 871869617631300 8718696176313	915005988001 871869617630600 8718696176306	915005988201 871869617632000 8718696176320
 18	 18	 18	 18	 18	 28	 30	 30	 30	 30
929003562704 871951449615600 8719514496156	929003562901 872016916063700 8720169160637	929003563001 872016916069900 8720169160699	929003711901 872016926291100 8720169262911	929003563201 872016916081100 8720169160811	929003498501 871951443447900 8719514434479	929003498601 871951443453000 8719514434530	929003498701 871951443459200 8719514434592	929003498502 871951443463900 8719514434639	929003498602 871951443465300 8719514434653
 18	 19	 19	 19	 19	 32	 32	 32	 32	 32
929003563701 872016916099600 8720169160996	929003562707 872016919231700 8720169192317	929002468824 872016915961700 8720169159617	929003608801 872016917770300 8720169177703		929003498702 871951443467700 8719514434677				
 19	 19	 19	 19		 32				

Philips Hue White and Color Ambiance














929002489604 871951432840200 8719514328402	929002489603 871951432838900 8719514328389	929002489602 871951432836500 8719514328365	929002468801 871951429117100 8719514291171	929002468802 871951429131700 8719514291317	915005733901 7820230P7 8718696170724	915005734601 7820231P7 8718696170793	915005733701 7820130P7 8718696170717	915005734401 7820131P7 8718696170748	915005735501 7820331P7 8718696170809
 22	 22	 22	 22	 22	 34	 34	 34	 34	 34
929002468804 871951429135500 8719514291355	929002468805 871951429137900 8719514291379	929002468811 871951429151500 8719514291515	929002468810 871951429149200 8719514291492	929002471601 871951428815700 8719514288157	915005734101 7820330P7 8718696170731	915005750101 7820430P7 8718696171189			
 22	 22	 22	 22	 22	 34	 34			
929002294204 871951435661000 8719514356610	929002294205 871951435671900 8719514356719	929001953111 871951433988000 8719514339880	929001953112 871951434008400 8719514340084	929001953115 871951434276700 8719514342767	915005761101 5063131P7 8718696171493	915005761201 5063130P7 8718696171509	915005761301 5063231P7 8718696171516	915005761401 5063230P7 8718696171523	
 23	 23	 23	 23	 23	 37	 37	 37	 37	
929001953113 871951434010700 8719514340107	929003573601 871951449122900 8719514491229	929003573602 871951449128100 8719514491281	929003573301 871951449140300 8719514491403	929003573302 871951449164900 8719514491649	915005761501 5063331P7 8718696171530	915005761601 5063330P7 8718696171547	915005761701 5063431P7 8718696171554	915005761801 5063430P7 8718696171561	
 23	 23	 23	 23	 23	 37	 37	 37	 37	





915005761901 5062131P7 8718696171578  39	915005762301 5062148P7 8718696171615  39	915005762201 5062431P7 8718696171608  39	915005762601 5062448P7 8718696171646  39	915005762001 5062231P7 8718696171585  39
915005762401 5062248P7 8718696171622  39	915005762501 5062348P7 8718696171639  39	915005762101 5062331P7 8718696171592  39	915005762101 5062331P7 8718696171592  39	
929003047701 871951433892000 8719514338920  41	929003047601 871951433880700 8719514338807  41	929003045201 871951434288000 8719514342880  41	929003045301 871951434286600 8719514342866  41	929003045501 871951434290300 8719514342903  41
929003047501 871951433864700 8719514338647  41	929003047401 871951433862300 8719514338623  41	929003045401 871951434292700 8719514342927  41		
915005928301 5061031P7 8718696176009  39	915005928101 5061030P7 8718696175989  39	915005928401 5060931P7 8718696176016  39	915005928201 5060930P7 8718696175996  39	915005928601 5060831P7 8718696176030  39
915005928501 5060830P7 8718696176023  43	915005928801 5060731P7 8718696176054  43	915005928701 5060730P7 8718696176047  43		
929003117301 871951440776300 8719514407763  46	929003117401 871951440778700 8719514407787  46	929003117501 871951440780000 8719514407800  46	929003117601 871951440782400 8719514407824  46	929003117101 871951440772500 8719514407725  47
929003117201 871951440774900 8719514407749  47	929003117701 871951440784800 8719514407848  47	929003117801 871951440786200 8719514407862  47	929003117901 871951440788600 8719514407886  47	929003118001 871951440790900 8719514407909  47
929003115701 871951440744200 8719514407442  47	929003115801 871951440746600 8719514407466  47	929003115901 871951440748000 8719514407480  47	929003116001 871951440750300 8719514407503  47	


915005986901 871869617623800 8718696176238  49	915005987001 871869617624500 8718696176245  49	915005987101 871869617625200 8718696176252  49	915005987201 871869617626900 8718696176269  49	929003479701 871951443352600 8719514433526  49
929003479601 871951443346500 8719514433465  49	915005871701 4090130P9 8718696174531  51	915005871801 4090131P9 8718696174548  51	915005871901 4090230P9 8718696174555  51	915005872001 4090231P9 8718696174562  51
929003052501 871951434336800 8719514343368  53	929003053301 871951434346700 8719514343467  53	929003053401 871951434348100 8719514343481  53	929003053501 871951434350400 8719514343504  53	929003053601 871951434352800 8719514343528  53
915005997201 4116331P9 8718696176498  55	915005997301 4116330P9 8718696176504  55	915005997401 4116431P9 8718696176511  55	915005997501 4116430P9 8718696176528  55	929002966401 871951435507100 8719514355071  55
929002966501 871951435505700 8719514355057  55	929003598001 872016915913600 8720169159136  55	929003598101 872016915919800 8720169159198  55	915005997801 4116731P9 8718696176559  57	929003526301 871951445225100 8719514452251  57
915005997901 4116831P9 8718696176566  57	929003074701 871951435534700 8719514355347  57	929003074801 871951435539200 8719514355392  57	929003526101 871951445213800 8719514452138  57	929003526202 871951445219000 8719514452190  57
929002994901 871951433996500 8719514339965  59	929002995001 871951433998900 8719514339989  59	929002269101 871869970342400 8718699703424  59	929002269201 871869970344800 8718699703448  59	
929002376001 871869977112600 8718699771126  61	929002375901 8718699770983 8718699770983  61	915005821901 7602031P7 8718696173992  61	929003661301 872016926799200 8720169267992  61	

929002376101 871951426446500 8719514264465	929002376201 871951426448900 8719514264489	929002376402 871951441073200 8719514410732	929002376703 871951441152400 8719514411524	929002376803 871951441158600 8719514411586
 63	 63	 63	 63	 63
929003149501 871951441415000 8719514414150	929003149201 871951441397900 8719514413979	915005641701 1742430PN 8718696168721	915006001601 1736830PN 8718696176641	915006001801 1736930PN 8718696176658
 66	 66	 67	 67	 67
915005843401 1746630P7 8718696174425	929002289002 871869970983900 8718699709839	929002289102 871869970985300 8718699709853		
 68	 68	 68		
915005842601 1746230P7 8718696174364	915005629701 1741430P7 8718696167960	915005671701 1742830P7 8718696169087	915005629801 1741530P7 8718696167977	915005731801 1743730P7 8718696170557
 69	 69	 69	 69	 69
915005630301 1742030P7 8718696167991	929003098601 871951438849900 8719514388499	929003128401 871951440457100 8719514404571	929003128501 871951440459500 8719514404595	
 69	 69	 71	 71	
929003674402 872016924662100 8720169246621	929003674602 872016924686700 8720169246867	915005842101 1745930P7 8718696174333	915005730801 1743030P7 8718696170496	915005731001 1743130P7 8718696170502
 73	 73	 75	 75	 75
915005730601 1742930P7 8718696170489	915005731101 1743230P7 8718696170519	915005731301 1743430P7 8718696170526		
 75	 75	 75		

Philips Hue White Ambiance

929002489802 871951432824200 8719514328242	929002489803 871951432826600 8719514328266	929002489804 871951432828000 8719514328280	929002468403 871951429123200 8719514291232	929002468406 871951429181200 8719514291812
 82	 82	 82	 82	 82
929002468404 871951429125600 8719514291256	929002468401 871951429111900 8719514291119	929002471901 871951428819500 8719514288195		
 82	 82	 82		
929001953312 871951434280400 8719514342804	929001953310 871951434012100 8719514340121	929001953309 871951433990300 8719514339903	929002294404 871951435673300 8719514356733	929002294403 871951435665800 8719514356658
 83	 83	 83	 83	 83

929003573701 871951449110600 8719514491106	929003573702 871951449116800 8719514491168	929003575201 871951449134200 8719514491342	929003575202 871951449158800 8719514491588	929003055401 871951434133300 8719514341333	929003055501 871951434135700 8719514341357	929003055301 871951434137100 8719514341371	929003054101 871951434139500 8719514341395	929003054001 871951434141800 8719514341418	
 83	 83	 83	 83	 95	 95	 95	 97	 97	
929002477801 871951430148100 8719514301481	929002477901 871951430150400 8719514301504	929002478101 871951430154200 8719514301542	929002477501 871951430142900 8719514301429	929002477701 871951430146700 8719514301467	929003046501 871951433844900 8719514338449	929003046901 871951433852400 8719514338524	929003046401 871951433842500 8719514338425	929003046701 871951433848700 8719514338487	929003046801 871951433850000 8719514338500
 85	 85	 85	 85	 85	 99	 99	 99	 99	 99
929003145202 871951441186900 8719514411869	929003145201 871951441180700 8719514411807	929003054901 871951434107400 8719514341074	929003054801 871951434109800 8719514341098		929003046601 871951433846300 8719514338463	929003045901 871951433832600 8719514338326	929003046101 871951433836400 8719514338364	929003045801 871951433820300 8719514338203	929003046001 871951433834000 8719514338340
 85	 85	 87	 87		 99	 101	 101	 101	 101
929003054501 871951434129600 8719514341296	929003054401 871951434131900 8719514341319	929003054701 871951434125800 8719514341258	929003054601 871951434127200 8719514341272	915005998101 4116230P6 8718696176580	929003045701 871951433816600 8719514338166	929003045601 871951433814200 8719514338142	929003046301 871951433840100 8719514338401	929003046201 871951433838800 8719514338388	
 89	 89	 89	 89	 91	 101	 101	 101	 101	
915005997101 4116130P6 8718696176481	915005997001 4116131P6 8718696176474	915005996901 4116030P6 8718696176467	915005996801 4116031P6 8718696176450	915005998001 4116231P6 8718696176573	929003048401 871951433918700 8719514339187	929003048601 871951433922400 8719514339224	929003047801 871951433906400 8719514339064	929003048001 871951433910100 8719514339101	929003048201 871951433914900 8719514339149
 91	 91	 91	 91	 91	 103	 103	 103	 103	 103
915005996701 4115930P6 8718696176443	915005996601 4115931P6 8718696176436	915005996501 4115830P6 8718696176429	915005996401 4115831P6 8718696176412		929003048501 871951433920000 8719514339200	929003048701 871951433924800 8719514339248	929003047901 871951433908800 8719514339088	929003048101 871951433912500 8719514339125	929003048301 871951433916300 8719514339163
 91	 91	 91	 91		 103	 103	 103	 103	 103
929003055101 871951434113500 8719514341135	929003055001 871951434115900 8719514341159	929003055201 871951434111100 8719514341111			929003099201 871951438262600 8719514382626	929003099001 871951438264000 8719514382640	929003099101 871951438266400 8719514382664	929003597801 872016915901300 8720169159013	929003597601 872016915889400 8720169158894
 93	 93	 93			 105	 105	 105	 105	 105
915005914601 871869617528600 8718696175286	915005914701 871869617529300 8718696175293	915005914501 871869617527900 8718696175279			929003099201 871951438262600 8719514382626	929003099001 871951438264000 8719514382640	929003099101 871951438266400 8719514382664	929003597801 872016915901300 8720169159013	929003597601 872016915889400 8720169158894
 93	 93	 93			 105	 105	 105	 105	 105
					929003047001 871951433854800 8719514338548	929003047101 871951433856200 8719514338562	929003045001 871951434284200 8719514342842	929003045101 871951434282800 8719514342828	
					 107	 107	 107	 107	



Philips Hue White



Philips Hue accesories



Notes





© 2024 Signify Holding. All rights reserved.

The information provided herein is subject to change, without notice. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V. All other trademarks are owned by Signify Holding or their respective owners.

www.philips-hue.com